

Station Type	EV Program Vendor (alphabetical order)	Package Overview	Electric Vehicle Supply Equipment (EVSE) Manufacturer	EVSE Models	EV Charging Network Backend Provider
<b>LEVEL 2</b>					
Level 2	AmpUp	AmpUp EV charging management software for communities of all shapes and sizes. Compatible with EVSE LLC offerings, includes smart charging features of access control, pricing, reporting, load management, and more. OCPP & OpenADR compliant.	EVSE LLC	3703, 3704, 3722	AmpUp
			EV-Box, Inc.	Iqon, Business Line	
			JuiceBar/ Oasis Charging Corp	MB402C-1.0 JB3.0-321 & 322	
			PowerCharge (NY Company)	Energy-Series	
			Wallbox	PUP1-U-1-5	
Level 2	AmpedUp! Networks	The AmpedUp! Networks charging station management system provides operators of OCPP-compliant chargers, an array of scalable features including flexible session pricing models, power management with OpenADR compliance, driver memberships, analytics, and more.	Atom Power	AS2P60-EVSE, AS2P100-EVSE	AmpedUp! Networks
			BTC Power	EVP-2002-40, EVP-2002-30	
			Siemens	8EM13104, 8EM13105	
			Wallbox	PUP1-U-1-5	
Level 2	Autel Energy	The Autel Energy 12kW AC Wallbox and AC Floor Standing Chargers offers a turnkey solution for any site location and extensive cloud-based site management features. This product is OCPP and OpenADR compliant; UL, Energy Star, and CSA certified. 3-year standard warranty and 24/7 US support.	Autel Energy	MAXI US AC W12-L-4G MaxiCharger AC Floor Standing	Autel Energy
Level 2	Blink Charging Co.	Offering the fastest L2 charging (up to 19.2kW) and supporting real-time management, point-of-sale transactions, multiple or single primary charging station(s) (or Kiosk), and local load management of up to 20 chargers.	Blink Charging	IQ2W-80U-M1-R2-N-25 IQW2-80U-W1-N1-N-25 IQW2-00U-M1-R2-N-00	Blink Charging
Level 2	breezEV	BreezEV Level 2 48A/11.2 kW max output Level 2 OCPP compliant charging station. EVSE model numbers change with add-ons.	Light Efficient Design	EVC-L2-48A-L1	AmpUp
Level 2	ChargePoint	Level 2 EV charging solutions to support public, workplace, multifamily, and fleet charging applications leveraging a seamlessly integrated portfolio of hardware, software services and support. Leviton CT4000 stations may include Leviton branding.	ChargePoint	CT4000 CPF50 Leviton CT4000 stations	ChargePoint
Level 2	Cyber Switching	A wall- or pedestal-mounted smart charger installed indoors or outdoors with water and dust resistance capabilities.	Cyber Switching	Cyber Charger CSE-1	AmpUp
Level 2	Enel X	Level 2 commercial charging stations for businesses, multifamily buildings and fleets; equipped with smart charging software capabilities. Available in multiple configurations including wall-mounted, with a pedestal or stand.	Enel X	JuiceBox Pro 32, JuiceBox Pro 40, JuiceStand Pro, JuicePedestal	Enel X

Station Type	EV Program Vendor (alphabetical order)	Package Overview	Electric Vehicle Supply Equipment (EVSE) Manufacturer	EVSE Models	EV Charging Network Backend Provider
<b>LEVEL 2 continued</b>					
Level 2	EV Connect, Inc.	EV Connect turn-key EVSE solution which includes both EV Connect's EV Cloud™ Charge Point Management System and BTC Power's L2 EVSE.	BTCPower, Inc.	EVP-2002-30 EVP-2002-40	EV Connect, Inc.
Level 2	EV Connect, Inc.	EV Connect turn-key EVSE solution which includes both EV Connect's EV Cloud™ Charge Point Management System and EV-Box L2 EVSE.	EV-Box, Inc.	BL-1	EV Connect, Inc.
Level 2	EvGateway	EvGateway is an OCPP Compliant Network and can communicate with any OCPP Complaint Charging Stations including Smart Charging Capabilities. Model # changes with Add-Ons	BTCPower, Inc.	BTC 2002-30W BTC 2002-30P	EvGateway
Level 2	EvGateway	EvGateway is an OCPP Compliant Network and can communicate with any OCPP Complaint Charging Stations including Smart Charging Capabilities. Model # changes with Add-Ons	Tellus Power Green	UP160J-PMP-COM	EvGateway
Level 2	EvGateway	EvGateway is an OCPP Compliant Network and can communicate with any OCPP Complaint Charging Stations including Smart Charging Capabilities. Model # changes with Add-Ons	Efacec Electric Mobility	EF-EV-01	EvGateway
Level 2	EV-Box, Inc.	Charging stations use OCPP and can communicate with OCPP network providers. BusinessLine charging stations are equipped with Smart Charging, Load Balancing and Peak Shaving features.	EV-Box, Inc.	Business Line B2320-45063 65063 B2323-45063 65063	EV Connect, Inc or Greenlots
Level 2	EvoCharge	EVSE hardware using OCPP for integration and flexibility. Industry leading cable management options include EvoReel and Retractor, available in multiple lengths. Charging stations can mounted on wall, pedestal, or overhead.	EvoCharge	iEVSE, iEVSE Plus	EV Connect
Level 2	EVOKE Systems	OCPP-compliant network provider with a cloud-based EV charging management system and adheres to OpenADR. Features include local load management, max charge duration, flexible pricing models, data analytics, and more.	EV-Box, Inc. PowerCharge	Iqon E20SWP	EVOKE Systems
Level 2	EVPassport Inc.	EVPassport is a charging hardware and software platform for businesses, multi-family, public, and fleet. The EVPassport Cloud Platform is an OpenADR compliant, API-driven, cloud-based, interoperable EV charging platform. Drivers scan a QR code to access the stations.	EVPassport	Howard 19.2 kW Charger Ezra 7.7 kW Charger	EVPassport
Level 2	EVSE LLC	Single port station offered in wall or pole mounted configurations with either wrap around cable (3703) or autocoil configurations (3704) or a ceiling-mounted station designed for parking garages (3722).	EVSE LLC	3703 3704 3722	Greenlots Zevtron

Station Type	EV Program Vendor (alphabetical order)	Package Overview	Electric Vehicle Supply Equipment (EVSE) Manufacturer	EVSE Models	EV Charging Network Backend Provider
<b>LEVEL 2 continued</b>					
Level 2	FLO	The CoRe+ Charging Stations provide a built to last networked-smart charging station solution, CSA/UL approved with a NEMA 4X Cast Aluminum enclosure.	FLO	CoRe+	Flo
Level 2	Greenlots	Charging stations use OCPP	Efacec Electric Mobility, S.A.	EV-CP G2	Greenlots
Level 2	Greenlots	Charging stations use OCPP and can communicate with OCPP network providers. BusinessLine charging stations are equipped with Smart Charging, Load Balancing and Peak Shaving features.	EV-Box, Inc.	Business Line B2320-45063 65063 B2323-45063 65063	Greenlots
Level 2	Greenlots	Charging stations use OCPP and can communicate with OCPP network providers.	EVSE LLC	3703 3704	Greenlots
Level 2	Livingston Energy Group	Standard models with manual cable management (103 IHD) and auto cable retraction (104 IHD), utility pole mount with auto cable retraction (105 IHD), and ceiling mount with auto cable retraction (106 IHD).	Livingston Energy Group	103 IHD 104 IHD 105 IHD 106 IHD CP203	Livingston Charge Port (EV Network) & Greenlots
Level 2	Oasis Charger Corp d/ba Juice Bar	Charging station use OCPP (Open Charge Point Protocol)	Oasis Charging Corporation	MB402C-1.0	Greenlots & AmpUp
Level 2	PowerCharge	PowerCharge level 2 stations are available in three models and use open-source, OCPP to communicate with backend software providers. Available features include; adjustable amperage (16A to 70A available), load management, cable retraction.	PowerCharge (a New York State Company)	Energy-Series, Pro-Series, Pro-Lightning Series	EV Connect
Level 2	SemaConnect	SemaConnect Series 6 Smart EV Charging Solution	SemaConnect	Series 6	SemaConnect
Level 2	Siemens Industry Inc.	Siemens VersiCharge AC EVSE are powerful 40A [9.6kW] and 48A [11.5kW] Level 2 chargers with advanced connectivity via WiFi, Ethernet, cellular, Modbus and OCPP for connectivity to EVGateway and other systems. RFID reader and cards standard.	Siemens Industry Inc.	VersiCharge Commercial Models: 8EM13104*, 8EM13105*, US2:VERSI*	EVGateway
Level 2	SWTCH Energy Inc.	SWTCH Energy is a non-proprietary provider of EV charging and energy management solutions.	LiteOn	EX-1762-1A30	SWTCH Energy Inc.
Level 2	Volta Charging	Charging station with 55" digital screens	EverCharge	40A AC Charge Station	Volta Charging
Level 2	Zevtron	Charging stations that are OCPP compliant and can communicate with OCPP network providers. OpenADR2.0b certified, quick and easy driver access, flexible pricing tables and load management.	EVSE LLC	3703 3704 3722	Zevtron

Station Type	EV Program Vendor (alphabetical order)	Package Overview	Electric Vehicle Supply Equipment (EVSE) Manufacturer	EVSE Models	EV Charging Network Backend Provider
<b>DC FAST CHARGING (DCFC)</b>					
DCFC	Autel Energy	The Autel Energy DC Fast 60-240kW chargers offer a turnkey solution for any site location and extensive cloud-based site management features. These products are OCPP and OpenADR compliant; UL, and CSA certified. 2-year standard warranty and 24/7 US support.	Autel Energy	MaxiCharger DC Fast (available in 20 kW increments between 60 kW to 240 kW)	Autel Energy
DCFC	ChargePoint	DC fast charging portfolio including the CPE250 solution providing up to 62.5kW (125kW paired) and the Express Plus distributed DC platform providing up to 350kW with a scalable architecture.	ChargePoint	CPE250 Express Plus	ChargePoint
DCFC	Enel X	JuiceNet-enabled 50 kW DCFC charging stations for businesses and fleets; equipped with smart charging software capabilities.	Enel X	JuicePump 50 kW	Enel X
DCFC	EV Connect, Inc.	EV Connect EVSE solution includes both EV Connect's EV Cloud™ Charge Point Management System and ABB's DCFC offering (50 kW minimum with ability to scale to 350 kW).	ABB, Inc.	Terra 53 CJ	EV Connect, Inc.
DCFC	EV Connect, Inc.	EV Connect EVSE solution includes both EV Connect's EV Cloud™ Charge Point Management System and BTC Power's offering (50 kW minimum with ability to scale to 350 kW).	BTCPower, Inc.	L3-50-CS	EV Connect, Inc.
DCFC	EvGateway	EvGateway is an OCPP Compliant Network and can communicate with any OCPP Complaint Charging Stations including Smart Charging Capabilities. Model # changes with Add-Ons	ABB, Inc	Terra 53 CJ	EvGateway
DCFC	EvGateway	EvGateway is an OCPP Compliant Network and can communicate with any OCPP Complaint Charging Stations including Smart Charging Capabilities. Model # changes with Add-Ons	BTCPower, Inc.	L3S-50-480- 01-003	EvGateway
DCFC	EvGateway	EvGateway is an OCPP Compliant Network and can communicate with any OCPP Complaint Charging Stations including Smart Charging Capabilities. Model # changes with Add-Ons	Efacec Electric Mobility	QC45	EvGateway
DCFC	EVgo Services LLC	50 kW fast charging station	ABB, Inc.	Terra 53 CJ	EVgo Services LLC
DCFC	EVgo Services LLC	50 kW fast charging station	BTCPower, Inc.	EVP-FC-50-001	EVgo Services LLC

Station Type	EV Program Vendor (alphabetical order)	Package Overview	Electric Vehicle Supply Equipment (EVSE) Manufacturer	EVSE Models	EV Charging Network Backend Provider
<b>DC FAST CHARGING (DCFC)</b>					
DCFC	EVgo Services LLC	An 100kW all-in-one unit capable of simultaneously charging 2 connectors at once.	Delta	Delta City 100kW	EVgo Services LLC
DCFC	EVgo Services LLC	A 350kW system consisted of two (2) HPC175K 175kW Cabinet and two (2) SHDP350 dispensers. The system is capable of powersharing between the two (2) dispensers.	Signet	Signet HP 350kW	EVgo Services LLC
DCFC	FreeWire Technologies	120 kW dual-port station with a 160 kWh integrated battery, enabling turnkey ultrafast charging performance via 208/240 Volt grid connection. OCPP 1.6 compliant.	FreeWire Technologies	Boost 120	EV Connect, Inc.
DCFC	Greenlots	50 kW fast charging station	BTCPower, Inc.	EVP-FC-50-001	Greenlots
DCFC	Greenlots	50 kW fast charging station	Efacec Electric Mobility, S.A.	QC45	Greenlots
DCFC	Livingston Energy Group	OCPP network enabled two connector DCFC unit with 100kW maximum single output or 50kW simultaneous parallel output. Integrated cord retraction system included for options with CCS1 connectors.	BTC Power	L3R-100-480	Livingston Charge Port™
DCFC	SWTCH Energy Inc.	SWTCH Energy is a non-proprietary provider of EV charging and energy management solutions.	Tritium	Veefil RT50	SWTCH Energy Inc.
DCFC	Tritium Technologies	50 kW fast charging station	Tritium Technologies	TRI93-50-01-US	Multiple network operators
DCFC	XCharge Energy USA	DCFC capable of 95kW output with XCharge charging management system and POS onboard to accept payments. Capable of power sharing between the two dispensers on unit.	Xcharge Energy USA	C6AM	XCharge Energy USA