

| Station Type | EV Program Vendor (alphabetical order) | Package Overview | Electric Vehicle Supply Equipment (EVSE) Manufacturer | EVSE Models | EV Charging Network Backend Provider |
|--------------|----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|-----------------------------------------------------------------|--------------------------------------|
| LEVEL 2 | | | | | |
| Level 2 | AmpedUp! Networks | The AmpedUp! Networks charging station management system provides operators of OCPP-compliant chargers an array of scalable features including flexible session pricing models, power management with OpenADR compliance, driver memberships, analytics, and more. | Atom Power | AS2P60-EVSE AS2P100-EVSE | AmpedUp! Networks |
| | | | BTC Power | EVP-2002-40, EVP-2002-30 | |
| | | | Siemens | EVP-2002-40, EVP-2002-30 | |
| | | | Wallbox | PUP1-U-1-5 | |
| Level 2 | AmpUp | AmpUp EV charging management software for communities of all shapes and sizes. Compatible with EVSE LLC offerings, includes smart charging features of access control, pricing, reporting, load management, and more. OCPP & OpenADR compliant. | EVSE LLC | 3703, 3704, 3722 | AmpUp |
| | | | EV-Box, Inc. | Iqon, Business Line | |
| | | | JuiceBar/ Oasis Charging Corp | JB3.0-321 & 322 JP3.0-401 & 402 | |
| | | | PowerCharge (NY Company) | Energy-Series | |
| | | | Wallbox | PUP1-U-1-5 | |
| Level 2 | Autel Energy | The Autel Energy 12kW AC Elite and 19.2kW AC Ultra chargers offer a turnkey solution for any site location and extensive cloud-based site management features. This product is OCPP and OpenADR compliant and UL, EnergyStar, and CSA certified. It includes a 3-year standard warranty and 24/7 US support. | Autel Energy | MaxiCharger Elite Business MaxiCharger AC Ultra | Autel Energy |
| Level 2 | Blink Charging Co. | Offering the fastest L2 charging (up to 19.2kW) and supporting real-time management, point-of-sale transactions, multiple or single primary charging station(s) (or Kiosk), and local load management of up to 20 chargers. | Blink Charging | IQW2-80U-M1-R2-N-25 IQW2-80U-W1-N1-N-25 | Blink Charging |
| Level 2 | breezEV | BreezEV Level 2 48A/11.2 kW max output Level 2 OCPP compliant charging station. EVSE model numbers change with add-ons. | Light Efficient Design | EVC-L2-48A-L1 | AmpUp |
| Level 2 | ChargePoint | Level 2 EV charging solutions to support public, workplace, multifamily, and fleet charging applications leveraging a seamlessly integrated portfolio of hardware, software services and support. Leviton CT4000 stations may include Leviton branding. | ChargePoint | CT4000 CPF50 Leviton CT4000 stations | ChargePoint |
| Level 2 | Cyber Switching | A wall- or pedestal-mounted smart charger installed indoors or outdoors with water and dust resistance capabilities. | Cyber Switching | Cyber Charger CSE-1 | AmpUp |
| Level 2 | Enel X | Level 2 commercial charging stations for businesses, multifamily buildings and fleets; equipped with smart charging software capabilities. Available in multiple configurations including wall-mounted, with a pedestal or stand. | Enel X | JuiceBox Pro 32, JuiceBox Pro 40, JuiceStand Pro, JuicePedestal | Enel X |

| Station Type | EV Program Vendor (alphabetical order) | Package Overview | Electric Vehicle Supply Equipment (EVSE) Manufacturer | EVSE Models | EV Charging Network Backend Provider |
|--------------|----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|-------------------------------------------------------------------|--------------------------------------|
| LEVEL 2 | | | | | |
| Level 2 | Espen Technology | A Level 2, 48 amp unit, Ethernet, WIFI and 4G Capable, OCPP, 5" LCD display, J1772 16ft Cable | Phihong | EVC/A48S/J18/EWG/5D | ChargeLab |
| Level 2 | EV Connect | EV Connect turn-key EVSE solution which includes both EV Connect's EV Cloud™ Charge Point Management System and BTC Power's L2 EVSE. | BTCPower, Inc. | EVP-2002-30 EVP-2002-40 EVP-2002-70 | EV Connect |
| Level 2 | EV Connect | EV Connect turn-key EVSE solution which includes both EV Connect's EV Cloud™ Charge Point Management System and EV-Box L2 EVSE. | EV-Box, Inc. | BL-1 | EV Connect |
| Level 2 | EV Connect | EV Connect turn-key EVSE solution which includes both EV Connect's EV Cloud™ Charge Point Management System and JuiceBar's 32A L2 EVSE. | JuiceBar | JB3.0-321 JB3.0-322 JB3.0-401 JB3.0-402 JB3.0-481 JB3.0-482 | EV Connect |
| Level 2 | EV Connect | EV Connect turn-key EVSE solution which includes both EV Connect's EV Cloud™ Charge Point Management System and Zerova's L2 EVSEs. | Zerova | AX48 AX80 | EV Connect |
| Level 2 | EvGateway | EvGateway is an OCPP Compliant Network and can communicate with any OCPP Compliant Charging Stations including Smart Charging Capabilities. Model # changes with Add-Ons | BTCPower, Inc. | BTC 2002-30W BTC 2002-30P | EvGateway |
| Level 2 | EvGateway | EvGateway is an OCPP Compliant Network and can communicate with any OCPP Compliant Charging Stations including Smart Charging Capabilities. Model # changes with Add-Ons | Tellus Power Green | UP160J-PMP-COM | EvGateway |
| Level 2 | EvGateway | EvGateway is an OCPP Compliant Network and can communicate with any OCPP Compliant Charging Stations including Smart Charging Capabilities. Model # changes with Add-Ons | Efacec Electric Mobility | EF-EV-01 | EvGateway |
| Level 2 | EV-Box, Inc. | Charging stations use OCPP and can communicate with OCPP network providers. BusinessLine charging stations are equipped with Smart Charging, Load Balancing and Peak Shaving features. | EV-Box, Inc. | Business Line B2320-45063 65063 B2323-45063 65063 | EV Connect, Inc or Greenlots |
| Level 2 | EvoCharge | EVSE hardware using OCPP for integration and flexibility. Industry leading cable management options include EvoReel and Retractor, available in multiple lengths. Charging stations can be mounted on wall, pedestal, or overhead. | EvoCharge | iEVSE, iEVSE Plus | EV Connect |

| Station Type | EV Program Vendor (alphabetical order) | Package Overview | Electric Vehicle Supply Equipment (EVSE) Manufacturer | EVSE Models | EV Charging Network Backend Provider |
|--------------|----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|---------------------------------------------------------|--------------------------------------|
| LEVEL 2 | | | | | |
| Level 2 | EVOKE Systems | OCCP-compliant network provider with a cloud-based EV charging management system and adheres to OpenADR. Features include local load management, max charge duration, flexible pricing models, data analytics, and more. | EV-Box, Inc. | Iqon | EVOKE Systems |
| | | | Wallbox | PUP1-U-1-5 | |
| Level 2 | EVPassport Inc. | EVPassport is a charging hardware and software platform for businesses, multi-family, public, and fleet. The EVPassport Cloud Platform is an OpenADR compliant, API-driven, cloud-based, interoperable EV charging platform. Drivers scan a QR code to access the stations. | EVPassport | Howard 19.2 kW Charger Ezra 7.7 kW Charger | EVPassport |
| Level 2 | EVSE LLC | Single port station offered in wall or pole mounted configurations with either wrap around cable (3703) or autocoil configurations (3704) or a ceiling-mounted station designed for parking garages (3722). | EVSE LLC | 3703 3704 3722 | "Greenlots Zevtron" |
| Level 2 | FLO | The CoRe+ Charging Stations provide a built to last networked-smart charging station solution, CSA/UL approved with a NEMA 4X Cast Aluminum enclosure. | FLO | CoRe+ | Flo |
| Level 2 | Greenlots | Charging stations use OCCP | Efacec Electric Mobility, S.A. | EV-CP G2 | Greenlots |
| Level 2 | Greenlots | Charging stations use OCCP and can communicate with OCCP network providers. BusinessLine charging stations are equipped with Smart Charging, Load Balancing and Peak Shaving features. | EV-Box, Inc. | Business Line B2320-45063 65063 B2323-45063 65063 | Greenlots |
| Level 2 | Greenlots | Charging stations use OCCP and can communicate with OCCP network providers. | EVSE LLC | 3703 3704 | Greenlots |
| Level 2 | Integra Energy | Single port Level 2 stations can be mounted in a pedestal or wallmounted configuration. 18' cable standard, Cable holder & Connector holster, UL safety certified in the U.S. and Canada, Open Charge Point Protocol (OCCP1.6) Compliant, Pay per event, per hour, per kWh, or any custom combinations, Data collection and reporting online for easy management and fleet tracking, Point of Sale payment options, LAN and Cellular communications, Access control options. | Integra Energy | IE-EX-1193-1 IE-IC3-32A-H | Integra Energy |
| | | | Zerova | AX48 | |
| Level 2 | Legrand | 48A/11.2kW EV charger that can be mounted on a wall or an available ETL-listed pedestal. The OCCP-compliant charger comes factory configured to work with the AmpUp charging solution out of the box utilizing a cellular 4G internet connection. | Legrand | LNA-EVC1-48-SV1 | AmpUp |

| Station Type | EV Program Vendor (alphabetical order) | Package Overview | Electric Vehicle Supply Equipment (EVSE) Manufacturer | EVSE Models | EV Charging Network Backend Provider |
|--------------|----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|------------------------------------------------------------------|-------------------------------------------------|
| LEVEL 2 | | | | | |
| Level 2 | Livingston Energy Group | Standard models with manual cable management (103 IHD) and auto cable retraction (104 IHD), utility pole mount with auto cable retraction (105 IHD), and ceiling mount with auto cable retraction (106 IHD). | Livingston Energy Group | 103 IHD 104 IHD 105 IHD 106 IHD CP203 CP208 CP305 | Livingston Charge Port (EV Network) & Greenlots |
| Level 2 | Loop Inc. | The Loop charging stations are the ideal charging solution for public or private workplace, retail, or multifamily applications. It is designed for cost effective installation, convenient EV charging use and management, and to complement the aesthetics of any site | Loop Inc. | EV-Flex, EV-Flex Lite, EV-Fleet | Loop EV Charging Network |
| Level 2 | Oasis Charger Corp d/ba Juice Bar | Charging station use OCPP (Open Charge Point Protocol) | Oasis Charging Corporation | MB402C-1.0 | Greenlots & AmpUp |
| Level 2 | PowerCharge | PowerCharge level 2 stations are available in three models and use open-source, OCPP to communicate with backend software providers. Available features include adjustable amperage (16A to 70A available), load management, cable retraction. | PowerCharge (NY Company) | Energy-Series, Pro-Series, Pro-Lightning Series | EV Connect |
| Level 2 | PowerPump | Level 2 commercial EV charging stations for businesses, multifamily and fleets. UL, Energy Star, available in multiple configurations wall mounted, single or dual pedestal with smart charging management software that enables drivers, hosts, and fleets to charge with ease. OCPP & OpenADR compliant. | PowerPump | AC5500 Series | PowerPump |
| Level 2 | RAB Lighting Inc. | RAB has chosen to partner with Phihong / Zerova for hardware, and ChargeLab for CSMS. ChargeLab is a powerful, intuitive, and secure software that creates a seamless EV charging experience for everyone: from individual EV drivers to large transit fleets. ChargeLab offers all the features you would expect in a world-class CSMS including but not limited to support for dozens of different charging stations, power management/load balancing, user management, billing, reporting, flexibility, and scalability through our cutting-edge back-end technologies and open APIs. | RAB Lighting Inc. | RAB EVC48S RAB EVC80 RAB EVC80L | RAB Lighting Inc |
| Level 2 | SemaConnect/Blink | "Series 6 - Smart EV Charging Solution Series 7 - 48 or 80 amp, wall or pedestal mounted Series 8 - 48 or 80 amp, wall or pedestal mounted" | SemaConnect/Blink | Series 6 - 620, 630 Series 7 - 730, 780 Series 8 - 880 | SemaConnect/Blink |

| Station Type | EV Program Vendor (alphabetical order) | Package Overview | Electric Vehicle Supply Equipment (EVSE) Manufacturer | EVSE Models | EV Charging Network Backend Provider |
|---------------------------|----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|----------------------------------------------------------------------------------------|--------------------------------------|
| LEVEL 2 | | | | | |
| Level 2 | Siemens Industry Inc. | Siemens VersiCharge AC EVSE are powerful 40A [9.6kW] and 48A [11.5kW] Level 2 chargers with advanced connectivity via WiFi, Ethernet, cellular, Modbus and OCPP for connectivity to EVGateway and other systems. RFID reader and cards standard. | Siemens Industry Inc. | VersiCharge Commercial Models: 8EM13104*, 8EM13105*, US2:VERSI* | EVGateway |
| Level 2 | SWTCH Energy Inc. | SWTCH Energy is a non-proprietary provider of EV charging and energy management solutions. | | | SWTCH Energy Inc. |
| Level 2 | Volta Charging | Charging station with 55" digital screens | EverCharge | 40A AC Charge Station | Volta Charging |
| Level 2 | ZEF Energy | Single and dual plug OCPP charging stations available as a wall mount or with a dual-mounted pedestal add-on. Power options available: 7.7kW, 11.5kW, 15.4kW. | Clipper Creek/Enphase | ZEFNET-40 ZEFNET-PRO-40 ZEFNET-60 ZEFNET-PRO-60 ZEFNET-80 ZEFNET-PRO-80 | ZEF Energy - ZEFNET |
| Level 2 | Zevtron | Charging stations that are OCPP compliant and can communicate with OCPP network providers. OpenADR2.0b certified, quick and easy driver access, flexible pricing tables and load management. | EVSE LLC | 3703 3704 3722 | Zevtron |
| DC FAST CHARGING ("DCFC") | | | | | |
| DCFC | AmpUp | AmpUp is a hardware-agnostic and software-first company providing station owners the ability to efficiently manage multiple charge stations and locations in one platform with features such as reservation smart scheduling, real-time station status data, and mobile app integration. | Zerova | DS60, DS120, DS180 DO360 | AmpUp |
| DCFC | Autel Energy | The Autel Energy DC Fast 60-240kW chargers offer a turnkey solution for any site location and extensive cloud-based site management features. These products are OCPP and OpenADR compliant; UL, and CSA certified. 2-year standard warranty and 24/7 US support. | Autel Energy | MaxiCharger DC Fast (available in 20 kW increments between 60 kW to 240 kW) | Autel Energy |
| DCFC | ChargePoint | DC fast charging portfolio including the CPE250 providing up to 62.5kW (125kW paired), CPE280 providing up to 80kW (160kW paired), and Express Plus distributed DC platform providing up to 350kW with a scalable architecture | ChargePoint | CPE250 CPE280 Express Plus | ChargePoint |

| Station Type | EV Program Vendor (alphabetical order) | Package Overview | Electric Vehicle Supply Equipment (EVSE) Manufacturer | EVSE Models | EV Charging Network Backend Provider |
|---------------------------|----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|-------------------------------------------------------------------|--------------------------------------|
| DC FAST CHARGING ("DCFC") | | | | | |
| DCFC | Electric Era Technologies | Electric Era's PowerNode Platform is a turn-key electric vehicle fast charging solution designed for convenience stores with operations remotely monitored from a 24/7 on-call Network Operations Center. | SK Signet | FC150K | Electric Era Technologies |
| DCFC | Enel X | JuiceNet-enabled 50 kW DCFC charging stations for businesses and fleets; equipped with smart charging software capabilities. | Enel X | JuicePump 50 kW | Enel X |
| DCFC | EV Connect | EV Connect EVSE solution includes both EV Connect's EV Cloud™ Charge Point Management System and ABB's DCFC offering (50 kW minimum with ability to scale to 350 kW). | ABB, Inc. | Terra HV 54 Terra 124 Terra HP 175 Terra 184 HVC 150C | EV Connect, Inc. |
| DCFC | EV Connect | EV Connect EVSE solution includes both EV Connect's EV Cloud™ Charge Point Management System, ADS-TEC ChargeBox (CBX) is a 320 kW DCFC dispensing system with an integrated 140 kWh battery buffer. | ADS-TEC | CBX | EV Connect, Inc. |
| DCFC | EV Connect | EV Connect EVSE solution includes both EV Connect's EV Cloud™ Charge Point Management System and BTC Power's offering (50 kW minimum with ability to scale to 350 kW) | BTCPower, Inc. | L3-50-CS | EV Connect, Inc. |
| DCFC | EV Connect | EV Connect EVSE solution includes both EV Connect's EV Cloud™ Charge Point Management System and Tritium's DCFC offering (150 kW and 175 kW). | Tritium | PKM150 RT175 | EV Connect |
| DCFC | EV Connect | EV Connect EVSE solution includes both EV Connect's EV Cloud™ Charge Point Management System and Zerova's DCFC offering (60 kW, 120 kW, and 180 kW). | Zerova | DS60 DS120 DS180 | EV Connect |
| DCFC | EvGateway | EvGateway is an OCPP Compliant Network and can communicate with any OCPP Compliant Charging Stations including Smart Charging Capabilities. Model # changes with Add-Ons | ABB, Inc | Terra 53 CJ | EvGateway |
| DCFC | EvGateway | EvGateway is an OCPP Compliant Network and can communicate with any OCPP Compliant Charging Stations including Smart Charging Capabilities. Model # changes with Add-Ons | BTCPower, Inc. | L3S-50-480- 01-003 | EvGateway |
| DCFC | EvGateway | EvGateway is an OCPP Compliant Network and can communicate with any OCPP Compliant Charging Stations including Smart Charging Capabilities. Model # changes with Add-Ons | Efacec Electric Mobility | QC45 | EvGateway |

| Station Type | EV Program Vendor (alphabetical order) | Package Overview | Electric Vehicle Supply Equipment (EVSE) Manufacturer | EVSE Models | EV Charging Network Backend Provider |
|---------------------------|----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|---------------------------------------|--------------------------------------|
| DC FAST CHARGING ("DCFC") | | | | | |
| DCFC | EVgo Services LLC | 50 kW fast charging station | ABB, Inc. | Terra 53 CJ | EVgo Services LLC |
| DCFC | EVgo Services LLC | 50 kW fast charging station | BTCPower, Inc. | EVP-FC-50-001 | EVgo Services LLC |
| DCFC | EVgo Services LLC | The all-in-one units are capable of simultaneously charging 2 connectors at once. | Delta | Delta City 100kW Delta City 350 kW | EVgo Services LLC |
| DCFC | EVgo Services LLC | A 350kW system consisted of two (2) HPC175K 175kW Cabinet and two (2) SHDP350 dispensers. The system is capable of powersharing between the two (2) dispensers. | Signet | Signet HP 350kW | EVgo Services LLC |
| DCFC | FreeWire Technologies | 120 kW dual-port station with a 160 kWh integrated battery, enabling turnkey ultrafast charging performance via 208/240 Volt grid connection. OCPP 1.6 compliant. | FreeWire Technologies | Boost 120 | EV Connect, Inc. |
| DCFC | Greenlots | 50 kW fast charging station | BTCPower, Inc. | EVP-FC-50-001 | Greenlots |
| DCFC | Greenlots | 50 kW fast charging station | Efacec Electric Mobility, S.A. | QC45 | Greenlots |
| DCFC | Integra Energy | The Standalone DC Fast Charger is the top choice to power battery electric vehicles (BEV) and plug-in hybrid electric vehicles (PHEV). It is designed for quick charging in both public and private locations, such as retail and commercial parking spaces, fleet charging stations, highway service areas, workplace, residence, etc. | ZeroVA | DS120 DS180 | Integra Energy |
| DCFC | Livingston Energy Group | OCPP network enabled two connector DCFC unit with 100kW maximum single output or 50kW simultaneous parallel output. Integrated cord retraction system included for options with CCS1 connectors. | BTC Power | L3R-100-480 | Livingston Charge Port™ |
| DCFC | SemaConnect/Blink | Dual CCS1, 23ft cable, LAN, Wi-Fi & 4G, OCPP, RFID | SemaConnect/Blink | 120 kW 150 kW 180 kW | SemaConnect/ Blink |

| Station Type | EV Program Vendor (alphabetical order) | Package Overview | Electric Vehicle Supply Equipment (EVSE) Manufacturer | EVSE Models | EV Charging Network Backend Provider |
|---------------------------|----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|--------------------------------------------------|--------------------------------------|
| DC FAST CHARGING ("DCFC") | | | | | |
| DCFC | SWTCH Energy Inc. | SWTCH Energy is a non-proprietary provider of EV charging and energy management solutions. | Tritium | Veefil RT50 | SWTCH Energy |
| DCFC | Tritium Technologies | 50 kW fast charging station | Tritium Technologies | TRI93-50-01-US | Multiple network operators |
| DCFC | XCharge Energy USA | DCFC capable of 95kW output with XCharge charging management system and POS onboard to accept payments. Capable of power sharing between the two dispensers on unit. | Xcharge Energy USA | C6AM | XCharge Energy USA |
| DCFC | ZEF Energy | 50kW and 75 kW max output up to 920V. Includes 20' cordsets on integrated cable management. Includes custom branding application; ZEFNET connected and OCPP compliant. | Tritium | RTM50 RTM75 | ZEF Energy - ZEFNET |
| DCFC | ZEF Energy | Scalable DC Fast Chargers with ability to connect up to 8 plugs via satellite dispensers. ZEFNET connected and OCPP compliant | Kempower | ZEFNET_KP_C501 ZEFNET_KP_502 ZEFNET_KP_503 | ZEF Energy - ZEFNET |
| DCFC | ZEF Energy | 50kW, 120kW and 180kW max output up to 920V. Include 20' cordsets on integrated cable management; ZEFNET connected and OCPP compliant. | ABB | Terra54 Terra124 Terra184 | ZEF Energy - ZEFNET |