

ON THE SPOT

LIGHT Incentive Program

nationalgrid

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|---|-----------|------------------------------|--|---------------------------|-----------------------|------------------------|--------------|--|
| 1x4 Luminaires for Ambient Lighting of Interior Commercial Spaces | | | | | | | | |
| 88UBC | \$20 | MaxLite Inc. | MLFP14G430WCSCR+CN-RTPSW | 767627003950+767627011900 | 3,450 | 31 | 3,500 | CCT & Wattage Selectable |
| | \$20 | | MLFP14G430WCSCR+NN-RTPSW | 767627003950+767627011330 | 3,450 | 31 | 3,500 | CCT & Wattage Selectable |
| | \$20 | NICOR Inc. | TGLS214UN1 | | 4,400 | 40 | 3,500 | |
| | \$20 | | TGLS214UN1E1 | | 4,400 | 40 | 3,500 | |
| | \$20 | | TGLS214UN1E2 | | 4,400 | 40 | 3,500 | |
| | \$20 | TCP | DTF1UZD23CCTIS | | 2,600 | 23 | 3,500 | CCT Selectable. Must be installed with sensor to receive incentive |
| | \$20 | | DTF1UZD29CCTIS | | 3,200 | 29 | 3,500 | CCT Selectable. Must be installed with sensor to receive incentive |
| | \$20 | | DTF1UZD38CCTIS | | 4,200 | 38 | 3,500 | CCT Selectable. Must be installed with sensor to receive incentive |
| 88UBP | \$20 | Acuity Brands Lighting | BLT4 40L ADP GZ10 LP840 | | 4,120 | 32 | 4,000 | |
| | \$20 | | BLT4 40L ADP LP835 | 190887466218 | 4,114 | 32 | 3,500 | |
| | \$20 | | BLT4 40LHE ADP GZ10 LP840 | 193047504065 | 4,260 | 30 | 4,000 | |
| | \$20 | | CPX 1X4 3200LMHE 80CRI 35K A12 MIN10 ZT MVOLT | 194995637171 | 3,492 | 28 | 3,500 | |
| | \$20 | | CPX 1X4 3200LMHE 80CRI 35K SWL MIN10 ZT MVOLT | 194995637577 | 3,622 | 28 | 3,500 | |
| | \$20 | | CPX 1X4 3200LMHE 80CRI 40K A12 MIN10 ZT MVOLT | 194995637607 | 3,590 | 28 | 4,000 | |
| | \$20 | | CPX 1X4 3200LMHE 80CRI 40K SWL MIN10 ZT MVOLT | 194995637621 | 3,724 | 28 | 4,000 | |
| | \$20 | | CPX 1X4 3200LMHE 80CRI 50K A12 MIN10 ZT MVOLT | 194995637645 | 3,664 | 28 | 5,000 | |
| | \$20 | | CPX 1X4 3200LMHE 80CRI 50K SWL MIN10 ZT MVOLT | 194995637102 | 3,800 | 28 | 5,000 | |
| | \$20 | | BLT4 40L ADP LP840 | 190887465228 | 4,180 | 33 | 4,000 | |
| | \$20 | | CPX 1X4 ALO7HE SWW7 UVOLT | | 4,187 | 32 | 3,500 | Lumen/Wattage & CCT Selectable |
| | \$20 | | BLT4 40L ADSM GZ10 LP835 | | 4,024 | 32 | 3,500 | |
| | \$20 | Archipelago Lighting, Inc. | LBLP14-XX-A2 | | 4,500 | 36 | 3,000 | Wattage & CCT selectable |
| | \$20 | ASD Lighting Corp | ASD-BLP-14A35AC-PRM | 810050731478 | 4,550 | 35 | 3,000 | Wattage & CCT selectable |
| | \$20 | Cooper Lighting Solutions | 14CZ2-20-120V-L835-CD1-U | | 2,057 | 16 | 3,500 | |
| | \$20 | | 14ARS-L3C3-UNV | | 4,584 | 34 | 3,500 | CCT & Wattage/Lumen Selectable |
| | \$20 | EarthTronics Inc. | LTF1X4WSCCTD5 (11672) | | 3,780 | 30 | 3,500 | |
| | \$20 | Elite Lighting Co. | 14-FPL-BL-LED-4000L/5000L/6000L-DIM10-MVOLT-35K/40K/50K-85 | | 6,270 | 51 | 3,500 | Lumen & CCT selectable |
| | \$20 | FSC Lighting | L7414-30W-AOK-SL | | 3,840 | 30 | 3,500 | CCT & Wattage Selectable |
| | \$20 | Halco Lighting Technologies | FPL-14-LS-CS-UNV (90518) | 807154905188 | 3,747 | 30 | 3,500 | CCT & Wattage Selectable |
| | \$20 | | FPLCR-14-LS-CS-UNV (90521) | 807154905218 | 3,728 | 30 | 3,500 | CCT & Wattage Selectable |
| | \$20 | Industrial Lighting Products | VST14-2L/3L/4L-U-CCTS | | 3,629 | 29 | 3,500 | CCT & Wattage/Lumen Selectable |
| | \$20 | | VOLA14-24L-U-35 | | 2,309 | 17 | 3,500 | |
| | \$20 | | VOLA14-24L-U-40 | | 2,389 | 17 | 4,000 | |
| | \$20 | | VOLA14-30L-U-35 | | 2,906 | 21 | 3,500 | |
| | \$20 | | VOLA14-30L-U-40 | | 3,008 | 21 | 4,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 | |
|--------------|-----------|------------------------|--|----------------|-----------------------|------------------------|--------------|--------------------------|---------------------------|
| 88UBP | \$20 | Keystone Technologies | KT-BPLED30-14-835-VDIM-P | 843654128016 | 3,775 | 30 | 3,500 | | |
| | \$20 | | KT-BPLED30-14-840-VDIM-P | 843654128023 | 3,800 | 30 | 4,000 | | |
| | \$20 | | KT-BPLED30-14-850-VDIM-P | 843654128030 | 3,800 | 30 | 5,000 | | |
| | \$20 | | KT-BPLED30-14-835-VDIM-P /G2 | 843654146683 | 3,750 | 30 | 3,500 | | |
| | \$20 | | KT-BPLED30-14-840-VDIM-P /G2 | 843654146690 | 3,750 | 30 | 4,000 | | |
| | \$20 | | KT-BPLED30-14-850-VDIM-P /G2 | 843654146706 | 3,750 | 30 | 5,000 | | |
| | \$20 | LEDVANCE, LLC | PANELF3B018UNVD8SC714GWH (62316) | 046135623165 | 2,400 | 18 | 3,500 | CCT Selectable | |
| | \$20 | | PANELF4BS036UNHD8SC714GWH (62317) | 046135623172 | 4,500 | 36 | 3,500 | CCT & Wattage Selectable | |
| | \$20 | | VOLUME7A/S030UNVD8SC8/14/BLE (62568) | 046135625688 | 3,750 | 30 | 3,000 | Wattage & CCT selectable | |
| | \$20 | | VOLUME7A/S030UNVD8SC8/14/BLE/E (62835) | | 3,750 | 30 | 3,000 | Wattage & CCT selectable | |
| | \$20 | | PANELF5A030UNVD8SC1414GWHBLE (62562) | | 3,750 | 30 | 3,000 | CCT Selectable | |
| | \$20 | | PANELF3B018UNVD8SC714GWH/TAA (62700) | | 2,250 | 18 | 3,500 | CCT Selectable | |
| | \$20 | | PANELF4BS036UNHD8SC714GWH/TAA (62703) | | 4,500 | 36 | 3,500 | CCT & Wattage Selectable | |
| | \$20 | | Litetrronics International | PT1 | | 3,583 | 29 | 3,500 | CCT & Wattage Selectable |
| | \$20 | | MaxLite Inc. | MLVT14D16WCSCR | 767627007552 | 3,551 | 29 | 3,500 | CCT & Wattage Selectable. |
| | \$20 | NICOR Inc. | TACS214U | 767706194005 | 3,840 | 30 | 3,500 | | |
| | \$20 | P.Q.L. Inc. | 55585 | 811768029499 | 5,000 | 40 | 3,000 | Wattage & CCT selectable | |
| | \$20 | RAB Lighting | EZPANHE1X4-23N/D10 | 019813705910 | 3,324 | 25 | 4,000 | | |
| | \$20 | | EZPANHE1X4-23YN/D10 | 019813705927 | 3,094 | 24 | 3,200 | | |
| | \$20 | Signify | 1FGXG15L840-4-FS-UNV-DIM | | 1,515 | 10 | 4,000 | | |
| | \$20 | | 1FGXG15L840-4-RS-UNV-DIM | | 1,515 | 10 | 4,000 | | |
| | \$20 | | 1FGXG30L835-4-RS-UNV-DIM | | 2,964 | 21 | 3,500 | | |
| | \$20 | | 1FGXG30L840-4-RS-UNV-DIM | | 3,040 | 21 | 4,000 | | |
| | \$20 | | 1FGXG38L835-4-RS-UNV-DIM | | 3,743 | 27 | 3,500 | | |
| | \$20 | | 1FGXG38L840-4-RS-UNV-DIM | | 3,839 | 27 | 4,000 | | |
| | \$20 | | 1FGXG42B835-4-FS-UNV-DIM | | 4,079 | 30 | 3,500 | | |
| | \$20 | | 1FGXG42B835-4-RS-UNV-DIM | | 4,079 | 30 | 3,500 | | |
| | \$20 | | 1FGXG42B840-4-FS-UNV-DIM | | 4,184 | 30 | 4,000 | | |
| | \$20 | | 1FGXG42B840-4-RS-UNV-DIM | | 4,184 | 30 | 4,000 | | |
| | \$20 | | 1FPZ38B835-4-DS-UNV-DIM | 190096180011 | 3,750 | 30 | 3,500 | | |
| | \$20 | | 1FPZ38B840-4-DS-UNV-DIM | 190096180028 | 3,750 | 30 | 4,000 | | |
| | \$20 | | 1DSRT3050LCS-4-UNV-DIM | | 5,000 | 38 | 3,500 | CCT & Wattage Selectable | |
| | \$20 | | WESTGATE MFG | LTRE-1X4-MCTP | | 5,000 | 40 | 5,000 | |
| 88UBPC | \$30 | Acuity Brands Lighting | CPX 1X4 3200LMHE 80CRI 35K A12 MIN10 ZT MVOLT JOT | 194995637799 | 3,492 | 28 | 3,500 | | |
| | \$30 | | CPX 1X4 3200LMHE 80CRI 35K A12 MIN10 ZT MVOLT JOTVTX15 | 194995641147 | 3,492 | 28 | 3,500 | | |
| | \$30 | | CPX 1X4 3200LMHE 80CRI 35K A12 MIN10 ZT MVOLT VTX15 | 194995643868 | 3,492 | 28 | 3,500 | | |
| | \$30 | | CPX 1x4 3200LMHE 80CRI 35K SWL MIN10 ZT MVOLT JOT | 194995637843 | 3,622 | 28 | 3,500 | | |
| | \$30 | | CPX 1X4 3200LMHE 80CRI 35K SWL MIN10 ZT MVOLT JOTVTX15 | 194995642250 | 3,622 | 28 | 3,500 | | |
| | \$30 | | CPX 1X4 3200LMHE 80CRI 35K SWL MIN10 ZT MVOLT VTX15 | 194995644469 | 3,622 | 28 | 3,500 | | |
| | \$30 | | CPX 1X4 3200LMHE 80CRI 40K A12 MIN10 ZT MVOLT JOT | 194995638123 | 3,590 | 28 | 4,000 | | |
| | \$30 | | CPX 1X4 3200LMHE 80CRI 40K A12 MIN10 ZT MVOLT JOTVTX15 | 194995642304 | 3,590 | 28 | 4,000 | | |
| | \$30 | | CPX 1X4 3200LMHE 80CRI 40K A12 MIN10 ZT MVOLT VTX15 | 194995644629 | 3,590 | 28 | 4,000 | | |
| | \$30 | | CPX 1X4 3200LMHE 80CRI 40K SWL MIN10 ZT MVOLT JOT | 194995638215 | 3,724 | 28 | 4,000 | | |
| | \$30 | | CPX 1X4 3200LMHE 80CRI 40K SWL MIN10 ZT MVOLT JOTVTX15 | 194995642335 | 3,724 | 28 | 4,000 | | |
| | \$30 | | CPX 1X4 3200LMHE 80CRI 40K SWL MIN10 ZT MVOLT VTX15 | 194995644681 | 3,724 | 28 | 4,000 | | |
| | \$30 | | CPX 1X4 3200LMHE 80CRI 50K A12 MIN10 ZT MVOLT JOT | 194995638291 | 3,664 | 28 | 5,000 | | |
| | \$30 | | CPX 1X4 3200LMHE 80CRI 50K A12 MIN10 ZT MVOLT JOTVTX15 | 194995642359 | 3,664 | 28 | 5,000 | | |
| | \$30 | | CPX 1X4 3200LMHE 80CRI 50K A12 MIN10 ZT MVOLT VTX15 | 194995644735 | 3,664 | 28 | 5,000 | | |
| | \$30 | | CPX 1X4 3200LMHE 80CRI 50K SWL MIN10 ZT MVOLT JOT | 194995637744 | 3,800 | 28 | 5,000 | | |
| | \$30 | | CPX 1X4 3200LMHE 80CRI 50K SWL MIN10 ZT MVOLT JOTVTX15 | 194995640980 | 3,800 | 28 | 5,000 | | |
| | \$30 | | CPX 1X4 3200LMHE 80CRI 50K SWL MIN10 ZT MVOLT VTX15 | 194995643189 | 3,800 | 28 | 5,000 | | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|---|-----------|-----------------------------|--|---------------------------|-----------------------|------------------------|--------------|--|
| 88UBPC | \$30 | Archipelago Lighting, Inc. | LBLP14-XX-A6 | | 4,500 | 36 | 3,000 | Wattage & CCT selectable |
| | \$30 | Cooper Lighting Solutions | 14ARS-L3C3-UNV-WAB | | 4,584 | 34 | 3,500 | CCT & Wattage/Lumen Selectable |
| | \$30 | Halco Lighting Technologies | FPLCR-14-LS-CS-UNV (90521)+HSN-SEN-PIR-DAY-010-3.5MM (90550) | 807154905218+807154905508 | 3,728 | 30 | 3,500 | CCT & Wattage Selectable |
| | \$30 | LEDVANCE, LLC | PANELF4BS030UNVD8SC714GWHM (62255) | 046135622557 | 3,527 | 28 | 3,500 | Lumen/Wattage Selectable |
| | \$30 | Litetronics International | PT1AN | | 3,583 | 29 | 3,500 | CCT & Wattage Selectable |
| | \$30 | MaxLite Inc. | MLVT14D16WCSCR+CN-RTPSW | 767627007552+767627011900 | 3,551 | 29 | 3,500 | CCT & Wattage Selectable. |
| | \$30 | | MLVT14D16WCSCR+NN-RTPSW | 767627007552+767627011330 | 3,551 | 29 | 3,500 | CCT & Wattage Selectable. |
| | \$30 | NICOR Inc. | TACS214UNI | | 3,840 | 30 | 3,500 | |
| | \$30 | Signify | 1FGXG38L835-4-RS-UNV-DIM-SWZCS | | 3,743 | 29 | 3,500 | |
| | \$30 | | 1FGXG38L840-4-RS-UNV-DIM-SWZCS | | 3,839 | 29 | 4,000 | |
| | \$30 | | 1DSRT3050LCS-4-UNV-DIM-DAYOCC | | 5,000 | 38 | 3,500 | CCT & Wattage Selectable |
| 2x2 Luminaires for Ambient Lighting of Interior Commercial Spaces | | | | | | | | |
| 88UBC | \$20 | Keystone Technologies | KT-BPLED40PS-22B-8CSA-VDIM /FC2 | 843654151595 | 4,280 | 40 | 3,500 | Wattage & CCT selectable |
| | \$20 | MaxLite Inc. | MLFP22G436WCSCR+CN-RTPSW | 767627003998+767627011900 | 3,820 | 36 | 3,500 | CCT & Wattage Selectable |
| | \$20 | | MLFP22G436WCSCR+NN-RTPSW | 767627003998+767627011330 | 3,820 | 36 | 3,500 | CCT & Wattage Selectable |
| | \$20 | NICOR Inc. | TGLS222UN1 | | 4,400 | 40 | 3,500 | |
| | \$20 | | TGLS222UN1E1 | | 4,400 | 40 | 3,500 | |
| | \$20 | | TGLS222UN1E2 | | 4,400 | 40 | 3,500 | |
| | \$20 | Signify | 2FGG30L835-2-D-UNV-DIM-SWZDT | 784197642310 | 2,949 | 24 | 3,500 | |
| | \$20 | | 2FGG30L840-2-D-UNV-DIM-SWZDT | 784197366971 | 3,078 | 24 | 4,000 | |
| | \$20 | | 2FGG38L840-2-D-UNV-DIM-SWZDT | 784197366988 | 3,800 | 31 | 4,000 | |
| | \$20 | | 2EVG30L835-2-D-UNV-DIM-SWZCS | | 2,940 | 24 | 3,500 | |
| | \$20 | | 2EVG30L835-2-D-UNV-DIM-SWZDT | | 2,940 | 24 | 3,500 | |
| | \$20 | | 2EVG30L840-2-D-UNV-DIM-SWZCS | | 3,000 | 24 | 4,000 | |
| | \$20 | | 2EVG30L840-2-D-UNV-DIM-SWZDT | | 3,000 | 24 | 4,000 | |
| | \$20 | | 2EVG38L835-2-D-UNV-DIM-SWZCS | | 3,775 | 31 | 3,500 | |
| | \$20 | | 2EVG38L835-2-D-UNV-DIM-SWZDT | | 3,775 | 31 | 3,500 | |
| | \$20 | | 2EVG38L840-2-D-UNV-DIM-SWZCS | | 3,852 | 30 | 4,000 | |
| | \$20 | | 2EVG38L840-2-D-UNV-DIM-SWZDT | | 3,852 | 30 | 4,000 | |
| | \$20 | | 2EVG45L835-2-D-UNV-DIM-SWZCS | | 4,395 | 37 | 3,500 | |
| | \$20 | | 2EVG45L835-2-D-UNV-DIM-SWZDT | | 4,395 | 37 | 3,500 | |
| | \$20 | | 2EVG45L840-2-D-UNV-DIM-SWZCS | | 4,485 | 37 | 4,000 | |
| | \$20 | | 2EVG45L840-2-D-UNV-DIM-SWZDT | | 4,485 | 37 | 4,000 | |
| | \$20 | TCP | DTF2UZD23CCTIS | | 2,600 | 23 | 3,500 | CCT Selectable. Must be installed with sensor to receive incentive |
| | \$20 | | DTF2UZD29CCTIS | | 3,200 | 29 | 3,500 | CCT Selectable. Must be installed with sensor to receive incentive |
| | \$20 | | DTF2UZD38CCTIS | | 4,200 | 38 | 3,500 | CCT & Wattage Selectable. Must be installed with sensor to receive incentive |
| 88UBP | \$20 | Acuity Brands Lighting | 2BLT2 20L ADP GZ10 LP840 | | 2,092 | 16 | 4,000 | |
| | \$20 | | 2BLT2 33L ADP LP835 | 190887529708 | 3,332 | 27 | 3,500 | |
| | \$20 | | 2BLT2 33L ADP LP840 | 190887529739 | 3,385 | 27 | 4,000 | |
| | \$20 | | 2BLT2 33LHE ADP GZ10 LP840 | 193047104678 | 3,446 | 25 | 4,000 | |
| | \$20 | | CPX 2X2 3200LMHE 80CRI 35K A12 MIN10 ZT MVOLT | 194995636730 | 3,499 | 27 | 3,500 | |
| | \$20 | | CPX 2X2 3200LMHE 80CRI 35K SWL MIN10 ZT MVOLT | 194995637027 | 3,629 | 27 | 3,500 | |
| | \$20 | | CPX 2X2 3200LMHE 80CRI 40K A12 MIN10 ZT MVOLT | 194995637652 | 3,598 | 27 | 4,000 | |
| | \$20 | | CPX 2X2 3200LMHE 80CRI 40K SWL MIN10 ZT MVOLT | 194995637560 | 3,732 | 27 | 4,000 | |
| | \$20 | | CPX 2X2 3200LMHE 80CRI 50K A12 MIN10 ZT MVOLT | 194995636839 | 3,672 | 27 | 5,000 | |
| | \$20 | | CPX 2X2 3200LMHE 80CRI 50K SWL MIN10 ZT MVOLT | 194995637331 | 3,808 | 27 | 5,000 | |
| | \$20 | | STAK 2X2 2000LM 80CRI 40K MIN1 EZT COL MVOLT | | 2,311 | 17 | 4,000 | |
| | \$20 | | STAK 2X2 3000LM 80CRI 35K MIN1 EZT COL MVOLT | | 3,141 | 24 | 3,500 | |
| | \$20 | | STAK 2X2 3000LM 80CRI 40K MIN1 EZT COL MVOLT | | 3,240 | 24 | 4,000 | |
| | \$20 | | 2BLT2 40L ADPT GZ10 LP840 | | 4,086 | 31 | 4,000 | |
| | \$20 | | 2BLT2 40L ADPT EZ1 LP840 | | 4,086 | 31 | 4,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|------------------------------|--|--------------|-----------------------|------------------------|--------------|---------------------------------|
| 88UBP | \$20 | Acuity Brands Lighting | 2BLT2 20L ADP LP840 | 191848788370 | 2,065 | 16 | 4,000 | |
| | \$20 | | 2BLT2 33L ADP EZ1 LP830 | 193047009171 | 3,255 | 27 | 3,000 | |
| | \$20 | | 2BLT2 33L ADP GZ10 LP830 | | 3,255 | 27 | 3,000 | |
| | \$20 | | CPX 2X2 ALO7HE SWW7 UVOLT | 194994371854 | 4,131 | 32 | 3,500 | Lumen/Wattage & CCT Selectable |
| | \$20 | | 2BLT2 40L ADP GZ10 LP840 | | 4,144 | 31 | 4,000 | |
| | \$20 | | 2BLT2 40L ADP GZ10 LP840 EL14L | | 4,144 | 31 | 4,000 | |
| | \$20 | | 2BLT2 33L ADP GZ1 LP835 | | 3,300 | 27 | 3,500 | |
| | \$20 | Archipelago Lighting, Inc. | LBLP22-XX-A2 | | 4,500 | 36 | 3,000 | Wattage & CCT selectable |
| | \$20 | ASD Lighting Corp | ASD-BLP-22D25AC-PRM | 810050734684 | 3,250 | 25 | 3,500 | Lumen/Wattage & CCT Selectable |
| | \$20 | | ASD-BLP-22D2540-PRM | 810050731447 | 3,225 | 25 | 4,000 | |
| | \$20 | | ASD-BLP-22D2550-PRM | 810050731546 | 3,250 | 25 | 5,000 | |
| | \$20 | | ASD-BLP-22D35-CC-PRM | 810050732475 | 4,550 | 35 | 3,000 | CCT Seleable |
| | \$20 | | ASD-BLP-22A30-4P | 810128114479 | 3,750 | 30 | 3,500 | CCT & Wattage/lumen Selectable. |
| | \$20 | | ASD-BLP-22A40-6P | 810128113847 | 5,448 | 39 | 3,500 | CCT & Wattage/lumen Selectable. |
| | \$20 | | ASD-BLP-22A30-EM | 810128114509 | 3,750 | 30 | 3,500 | CCT & Wattage/lumen Selectable. |
| | \$20 | | ASD-BLP-22A35AC-MS-PRM | 81005073148 | 4,550 | 35 | 3,000 | CCT & Wattage/lumen Selectable. |
| | \$20 | ATG Electronics Corp. | FPBL22-20W-T1-US | | 3,903 | 32 | 3,500 | CCT & Wattage Selectable |
| | \$20 | Barron Lighting Group | CBLQ-22-CP | 190622018085 | 4,375 | 35 | 3,500 | CCT & Wattage/Lumen Selectable |
| | \$20 | | CBLQ-22-CP-BB | 190622018092 | 4,375 | 35 | 3,500 | CCT & Wattage/Lumen Selectable |
| | \$20 | Cooper Lighting Solutions | 22CZ2-32-UNV-L830-CD1-U | | 3,158 | 25 | 3,000 | |
| | \$20 | | 22CZ2-34HE-UNV-L835-CD1-U | 080083881222 | 3,426 | 24 | 3,000 | |
| | \$20 | | 22CZ2-34HE-UNV-L840-CD1-U | 080083881260 | 3,490 | 24 | 3,000 | |
| | \$20 | | 22CZ2-39-A-UNV-L840-CD1-U | | 4,016 | 30 | 4,000 | |
| | \$20 | | 22ARS-L3C3-UNV | | 4,183 | 33 | 3,500 | CCT & Wattage/Lumen Selectable |
| | \$20 | Current | LJT22-35HLG-FSA12-ED-U | 078531125066 | 3,593 | 28 | 3,500 | |
| | \$20 | | LJT22-35HLG-FSA12F-ED-U | | 3,569 | 28 | 3,500 | |
| | \$20 | | LJT22-40HLG-FSA12-ED-U | 078531125073 | 3,633 | 28 | 4,000 | |
| | \$20 | | LJT22-40HLG-FSA12F-ED-U | | 3,609 | 28 | 4,000 | |
| | \$20 | | CFP22-3335-HE | 078531140571 | 3,263 | 26 | 3,400 | |
| | \$20 | | CFP22-3340-HE | 078531140595 | 3,533 | 27 | 4,000 | |
| | \$20 | EarthTronics Inc. | LTF2X2WSCCTD1 (11604) | 840791116043 | 3,840 | 30 | 3,500 | CCT & Lumen Slectable |
| | \$20 | | LTF2X2WSCCTD5 (11670) | | 3,750 | 30 | 3,500 | |
| | \$20 | Elite Lighting Co. | 22-FPL-BL-LED-4000L/5000L/6000L-DIM10-MVOLT-35K/40K/50K-85 | | 6,332 | 51 | 3,500 | Lumen & CCT selectable |
| | \$20 | FSC Lighting | L7422-30W-AOK-SL | | 3,840 | 30 | 3,500 | CCT & Wattage Selectable |
| | \$20 | Gingko Lighting Corporation | GKOPL22B27V25WPCPB | | 5,170 | 41 | 3,500 | CCT & Power Selectable |
| | \$20 | Halco Lighting Technologies | FPL-22-LS-CS-UNV (90519) | 807154905195 | 4,376 | 35 | 3,500 | CCT & Wattage Selectable |
| | \$20 | | FPLCR-22-LS-CS-UNV (90522) | 807154905225 | 4,364 | 35 | 3,500 | CCT & Wattage Selectable |
| | \$20 | Industrial Lighting Products | VST22-2L/3L/4L-U-CCTS | | 3,627 | 29 | 3,500 | CCT & Wattage/Lumen Selectable |
| | \$20 | | VOLA22-24L-U-35 | | 2,353 | 17 | 3,500 | |
| | \$20 | | VOLA22-24L-U-40 | | 2,435 | 17 | 4,000 | |
| | \$20 | | VOLA22-31L-U-35 | | 2,965 | 21 | 3,500 | |
| | \$20 | | VOLA22-31L-U-40 | | 3,069 | 21 | 4,000 | |
| | \$20 | | VOLA22-34L-U-35 | | 3,261 | 25 | 3,500 | |
| | \$20 | | VOLA22-34L-U-40 | | 3,373 | 25 | 4,000 | |
| | \$20 | Keystone Technologies | KT-BPLED20-22-835-VDIM-P | 843654127897 | 2,525 | 20 | 3,500 | |
| | \$20 | | KT-BPLED20-22-840-VDIM-P | 843654127903 | 2,550 | 20 | 4,000 | |
| | \$20 | | KT-BPLED20-22-850-VDIM-P | 843654127910 | 2,550 | 20 | 5,000 | |
| | \$20 | | KT-BPLED30-22-835-VDIM-P | 843654127927 | 3,775 | 30 | 3,500 | |
| | \$20 | | KT-BPLED30-22-840-VDIM-P | 843654127934 | 3,800 | 30 | 4,000 | |
| | \$20 | | KT-BPLED30-22-850-VDIM-P | 843654127941 | 3,800 | 30 | 5,000 | |
| | \$20 | | KT-BPLED20-22-835-VDIM-P /G2 | 843654146713 | 2,500 | 20 | 3,500 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|---------------------------|--|--------------|-----------------------|------------------------|--------------|--------------------------------|
| 88UBP | \$20 | Keystone Technologies | KT-BPLED20-22-840-VDIM-P /G2 | 843654146720 | 2,500 | 20 | 4,000 | |
| | \$20 | | KT-BPLED20-22-850-VDIM-P /G2 | 843654146737 | 2,500 | 20 | 5,000 | |
| | \$20 | | KT-BPLED30-22-835-VDIM-P /G2 | 843654146744 | 3,750 | 30 | 3,500 | |
| | \$20 | | KT-BPLED30-22-840-VDIM-P /G2 | 843654146751 | 3,750 | 30 | 4,000 | |
| | \$20 | | KT-BPLED30-22-850-VDIM-P /G2 | 843654146768 | 3,780 | 30 | 5,000 | |
| | \$20 | LEDVANCE, LLC | PANELF3B018UNVD8SC722GWH (62103) | 046135621031 | 2,400 | 18 | 3,500 | CCT Selectable |
| | \$20 | | PANELF4BS036UNHD8SC722GWH (62318) | 046135623189 | 4,500 | 36 | 3,500 | CCT & Wattage Selectable |
| | \$20 | | VOLUME7A/S035UNVD8SC8/22/BLE (62569) | 046135625695 | 4,375 | 35 | 3,000 | Wattage & CCT selectable |
| | \$20 | | VOLUME7A/S035UNVD8SC8/22/BLE/E (62836) | | 4,375 | 35 | 3,000 | Wattage & CCT selectable |
| | \$20 | | PANELF5A030UNVD8SC1422GWHBLE (62563) | | 3,750 | 30 | 3,000 | CCT Selectable |
| | \$20 | | PANELF3B018UNVD8SC722GWH/TAA (62702) | 046135621031 | 2,250 | 18 | 3,500 | CCT Selectable |
| | \$20 | | PANELF4BS036UNHD8SC722GWH/TAA (62704) | | 4,500 | 36 | 3,500 | CCT & Wattage Selectable |
| | \$20 | Litetronics International | VLFT2 | | 4,805 | 37 | 3,500 | CCT & Wattage Selectable |
| | \$20 | | PT2 | 706762791704 | 4,413 | 36 | 3,500 | CCT & Wattage Selectable |
| | \$20 | MaxLite Inc. | MLVT22D20WCSCR | 767627008344 | 4,771 | 39 | 3,500 | CCT & Wattage Selectable. |
| | \$20 | Morris Products Inc. | 71789B | | 3,750 | 30 | 3,500 | Wattage & CCT selectable |
| | \$20 | | 72802 | | 4,901 | 39 | 3,500 | Wattage & CCT selectable |
| | \$20 | | 71164D | | 4,313 | 35 | 3,500 | |
| | \$20 | NICOR Inc. | TACS222U | 767706194029 | 3,840 | 30 | 3,500 | |
| | \$20 | P.Q.L. Inc. | 55586 | 811768026306 | 4,500 | 36 | 3,000 | Wattage & CCT selectable |
| | \$20 | | 55669 | | 3,584 | 28 | 3,500 | |
| | \$20 | RAB Lighting | EZPANHE2X2-23/D10 | 019813706023 | 3,247 | 25 | 4,900 | |
| | \$20 | | EZPANHE2X2-23N/D10 | 019813706030 | 3,227 | 24 | 4,000 | |
| | \$20 | | EZPANHE2X2-23YN/D10 | 019813706047 | 3,071 | 24 | 3,400 | |
| | \$20 | | EZPANHE2X2-30N/D10 | 019813706078 | 4,136 | 31 | 4,000 | |
| | \$20 | | SWISH2X2-29N/D10 | 019813472966 | 4,039 | 30 | 4,000 | |
| | \$20 | | SWISH2X2-29YN/D10 | 019813472973 | 4,114 | 30 | 3,500 | |
| | \$20 | | T34FAHE-2X2 | | 3,814 | 30 | 4,000 | Lumen & CCT selectable |
| | \$20 | | | | 5,545 | 41 | 4,000 | CCT & Power Selectable |
| | \$20 | | SWISH2X2-19Y/D10 | | 2,533 | 19 | 3,000 | |
| | \$20 | | SWISH2X2-29Y/D10 | | 3,894 | 30 | 3,000 | |
| | \$20 | Signify | 2FGXG20L835-2-FS-UNV-DIM | | 2,010 | 16 | 3,500 | |
| | \$20 | | 2FGXG20L835-2-RS-UNV-DIM | | 2,010 | 16 | 3,500 | |
| | \$20 | | 2FGXG20L840-2-FS-UNV-DIM | | 2,062 | 16 | 4,000 | |
| | \$20 | | 2FGXG20L840-2-RS-UNV-DIM | | 2,062 | 16 | 4,000 | |
| | \$20 | | 2FGXG30L835-2-RS-UNV-DIM | 784197707774 | 2,962 | 22 | 3,500 | |
| | \$20 | | 2FGXG30L840-2-RS-UNV-DIM | 784197707781 | 3,038 | 22 | 4,000 | |
| | \$20 | | 2FPZ30L835-2-DS-UNV-DIM | | 3,000 | 24 | 3,500 | |
| | \$20 | | 2FPZ30L840-2-DS-UNV-DIM | | 3,000 | 24 | 4,000 | |
| | \$20 | | 2FPZ38L840-2-DS-UNV-DIM | | 3,855 | 30 | 4,000 | |
| | \$20 | | 2DSRT3050LCS-2-UNV-DIM | | 4,350 | 34 | 3,500 | CCT & Wattage Selectable |
| | \$20 | SLG | TPB 22 LS38 G1 FSK | | 3,750 | 30 | 3,000 | CCT & Lumen/Wattage Selectable |
| | \$20 | TCP | HDTF2UZD2330K | 762148278108 | 2,900 | 23 | 3,000 | |
| | \$20 | | HDTF2UZD2335K | 762148278115 | 2,900 | 23 | 3,500 | |
| | \$20 | | HDTF2UZD2341K | 762148278122 | 2,900 | 23 | 4,100 | |
| | \$20 | | HDTF2UZD2350K | 762148278139 | 2,900 | 23 | 5,000 | |
| | \$20 | | HDTF2UZD2930K | 762148278153 | 3,650 | 29 | 3,000 | |
| | \$20 | | HDTF2UZD2935K | 762148278160 | 3,650 | 29 | 3,500 | |
| | \$20 | | HDTF2UZD2941K | 762148278177 | 3,650 | 29 | 4,100 | |
| | \$20 | | HDTF2UZD2950K | 762148278184 | 3,650 | 29 | 5,000 | |
| | \$20 | | HDTF2UZD3830K | 762148278313 | 4,800 | 38 | 3,000 | Wattage selectable |
| | | | | | | | | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-----------------------------|--|---------------------------|-----------------------|------------------------|--------------|--|
| 88UBP | \$20 | TCP | HDTF2UZD3835K | 762148278320 | 4,800 | | 38 | 3,500 Wattage selectable |
| | \$20 | | HDTF2UZD3841K | 762148278337 | 4,800 | | 38 | 4,100 Wattage selectable |
| | \$20 | | HDTF2UZD3850K | 762148278344 | 4,800 | | 38 | 5,000 Wattage selectable |
| | \$20 | | F-L22/40WPCTS/D-79 | 751338038950 | 4,814 | | 40 | 3,500 |
| | \$20 | | F-VTC22/30/835/D-79 | 751338038332 | 3,604 | | 29 | 3,500 |
| | \$20 | | F-VTC22/30/840/D-79 | 751338038349 | 3,653 | | 29 | 4,000 |
| | \$20 | | PL22-35WPCTS-D | 751338040281 | 4,262 | | 33 | 3,500 Wattage & CCT selectable |
| | \$20 | | PL22-30WPCTS-D | 032886316357 | 3,586 | | 27 | 3,500 CCT & Wattage Selectable |
| | \$20 | WESTGATE MFG | LTRE-2X2-MCTP | | 5,000 | | 40 | 5,000 |
| 88UBPC | \$30 | Acuity Brands Lighting | CPX 2X2 3200LMHE 80CRI 35K A12 MIN10 ZT MVOLT JOT | 194995637690 | 3,499 | | 27 | 3,500 |
| | \$30 | | CPX 2X2 3200LMHE 80CRI 35K A12 MIN10 ZT MVOLT JOTVTX15 | 194995640591 | 3,499 | | 27 | 3,500 |
| | \$30 | | CPX 2X2 3200LMHE 80CRI 35K A12 MIN10 ZT MVOLT VTX15 | 194995642939 | 3,499 | | 27 | 3,500 |
| | \$30 | | CPX 2X2 3200LMHE 80CRI 35K SWL MIN10 ZT MVOLT JOT | 194995637713 | 3,629 | | 27 | 3,500 |
| | \$30 | | CPX 2X2 3200LMHE 80CRI 35K SWL MIN10 ZT MVOLT JOTVTX15 | 194995640850 | 3,629 | | 27 | 3,500 |
| | \$30 | | CPX 2X2 3200LMHE 80CRI 35K SWL MIN10 ZT MVOLT VTX15 | 194995643059 | 3,629 | | 27 | 3,500 |
| | \$30 | | CPX 2X2 3200LMHE 80CRI 40K A12 MIN10 ZT MVOLT JOT | 194995638345 | 3,598 | | 27 | 4,000 |
| | \$30 | | CPX 2X2 3200LMHE 80CRI 40K A12 MIN10 ZT MVOLT JOTVTX15 | 194995642366 | 3,598 | | 27 | 4,000 |
| | \$30 | | CPX 2X2 3200LMHE 80CRI 40K A12 MIN10 ZT MVOLT VTX15 | 194995644896 | 3,598 | | 27 | 4,000 |
| | \$30 | | CPX 2X2 3200LMHE 80CRI 40K SWL MIN10 ZT MVOLT JOT | 194995637836 | 3,732 | | 27 | 4,000 |
| | \$30 | | CPX 2X2 3200LMHE 80CRI 40K SWL MIN10 ZT MVOLT JOTVTX15 | 194995641772 | 3,732 | | 27 | 4,000 |
| | \$30 | | CPX 2X2 3200LMHE 80CRI 40K SWL MIN10 ZT MVOLT VTX15 | 194995644360 | 3,732 | | 27 | 4,000 |
| | \$30 | | CPX 2X2 3200LMHE 80CRI 50K A12 MIN10 ZT MVOLT JOT | 194995637706 | 3,672 | | 27 | 5,000 |
| | \$30 | | CPX 2X2 3200LMHE 80CRI 50K A12 MIN10 ZT MVOLT JOTVTX15 | 194995640683 | 3,672 | | 27 | 5,000 |
| | \$30 | | CPX 2X2 3200LMHE 80CRI 50K A12 MIN10 ZT MVOLT VTX15 | 194995642984 | 3,672 | | 27 | 5,000 |
| | \$30 | | CPX 2X2 3200LMHE 80CRI 50K SWL MIN10 ZT MVOLT JOT | 194995637829 | 3,808 | | 27 | 5,000 |
| | \$30 | | CPX 2X2 3200LMHE 80CRI 50K SWL MIN10 ZT MVOLT JOTVTX15 | 194995641703 | 3,808 | | 27 | 5,000 |
| | \$30 | | CPX 2X2 3200LMHE 80CRI 50K SWL MIN10 ZT MVOLT VTX15 | 194995644230 | 3,808 | | 27 | 5,000 |
| | \$30 | | 2BLT2 40L ADPT EZ1 LP840 NLTAIR2 RES7PDT | | 4,086 | | 31 | 4,000 |
| | \$30 | Archipelago Lighting, Inc. | LBLP22-XX-A6 | | 4,500 | | 36 | 3,000 Wattage & CCT selectable |
| | \$30 | ATG Electronics Corp. | FPBL22-20W-T1-RJ-US+IFS108 | | 3,903 | | 32 | 3,500 CCT & Wattage Selectable. Must install IFS108 sensor to receive incentive |
| | \$30 | Barron Lighting Group | CBLQ-22-CP+LE-C1+LE-MS-ECO3 | | 4,375 | | 35 | 3,500 MS-ECO3 Bluetooth PIR Motion & Daylight Sensor |
| | \$30 | | CBLQ-22-CP+LE-C1 | | 4,375 | | 35 | 3,500 CCT & Wattage/lumen Selectable. Must be linked to light equipped with LE-MS-ECO3 |
| | \$30 | Cooper Lighting Solutions | 22CZ2-34HE-UNV-L835-CD1-SVPD1-U | | 3,184 | | 24 | 3,500 Sensor to receive incentive |
| | \$30 | | 22CZ2-34HE-UNV-L840-CD1-SVPD1-U | | 3,243 | | 24 | 4,000 |
| | \$30 | | 22ARS-L3C3-UNV-WAB | | 4,183 | | 33 | 3,500 CCT & Wattage/Lumen Selectable |
| | \$30 | Halco Lighting Technologies | FPLCR-22-LS-CS-UNV (90522)+HSN-SEN-PIR-DAY-010-3.5MM (90550) | 807154905225+807154905508 | 4,364 | | 35 | 3,500 CCT & Wattage Selectable |
| | \$30 | LEDVANCE, LLC | PANELF4BS045UNVD8SC722GWHM (62256) | 046135622564 | 5,184 | | 43 | 3,500 Lumen/Wattage Selectable |
| | \$30 | Litetronics International | PT2AN | | 4,413 | | 36 | 3,500 CCT & Wattage Selectable |
| | \$30 | MaxLite Inc. | MLVT22D20WCSCR+CN-RTPSW | 767627008344+767627011900 | 4,771 | | 39 | 3,500 CCT & Wattage Selectable. |
| | \$30 | | MLVT22D20WCSCR+NN-RTPSW | 767627008344+767627011330 | 4,771 | | 39 | 3,500 CCT & Wattage Selectable. |
| | \$30 | NICOR Inc. | TACS222UNI | | 3,840 | | 30 | 3,500 |
| | \$30 | Signify | 2FGXG20L835-2-FS-UNV-DIM-SWZCS | | 2,015 | | 14 | 3,500 |
| | \$30 | | 2FGXG20L835-2-RS-UNV-DIM-SWZCS | | 2,001 | | 14 | 3,500 |
| | \$30 | | 2FGXG20L840-2-FS-UNV-DIM-SWZCS | | 2,065 | | 14 | 4,000 |
| | \$30 | | 2FGXG20L840-2-RS-UNV-DIM-SWZCS | | 2,051 | | 14 | 4,000 |
| | \$30 | | 2FGXG30L835-2-RS-UNV-DIM-SWZCS | | 2,976 | | 21 | 3,500 |
| | \$30 | | 2FGXG30L840-2-RS-UNV-DIM-SWZCS | | 3,050 | | 21 | 4,000 |
| | \$30 | | 2DSRT3050LCS-2-UNV-DIM-DAYOCC | | 4,350 | | 34 | 3,500 CCT & Wattage Selectable |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|---|-----------|----------------------------|---|---------------------------|-----------------------|------------------------|--------------|--------------------------------------|
| 2x4 Luminaires for Ambient Lighting of Interior Commercial Spaces | | | | | | | | |
| 88UCC | \$30 | Keystone Technologies | KT-BPLED50PS-24B-8CSA-VDIM /FC2 | 843654151601 | 5,345 | 50 | 3,500 | Wattage & CCT selectable |
| | \$30 | MaxLite Inc. | MLFP24G427WCS+CN-RTPSW | XX+767627011900 | 4,900 | 45 | 3,500 | |
| | \$30 | | MLFP24G427WCS+NN-RTPSW | XX+767627011330 | 4,900 | 45 | 3,500 | |
| | \$30 | | MLFP24G445WCSCR+CN-RTPSW | 767627007514+767627011900 | 4,900 | 45 | 3,500 | CCT & Wattage Selectable. |
| | \$30 | | MLFP24G445WCSCR+NN-RTPSW | 767627007514+767627011330 | 4,900 | 45 | 3,500 | CCT & Wattage Selectable. |
| | \$30 | NICOR Inc. | TGLS224UN1 | | 5,500 | 50 | 3,500 | |
| | \$30 | | TGLS224UN1E1 | | 5,500 | 50 | 3,500 | |
| | \$30 | | TGLS224UN1E2 | | 5,500 | 50 | 3,500 | |
| | \$30 | Signify | 2FGG38L835-4-D-UNV-DIM-SWZDT | 784197642327 | 3,691 | 33 | 3,500 | |
| | \$30 | | 2FGG38L840-4-D-UNV-DIM-SWZDT | 784197367008 | 3,845 | 33 | 4,000 | |
| | \$30 | | 2FGG43L835-4-D-UNV-DIM-SWZDT | 784197380595 | 4,301 | 36 | 3,500 | |
| | \$30 | | 2FGG43L840-4-D-UNV-DIM-SWZDT | 784197367015 | 4,319 | 39 | 4,000 | |
| | \$30 | | 2EVG48L835-4-D-UNV-DIM-SWZCS | | 4,770 | 39 | 3,500 | |
| | \$30 | | 2EVG48L835-4-D-UNV-DIM-SWZDT | | 4,770 | 39 | 3,500 | |
| | \$30 | | 2EVG54L840-4-D-UNV-DIM-SWZCS | | 5,454 | 44 | 4,000 | |
| | \$30 | | 2EVG54L840-4-D-UNV-DIM-SWZDT | | 5,454 | 44 | 4,000 | |
| | \$30 | TCP | DTF4UZD29CCTIS | | 3,300 | 29 | 3,500 | |
| | \$30 | | DTF4UZD46CCTIS | | 5,100 | 46 | 3,500 | |
| 88UCP | \$30 | Acuity Brands Lighting | 2BLT4 30L ADP GZ10 LP840 | | 3,276 | 23 | 4,000 | |
| | \$30 | | 2BLT4 40L ADP LP835 | 190887470789 | 4,000 | 32 | 3,500 | |
| | \$30 | | 2BLT4 40L ADP LP840 | 190887470765 | 4,064 | 32 | 4,000 | |
| | \$30 | | 2BLT4 40LHE ADP GZ10 LP840 | 193047646123 | 4,150 | 29 | 4,000 | |
| | \$30 | | 2BLT4 48L ADP GZ10 LP835 | | 5,032 | 39 | 3,500 | |
| | \$30 | | 2BLT4 48L ADP GZ10 LP840 | 193047964500 | 5,039 | 38 | 4,000 | |
| | \$30 | | 2BLT4 48LHE ADP GZ10 LP840 | 193047057868 | 4,846 | 35 | 4,000 | |
| | \$30 | | 2GTL4 5000LM LP835 | 889804710366 | 4,867 | 39 | 3,500 | |
| | \$30 | | 2GTL4 5000LM LP840 | 889804710458 | 5,062 | 39 | 4,000 | |
| | \$30 | | CPX 2X4 4000LMHE 80CRI 35K A12 MIN10 ZT MVOLT | 194995637584 | 4,845 | 36 | 3,500 | |
| | \$30 | | CPX 2X4 4000LMHE 80CRI 35K SWL MIN10 ZT MVOLT | 194995637256 | 5,026 | 36 | 3,500 | |
| | \$30 | | CPX 2X4 4000LMHE 80CRI 40K A12 MIN10 ZT MVOLT | 194995637317 | 4,982 | 36 | 4,000 | |
| | \$30 | | CPX 2X4 4000LMHE 80CRI 40K SWL MIN10 ZT MVOLT | 194995636150 | 5,167 | 36 | 4,000 | |
| | \$30 | | CPX 2X4 4000LMHE 80CRI 50K A12 MIN10 ZT MVOLT | 194995637669 | 5,084 | 36 | 5,000 | |
| | \$30 | | CPX 2X4 4000LMHE 80CRI 50K SWL MIN10 ZT MVOLT | 194995637218 | 5,274 | 36 | 5,000 | |
| | \$30 | | 2BLT4 A 48L ADP GZ10 LP840 | | 5,039 | 38 | 4,000 | |
| | \$30 | | STAKS 2X4 ALO6 SWW7 | | 6,177 | 49 | 3,500 | CCT & Lumen Selectable |
| | \$30 | | 2BLT4 48L ADPT EZ1 LP835 NLTAIR2 RIO | 193047686556 | 4,894 | 38 | 3,500 | |
| | \$30 | | STAKPAK 2X4 ALO6 35K CP2 | 194995081998 | 6,366 | 49 | 3,500 | Lumen/Wattage Selectable. 2 fixtures |
| | \$30 | | STAKPAK 2X4 ALO6 40K CP2 | 194995082049 | 6,380 | 49 | 4,000 | Lumen/Wattage Selectable. 2 fixtures |
| | \$30 | | 2BLT4 48L ADPT EZ1 LP840 NLTAIR2 RIO | | 5,052 | 39 | 4,000 | |
| | \$30 | | STAK 2X4 3000LM 80CRI 40K MIN1 EZT COL MVOLT | | 3,269 | 24 | 4,000 | |
| | \$30 | | STAK 2X4 4000LM 80CRI 35K MIN1 EZT COL MVOLT | | 4,126 | 33 | 3,500 | |
| | \$30 | | STAK 2X4 4000LM 80CRI 40K MIN1 EZT COL MVOLT | | 4,255 | 33 | 4,000 | |
| | \$30 | | STAK 2X4 5000LM 80CRI 35K MIN1 EZT COL MVOLT | | 5,262 | 42 | 3,500 | |
| | \$30 | | STAK 2X4 5000LM 80CRI 40K MIN1 EZT COL MVOLT | | 5,428 | 42 | 4,000 | |
| | \$30 | | 2BLT4 30L ADP LP840 | 191848788608 | 3,009 | 23 | 4,000 | |
| | \$30 | | 2BLT4 48L ADP LP835 | 191848794234 | 4,960 | 38 | 3,500 | |
| | \$30 | | 2BLT4 40L ADP EZ1 LP830 | 191848803547 | 4,140 | 31 | 3,000 | |
| | \$30 | | 2BLT4 40L ADP GZ10 LP830 | | 4,140 | 31 | 3,000 | |
| | \$30 | | CPX 2X4 ALO8HE SWW7 UVOLT | 194994371861 | 6,354 | 48 | 3,500 | Lumen/Wattage & CCT Selectable |
| | \$30 | Archipelago Lighting, Inc. | LBLP24-XX-A2 | | 6,500 | 50 | 3,000 | Wattage & CCT selectable |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|------------------------------|--|---------------|-----------------------|------------------------|--------------|---------------------------------|
| 88UCP | \$30 | ASD Lighting Corp. | ASD-BLP-24D3240-PRM | 810050731553 | 4,384 | 32 | 4,000 | |
| | \$30 | | ASD-BLP-24D40AC-PRM | 810050733656 | 5,200 | 40 | 3,500 | Lumen/Wattage & CCT Selectable |
| | \$30 | | ASD-BLP-24D4040-PRM | 810050731454 | 5,160 | 40 | 4,000 | |
| | \$30 | | ASD-BLP-24D4050-PRM | 810050734455 | 5,200 | 40 | 5,000 | |
| | \$30 | | ASD-BLP-24D5040-PRM | 810050731461 | 6,450 | 50 | 4,000 | |
| | \$30 | | ASD-BLP-24D40AC-EM-PRM | 81005073511 | 5,200 | 40 | 3,500 | Lumen/Wattage & CCT Selectable |
| | \$30 | | ASD-BLP-24D50-CC-PRM | 810050732482 | 6,500 | 50 | 3,000 | CCT Selecable |
| | \$30 | | ASD-BLP-24A50AC-MS-PRM | 81005073149 | 6,500 | 50 | 3,000 | CCT Selecable |
| | \$30 | | ASD-BLP-24A40-4P | 810128114486 | 4,960 | 40 | 3,500 | CCT & Wattage/lumen Selectable. |
| | \$30 | | ASD-BLP-24A50-6P | 810128113854 | 6,912 | 49 | 3,500 | CCT & Wattage/lumen Selectable. |
| | \$30 | ATG Electronics Corp. | ASD-BLP-24A40-EM | 810128114516 | 4,960 | 40 | 3,500 | CCT & Wattage/lumen Selectable. |
| | \$30 | | FPBL24-30W-T1-US | | 6,318 | 52 | 3,500 | CCT & Wattage Selectable |
| | \$30 | Barron Lighting Group | CBLQ-24-CP | 190622018108 | 6,250 | 50 | 3,500 | CCT & Wattage/Lumen Selectable |
| | \$30 | | CBLQ-24-CP-BB | 190622018115 | 6,250 | 50 | 3,500 | CCT & Wattage/Lumen Selectable |
| | \$30 | | LPX-24-60-35K-P | 190622018023 | 7,137 | 57 | 3,500 | |
| | \$30 | | LPX-24-60-4K-P | 190622018030 | 7,140 | 57 | 4,000 | |
| | \$30 | Cooper Lighting Solutions | LPX-24-60-5K-P | 190622018047 | 7,146 | 57 | 5,000 | |
| | \$30 | | 24CZ2-30HE-UNV-L835-CD1-U | | 3,100 | 23 | 3,500 | |
| | \$30 | | 24CZ2-50HE-UNV-L835-CD1-U | 080083881581 | 5,164 | 39 | 3,500 | |
| | \$30 | | 24CZ2-50HE-UNV-L840-CD1-U | 080083881604+ | 5,143 | 39 | 4,000 | |
| | \$30 | | 24EN-LD2-45-UNV-L840-CD1 | | 4,765 | 35 | 4,000 | |
| | \$30 | | 24EN-LD2-54-UNV-L840-CD1-U | | 5,720 | 41 | 4,000 | |
| | \$30 | | 24CZ2-50-A-UNV-L840-CD1-U | | 5,133 | 40 | 4,000 | |
| | \$30 | | 24ARS-L3C3-UNV | | 5,877 | 47 | 3,500 | CCT & Wattage/Lumen Selectable |
| | \$30 | | 24ARS-L3C3-HO-UNV | | 7,652 | 61 | 3,500 | CCT & Wattage/Lumen Selectable |
| | \$30 | Current | LIT24-35VWG-FSA12-ED-U | | 3,444 | 24 | 3,500 | |
| | \$30 | | LIT24-35VWG-FSA12F-ED-U | | 3,417 | 24 | 3,500 | |
| | \$30 | | LIT24-40VWG-FSA12-ED-U | | 3,483 | 24 | 4,000 | |
| | \$30 | | LIT24-40VWG-FSA12F-ED-U | | 3,456 | 24 | 4,000 | |
| | \$30 | | LIT24-35MWG-FSA12-ED-U | | 3,762 | 27 | 3,500 | |
| | \$30 | | LIT24-35MWG-FSA12F-ED-U | | 3,713 | 27 | 3,500 | |
| | \$30 | | LIT24-40MWG-FSA12-ED-U | | 3,803 | 27 | 4,000 | |
| | \$30 | | LIT24-40MWG-FSA12F-ED-U | | 3,754 | 27 | 4,000 | |
| | \$30 | | LIT24-35LWG-FSA2-ED-U | | 4,152 | 30 | 3,500 | |
| | \$30 | | LIT24-35LWG-FSA12F-ED-U | | 4,104 | 30 | 3,500 | |
| | \$30 | | LIT24-40LWG-FSA12-ED-U | | 4,198 | 30 | 4,000 | |
| | \$30 | | LIT24-40LWG-FSA12F-ED-U | | 4,149 | 30 | 4,000 | |
| | \$30 | | CFP24-41CS-HE | 840141421971 | 4,428 | 36 | 3,500 | |
| | \$30 | | CFP24-4135-HE | 078531140632 | 3,952 | 31 | 3,500 | |
| | \$30 | | CFP24-4140-HE | 078531140656 | 4,036 | 32 | 4,000 | |
| | \$30 | EarthTronics Inc. | LTF2X4WSCCTD1 (11605) | 840791116050 | 4,480 | 35 | 3,500 | CCT & Lumen Slectable |
| | \$30 | | LTF2X4WSCCTD5 (11671) | | 4,515 | 35 | 3,500 | |
| | \$30 | Elite Lighting Co. | 24-FPL-BL-LED-6000L/7000L/8000L-DIM10-MVOLT-35K/40K/50K-85 | | 7,529 | 60 | 3,500 | Lumen & CCT selectable |
| | \$30 | ETi Solid State Lighting | BCB-24-LB4-8-CP3-MV-LVD | | 5,495 | 39 | 3,500 | CCT & Wattage Selectable. |
| | \$30 | FSC Lighting | L7424-35W-AOK-SL | | 4,480 | 35 | 3,500 | CCT & Wattage Selectable |
| | \$30 | | L7424-45W-AOK-SL | | 5,625 | 45 | 3,500 | CCT & Wattage Selectable |
| | \$30 | Green Beam LED | GB-BL2X4-CCT-PS | | 7,150 | 55 | 3,500 | CCT & Wattage Selectable |
| | \$30 | Halco Lighting Technologies | FPL-24-LS-CS-UNV (90520) | 807154905201 | 5,660 | 45 | 3,500 | CCT & Wattage Selectable |
| | \$30 | | FPLCR-24-LS-CS-UNV (90523) | 807154905232 | 5,606 | 45 | 3,500 | CCT & Wattage Selectable |
| | \$30 | Industrial Lighting Products | VST24-2L/3L/4L-U-CCTS | | 3,910 | 31 | 3,500 | CCT & Wattage/Lumen Selectable |
| | \$30 | | VST24-4L/5L/6L-U-CCTS | | 5,474 | 45 | 3,500 | CCT & Wattage/Lumen Selectable |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|------------------------------|--|--------------|-----------------------|------------------------|--------------|---|
| 88UCP | \$30 | Industrial Lighting Products | VST24-5L/6L/7L-U-CCTS | | 6,805 | 55 | 3,500 | CCT & Wattage/Lumen Selectable |
| | \$30 | | VOLA24-29L-U-35 | | 2,839 | 21 | 3,500 | |
| | \$30 | | VOLA24-29L-U-40 | | 2,938 | 21 | 4,000 | |
| | \$30 | | VOLA24-34L-U-35 | | 3,315 | 25 | 3,500 | |
| | \$30 | | VOLA24-34L-U-40 | | 3,430 | 25 | 4,000 | |
| | \$30 | | VOLA24-37L-U-35 | | 3,574 | 27 | 3,500 | |
| | \$30 | | VOLA24-37L-U-40 | | 3,699 | 27 | 4,000 | |
| | \$30 | Keystone Technologies | KT-BPLED30-24-835-VDIM-P | 843654127958 | 3,775 | 30 | 3,500 | |
| | \$30 | | KT-BPLED30-24-840-VDIM-P | 843654127965 | 3,800 | 30 | 4,000 | |
| | \$30 | | KT-BPLED30-24-850-VDIM-P | 843654127972 | 3,800 | 30 | 5,000 | |
| | \$30 | | KT-BPLED40-24-835-VDIM-P | 843654127989 | 5,050 | 40 | 3,500 | |
| | \$30 | | KT-BPLED40-24-840-VDIM-P | 843654127996 | 5,075 | 40 | 4,000 | |
| | \$30 | | KT-BPLED40-24-850-VDIM-P | 843654128009 | 5,075 | 40 | 5,000 | |
| | \$30 | | KT-BPLED30-24-835-VDIM-P /G2 | 843654146775 | 3,755 | 30 | 3,500 | |
| | \$30 | | KT-BPLED30-24-840-VDIM-P /G2 | 843654146782 | 3,760 | 30 | 4,000 | |
| | \$30 | | KT-BPLED30-24-850-VDIM-P /G2 | 843654146799 | 3,765 | 30 | 5,000 | |
| | \$30 | | KT-BPLED40-24-835-VDIM-P /G2 | 843654146805 | 5,050 | 40 | 3,500 | |
| | \$30 | | KT-BPLED40-24-840-VDIM-P /G2 | 843654146812 | 5,100 | 40 | 4,000 | |
| | \$30 | | KT-BPLED40-24-850-VDIM-P /G2 | 843654146829 | 5,165 | 40 | 5,000 | |
| | \$30 | LEDVANCE, LLC | PANELF3B024UNVD8SC724GWH (62102) | 046135621024 | 3,200 | 24 | 3,500 | CCT Selectable |
| | \$30 | | PANELF4BS050UNHD8SC724GWH (62319) | 046135623196 | 6,250 | 50 | 3,500 | CCT & Wattage Selectable |
| | \$30 | | VOLUME7A/S045UNVD8SC8/24/BLE (62570) | 046135625701 | 5,625 | 45 | 3,000 | Wattage & CCT selectable |
| | \$30 | | VOLUME7A/S045UNVD8SC8/24/BLE/E (62837) | | 5,625 | 45 | 3,000 | Wattage & CCT selectable |
| | \$30 | | PANELF5A040UNVD8SC1424GWHBLE (62564) | | 5,000 | 40 | 3,000 | CCT Selectable |
| | \$30 | | PANELF3B024UNVD8SC724GWH/TAA (62701) | 046135621024 | 3,000 | 24 | 3,500 | CCT Selectable |
| | \$30 | | PANELF4BS050UNHD8SC724GWH/TAA (62705) | 046135623196 | 6,250 | 50 | 3,500 | CCT & Wattage Selectable |
| | \$30 | Litetronics International | VLFT4 | | 5,756 | 45 | 3,500 | CCT & Wattage Selectable |
| | \$30 | | PT4 | | 6,373 | 50 | 3,500 | CCT & Wattage Selectable |
| | \$30 | MaxLite Inc. | MLVT24D30WCSCR | 767627008634 | 6,091 | 49 | 3,500 | CCT & Wattage Selectable. |
| | \$30 | Morris Products Inc. | 71784B | | 5,625 | 45 | 3,500 | Wattage & CCT selectable |
| | \$30 | | 72804 | | 6,373 | 50 | 3,500 | Wattage & CCT selectable, Measure/incentive based on min. lumen level |
| | \$30 | | 71774C | 601986717748 | 5,000 | 40 | 3,500 | CCT & Wattage Selectable |
| | \$30 | | 71165D | | 5,228 | 40 | 3,500 | |
| | \$30 | | 71784C | | 6,234 | 45 | 3,500 | CCT & Wattage Selectable |
| | \$30 | NICOR Inc. | TACS224U | 767706194043 | 5,625 | 45 | 3,500 | |
| | \$30 | P.Q.L. Inc. | 55587 | 811768027549 | 6,250 | 50 | 3,000 | Wattage & CCT selectable |
| | \$30 | | 55571 | | 5,040 | 40 | 3,500 | |
| | \$30 | RAB Lighting | EZPANHE2X4-30/D10 | 019813706146 | 4,123 | 30 | 4,900 | |
| | \$30 | | EZPANHE2X4-30N/D10 | 019813706153 | 4,133 | 31 | 4,000 | |
| | \$30 | | EZPANHE2X4-30YN/D10 | 019813706160 | 4,000 | 30 | 3,500 | |
| | \$30 | | EZPANHE2X4-46N/D10 | 019813706191 | 6,150 | 46 | 4,000 | |
| | \$30 | | SWISH2X4-39N/D10 | 019813472997 | 5,436 | 38 | 4,000 | |
| | \$30 | | SWISH2X4-39YN/D10 | 019813473000 | 5,334 | 38 | 3,500 | |
| | \$30 | | SWISH2X4-49N/D10 | 019813473024 | 7,187 | 51 | 4,000 | |
| | \$30 | | SWISH2X4-49YN/D10 | 019813473031 | 7,340 | 51 | 3,500 | |
| | \$30 | | EZPANHE2X4-46/D10 | | 6,001 | 45 | 4,900 | |
| | \$30 | | T34FAHE-2X4 | | 6,092 | 44 | 4,000 | CCT & Power Selectable |
| | \$30 | | | | 3,922 | 30 | 4,000 | Lumen & CCT selectable |
| | \$30 | | T34FAHE-2X4/E | | 6,092 | 44 | 4,000 | CCT & Power Selectable |
| | \$30 | | SWISH2X4-39Y/D10 | | 5,125 | 38 | 3,000 | |
| | \$30 | | SWISH2X4-49Y/D10 | | 7,052 | 51 | 3,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|--------------|--------------------------|--------------|-----------------------|------------------------|--------------|--------------------------------|
| 88UCP | \$30 | Signify | 2EVG38L835-4-D-UNV-DIM | 784197028947 | 3,800 | 30 | 3,500 | |
| | \$30 | | 2EVG38L840-4-D-UNV-DIM | 784197049287 | 3,799 | 30 | 4,000 | |
| | \$30 | | 2EVG43L835-4-D-UNV-DIM | | 4,316 | 34 | 3,500 | |
| | \$30 | | 2EVG43L840-4-D-UNV-DIM | 784197061302 | 4,366 | 34 | 4,000 | |
| | \$30 | | 2EVG48L840-4-D-UNV-DIM | 784197049102 | 4,915 | 39 | 4,000 | |
| | \$30 | | 2FGXG38L835-4-FS-UNV-DIM | | 3,723 | 27 | 3,500 | |
| | \$30 | | 2FGXG38L835-4-RS-UNV-DIM | 784197707828 | 3,723 | 29 | 3,500 | |
| | \$30 | | 2FGXG38L840-4-FS-UNV-DIM | | 3,818 | 27 | 4,000 | |
| | \$30 | | 2FGXG38L840-4-RS-UNV-DIM | 784197707910 | 3,818 | 29 | 4,000 | |
| | \$30 | | 2FGXG42B835-4-FS-UNV-DIM | 784197707842 | 4,115 | 30 | 3,500 | |
| | \$30 | | 2FGXG42B840-4-FS-UNV-DIM | 784197707866 | 4,221 | 30 | 4,000 | |
| | \$30 | | 2FGXG42B835-4-RS-UNV-DIM | 784197707859 | 4,115 | 30 | 3,500 | |
| | \$30 | | 2FGXG42B840-4-RS-UNV-DIM | 784197707767 | 4,221 | 30 | 4,000 | |
| | \$30 | | 2FGXG43L835-4-FS-UNV-DIM | | 4,231 | 31 | 3,500 | |
| | \$30 | | 2FGXG43L840-4-FS-UNV-DIM | | 4,339 | 31 | 4,000 | |
| | \$30 | | 2FGXG43L835-4-RS-UNV-DIM | 784197707873 | 4,231 | 31 | 3,500 | |
| | \$30 | | 2FGXG43L840-4-RS-UNV-DIM | 784197707880 | 4,339 | 31 | 4,000 | |
| | \$30 | | 2FGXG48L835-4-FS-UNV-DIM | | 4,739 | 36 | 3,500 | |
| | \$30 | | 2FGXG48L835-4-RS-UNV-DIM | 784197707897 | 4,739 | 36 | 3,500 | |
| | \$30 | | 2FGXG48L840-4-RS-UNV-DIM | 784197707903 | 4,861 | 36 | 4,000 | |
| | \$30 | | 2FPZ30L835-4-DS-UNV-DIM | | 3,000 | 24 | 3,500 | |
| | \$30 | | 2FPZ30L840-4-DS-UNV-DIM | | 3,000 | 24 | 4,000 | |
| | \$30 | | 2FPZ38L835-4-DS-UNV-DIM | | 3,750 | 30 | 3,500 | |
| | \$30 | | 2FPZ38L840-4-DS-UNV-DIM | | 3,750 | 30 | 4,000 | |
| | \$30 | | 2FPZ43L835-4-DS-UNV-DIM | | 4,186 | 33 | 3,500 | |
| | \$30 | | 2FPZ43L840-4-DS-UNV-DIM | | 4,315 | 33 | 4,000 | |
| | \$30 | | 2FPZ48L835-4-DS-UNV-DIM | | 4,682 | 37 | 3,500 | |
| | \$30 | | 2FPZ48L840-4-DS-UNV-DIM | | 4,827 | 37 | 4,000 | |
| | \$30 | | 2DSRT4060LCS-4-UNV-DIM | | 6,000 | 46 | 3,500 | CCT & Wattage Selectable |
| | \$30 | SLG | TPB 24 LS64 G1 FSK | | 6,250 | 50 | 3,000 | CCT & Lumen/Wattage Selectable |
| | \$30 | TCP | HDTF4UZD2330K | 762148277941 | 2,900 | 23 | 3,000 | |
| | \$30 | | HDTF4UZD2335K | 762148277958 | 2,900 | 23 | 3,500 | |
| | \$30 | | HDTF4UZD2341K | 762148277965 | 2,900 | 23 | 4,100 | |
| | \$30 | | HDTF4UZD2350K | 762148277972 | 2,900 | 23 | 5,000 | |
| | \$30 | | HDTF4UZD2930K | 762148277996 | 3,650 | 29 | 3,000 | |
| | \$30 | | HDTF4UZD2935K | 762148278009 | 3,650 | 29 | 3,500 | |
| | \$30 | | HDTF4UZD2941K | 762148278016 | 3,650 | 29 | 4,100 | |
| | \$30 | | HDTF4UZD2950K | 762148278023 | 3,650 | 29 | 5,000 | |
| | \$30 | | HDTF4UZD3830K | 762148278269 | 4,800 | 38 | 3,000 | |
| | \$30 | | HDTF4UZD3835K | 762148278276 | 4,800 | 38 | 3,500 | |
| | \$30 | | HDTF4UZD3841K | 762148278283 | 4,800 | 38 | 4,100 | |
| | \$30 | | HDTF4UZD3850K | 762148278290 | 4,800 | 38 | 5,000 | |
| | \$30 | | TRV4UZD29CCT | 762148286073 | 3,770 | 29 | 3,500 | CCT Selectable |
| | \$30 | | TRV4UZD39CCT | 762148283034 | 5,070 | 39 | 3,500 | CCT Selectable |
| | \$30 | | TRV4UZD46CCT | 762148286196 | 5,980 | 46 | 3,500 | Wattage & CCT selectable |
| | \$30 | | TRV4UZDA135K | 762148262787 | 6,000 | 46 | 3,500 | |
| | \$30 | | TRV4UZDA141K | | 6,000 | 46 | 4,100 | |
| | \$30 | | TRV4UZDA150K | 762148262800 | 6,000 | 46 | 5,000 | |
| | \$30 | | HDTF4UZD3841KEB | 762148288350 | 4,800 | 38 | 4,100 | |
| | \$30 | | TRV4UZD2935K | | 4,000 | 29 | 3,500 | |
| | \$30 | | TRV4UZD2941K | | 4,000 | 29 | 4,100 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-----------------------------|--|---------------------------|-----------------------|------------------------|--------------|--|
| 88UCP | \$30 | TCP | TRV4UZD2950K | | 4,000 | 29 | 5,000 | |
| | \$30 | | TRV4UZD3935K | | 5,300 | 39 | 3,500 | |
| | \$30 | | TRV4UZD3941K | | 5,300 | 39 | 4,100 | |
| | \$30 | | TRV4UZD3950K | | 5,300 | 39 | 5,000 | |
| | \$30 | | TRV4UZD4635K | | 6,000 | 46 | 3,500 | |
| | \$30 | | TRV4UZD4641K | | 6,000 | 46 | 4,100 | |
| | \$30 | | TRV4UZD4650K | | 6,000 | 46 | 5,000 | |
| | \$30 | Topaz | F-L24/55WPCTS/D-79 | 751338038967 | 6,559 | 53 | 3,500 | |
| | \$30 | | F-VTC24/40/835/D-79 | 751338038356 | 4,954 | 40 | 3,500 | |
| | \$30 | | F-VTC24/40/840/D-79 | 751338038363 | 4,984 | 40 | 4,000 | |
| | \$30 | | PL24-50WPCTS-D | 751338040304 | 6,099 | 49 | 3,500 | Wattage & CCT selectable |
| | \$30 | | PL24-40WPCTS-D | | 5,145 | 41 | 3,500 | CCT & Wattage Selectable |
| | \$30 | | PL24-40WPCTS-D-EM | | 5,000 | 40 | 3,500 | CCT & Wattage Selectable |
| | \$30 | | VTC24-40-835-D-87 | 751338044203 | 5,142 | 38 | 3,500 | |
| | \$30 | | VTC24-40-840-D-87 | 751338044210 | 5,249 | 39 | 4,000 | |
| | \$30 | WESTGATE MFG | LPNG-2X4-7KLM-35K-D | | 7,137 | 57 | 3,500 | |
| | \$30 | | LPNG-2X4-7KLM-40K-D | | 7,140 | 57 | 4,000 | |
| | \$30 | | LPNG-2X4-7KLM-50K- D | | 7,146 | 57 | 5,000 | |
| | \$30 | | LTRE-2X4-MCTP | | 6,250 | 50 | 5,000 | |
| 88UCPC | \$40 | Acuity Brands Lighting | CPX 2x4 4000LMHE 80CRI 35K A12 MIN10 ZT MVOLT JOT | 194995637850 | 4,845 | 36 | 3,500 | |
| | \$40 | | CPX 2X4 4000LMHE 80CRI 35K A12 MIN10 ZT MVOLT JOTVTX15 | 194995642274 | 4,845 | 36 | 3,500 | |
| | \$40 | | CPX 2X4 4000LMHE 80CRI 35K A12 MIN10 ZT MVOLT VTX15 | 194995644582 | 4,845 | 36 | 3,500 | |
| | \$40 | | CPX 2X4 4000LMHE 80CRI 35K SWL MIN10 ZT MVOLT JOT | 194995637768 | 5,026 | 36 | 3,500 | |
| | \$40 | | CPX 2X4 4000LMHE 80CRI 35K SWL MIN10 ZT MVOLT JOTVTX15 | 194995641000 | 5,026 | 36 | 3,500 | |
| | \$40 | | CPX 2X4 4000LMHE 80CRI 35K SWL MIN10 ZT MVOLT VTX15 | 194995643349 | 5,026 | 36 | 3,500 | |
| | \$40 | | CPX 2X4 4000LMHE 80CRI 40K A12 MIN10 ZT MVOLT JOT | 194995637812 | 4,982 | 36 | 4,000 | |
| | \$40 | | CPX 2X4 4000LMHE 80CRI 40K A12 MIN10 ZT MVOLT JOTVTX15 | 194995641628 | 4,982 | 36 | 4,000 | |
| | \$40 | | CPX 2X4 4000LMHE 80CRI 40K A12 MIN10 ZT MVOLT VTX15 | 194995644148 | 4,982 | 36 | 4,000 | |
| | \$40 | | CPX 2X4 4000LMHE 80CRI 40K SWL MIN10 ZT MVOLT JOT | 194995637683 | 5,167 | 36 | 4,000 | |
| | \$40 | | CPX 2X4 4000LMHE 80CRI 40K SWL MIN10 ZT MVOLT JOTVTX15 | 194995640171 | 5,167 | 36 | 4,000 | |
| | \$40 | | CPX 2X4 4000LMHE 80CRI 40K SWL MIN10 ZT MVOLT VTX15 | 194995642403 | 5,167 | 36 | 4,000 | |
| | \$40 | | CPX 2X4 4000LMHE 80CRI 50K A12 MIN10 ZT MVOLT JOT | 194995638598 | 5,084 | 36 | 5,000 | |
| | \$40 | | CPX 2X4 4000LMHE 80CRI 50K A12 MIN10 ZT MVOLT JOTVTX15 | 194995642380 | 5,084 | 36 | 5,000 | |
| | \$40 | | CPX 2X4 4000LMHE 80CRI 50K A12 MIN10 ZT MVOLT VTX15 | 194995645046 | 5,084 | 36 | 5,000 | |
| | \$40 | | CPX 2X4 4000LMHE 80CRI 50K SWL MIN10 ZT MVOLT JOT | 194995637805 | 5,274 | 36 | 5,000 | |
| | \$40 | | CPX 2X4 4000LMHE 80CRI 50K SWL MIN10 ZT MVOLT JOTVTX15 | 194995641536 | 5,274 | 36 | 5,000 | |
| | \$40 | | CPX 2X4 4000LMHE 80CRI 50K SWL MIN10 ZT MVOLT VTX15 | 194995644049 | 5,274 | 36 | 5,000 | |
| | \$40 | Archipelago Lighting, Inc. | LBLP24-XX-A6 | | 6,500 | 50 | 3,000 | Wattage & CCT selectable |
| | \$40 | ATG Electronics Corp. | FPBL24-30W-T1-RJ-US+IFS108 | | 6,318 | 52 | 3,500 | CCT & Wattage Selectable. Must install IFS108 sensor to receive incentive |
| | \$40 | Barron Lighting Group | CBLQ-24-CP+LE-C1+LE-MS-ECO3 | | 6,250 | 50 | 3,500 | MS-ECO3 Bluetooth PIR Motion & Daylight Sensor |
| | \$40 | | CBLQ-24-CP+LE-C1 | | 6,250 | 50 | 3,500 | CCT & Wattage/lumen Selectable. Must be linked to light equipped with LE-MS-ECO3 Sensor to receive incentive |
| | \$40 | Cooper Lighting Solutions | 24CZ2-40HE-UNV-L835-CD1-SVPD1-U | | 4,052 | 31 | 3,500 | |
| | \$40 | | 24CZ2-50HE-UNV-L835-CD1-SVPD1-U | | 5,049 | 39 | 3,500 | |
| | \$40 | | 24ARS-L3C3-UNV-WAB | | 5,877 | 47 | 3,500 | CCT & Wattage/Lumen Selectable |
| | \$40 | | 24ARS-L3C3-HO-UNV-WAB | | 7,652 | 61 | 3,500 | CCT & Wattage/Lumen Selectable |
| | \$40 | Halco Lighting Technologies | FPLCR-24-LS-CS-UNV (90523)+HSN-SEN-PIR-DAY-010-3.5MM (90550) | 807154905232+807154905508 | 5,606 | 45 | 3,500 | CCT & Wattage Selectable |
| | \$40 | LEDVANCE, LLC | PANELF4BS055UNVD8SC724GWHM (62257) | 046135622571 | 6,559 | 53 | 3,500 | Lumen/Wattage Selectable |
| | \$40 | Litetronics International | PT4AN | | 6,373 | 50 | 3,500 | CCT & Wattage Selectable |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 | |
|---|-----------|-------------------------|--------------------------------|-------------------------------|-----------------------|------------------------|--------------|--|--------------------------|
| 88UCPC | \$40 | MaxLite Inc. | MLVT24D30WCSCR+CN-RTPSW | 767627008634+767627011900 | 6,091 | 49 | 3,500 | CCT & Wattage Selectable. | |
| | \$40 | | MLVT24D30WCSCR+NN-RTPSW | 767627008634+767627011330 | 6,091 | 49 | 3,500 | CCT & Wattage Selectable. | |
| | \$40 | NICOR Inc. | TACS224UNI | | 5,625 | 45 | 3,500 | | |
| | \$40 | Signify | 2EVG38L835-4-D-UNV-DIM-SWZCS | | 3,800 | 30 | 3,500 | | |
| | \$40 | | 2EVG38L835-4-D-UNV-DIM-SWZDT | | 3,800 | 30 | 3,500 | | |
| | \$40 | | 2EVG38L840-4-D-UNV-DIM-SWZCS | | 3,799 | 30 | 4,000 | | |
| | \$40 | | 2EVG38L840-4-D-UNV-DIM-SWZDT | | 3,799 | 30 | 4,000 | | |
| | \$40 | | 2EVG43L835-4-D-UNV-DIM-SWZCS | | 4,316 | 34 | 3,500 | | |
| | \$40 | | 2EVG43L835-4-D-UNV-DIM-SWZDT | | 4,316 | 34 | 3,500 | | |
| | \$40 | | 2EVG43L840-4-D-UNV-DIM-SWZCS | | 4,366 | 34 | 4,000 | | |
| | \$40 | | 2EVG43L840-4-D-UNV-DIM-SWZDT | | 4,366 | 34 | 4,000 | | |
| | \$40 | | 2EVG48L840-4-D-UNV-DIM-SWZCS | | 4,915 | 39 | 4,000 | | |
| | \$40 | | 2EVG48L840-4-D-UNV-DIM-SWZDT | | 4,915 | 39 | 4,000 | | |
| | \$40 | | 2FGXG38L835-4-FS-UNV-DIM-SWZCS | | 3,797 | 26 | 3,500 | | |
| | \$40 | | 2FGXG38L835-4-RS-UNV-DIM-SWZCS | | 3,770 | 26 | 3,500 | | |
| | \$40 | | 2FGXG38L840-4-FS-UNV-DIM-SWZCS | | 3,832 | 26 | 4,000 | | |
| | \$40 | | 2FGXG38L840-4-RS-UNV-DIM-SWZCS | | 3,805 | 26 | 4,000 | | |
| | \$40 | | 2FGXG43L835-4-FS-UNV-DIM-SWZCS | | 4,294 | 30 | 3,500 | | |
| | \$40 | | 2FGXG43L840-4-FS-UNV-DIM-SWZCS | | 4,401 | 30 | 4,000 | | |
| | \$40 | | 2FGXG43L835-4-RS-UNV-DIM-SWZCS | | 4,264 | 30 | 3,500 | | |
| | \$40 | | 2FGXG43L840-4-RS-UNV-DIM-SWZCS | | 4,370 | 30 | 4,000 | | |
| | \$40 | | 2FGXG48L840-4-FS-UNV-DIM-SWZCS | | 4,861 | 37 | 4,000 | | |
| | \$40 | | 2FGXG48L835-4-RS-UNV-DIM-SWZCS | | 4,739 | 37 | 3,500 | | |
| | \$40 | | 2FGXG48L840-4-RS-UNV-DIM-SWZCS | | 4,861 | 37 | 4,000 | | |
| | \$40 | | | 2DSRT4060LCS-4-UNV-DIM-DAYOCC | | 6,000 | 46 | 3,500 | CCT & Wattage Selectable |
| Architectural Flood and Spot Luminaires | | | | | | | | | |
| 87UAP | \$50 | ASD Lighting Corp | ASD-FL-MV-30D50A-BK-PRM | 819201029891 | 4,214 | 29 | 5,000 | Must be installed with a timeclock to receive incentive | |
| | \$50 | | ASD-SFL-20BK | 81012811345 | 2,400 | 20 | 2,700 | CCT Selectable | |
| | \$50 | | ASD-SFL-20WH | 81012811344 | 2,400 | 20 | 2,700 | CCT Selectable | |
| | \$50 | | ASD-SFL2-20BK | 81012811621 | 2,400 | 20 | 2,700 | CCT Selectable | |
| | \$50 | | ASD-SFL2-20WH | 81012811622 | 2,400 | 20 | 2,700 | CCT Selectable | |
| | \$50 | | ASD-SFL-20WH-SC | 81012811346 | 2,400 | 20 | 2,700 | CCT Selectable | |
| | \$50 | | ASD-FLA-MV-30DAC-BK | 810050739849 | 3,600 | 30 | 3,000 | CCT Selectable. Must be installed with a timeclock or photocell to receive incentive. | |
| | \$50 | | ASD-FL01K-55BK | 810128113496 | 7,425 | 55 | 3,000 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. | |
| | \$50 | ATG Electronics Corp. | ELF-30-30-PH | | 3,975 | 30 | 3,000 | | |
| | \$50 | | ELF-30-40-PH | | 4,002 | 30 | 4,000 | | |
| | \$50 | | ELF-30-50-PH | | 4,035 | 30 | 5,000 | | |
| | \$50 | Atlas Lighting Products | FS3L45KPC | 765364023385 | 3,463 | 27 | 4,500 | | |
| | \$50 | | FS3L4KPC | 765364024306 | 3,644 | 28 | 4,000 | | |
| | \$50 | | FS3L5KPC | 765364019111 | 3,463 | 27 | 5,000 | | |
| | \$50 | | FS3L45KPCT | | 3,463 | 27 | 4,500 | | |
| | \$50 | | FS3L4KPCT | 765364034862 | 3,644 | 28 | 4,000 | | |
| | \$50 | | FS3L5KPCT | | 3,463 | 27 | 5,000 | | |
| | \$50 | | FS3L45KPM | 765364050336 | 3,463 | 27 | 4,500 | | |
| | \$50 | | FS3L4KPM | 765364035548 | 3,644 | 28 | 4,000 | | |
| | \$50 | | FS3L5KPM | | 3,463 | 27 | 5,000 | | |
| | \$50 | | FS3L45KPMT | | 3,463 | 27 | 4,500 | | |
| | \$50 | | FS3L4KPMT | | 3,644 | 28 | 4,000 | | |
| | \$50 | | FS3L5KPMT | | 3,463 | 27 | 5,000 | | |
| | \$50 | | | ORMF4LSELPC | | 3,493 | 27 | 3,000 | CCT Selectable |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|---------------------------|---------------------------------|--------------|-----------------------|------------------------|--------------|---|
| 87UAP | \$50 | Atlas Lighting Products | PFSXW13LEDPC | 765364924842 | 1,629 | 14 | 4,500 | |
| | \$50 | | PFSXW13LED3KPC | 765364931369 | 1,629 | 14 | 3,000 | |
| | \$50 | | PFSXW13LED4KPC | | 1,629 | 14 | 4,000 | |
| | \$50 | | PFSXW13LED5KPC | | 1,682 | 14 | 5,000 | |
| | \$50 | | PFSXW27LEDPC | 765364923548 | 3,132 | 28 | 4,500 | |
| | \$50 | | PFSXW27LED3KPC | | 3,132 | 28 | 3,000 | |
| | \$50 | | PFSXW27LED4KPC | | 3,132 | 28 | 4,000 | |
| | \$50 | | PFSXW27LED5KPC | 765364025945 | 3,261 | 28 | 5,000 | |
| | \$50 | | PFSXW13LEDPCT | | 1,629 | 14 | 4,500 | |
| | \$50 | | PFSXW13LED3KPCT | | 1,629 | 14 | 3,000 | |
| | \$50 | | PFSXW13LED4KPCT | | 1,629 | 14 | 4,000 | |
| | \$50 | | PFSXW13LED5KPCT | 765364022920 | 1,682 | 14 | 5,000 | |
| | \$50 | | PFSXW27LEDPCT | 765364023620 | 3,132 | 28 | 4,500 | |
| | \$50 | | PFSXW27LED3KPCT | | 3,132 | 28 | 3,000 | |
| | \$50 | | PFSXW27LED4KPCT | | 3,132 | 28 | 4,000 | |
| | \$50 | | PFSXW27LED5KPCT | | 3,261 | 28 | 5,000 | |
| | \$50 | | PFSXW13LEDPM | 765364924859 | 1,629 | 14 | 4,500 | |
| | \$50 | | PFSXW13LED3KPM | | 1,629 | 14 | 3,000 | |
| | \$50 | | PFSXW13LED4KPM | | 1,629 | 14 | 4,000 | |
| | \$50 | | PFSXW13LED5KPM | | 1,682 | 14 | 5,000 | |
| | \$50 | | PFSXW27LEDPM | 765364926228 | 3,132 | 28 | 4,500 | |
| | \$50 | | PFSXW27LED3KPM | | 3,132 | 28 | 3,000 | |
| | \$50 | | PFSXW27LED4KPM | | 3,132 | 28 | 4,000 | |
| | \$50 | | PFSXW27LED5KPM | | 3,261 | 28 | 5,000 | |
| | \$50 | | PFSXW13LEDPMT | | 1,629 | 14 | 4,500 | |
| | \$50 | | PFSXW13LED3KPMT | | 1,629 | 14 | 3,000 | |
| | \$50 | | PFSXW13LED4KPMT | | 1,629 | 14 | 4,000 | |
| | \$50 | | PFSXW13LED5KPMT | | 1,682 | 14 | 5,000 | |
| | \$50 | | PFSXW27LEDPMT | | 3,132 | 28 | 4,500 | |
| | \$50 | | PFSXW27LED3KPMT | | 3,132 | 28 | 3,000 | |
| | \$50 | | PFSXW27LED4KPMT | | 3,132 | 28 | 4,000 | |
| | \$50 | | PFSXW27LED5KPMT | 765364045851 | 3,261 | 28 | 5,000 | |
| | \$50 | | SSF2-5L | 765364048609 | 4,642 | 36 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$50 | Cooper Lighting Solutions | AXCS2ARL-PC | | 2,716 | 21 | 4,000 | |
| | \$50 | Current | RFL2-25-4K-PC | 078598844351 | 3,327 | 26 | 4,000 | |
| | \$50 | | RFL2-25-5K-PC | 078598844368 | 3,245 | 26 | 5,000 | |
| | \$50 | | RFL3-50-4K-PC | 078598844436 | 4,461 | 34 | 4,000 | |
| | \$50 | | RFL3-50-5K-PC | 078598844443 | 4,351 | 34 | 5,000 | |
| | \$50 | | SGF1-20-40K-120-K | | 2,608 | 21 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$50 | | LSP-LSCS | | 2,040 | 17 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$50 | Green Ignite | GI-FL2-C70-UL4D-D-B76-KN | | 2,000 | 15 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$50 | | GI-FL2-C70-UL4D-D-B76-TR | | 2,000 | 15 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$50 | Keystone Technologies | KT-FLED15-R1A-UNV-8CSB-VDIM | 843654128948 | 2,100 | 15 | 5,000 | Lumen & CCT selectable - measure code based on lowest lumen rating |
| | \$50 | | KT-FLED35-R1A-UNV-8CSB-VDIM | 843654128962 | 4,900 | 35 | 5,000 | Lumen & CCT selectable - measure code based on lowest lumen rating |
| | \$50 | | KT-FLED25PS-C1E-UNV-8CSB-VDIM | 843654141886 | 2,950 | 25 | 3,000 | CCT & Wattage Selectable |
| | \$50 | | KT-FLED25PS-C1E-UNV-8CSB-VDIM-W | 843654141893 | 2,950 | 25 | 3,000 | CCT & Wattage Selectable |
| | \$50 | | KT-FLED15PS-R4A-UNV-8CSB-VDIM | 843654159980 | 1,980 | 15 | 3,000 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output |
| | \$50 | | KT-FLED35PS-R4A-UNV-8CSB-VDIM | 843654160009 | 4,760 | 35 | 3,000 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output |
| | \$50 | | KT-FLED15PS-R4A-UNV-8CSB-VDIM-W | 843654159997 | 1,980 | 15 | 3,000 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output |
| | \$50 | | KT-FLED35PS-R4A-UNV-8CSB-VDIM-W | 843654160016 | 4,760 | 35 | 3,000 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|---------------------------|-------------------------------------|--------------|-----------------------|------------------------|--------------|---|
| 87UAP | \$50 | LEDVANCE, LLC | FLOODLT1A/015UNVD8SC2/WF/BZ (61325) | 046135613258 | 2,097 | 15 | 3,000 | CCT Selectable |
| | \$50 | | FLOODLT1A/025UNVD8SC2/WF/BZ (61326) | 046135613265 | 3,485 | 26 | 3,000 | CCT Selectable |
| | \$50 | | FLOODLT1A/035UNVD8SC2/WF/BZ (61327) | 046135613272 | 4,642 | 36 | 3,000 | CCT Selectable |
| | \$50 | | FLOODLT2AS030UNHD8SC2BZP (63860) | 046135638602 | 4,430 | 31 | 3,000 | Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$50 | Litetronics International | FL0601 | | 7,615 | 59 | 3,000 | CCT & Wattage Selectable |
| | \$50 | MaxLite Inc. | FMS20UN-40BKTPC | 767627251375 | 2,400 | 19 | 4,000 | |
| | \$50 | | FMS20UN-40BTSPC | 767627251382 | 2,400 | 19 | 4,000 | |
| | \$50 | | FMS20UN-50BKTPC | 767627251405 | 2,400 | 19 | 5,000 | |
| | \$50 | | FMS20UN-50BTSPC | 767627251412 | 2,400 | 19 | 5,000 | |
| | \$50 | | FMS20UW-40BKTPC | 767627125256 | 2,300 | 19 | 4,000 | |
| | \$50 | | FMS20UW-40BTSPC | 767627251399 | 2,300 | 19 | 4,000 | |
| | \$50 | | FMS20UW-50BKTPC | 767627125270 | 2,300 | 19 | 5,000 | |
| | \$50 | | FMS20UW-50BTSPC | 767627251429 | 2,300 | 19 | 5,000 | |
| | \$50 | | FMS30UN-40BKTPC | 767627251450 | 3,600 | 29 | 4,000 | |
| | \$50 | | FMS30UN-40BTSPC | 767627251443 | 3,600 | 29 | 4,000 | |
| | \$50 | | FMS30UN-50BKTPC | 767627251474 | 3,600 | 29 | 5,000 | |
| | \$50 | | FMS30UN-50BTSPC | 767627251481 | 3,600 | 29 | 5,000 | |
| | \$50 | | FMS30UW-40BKTPC | 767627125287 | 3,480 | 29 | 4,000 | |
| | \$50 | | FMS30UW-40BTSPC | 767627251467 | 3,480 | 29 | 4,000 | |
| | \$50 | | FMS30UW-50BKTPC | 767627125294 | 3,480 | 29 | 5,000 | |
| | \$50 | | FMS30UW-50BTSPC | 767627251498 | 3,480 | 29 | 5,000 | |
| | \$50 | | MSF15UW-CSBKTYPC | 767627032622 | 2,097 | 16 | 3,000 | CCT Selectable |
| | \$50 | | MSF15UW-WCSBKTYPC | | 2,097 | 16 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$50 | | MSF25UW-WCSBKTYPC | 767627032639 | 3,485 | 26 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$50 | Morris Products Inc. | 71663B | | 5,347 | 40 | 5,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$50 | | 71334B | | 2,640 | 20 | 5,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$50 | | 71135B | | 2,640 | 20 | 5,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$50 | | 74662 | | 5,341 | 40 | 4,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$50 | | 71343B | | 3,750 | 30 | 5,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$50 | | 71141B | | 3,750 | 30 | 5,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$50 | | 71677B | | 2,681 | 21 | 3,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$50 | | 71675B | | 2,681 | 21 | 3,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$50 | | 71678B | | 2,681 | 21 | 3,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$50 | | 74664 | | 2,802 | 22 | 5,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$50 | | 71697B | | 5,432 | 40 | 5,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$50 | | 71695B | | 5,432 | 40 | 5,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$50 | | 71698B | | 5,432 | 40 | 5,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$50 | | 74672 | | 5,432 | 40 | 5,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$50 | | 71339B | | 3,295 | 28 | 3,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$50 | | 71340B | | 3,295 | 28 | 3,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$50 | | 71660B | | 2,873 | 21 | 5,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$50 | | 71679B | | 2,894 | 21 | 5,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$50 | | 71682B | | 2,894 | 21 | 5,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$50 | | 74670 | | 2,894 | 21 | 5,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$50 | | 74660 | | 2,896 | 21 | 4,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$50 | | 71333B | | 2,620 | 20 | 4,000 | Wattage selectable, Measure/incentive based on min. lumen level |
| | \$50 | | 71134B | | 2,620 | 20 | 4,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$50 | | 74666 | | 5,190 | 39 | 5,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$50 | | 71336B | | 2,500 | 20 | 3,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$50 | | 71337B | | 2,500 | 20 | 3,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$50 | | 71342B | | 3,670 | 30 | 4,000 | Must be installed with a timeclock or with photocell to receive incentive. |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|----------------------|----------------------|--------------|-----------------------|------------------------|--------------|---|
| 87UAP | \$50 | Morris Products Inc. | 71140B | | 3,670 | 30 | 4,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$50 | | 71693B | | 4,861 | 40 | 3,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$50 | | 71691B | | 4,861 | 40 | 3,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$50 | | 71694B | | 4,861 | 40 | 3,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$50 | NICOR Inc. | OFL3015MV50BKZ | | 2,060 | 15 | 5,000 | |
| | \$50 | | OFL3015MV50BZKK | | 2,060 | 15 | 5,000 | |
| | \$50 | | OFL3015MV50BZKY | | 2,060 | 15 | 5,000 | |
| | \$50 | | OFL3030MV50BZ | | 4,234 | 30 | 5,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$50 | | OFL3030MV50BZK | | 4,234 | 30 | 5,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$50 | | OFL3030MV50BZY | | 4,234 | 30 | 5,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$50 | | OFL3050MV50BZ | | 6,408 | 47 | 5,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$50 | | OFL3050MV50BZK | | 6,408 | 47 | 5,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$50 | | OFL3050MV50BZY | | 6,408 | 47 | 5,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$50 | RAB Lighting | X17FA15 | | 2,097 | 15 | 3,000 | CCT Selectable |
| | \$50 | | X17FA35 | | 4,642 | 36 | 3,000 | CCT Selectable |
| | \$50 | | X17XFU35 | | 4,642 | 36 | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | \$50 | | X17XFU60 | | 7,782 | 60 | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | \$50 | | X17FA15W | 192552004060 | 2,097 | 16 | 3,000 | CCT Selectable |
| | \$50 | | X17FA35W | 192552004077 | 4,642 | 36 | 3,000 | CCT Selectable |
| | \$50 | | X17XFU35W | 192552014960 | 4,642 | 36 | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | \$50 | | X17XFU60SF | 192552014984 | 7,782 | 60 | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | \$50 | | X17XFU60T | | 7,782 | 60 | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | \$50 | | X17XFU60W | | 7,782 | 60 | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | \$50 | | X17XFU60SFW | | 7,782 | 60 | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | \$50 | | X17XFU60TW | | 7,782 | 60 | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | \$50 | | HBLED26YA | | 3,596 | 27 | 3,000 | |
| | \$50 | | HBLED26YB | | 3,596 | 27 | 3,000 | |
| | \$50 | | HBLED26YW | | 3,596 | 27 | 3,000 | |
| | \$50 | | HBLED26YVG | | 3,596 | 27 | 3,000 | |
| | \$50 | | X22-20 | | 2,570 | 21 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$50 | | X22-35 | | 4,493 | 36 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$50 | | X22-60 | | 7,630 | 61 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$50 | | X22-20W | | 2,570 | 21 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$50 | | X22-35W | | 4,493 | 36 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$50 | | X22-60W | | 7,630 | 61 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$50 | TCP | SFLKUZDSW4CCT | | 3,757 | 29 | 3,000 | |
| | \$50 | | SFLYUZDSW4CCT | | 3,757 | 29 | 3,000 | |
| | \$50 | Topaz | F-FL/15/40K/KN/BZ-87 | 751338036208 | 1,817 | 15 | 4,000 | Must be installed with photocell or timeclock |
| | \$50 | | F-FL/15/50K/KN/BZ-87 | 751338036123 | 1,833 | 15 | 5,000 | Must be installed with photocell or timeclock |
| | \$50 | | F-FL/30/40K/KN/BZ-87 | 751338036215 | 3,688 | 30 | 4,000 | Must be installed with photocell or timeclock |
| | \$50 | | F-FL/30/50K/KN/BZ-87 | 751338036130 | 3,725 | 30 | 5,000 | Must be installed with photocell or timeclock |
| | \$50 | | FL-30PCS-KNTR | 032886316579 | 3,793 | 29 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$50 | WESTGATE MFG | LFX-MD-15-50W-30K-KN | | 6,017 | 47 | 3,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$50 | | LFX-MD-15-50W-30K-TR | | 6,017 | 47 | 3,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$50 | | LFX-MD-15-50W-40K-KN | | 6,118 | 47 | 4,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|------------------------|---|--------------|-----------------------|------------------------|--------------|---|
| 87UAP | \$50 | WESTGATE MFG | LFX-MD-15-50W-40K-TR | | 6,118 | 47 | 4,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$50 | | LFX-MD-15-50W-50K-KN | 845060072518 | 6,219 | 47 | 5,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$50 | | LFX-MD-15-50W-50K-TR | | 6,219 | 47 | 5,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$50 | | LFX-MD-15-50W-MCTP-KN | | 6,419 | 50 | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | \$50 | | LFX-MD-15-50W-MCTP-TR | 845060073102 | 6,419 | 50 | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | \$50 | | LFX-SM-10-30W-30K-KN | | 3,973 | 30 | 3,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$50 | | LFX-SM-10-30W-30K-TR | | 3,973 | 30 | 3,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$50 | | LFX-SM-10-30W-40K-KN | | 4,007 | 30 | 4,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$50 | | LFX-SM-10-30W-40K-TR | | 4,007 | 30 | 4,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$50 | | LFX-SM-10-30W-50K-KN | | 4,041 | 30 | 5,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$50 | | LFX-SM-10-30W-50K-TR | | 4,041 | 30 | 5,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$50 | | LF4-30W-30K-D-TR | | 4,140 | 29 | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | \$50 | | LF4-30W-30K-D-KN | | 4,140 | 29 | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | \$50 | | LF4-30W-40K-D-TR | | 4,187 | 30 | 4,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | \$50 | | LF4-30W-40K-D-KN | | 4,187 | 30 | 4,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | \$50 | | LF4-30W-50K-D-TR | | 4,234 | 30 | 5,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | \$50 | | LF4-30W-50K-D-KN | | 4,234 | 30 | 5,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | \$50 | | LF4-50W-30K-D-TR | | 6,345 | 46 | 3,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$50 | | LF4-50W-30K-D-KN | | 6,345 | 46 | 3,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$50 | | LF4-50W-40K-D-TR | | 6,377 | 47 | 4,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$50 | | LF4-50W-40K-D-KN | | 6,377 | 47 | 4,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$50 | | LF4-50W-50K-D-TR | | 6,408 | 47 | 5,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$50 | | LF4-50W-50K-D-KN | 845060074437 | 6,408 | 47 | 5,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$50 | | LFX-SM-10-30W-MCTP-TR | | 3,879 | 30 | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | \$50 | | LFX-SM-10-30W-MCTP-KN | 845060073089 | 3,879 | 30 | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | \$50 | | LFX-XS-15W-30K-TR | | 1,863 | 15 | 3,000 | |
| | \$50 | | LFX-XS-15W-30K-KN | | 1,863 | 15 | 3,000 | |
| | \$50 | | LFX-XS-15W-40K-TR | | 1,900 | 15 | 4,000 | |
| | \$50 | | LFX-XS-15W-40K-KN | | 1,900 | 15 | 4,000 | |
| | \$50 | | LFX-XS-15W-50K-TR | | 1,938 | 15 | 5,000 | |
| | \$50 | | LFX-XS-15W-50K-KN | | 1,938 | 15 | 5,000 | |
| | \$50 | | FLD3-13W-MCT-D-KN | 845060044997 | 1,735 | 13 | 3,000 | CCT Selectable |
| | \$50 | | FLD3-25W-MCT-D-KN | 845060045109 | 3,063 | 24 | 3,000 | CCT Selectable |
| | \$50 | | LF4-15W-30K-KN | | 2,016 | 15 | 3,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$50 | | LF4-15W-30K-TR | | 2,016 | 15 | 3,000 | Must be installed with a photocell or timeclock to receive incentive |
| 87UBP | \$80 | Acuity Brands Lighting | RSXF1 LED P1 40K WFL MVOLT IS PE DDBXD | | 7,174 | 51 | 4,000 | |
| | \$80 | | RSXF1 LED P1 50K WFL MVOLT IS PE DDBXD | 194994054979 | 7,174 | 51 | 5,000 | |
| | \$80 | | RSXF1 LED P2 40K WFL MVOLT IS PE DDBXD | 193047777872 | 9,947 | 73 | 4,000 | |
| | \$80 | | RSXF1 LED P2 50K WFL MVOLT IS PE DDBXD | 193048626438 | 9,947 | 73 | 5,000 | |
| | \$80 | | DSXF2 LED P1 40K 70CRI WFL MVOLT THK DDBXD | | 7,489 | 52 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | DSXF2 LED P1 50K 70CRI WFL MVOLT THK DDBXD | | 7,625 | 52 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | DSXF2 LED P1 40K 70CRI WFL MVOLT THK PE DDBXD | | 7,489 | 52 | 4,000 | |
| | \$80 | | DSXF2 LED P1 50K 70CRI WFL MVOLT THK PE DDBXD | | 7,625 | 52 | 5,000 | |
| | \$80 | ASD Lighting Corp | ASD-FL-MV-50D50Y-BK-PRM | 819201029938 | 7,210 | 51 | 5,000 | Must be installed with a timeclock to receive incentive |
| | \$80 | | ASD-FLA-MV-50DAC-BK | 810050739856 | 6,050 | 50 | 3,000 | |
| | \$80 | | | | | | | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen |
| | \$80 | | ASD-FL01K-75BK | 810128113472 | 10,125 | 75 | 3,000 | setting. |
| | \$80 | ATG Electronics Corp. | ELF-50-30-PH | | 6,637 | 50 | 3,000 | |
| | \$80 | | ELF-50-40-PH | | 6,683 | 50 | 4,000 | |
| | \$80 | | ELF-50-50-PH | | 6,736 | 50 | 5,000 | |
| | \$80 | | ELF-70-30-PH | | 9,852 | 70 | 3,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-------------------------|-----------------|--------------|-----------------------|------------------------|--------------|----------------|
| 87UBP | \$80 | ATG Electronics Corp. | ELF-70-40-PH | | 9,921 | 70 | 4,000 | |
| | \$80 | | ELF-70-50-PH | | 10,000 | 70 | 5,000 | |
| | \$80 | Atlas Lighting Products | FM8L45KPC | 765364019012 | 8,775 | 68 | 4,500 | |
| | \$80 | | FM8L4KPC | | 8,850 | 70 | 4,000 | |
| | \$80 | | FM8L5KPC | 765364944123 | 8,775 | 68 | 5,000 | |
| | \$80 | | FS6L45KPC | 765364016943 | 5,765 | 48 | 4,500 | |
| | \$80 | | FS6L4KPC | 765364018305 | 5,992 | 49 | 4,000 | |
| | \$80 | | FS6L5KPC | | 5,765 | 48 | 5,000 | |
| | \$80 | | HXP48L3KPC | | 8,435 | 63 | 3,000 | |
| | \$80 | | HXP48L4KPC | | 8,435 | 63 | 4,000 | |
| | \$80 | | HXP48L45KPC | | 8,435 | 63 | 4,500 | |
| | \$80 | | HXP48L5KPC | | 8,837 | 63 | 5,000 | |
| | \$80 | | HXP68L3KPC | | 8,654 | 62 | 3,000 | |
| | \$80 | | HXP68L45KPC | | 8,871 | 62 | 4,500 | |
| | \$80 | | HXP68L4KPC | | 9,047 | 62 | 4,000 | |
| | \$80 | | HXP68L5KPC | | 8,871 | 62 | 5,000 | |
| | \$80 | | HXW8L3KPC | | 9,267 | 62 | 3,000 | |
| | \$80 | | HXW8L45KPC | | 9,267 | 62 | 4,500 | |
| | \$80 | | HXW8L4KPC | | 9,711 | 62 | 4,000 | |
| | \$80 | | HXW8L5KPC | | 9,366 | 62 | 5,000 | |
| | \$80 | | ORLF10LSELP | | 9,089 | 73 | 3,000 | CCT Selectable |
| | \$80 | | ORMF6LSELP | | 5,938 | 47 | 3,000 | CCT Selectable |
| | \$80 | | PFMXW43LED5KPC | | 5,229 | 43 | 5,000 | |
| | \$80 | | FM8L45KPCT | 765364026423 | 8,775 | 68 | 4,500 | |
| | \$80 | | FM8L4KPCT | | 8,850 | 70 | 4,000 | |
| | \$80 | | FM8L5KPCT | 765364019128 | 8,775 | 68 | 5,000 | |
| | \$80 | | FS6L45KPCT | | 5,765 | 48 | 4,500 | |
| | \$80 | | FS6L4KPCT | | 5,992 | 49 | 4,000 | |
| | \$80 | | FS6L5KPCT | | 5,765 | 48 | 5,000 | |
| | \$80 | | HXP48L3KPCT | | 8,435 | 63 | 3,000 | |
| | \$80 | | HXP48L4KPCT | | 8,435 | 63 | 4,000 | |
| | \$80 | | HXP48L45KPCT | | 8,435 | 63 | 4,500 | |
| | \$80 | | HXP48L5KPCT | | 8,837 | 63 | 5,000 | |
| | \$80 | | HXP68L3KPCT | | 8,654 | 62 | 3,000 | |
| | \$80 | | HXP68L45KPCT | | 8,871 | 62 | 4,500 | |
| | \$80 | | HXP68L4KPCT | | 9,047 | 62 | 4,000 | |
| | \$80 | | HXP68L5KPCT | | 8,871 | 62 | 5,000 | |
| | \$80 | | HXW8L3KPCT | | 9,267 | 62 | 3,000 | |
| | \$80 | | HXW8L45KPCT | | 9,267 | 62 | 4,500 | |
| | \$80 | | HXW8L4KPCT | | 9,711 | 62 | 4,000 | |
| | \$80 | | HXW8L5KPCT | | 9,366 | 62 | 5,000 | |
| | \$80 | | PFMXW43LED5KPCT | 765364034183 | 5,229 | 43 | 5,000 | |
| | \$80 | | FM8L45KPM | | 8,775 | 68 | 4,500 | |
| | \$80 | | FM8L4KPM | | 8,850 | 70 | 4,000 | |
| | \$80 | | FM8L5KPM | 765364944130 | 8,775 | 68 | 5,000 | |
| | \$80 | | FS6L45KPM | 765364050343 | 5,765 | 48 | 4,500 | |
| | \$80 | | FS6L4KPM | | 5,992 | 49 | 4,000 | |
| | \$80 | | FS6L5KPM | | 5,765 | 48 | 5,000 | |
| | \$80 | | HXP48L3KPM | | 8,435 | 63 | 3,000 | |
| | \$80 | | HXP48L4KPM | | 8,435 | 63 | 4,000 | |
| | \$80 | | HXP48L45KPM | | 8,435 | 63 | 4,500 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-------------------------|------------------|--------------|-----------------------|------------------------|--------------|--|
| 87UBP | \$80 | Atlas Lighting Products | HXP48L5KPM | | 8,837 | 63 | 5,000 | |
| | \$80 | | HXP68L3KPM | | 8,654 | 62 | 3,000 | |
| | \$80 | | HXP68L45KPM | | 8,871 | 62 | 4,500 | |
| | \$80 | | HXP68L4KPM | | 9,047 | 62 | 4,000 | |
| | \$80 | | HXP68L5KPM | | 8,871 | 62 | 5,000 | |
| | \$80 | | HXW8L3KPM | | 9,267 | 62 | 3,000 | |
| | \$80 | | HXW8L45KPM | | 9,267 | 62 | 4,500 | |
| | \$80 | | HXW8L4KPM | | 9,711 | 62 | 4,000 | |
| | \$80 | | HXW8L5KPM | | 9,366 | 62 | 5,000 | |
| | \$80 | | PFMXW43LED5KPM | | 5,229 | 43 | 5,000 | |
| | \$80 | | FM8L45KPMT | 765364031359 | 8,775 | 68 | 4,500 | |
| | \$80 | | FM8L4KPMT | | 8,850 | 70 | 4,000 | |
| | \$80 | | FM8L5KPMT | 765364041273 | 8,775 | 68 | 5,000 | |
| | \$80 | | FS6L45KPMT | | 5,765 | 48 | 4,500 | |
| | \$80 | | FS6L4KPMT | | 5,992 | 49 | 4,000 | |
| | \$80 | | FS6L5KPMT | | 5,765 | 48 | 5,000 | |
| | \$80 | | HXP48L3KPMT | | 8,435 | 63 | 3,000 | |
| | \$80 | | HXP48L4KPMT | | 8,435 | 63 | 4,000 | |
| | \$80 | | HXP48L45KPMT | | 8,435 | 63 | 4,500 | |
| | \$80 | | HXP48L5KPMT | | 8,837 | 63 | 5,000 | |
| | \$80 | | HXP68L3KPMT | | 8,654 | 62 | 3,000 | |
| | \$80 | | HXP68L45KPMT | | 8,871 | 62 | 4,500 | |
| | \$80 | | HXP68L4KPMT | | 9,047 | 62 | 4,000 | |
| | \$80 | | HXP68L5KPMT | | 8,871 | 62 | 5,000 | |
| | \$80 | | HXW8L3KPMT | | 9,267 | 62 | 3,000 | |
| | \$80 | | HXW8L45KPMT | | 9,267 | 62 | 4,500 | |
| | \$80 | | HXW8L4KPMT | | 9,711 | 62 | 4,000 | |
| | \$80 | | HXW8L5KPMT | | 9,366 | 62 | 5,000 | |
| | \$80 | | PFMXW43LED5KPMT | 765364052927 | 5,229 | 43 | 5,000 | |
| | \$80 | | HSXP68-16LPC | 765364035357 | 15,184 | 127 | 3,000 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | HSXP68-16L45KPC | 765364038174 | 16,516 | 127 | 4,500 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | HSXP68-16LAPC | | 15,176 | 129 | 4,000 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | HSXW8-16LPC | 765364041471 | 16,551 | 126 | 3,000 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | HSXW8-16L45KPC | | 17,706 | 127 | 4,500 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | HSXW8-16LATPC | | 17,623 | 129 | 4,000 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | HSXP68-16LPCT | | 15,184 | 127 | 3,000 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | HSXP68-16L45KPCT | | 16,516 | 127 | 4,500 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | HSXP68-16LAPCT | | 15,176 | 129 | 4,000 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | HSXW8-16LPCT | | 16,551 | 126 | 3,000 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | HSXW8-16L45KPCT | | 17,706 | 127 | 4,500 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|--|-------------------------------|--------------|-----------------------|------------------------|--------------|--|
| 87UBP | \$80 | Atlas Lighting Products | HSXW8-16LATPCT | | 17,623 | 129 | 4,000 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | SMF5-12L | | 10,712 | 82 | 3,000 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | HSXP68-16LPM | 765364054792 | 15,184 | 127 | 3,000 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | HSXP68-16L45KPM | | 16,516 | 127 | 4,500 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | HSXP68-16LATPM | 765364054136 | 15,176 | 129 | 4,000 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | HSXW8-16LPM | 765364034367 | 16,551 | 126 | 3,000 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | HSXW8-16L45KPM | | 17,706 | 127 | 4,500 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | HSXW8-16LATPM | 765364054181 | 17,623 | 129 | 4,000 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | HSXP68-16LPMT | 765364046407 | 15,184 | 127 | 3,000 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | HSXP68-16L45KPMT | | 16,516 | 127 | 4,500 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | HSXP68-16LATPMT | | 15,176 | 129 | 4,000 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | HSXW8-16LPMT | 765364046407 | 16,551 | 126 | 3,000 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | HSXW8-16L45KPMT | | 17,706 | 127 | 4,500 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | HSXW8-16LATPMT | | 17,623 | 129 | 4,000 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | Cooper Lighting Solutions (formerly NHR) | NHRS50UT | | 19,074 | 154 | 3,000 | CCT & Wattage selectable, measure based on minimum lumen output. Must be installed with a photocell or timeclock to receive incentive. |
| | \$80 | | NHRS50US | | 19,074 | 154 | 3,000 | CCT & Wattage selectable, measure based on minimum lumen output. Must be installed with a photocell or timeclock to receive incentive. |
| | \$80 | | NHRS50HT | | 19,074 | 154 | 3,000 | CCT & Wattage selectable, measure based on minimum lumen output. Must be installed with a photocell or timeclock to receive incentive. |
| | \$80 | | NHRS50HS | | 19,074 | 154 | 3,000 | CCT & Wattage selectable, measure based on minimum lumen output. Must be installed with a photocell or timeclock to receive incentive. |
| | \$80 | | NHRS50UT-BPC | | 19,074 | 154 | 3,000 | CCT & Wattage selectable, measure based on minimum lumen output. |
| | \$80 | | NHRS50US-BPC | | 19,074 | 154 | 3,000 | CCT & Wattage selectable, measure based on minimum lumen output. |
| | \$80 | Current | SGF1-40-40K-120-K | | 5,168 | 41 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | SGF1-60-40K-K | | 7,236 | 57 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | SGF2-80-40K-K | | 9,921 | 82 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | Green Ignite | SGF2-80-40K-T | | 9,921 | 82 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | GI-FL2-C250-UL4D-D-B76-SP | | 9,400 | 70 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | GI-FL2-C250-UL4D-D-B76-YK | | 9,400 | 70 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | GI-FL2-C175-UL4D-D-B76-KN | | 6,150 | 45 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | GI-FL2-C175-UL4D-D-B76-TR | | 6,150 | 45 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | GI-FLF-C250-480UL4B-D-B77-YK | | 10,350 | 75 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | GI-FLF-C250-480UL4B-D-B77-SP | | 10,350 | 75 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | GI-FLF-C250-480UL4B-D-B77-WM | | 10,350 | 75 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | GI-FLF-D250-UL4B-D-B77-YK | | 9,730 | 70 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | GI-FLF-D250-UL4B-D-B77-SP | | 9,730 | 70 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | GI-FLF-D250-UL4B-D-B77-WM | | 9,730 | 70 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | Keystone Technologies | KT-FLED60-R1A-UNV-8CSB-VDIM | 843654128986 | 8,040 | 60 | 5,000 | Lumen & CCT selectable - measure code based on lowest wattage/lumen rating |
| | \$80 | | KT-FLED75-R1A-UNV-8CSB-VDIM | 843654130293 | 10,050 | 75 | 5,000 | Lumen & CCT selectable - measure code based on lowest lumen rating |
| | \$80 | | KT-FLED60-R1A-UNV-8CSB-VDIM-W | | 8,040 | 60 | 5,000 | Lumen & CCT selectable - measure code based on lowest wattage/lumen rating |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|---------------------------|-------------------------------------|--------------|-----------------------|------------------------|--------------|---|
| 87UBP | \$80 | Keystone Technologies | KT-FLED60PS-R4A-UNV-8CSB-VDIM | 843654160023 | 8,220 | 60 | 3,000 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output |
| | \$80 | | KT-FLED75PS-R4A-UNV-8CSB-VDIM | 843654160047 | 10,575 | 75 | 3,000 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output |
| | \$80 | | KT-FLED60PS-R4A-UNV-8CSB-VDIM-W | 843654160030 | 8,220 | 60 | 3,000 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output |
| | \$80 | | KT-FLED75PS-R4A-UNV-8CSB-VDIM-W | 843654160054 | 10,575 | 75 | 3,000 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output |
| | \$80 | LEDVANCE, LLC | FLOODLT1B/060UNVD8SC2/WF/BZ (61328) | 046135613289 | 7,782 | 60 | 3,000 | CCT Selectable |
| | \$80 | | FLOODLT2AS060UNHD8SC2BZP (63861) | 046135638619 | 9,041 | 60 | 3,000 | Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | Litetronics International | FL1001 | | 13,429 | 100 | 3,000 | CCT & Wattage Selectable |
| | \$80 | MaxLite Inc. | FMM50UN-40BKTPC | 767627251504 | 6,900 | 51 | 4,000 | |
| | \$80 | | FMM50UN-40BSKPC | 767627251511 | 6,900 | 51 | 4,000 | |
| | \$80 | | FMM50UN-40BTSPC | 767627251528 | 6,900 | 51 | 4,000 | |
| | \$80 | | FMM50UN-50BKTPC | 767627251610 | 6,900 | 51 | 5,000 | |
| | \$80 | | FMM50UN-50BSKPC | 767627251627 | 6,900 | 51 | 5,000 | |
| | \$80 | | FMM50UN-50BTSPC | 767627251634 | 6,900 | 51 | 5,000 | |
| | \$80 | | FMM50UW-40BKTPC | 767627125324 | 6,900 | 53 | 4,000 | |
| | \$80 | | FMM50UW-40BSKPC | 767627251566 | 6,900 | 53 | 4,000 | |
| | \$80 | | FMM50UW-40BTSPC | 767627251573 | 6,900 | 53 | 4,000 | |
| | \$80 | | FMM50UW-50BKTPC | 767627125331 | 6,900 | 53 | 5,000 | |
| | \$80 | | FMM50UW-50BSKPC | 767627251672 | 6,900 | 53 | 5,000 | |
| | \$80 | | FMM50UW-50BTSPC | 767627130519 | 6,900 | 53 | 5,000 | |
| | \$80 | | FMM80UN-40BKTPC | 767627251719 | 9,900 | 75 | 4,000 | |
| | \$80 | | FMM80UN-40BSKPC | 767627251726 | 9,900 | 75 | 4,000 | |
| | \$80 | | FMM80UN-40BTSPC | 767627251733 | 9,900 | 75 | 4,000 | |
| | \$80 | | FMM80UN-50BKTPC | 767627251825 | 9,900 | 75 | 5,000 | |
| | \$80 | | FMM80UN-50BSKPC | 767627251832 | 9,900 | 75 | 5,000 | |
| | \$80 | | FMM80UN-50BTSPC | 767627251849 | 9,900 | 75 | 5,000 | |
| | \$80 | | FMM80UW-40BKTPC | 767627125348 | 9,900 | 75 | 4,000 | |
| | \$80 | | FMM80UW-40BSKPC | 767627251771 | 9,900 | 75 | 4,000 | |
| | \$80 | | FMM80UW-40BTSPC | 767627251788 | 9,900 | 75 | 4,000 | |
| | \$80 | | FMM80UW-50BKTPC | 767627125362 | 9,900 | 75 | 5,000 | |
| | \$80 | | FMM80UW-50BSKPC | 767627251887 | 9,900 | 75 | 5,000 | |
| | \$80 | | FMM80UW-50BTSPC | 767627251894 | 9,900 | 75 | 5,000 | |
| | \$80 | | MSF60UW-WCSBKTYPC | 767627032691 | 7,782 | 60 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | Morris Products Inc. | 71346B | | 6,630 | 50 | 5,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$80 | | 71143B | | 6,630 | 50 | 5,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$80 | | 71345B | | 6,600 | 50 | 4,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$80 | | 71142B | | 6,600 | 50 | 4,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$80 | NICOR Inc. | OFL3150MV50BZ | | 21,705 | 152 | 5,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | | OFL3150MV50BZK | | 21,705 | 152 | 5,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | | OFL3150MV50BZY | | 21,705 | 152 | 5,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | | OFL3150MVS0BZ | | 18,967 | 152 | 3,000 | Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | | OFL3150MVS0BZK | | 18,967 | 152 | 3,000 | Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | | OFL3150MVS0BZY | | 18,967 | 152 | 3,000 | Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | RAB Lighting | X17FA60T | | 7,782 | 60 | 3,000 | CCT Selectable |
| | \$80 | | X17FA60SF | | 7,782 | 60 | 3,000 | CCT Selectable |
| | \$80 | | X17XFU80 | 192552004282 | 10,712 | 82 | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | \$80 | | X17FA60 | 192552003902 | 7,782 | 60 | 3,000 | CCT Selebtable |
| | \$80 | | X17FA60W | 192552004084 | 7,782 | 60 | 3,000 | CCT Selebtable |
| | \$80 | | X17FA60SFW | | 7,782 | 60 | 3,000 | CCT Selebtable |
| | \$80 | | X17FA60TW | | 7,782 | 60 | 3,000 | CCT Selebtable |
| | \$80 | | X17XFU80SF | 192552019224 | 10,712 | 82 | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | \$80 | | X17XFU80W | 192552014991 | 10,712 | 82 | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | | | | | | | | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|--------------|--------------------------------|--------------|-----------------------|------------------------|--------------|---|
| 87UBP | \$80 | RAB Lighting | X17XFU80SFW | | 10,712 | 82 | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | \$80 | | X17XFU105SF | 192552015004 | 13,243 | 104 | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | \$80 | | X17XFU105T | 192552015028 | 13,243 | 104 | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | \$80 | | X17XFU105SFW | 192552015011 | 13,243 | 104 | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | \$80 | | X17XFU105TW | 192552015035 | 13,243 | 104 | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | \$80 | | X17XFU140SF | 192552015042 | 17,894 | 140 | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | \$80 | | X17XFU140T | 192552015080 | 17,894 | 140 | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | \$80 | | X17XFU140SFW | 192552015073 | 17,894 | 140 | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | \$80 | | X17XFU140TW | 192552015097 | 17,894 | 140 | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | \$80 | | X17XFU140SF/480 | 192552015059 | 18,292 | 143 | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | \$80 | | X17XFU140T/480 | | 18,292 | 143 | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | \$80 | | X17XFU140SFW/480 | 192552015066 | 18,292 | 143 | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | \$80 | | X17XFU140TW/480 | | 18,292 | 143 | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | | | | | | | | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen |
| | \$80 | | X22-80 | | 10,537 | 83 | 3,000 | setting |
| | \$80 | | A17-3T70 | | 10,579 | 71 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$80 | | A17-3T100 | | 14,540 | 100 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$80 | | A17-4T70 | | 10,267 | 72 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$80 | | A17-4T100 | | 15,190 | 103 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | | | | | | | | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen |
| | \$80 | | X22-150/480 | | 18,760 | 151 | 3,000 | setting |
| | | | | | | | | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen |
| | \$80 | | X22-80W | | 10,537 | 83 | 3,000 | setting |
| | \$80 | | A17-5T100 | | 14,829 | 100 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | | | | | | | | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen |
| | \$80 | | | | | | | output. Must be installed with Photocell or timeclock to receive incentive |
| | | | | | | | | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen |
| | \$80 | | A17-5T100/LCBS | | 14,829 | 100 | 3,000 | output. Must be installed with Photocell or timeclock to receive incentive |
| | \$80 | | A17-3T70/480 | | 10,237 | 71 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$80 | | A17-3T100/480 | | 14,801 | 102 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$80 | | A17-4T70/480 | | 10,049 | 71 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$80 | | A17-4T100/480 | | 14,884 | 102 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$80 | | A17-5T70 | | 10,362 | 72 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$80 | | A17-5T70/480 | | 10,149 | 71 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$80 | | A17-5T100/480 | | 14,977 | 102 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$80 | SLG | FDCL 93 G1 HVU 35K D WFL SFD P | | 9,100 | 70 | 3,500 | |
| | \$80 | | FDCL 93 G1 HVU 3K D WFL SFD P | | 9,100 | 70 | 3,000 | |
| | \$80 | | FDCL 93 G1 HVU 4K D WFL SFD P | | 9,300 | 70 | 4,000 | |
| | \$80 | | FDCL 93 G1 HVU 5K D WFL SFD P | | 9,300 | 70 | 5,000 | |
| | \$80 | | FDCM 80 G1 HVU 4K D WFL P | | 7,800 | 60 | 4,000 | |
| | \$80 | | FDCM 80 G1 HVU 5K D WFL P | | 7,800 | 60 | 5,000 | |
| | \$80 | | FFCS 60 WFL G1 4K SFD P-1 B | | 5,600 | 40 | 4,000 | |
| | \$80 | | FFCS 60 WFL G1 5K SFD P-1 B | | 5,720 | 40 | 5,000 | |
| | \$80 | | FFCS 96 WFL G1 5K SFD P-1 B | | 9,800 | 70 | 5,000 | |
| | \$80 | | SFLKUZDSW7CCT | | 7,429 | 55 | 3,000 | |
| | \$80 | TCP | SFLYUZDSW7CCT | | 7,429 | 55 | 3,000 | |
| | \$80 | | SFLKUZDSW9CCT | | 13,257 | 98 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | | SFLYUZDSW9CCT | | 13,257 | 98 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | Topaz | F-FL/70/40K/KN/BZ-87 | 751338036451 | 9,083 | 70 | 4,000 | Must include a photocell |
| | \$80 | | F-FL/70/40K/SF/BZ-87 | 751338036468 | 9,083 | 70 | 4,000 | Must include a photocell |
| | \$80 | | F-FL/70/40K/TR/BZ-87 | 751338036482 | 9,083 | 70 | 4,000 | Must include a photocell |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|------------------------|---|--------------|-----------------------|------------------------|--------------|---|
| 87UBP | \$80 | Topaz | F-FL/70/50K/KN/BZ-87 | 751338036499 | 9,175 | 70 | 5,000 | Must include a photocell |
| | \$80 | | F-FL/70/50K/SF/BZ-87 | 751338036505 | 9,175 | 70 | 5,000 | Must include a photocell |
| | \$80 | | F-FL/70/50K/TR/BZ-87 | 751338036512 | 9,175 | 70 | 5,000 | Must include a photocell |
| | \$80 | | F-FL/50/40K/KN/BZ-87 | 751338036222 | 6,474 | 49 | 4,000 | Must be installed with photocell or timeclock |
| | \$80 | | F-FL/50/50K/KN/BZ-87 | 751338036147 | 6,539 | 49 | 5,000 | Must be installed with photocell or timeclock |
| | \$80 | | F-FL/50/40K/TR/BZ-87 | 751338036239 | 6,474 | 49 | 4,000 | Must be installed with photocell or timeclock |
| | \$80 | | F-FL/50/50K/TR/BZ-87 | | 6,539 | 49 | 5,000 | Must be installed with photocell or timeclock |
| | \$80 | | FL-60PCS-KNTR | 32886316586 | 8,054 | 59 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$80 | | FL-100PCS-SFYK | 32886316593 | 13,981 | 99 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$80 | | FL-100PCS-SFYK-HV | 32886316609 | 14,422 | 104 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$80 | WESTGATE MFG | LFXE-MD-50-100W-MCTP-KN-P | 845060087635 | 13,257 | 98 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| 87UCP | \$110 | Acuity Brands Lighting | DSXF3 LED 6 P1 40K 70CRI WFL MVOLT IS PE DDBXD | | 17,458 | 111 | 4,000 | |
| | \$110 | | DSXF3 LED 6 P1 50K 70CRI WFL MVOLT IS PE DDBXD | | 17,776 | 111 | 5,000 | |
| | \$110 | | DSXF3 LED 6 P2 40K 70CRI FL MVOLT IS PE DDBXD | | 19,681 | 138 | 4,000 | |
| | \$110 | | DSXF3 LED 6 P2 50K 70CRI FL MVOLT IS PE DDBXD | | 20,039 | 138 | 5,000 | |
| | \$110 | | DSXF3 LED 6 P3 40K 70CRI WFL MVOLT IS PE DDBXD | 194994507598 | 24,343 | 165 | 4,000 | |
| | \$110 | | DSXF3 LED 6 P3 50K 70CRI WFL MVOLT IS PE DDBXD | | 24,786 | 165 | 5,000 | |
| | \$110 | | DSXF3 LED 6 P4 40K 70CRI WFL MVOLT IS PE DDBXD | | 27,233 | 189 | 4,000 | |
| | \$110 | | DSXF3 LED 6 P4 50K 70CRI WFL MVOLT IS PE DDBXD | | 27,729 | 189 | 5,000 | |
| | \$110 | | RSXF1 LED P2 40K MFL MVOLT IS PE DDBXD | | 10,226 | 73 | 4,000 | |
| | \$110 | | RSXF1 LED P2 50K MFL MVOLT IS PE DDBXD | | 10,226 | 73 | 5,000 | |
| | \$110 | | RSXF1 LED P3 40K WFL MVOLT IS PE DDBXD | 193047681643 | 14,163 | 109 | 4,000 | |
| | \$110 | | RSXF1 LED P3 50K WFL MVOLT IS PE DDBXD | 193048490848 | 14,163 | 109 | 5,000 | |
| | \$110 | | RSXF1 LED P4 40K WFL MVOLT IS PE DDBXD | 193047601320 | 16,457 | 133 | 4,000 | |
| | \$110 | | RSXF1 LED P4 50K WFL MVOLT IS PE DDBXD | 193047817134 | 16,457 | 133 | 5,000 | |
| | \$110 | | RSXF2 LED P1 40K WFL MVOLT IS PE DDBXD | | 10,408 | 72 | 4,000 | |
| | \$110 | | RSXF2 LED P1 50K WFL MVOLT IS PE DDBXD | | 10,408 | 72 | 5,000 | |
| | \$110 | | RSXF2 LED P2 40K WFL MVOLT IS PE DDBXD | 193048729498 | 16,258 | 114 | 4,000 | |
| | \$110 | | RSXF2 LED P2 50K WFL MVOLT IS PE DDBXD | | 16,258 | 114 | 5,000 | |
| | \$110 | | RSXF2 LED P3 40K WFL MVOLT IS PE DDBXD | 193047568036 | 20,473 | 150 | 4,000 | |
| | \$110 | | RSXF2 LED P3 50K WFL MVOLT IS PE DDBXD | | 20,473 | 150 | 5,000 | |
| | \$110 | | RSXF2 LED P4 40K WFL MVOLT IS PE DDBXD | 193048013344 | 24,746 | 190 | 4,000 | |
| | \$110 | | RSXF2 LED P4 50K WFL MVOLT IS PE DDBXD | | 24,746 | 190 | 5,000 | |
| | \$110 | | RSXF2 LED P5 40K WFL MVOLT IS PE DDBXD | | 26,629 | 214 | 4,000 | |
| | \$110 | | RSXF2 LED P5 50K WFL MVOLT IS PE DDBXD | 193047659727 | 26,629 | 214 | 5,000 | |
| | \$110 | | RSXF2 LED P6 40K WFL MVOLT IS PE DDBXD | 193037865340 | 29,768 | 247 | 4,000 | |
| | \$110 | | RSXF2 LED P6 50K WFL MVOLT IS PE DDBXD | | 29,768 | 247 | 5,000 | |
| | \$110 | | RSXF3 LED P1 40K WFL MVOLT IS PE DDBXD | | 26,799 | 195 | 4,000 | |
| | \$110 | | RSXF3 LED P1 50K WFL MVOLT IS PE DDBXD | 193047458795 | 26,799 | 195 | 5,000 | |
| | \$110 | | DSXF2 LED P2 40K 70CRI WFL MVOLT THK DDBXD | | 10,349 | 75 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | DSXF2 LED P2 40K 70CRI WFL MVOLT YKC62 DDBXD | | 10,349 | 75 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | DSXF2 LED P2 50K 70CRI WFL MVOLT THK DDBXD | | 10,537 | 75 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | DSXF2 LED P2 50K 70CRI WFL MVOLT YKC62 DDBXD | | 10,537 | 75 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | DSXF2 LED P2 40K 70CRI WFL MVOLT THK PE DDBXD | | 10,349 | 75 | 4,000 | |
| | \$110 | | DSXF2 LED P2 40K 70CRI WFL MVOLT YKC62 PE DDBXD | | 10,349 | 75 | 4,000 | |
| | \$110 | | DSXF2 LED P2 50K 70CRI WFL MVOLT THK PE DDBXD | | 10,537 | 75 | 5,000 | |
| | \$110 | | DSXF2 LED P2 50K 70CRI WFL MVOLT YKC62 PE DDBXD | | 10,537 | 75 | 5,000 | |
| | \$110 | | DSXF2 LED P3 40K 70CRI WFL MVOLT THK DDBXD | | 12,277 | 93 | 4,000 | |
| | \$110 | | DSXF2 LED P3 50K 70CRI WFL MVOLT THK PE DDBXD | | 12,501 | 93 | 5,000 | |
| | \$110 | | DSXF2 LED P4 50K 70CRI FL MVOLT THK DDBXD | | 17,587 | 145 | 5,000 | Must be installed with a timeclock or photocell to receive incentive. |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-------------------------|----------------|--------------|-----------------------|------------------------|--------------|----------------|
| 87UCP | \$110 | ATG Electronics Corp. | ELF-100-30-PH | | 13,783 | 100 | 3,000 | |
| | \$110 | | ELF-100-40-PH | | 13,879 | 100 | 4,000 | |
| | \$110 | | ELF-100-50-PH | | 13,990 | 100 | 5,000 | |
| | \$110 | | ELF-150-30-PH | | 20,259 | 150 | 3,000 | |
| | \$110 | | ELF-150-40-PH | | 20,401 | 150 | 4,000 | |
| | \$110 | | ELF-150-50-PH | | 20,563 | 150 | 5,000 | |
| | \$110 | Atlas Lighting Products | HXP412L3KPC | | 11,942 | 96 | 3,000 | |
| | \$110 | | HXP412L45KPC | | 11,942 | 96 | 4,500 | |
| | \$110 | | HXP412L4KPC | | 11,942 | 96 | 4,000 | |
| | \$110 | | HXP412L5KPC | | 12,512 | 96 | 5,000 | |
| | \$110 | | HXP416L5KPC | | 15,506 | 126 | 5,000 | |
| | \$110 | | HXP612L3KPC | | 12,224 | 94 | 3,000 | |
| | \$110 | | HXP612L45KPC | | 12,530 | 94 | 4,500 | |
| | \$110 | | HXP612L4KPC | | 12,779 | 94 | 4,000 | |
| | \$110 | | HXP612L5KPC | | 12,530 | 94 | 5,000 | |
| | \$110 | | HXP616L3PC | | 15,010 | 126 | 3,000 | |
| | \$110 | | HXP616L45KPC | 765364040566 | 15,386 | 121 | 4,500 | |
| | \$110 | | HXP616L4KPC | 765364033308 | 15,691 | 124 | 4,000 | |
| | \$110 | | HXP616L5KPC | | 15,386 | 121 | 5,000 | |
| | \$110 | | HXW12L3KPC | | 12,991 | 94 | 3,000 | |
| | \$110 | | HXW12L45KPC | | 12,991 | 94 | 4,500 | |
| | \$110 | | HXW12L4KPC | | 13,613 | 94 | 4,000 | |
| | \$110 | | HXW12L5KPC | | 13,129 | 94 | 5,000 | |
| | \$110 | | HXW16L3KPC | | 16,456 | 126 | 3,000 | |
| | \$110 | | HXW16L45KPC | 765364035579 | 16,456 | 126 | 4,500 | |
| | \$110 | | HXW16L4KPC | 765364033315 | 17,244 | 126 | 4,000 | |
| | \$110 | | HXW16L5KPC | | 16,631 | 126 | 5,000 | |
| | \$110 | | HXP412L3KPCT | | 11,942 | 96 | 3,000 | |
| | \$110 | | HXP412L45KPCT | | 11,942 | 96 | 4,500 | |
| | \$110 | | HXP412L4KPCT | | 11,942 | 96 | 4,000 | |
| | \$110 | | HXP412L5KPCT | | 12,512 | 96 | 5,000 | |
| | \$110 | | HXP416L5KPCT | | 15,506 | 126 | 5,000 | |
| | \$110 | | HXP612L3KPCT | | 12,224 | 94 | 3,000 | |
| | \$110 | | HXP612L45KPCT | 765364041570 | 12,530 | 94 | 4,500 | |
| | \$110 | | HXP612L4KPCT | | 12,779 | 94 | 4,000 | |
| | \$110 | | HXP612L5KPCT | | 12,530 | 94 | 5,000 | |
| | \$110 | | HXP616L3PCT | | 15,010 | 126 | 3,000 | |
| | \$110 | | HXP616L45KPCT | 765364034886 | 15,386 | 121 | 4,500 | |
| | \$110 | | HXP616L4KPCT | | 15,691 | 124 | 4,000 | |
| | \$110 | | HXP616L5KPCT | | 15,386 | 121 | 5,000 | |
| | \$110 | | HXW12L3KPCT | | 12,991 | 94 | 3,000 | |
| | \$110 | | HXW12L45KPCT | 765364039805 | 12,991 | 94 | 4,500 | |
| | \$110 | | HXW12L4KPCT | | 13,613 | 94 | 4,000 | |
| | \$110 | | HXW12L5KPCT | | 13,129 | 94 | 5,000 | |
| | \$110 | | HXW16L3KPCT | | 16,456 | 126 | 3,000 | |
| | \$110 | | HXW16L45KPCT | 765364034947 | 16,456 | 126 | 4,500 | |
| | \$110 | | HXW16L4KPCT | | 17,244 | 126 | 4,000 | |
| | \$110 | | HXW16L5KPCT | | 16,631 | 126 | 5,000 | |
| | \$110 | | ORLF14LSELPC | 765364027161 | 11,523 | 96 | 3,000 | CCT Selectable |
| | \$110 | | PFL2GH20L3KPC | | 20,200 | 142 | 3,000 | |
| | \$110 | | PFL2GH20L45KPC | 765364021756 | 21,338 | 142 | 4,500 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-------------------------|-----------------|--------------|-----------------------|------------------------|--------------|--|
| 87UCP | \$110 | Atlas Lighting Products | PFL2GH20L4KPC | 765364026287 | 21,338 | 142 | 4,000 | |
| | \$110 | | PFL2GH20L5KPC | 765364029950 | 21,534 | 142 | 5,000 | |
| | \$110 | | PFL2GXW20LPC | 765364015243 | 20,540 | 142 | 4,500 | CCT Selectable |
| | \$110 | | PFL2GXW20L3KPC | | 20,540 | 142 | 3,000 | |
| | \$110 | | PFL2GXW20L4KPC | 765364024566 | 20,540 | 142 | 4,000 | |
| | \$110 | | PFL2GXW20L5KPC | 765364939242 | 21,750 | 142 | 5,000 | |
| | \$110 | | PFL2GH20L3KPCS | 765364027994 | 20,200 | 142 | 3,000 | |
| | \$110 | | PFL2GH20L45KPCS | | 21,338 | 142 | 4,500 | |
| | \$110 | | PFL2GH20L4KPCS | 765364026294 | 21,338 | 142 | 4,000 | |
| | \$110 | | PFL2GH20L5KPCS | | 21,534 | 142 | 5,000 | |
| | \$110 | | PFL2GXW20LPCS | 765364012297 | 20,540 | 142 | 4,500 | CCT Selectable |
| | \$110 | | PFL2GXW20L3KPCS | | 20,540 | 142 | 3,000 | |
| | \$110 | | PFL2GXW20L4KPCS | 765364013140 | 20,540 | 142 | 4,000 | |
| | \$110 | | PFL2GXW20L5KPCS | 765364019104 | 21,750 | 142 | 5,000 | |
| | \$110 | | SLF10-20L | | 17,894 | 140 | 3,000 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | HXP412L3KPM | | 11,942 | 96 | 3,000 | |
| | \$110 | | HXP412L45KPM | | 11,942 | 96 | 4,500 | |
| | \$110 | | HXP412L4KPM | | 11,942 | 96 | 4,000 | |
| | \$110 | | HXP412L5KPM | | 12,512 | 96 | 5,000 | |
| | \$110 | | HXP416L5KPM | | 15,506 | 126 | 5,000 | |
| | \$110 | | HXP612L3KPM | | 12,224 | 94 | 3,000 | |
| | \$110 | | HXP612L45KPM | | 12,530 | 94 | 4,500 | |
| | \$110 | | HXP612L4KPM | | 12,779 | 94 | 4,000 | |
| | \$110 | | HXP612L5KPM | | 12,530 | 94 | 5,000 | |
| | \$110 | | HXP616L3KPM | | 15,010 | 126 | 3,000 | |
| | \$110 | | HXP616L45KPM | 765364047589 | 15,386 | 121 | 4,500 | |
| | \$110 | | HXP616L4KPM | 765364033322 | 15,691 | 124 | 4,000 | |
| | \$110 | | HXP616L5KPM | | 15,386 | 121 | 5,000 | |
| | \$110 | | HXW12L3KPM | | 12,991 | 94 | 3,000 | |
| | \$110 | | HXW12L45KPM | | 12,991 | 94 | 4,500 | |
| | \$110 | | HXW12L4KPM | | 13,613 | 94 | 4,000 | |
| | \$110 | | HXW12L5KPM | | 13,129 | 94 | 5,000 | |
| | \$110 | | HXW16L3KPM | | 16,456 | 126 | 3,000 | |
| | \$110 | | HXW16L45KPM | 765364033339 | 16,456 | 126 | 4,500 | |
| | \$110 | | HXW16L4KPM | | 17,244 | 126 | 4,000 | |
| | \$110 | | HXW16L5KPM | | 16,631 | 126 | 5,000 | |
| | \$110 | | PFL2GH20L3KPM | | 20,200 | 142 | 3,000 | |
| | \$110 | | PFL2GH20L45KPM | 765364036743 | 21,338 | 142 | 4,500 | |
| | \$110 | | PFL2GH20L4KPM | | 21,338 | 142 | 4,000 | |
| | \$110 | | PFL2GH20L5KPM | 765364038051 | 21,534 | 142 | 5,000 | |
| | \$110 | | PFL2GXW20LPM | 765364034831 | 20,540 | 142 | 4,500 | CCT Selectable |
| | \$110 | | PFL2GXW20L3KPM | 765364031069 | 20,540 | 142 | 3,000 | |
| | \$110 | | PFL2GXW20L4KPM | | 20,540 | 142 | 4,000 | |
| | \$110 | | PFL2GXW20L5KPM | | 21,750 | 142 | 5,000 | |
| | \$110 | | HXP412L3KPMT | | 11,942 | 96 | 3,000 | |
| | \$110 | | HXP412L45KPMT | | 11,942 | 96 | 4,500 | |
| | \$110 | | HXP412L4KPMT | | 11,942 | 96 | 4,000 | |
| | \$110 | | HXP412L5KPMT | | 12,512 | 96 | 5,000 | |
| | \$110 | | HXP416L5KPMT | | 15,506 | 126 | 5,000 | |
| | \$110 | | HXP612L3KPMT | | 12,224 | 94 | 3,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|---------------------------|--------------------------------|--------------|-----------------------|------------------------|--------------|--|
| 87UCP | \$110 | Atlas Lighting Products | HXP612L45KPMT | 765364041563 | 12,530 | 94 | 4,500 | |
| | \$110 | | HXP612L4KPMT | | 12,779 | 94 | 4,000 | |
| | \$110 | | HXP612L5KPMT | | 12,530 | 94 | 5,000 | |
| | \$110 | | HXP616L3KPMT | | 15,010 | 126 | 3,000 | |
| | \$110 | | HXP616L45KPMT | 765364048104 | 15,386 | 121 | 4,500 | |
| | \$110 | | HXP616L4KPMT | | 15,691 | 124 | 4,000 | |
| | \$110 | | HXP616L5KPMT | | 15,386 | 121 | 5,000 | |
| | \$110 | | HXW12L3KPMT | | 12,991 | 94 | 3,000 | |
| | \$110 | | HXW12L45KPMT | | 12,991 | 94 | 4,500 | |
| | \$110 | | HXW12L4KPMT | | 13,613 | 94 | 4,000 | |
| | \$110 | | HXW12L5KPMT | | 13,129 | 94 | 5,000 | |
| | \$110 | | HXW16L3KPMT | | 16,456 | 126 | 3,000 | |
| | \$110 | | HXW16L45KPMT | | 16,456 | 126 | 4,500 | |
| | \$110 | | HXW16L4KPMT | | 17,244 | 126 | 4,000 | |
| | \$110 | | HXW16L5KPMT | | 16,631 | 126 | 5,000 | |
| | \$110 | | PFL2GH20L3KPMS | 765364034640 | 20,200 | 142 | 3,000 | |
| | \$110 | | PFL2GH20L45KPMS | 765364030970 | 21,338 | 142 | 4,500 | |
| | \$110 | | PFL2GH20L4KPMS | | 21,338 | 142 | 4,000 | |
| | \$110 | | PFL2GH20L5KPMS | 765364028885 | 21,534 | 142 | 5,000 | |
| | \$110 | | PFL2GXW20LPMS | 765364014666 | 20,540 | 142 | 4,500 | CCT Selectable |
| | \$110 | | PFL2GXW20L3KPMS | 765364031076 | 20,540 | 142 | 3,000 | |
| | \$110 | | PFL2GXW20L4KPMS | 765364048029 | 20,540 | 142 | 4,000 | |
| | \$110 | | PFL2GXW20L5KPMS | 765364030475 | 21,750 | 142 | 5,000 | |
| | \$110 | | PFXL2GXWS26-50LPC | | 51,099 | 365 | 4,000 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | PFXL2GXWS26-50LPCS | | 51,099 | 365 | 4,000 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | PFXL2GXWS26-50LPM | | 51,099 | 365 | 4,000 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | PFXL2GXWS26-50LPMS | | 51,099 | 365 | 4,000 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | Cooper Lighting Solutions | NFFLD-C25-D-UNV-66-S-CB | | 11,802 | 82 | 4,000 | Must be installed with timeclock or separate photocell. |
| | \$110 | Current | SGF2-120-40K-K | | 14,358 | 122 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | SGF2-120-40K-T | | 14,358 | 122 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | SGF3-200-40K-K | | 24,553 | 205 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | SGF3-200-40K-T | | 24,553 | 205 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | ETi Solid State Lighting | VFLL-1-LB3-CP3-MV-LVD-MM-7PR | | 28,333 | 212 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with photocell or timeclock to receive incentive. |
| | \$110 | | VFLL-1-LB3-CP3-HV-LVD-MM-7PR | | 27,882 | 206 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with photocell or timeclock to receive incentive. |
| | \$110 | | VFLL-2-LB3-CP3-MV-LVD-MM-7PR | | 33,804 | 248 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with photocell or timeclock to receive incentive. |
| | \$110 | | GI-FLF-C400HO-480UL4B-D-B77-YK | | 21,000 | 150 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | Green Ignite | GI-FLF-C400HO-480UL4B-D-B77-SP | | 21,000 | 150 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GI-FLF-C400HO-480UL4B-D-B77-WM | | 21,000 | 150 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GI-FLF-C400-UL4B-D-B77-YK | | 13,900 | 100 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GI-FLF-C400-UL4B-D-B77-SP | | 13,900 | 100 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GI-FLF-C400-UL4B-D-B77-WM | | 13,900 | 100 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GI-FLF-D400-UL4B-D-B77-YK | | 13,800 | 100 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GI-FLF-D400-UL4B-D-B77-SP | | 13,800 | 100 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GI-FLF-D400-UL4B-D-B77-WM | | 13,800 | 100 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GI-FLF-D400-UL4B-D-B77-WM | | 13,800 | 100 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-----------------------------|-------------------------------------|--------------|-----------------------|------------------------|--------------|---|
| 87UCP | \$110 | Green Ignite | GI-FL2-C750-UL4D-D-B44-SP | | 26,500 | 200 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GI-FL2-C750-UL4D-D-B44-YK | | 26,500 | 200 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GI-FL2-C400HO-UL4D-D-B76-SP | | 18,500 | 135 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GI-FL2-C400HO-UL4D-D-B76-YK | | 18,500 | 135 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GI-FL2-C400-UL4D-D-B76-SP | | 13,500 | 100 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GI-FL2-C400-UL4D-D-B76-YK | | 13,500 | 100 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | Halco Lighting Technologies | SFL-150-CS-U-TR | 807154249015 | 18,500 | 154 | 3,000 | CCT selectable. Must be installed with 3PR (807154249114) option or with a time clock to receive incentive. |
| | \$110 | | SFL-150-CS-U-KN | 807154249015 | 18,500 | 154 | 3,000 | CCT selectable. Must be installed with 3PR (807154249114) option or with a time clock to receive incentive. |
| | \$110 | | SFL-200-CS-U-TR | 807154249039 | 25,608 | 207 | 3,000 | CCT selectable. Must be installed with 3PR (807154249114) option or with a time clock to receive incentive. |
| | \$110 | | SFL-200-CS-U-KN | 807154249039 | 25,608 | 207 | 3,000 | CCT selectable. Must be installed with 3PR (807154249114) option or with a time clock to receive incentive. |
| | \$110 | Keystone Technologies | KT-FLED100-R1A-UNV-8CSB-VDIM | 843654129006 | 13,400 | 100 | 5,000 | Lumen & CCT selectable - measure code based on lowest lumen rating |
| | \$110 | | KT-FLED140PSHV-R2B-UNV-8CSB-VDIM | 843654138640 | 17,500 | 140 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | KT-FLED140PSHV-R2C-UNV-8CSB-VDIM | 843654145570 | 17,500 | 140 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | KT-FLED140PSHV-R2D-UNV-8CSB-VDIM | 843654145600 | 17,500 | 140 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | KT-FLED140PS-R2B-UNV-8CSB-VDIM | 843654138626 | 17,500 | 140 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | KT-FLED140PS-R2C-UNV-8CSB-VDIM | 843654145570 | 17,500 | 140 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | KT-FLED140PS-R2D-UNV-8CSB-VDIM | 843654145600 | 17,500 | 140 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | KT-FLED140PS-R2B-UNV-8CSB-VDIM-W | 843654138633 | 17,500 | 140 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | KT-FLED140PS-R2C-UNV-8CSB-VDIM-W | 843654145587 | 17,500 | 140 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | KT-FLED140PS-R2D-UNV-8CSB-VDIM-W | 843654145617 | 17,500 | 140 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | KT-FLED100PS-R4A-UNV-8CSB-VDIM | 843654160061 | 14,100 | 100 | 3,000 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output |
| | \$110 | | KT-FLED100PS-R4A-UNV-8CSB-VDIM-W | 843654160061 | 14,100 | 100 | 3,000 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output |
| | \$110 | LEDVANCE, LLC | FLOODLT1B/080UNVD8SC2/WF/BZ (61329) | 046135613296 | 10,712 | 82 | 3,000 | CCT Selectable |
| | \$110 | | FLOODLT1C/105UNVD8SC2/WF/BZ (61330) | 046135613302 | 13,243 | 104 | 3,000 | CCT Selectable |
| | \$110 | | FLOODLT1C/140UNVD8SC2/WF/BZ (61331) | 046135613319 | 17,894 | 140 | 3,000 | CCT Selectable |
| | \$110 | | FLOODLT1D/205UNVD7SC2/WF/BZ (61332) | 046135613326 | 28,333 | 212 | 3,000 | CCT Selectable |
| | \$110 | | FLOODLT2AS140UNHD8SC2BZP (63862) | 046135638626 | 19,931 | 138 | 3,000 | Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | FLOODLT2AS300UNHD8SC2BZP (63863) | 046135638633 | 44,132 | 299 | 3,000 | Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | Litetronics International | FLOODLT2AS300HUV8SC2BZP (63865) | 046135638657 | 44,791 | 304 | 3,000 | Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | FL1501 | | 19,592 | 150 | 3,000 | CCT & Wattage Selectable |
| | \$110 | | FL2552 | | 33,804 | 248 | 3,000 | CCT & Wattage Selectable. Measure code/incentive based on lowest wattage/lumen output. Must be installed with Photocell or timeclock to receive incentive |
| | \$110 | | FML120UW-40BSKRPC | 767627125447 | 14,300 | 110 | 4,000 | |
| | \$110 | | FML120UW-40BTSRPC | 767627125485 | 14,300 | 110 | 4,000 | |
| | \$110 | | FML120UW-50BSKRPC | 767627125478 | 14,300 | 110 | 5,000 | |
| | \$110 | MaxLite Inc. | FML120UW-50BTSRPC | 767627125492 | 14,300 | 110 | 5,000 | |
| | \$110 | | FMX200UW-40BSKRPC | 767627125508 | 29,500 | 218 | 4,000 | |
| | \$110 | | FMX200UW-40BTSRPC | 767627125522 | 29,500 | 218 | 4,000 | |
| | \$110 | | FMX200UW-50BSKRPC | 767627125515 | 29,500 | 218 | 5,000 | |
| | \$110 | | FMX200UW-50BTSRPC | 767627125539 | 29,500 | 218 | 5,000 | |
| | \$110 | | MSF105UW-WCSBKPC | 767627032714 | 13,243 | 104 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | MSF105UW-WCSBYPC | 767627038082 | 13,243 | 104 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | MSF140UW-WCSBKPC | 767627032738 | 17,894 | 140 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | MSF140UW-WCSBYPC | 767627032721 | 17,894 | 140 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | MSF200UW-WCSBKRPC | 767627032806 | 24,096 | 204 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|----------------------|---------------------------|--------------|-----------------------|------------------------|--------------|---|
| 87UCP | \$110 | MaxLite Inc. | MSF200UW-WCSBYRPC | 767627032745 | 24,096 | 204 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | MSF100UA-CSBKPC (111736) | | 14,601 | 105 | 3,000 | CCT Selectable |
| | \$110 | | MSF100HA-CSBKPC (112333) | | 14,018 | 103 | 3,000 | CCT Selectable |
| | \$110 | | MSF100UA-CSBYPC (111734) | | 14,601 | 105 | 3,000 | CCT Selectable |
| | \$110 | | MSF100HA-CSBYPC (112332) | | 14,018 | 103 | 3,000 | CCT Selectable |
| | \$110 | | MSF150UA-WCSBKPC (111737) | | 19,677 | 153 | 3,000 | CCT & Wattage Selectable, measure based on minimum lumen output |
| | \$110 | | MSF150HA-WCSBKPC (112334) | | 19,570 | 153 | 3,000 | CCT & Wattage Selectable, measure based on minimum lumen output |
| | \$110 | | MSF150UA-WCSBYPC (111738) | | 19,677 | 153 | 3,000 | CCT & Wattage Selectable, measure based on minimum lumen output |
| | \$110 | | MSF150HA-WCSBYPC (112335) | | 19,570 | 153 | 3,000 | CCT & Wattage Selectable, measure based on minimum lumen output |
| | \$110 | Morris Products Inc. | 71950B | | 19,500 | 150 | 3,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$110 | | 71149B | | 20,850 | 150 | 5,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$110 | | 71147B | | 19,575 | 145 | 4,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$110 | | 71352B | | 10,412 | 76 | 4,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$110 | | 71353B | | 10,488 | 76 | 5,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$110 | | 71148B | | 19,865 | 145 | 5,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$110 | | 71356B | | 12,900 | 100 | 5,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$110 | | 71355B | | 12,500 | 100 | 4,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$110 | RAB Lighting | FXLED78SF/PCT | 019813399348 | 15,238 | 97 | 5,000 | |
| | \$110 | | PIPXL100SF/D10/PCU | 019813565972 | 15,238 | 97 | 5,000 | |
| | \$110 | | PIPXL100SFN/D10/PCU | 019813565989 | 15,630 | 106 | 4,000 | |
| | \$110 | | PIPXL100T/D10/PCU | 019813566030 | 15,238 | 97 | 5,000 | |
| | \$110 | | PIPXL70SF/D10/PCU | 019813564890 | 11,191 | 72 | 5,000 | |
| | \$110 | | PIPXL70SFN/D10/PCU | 019813564906 | 11,106 | 72 | 4,000 | |
| | \$110 | | PIPXL70T/D10/PCU | 019813564951 | 11,191 | 72 | 5,000 | |
| | \$110 | | X17FA105T | | 13,243 | 104 | 3,000 | CCT Selectable |
| | \$110 | | X17FA140T | 192552004022 | 17,894 | 140 | 3,000 | CCT Selectable |
| | \$110 | | X17FA80T | 192552003926 | 10,712 | 82 | 3,000 | CCT Selectable |
| | \$110 | | X17FA80SF | | 10,712 | 82 | 3,000 | CCT Selectable |
| | \$110 | | X17FA105SF | | 13,243 | 104 | 3,000 | CCT Selectable |
| | \$110 | | X17FA140SF | 192552003957 | 17,894 | 140 | 3,000 | CCT Selectable |
| | \$110 | | A17-3T200N/3PRS | | 29,420 | 200 | 4,000 | |
| | \$110 | | X17FA80 | 192552003919 | 10,712 | 82 | 3,000 | CCT Selectable |
| | \$110 | | X17FA80W | 192552004091 | 10,712 | 82 | 3,000 | CCT Selectable |
| | \$110 | | X17FA80SFW | | 10,712 | 82 | 3,000 | CCT Selectable |
| | \$110 | | X17FA80TW | | 10,712 | 82 | 3,000 | CCT Selectable |
| | \$110 | | X17FA105 | | 13,243 | 104 | 3,000 | CCT Selectable |
| | \$110 | | X17FA105W | | 13,243 | 104 | 3,000 | CCT Selectable |
| | \$110 | | X17FA105SFW | 192552004121 | 13,243 | 104 | 3,000 | CCT Selectable |
| | \$110 | | X17FA105TW | 192552004169 | 13,243 | 104 | 3,000 | CCT Selectable |
| | \$110 | | X17FA140 | | 17,894 | 140 | 3,000 | CCT Selectable |
| | \$110 | | X17FA140W | | 17,894 | 140 | 3,000 | CCT Selectable |
| | \$110 | | X17FA140SFW | 192552004138 | 17,894 | 140 | 3,000 | CCT Selectable |
| | \$110 | | X17FA140TW | 192552004176 | 17,894 | 140 | 3,000 | CCT Selectable |
| | \$110 | | X17XFU205SF/PCT | 192552015110 | 28,333 | 212 | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | \$110 | | X17XFU205T/PCT | 192552015127 | 28,333 | 212 | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | \$110 | | X17XFU330SF/PCT | 192552015141 | 45,684 | 334 | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | \$110 | | X17XFU330T/PCT | 192552015158 | 45,684 | 334 | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | \$110 | | X34-100LT/U | | 11,905 | 88 | 5,000 | |
| | \$110 | | X34-100LSF/U | | 11,905 | 88 | 5,000 | |
| | \$110 | | X34-195LT/U | | 20,945 | 148 | 5,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|--------------|------------------|--------------|-----------------------|------------------------|--------------|---|
| 87UCP | \$110 | RAB Lighting | FXLEDST | 192552019309 | 22,010 | 167 | 4,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$110 | | FXLEDSSF | 192552019279 | 22,010 | 167 | 4,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$110 | | A17-4T150/480 | | 22,173 | 152 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. |
| | \$110 | | FXLEDSTW | | 22,010 | 167 | 4,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$110 | | FXLEDSSFW | | 22,010 | 167 | 4,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$110 | | FXLEDSTW/7PR | | 22,010 | 167 | 4,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$110 | | FXLEDSSFW/7PR | | 22,010 | 167 | 4,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$110 | | X34-250SF | | 35,848 | 249 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | X34-250T | | 35,848 | 249 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | X34-250SF/480 | | 36,280 | 242 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | X34-250T/480 | | 36,280 | 242 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | X34-350SF | | 51,137 | 350 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | X34-350T | | 51,137 | 350 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | A17-3T150 | | 22,074 | 152 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. |
| | \$110 | | A17-3T200 | | 30,238 | 203 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. |
| | \$110 | | A17-4T150 | | 21,785 | 151 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. |
| | \$110 | | A17-4T200 | | 29,835 | 201 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. |
| | \$110 | | X22-150 | | 18,487 | 151 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | X22-150W/480 | | 18,760 | 151 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | X22-150W | | 18,487 | 151 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | FXLEDSSF/480 | | 22,540 | 169 | 4,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$110 | | FXLEDSSF/480/7PR | | 22,540 | 169 | 4,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$110 | | FXLEDST/480 | | 22,540 | 169 | 4,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$110 | | FXLEDST/480/7PR | | 22,540 | 169 | 4,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$110 | | FXLEDST/7PR | | 22,010 | 167 | 4,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must turn on photocell or install with timeclock to receive incentive. |
| | \$110 | | FXLEDSSF/7PR | | 22,010 | 167 | 4,000 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | X22-250 | | 33,238 | 240 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timeclock to receive incentive. |
| | \$110 | | X22-250/480 | | 33,913 | 241 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timeclock to receive incentive. |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|--------------|-------------------------------------|-----|-----------------------|------------------------|--------------|--|
| 87UCP | \$110 | RAB Lighting | X22-320 | | 41,691 | 319 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timedclock to receive incentive |
| | \$110 | | X22-320/480 | | 41,746 | 312 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timedclock to receive incentive |
| | \$110 | | X22-250W | | 33,238 | 240 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timedclock to receive incentive |
| | \$110 | | X22-250W/480 | | 33,913 | 241 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timedclock to receive incentive |
| | \$110 | | X22-320W | | 41,691 | 319 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timedclock to receive incentive |
| | \$110 | | X22-320W/480 | | 41,746 | 312 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timedclock to receive incentive |
| | \$110 | | A17-3T150/480 | | 22,118 | 152 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timedclock to receive incentive |
| | \$110 | | A17-3T200/480 | | 30,383 | 201 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timedclock to receive incentive |
| | \$110 | | A17-4T200/480 | | 30,448 | 201 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timedclock to receive incentive |
| | \$110 | | A17-5T150 | | 21,865 | 150 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timedclock to receive incentive |
| | \$110 | | A17-5T150/480 | | 22,175 | 151 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timedclock to receive incentive |
| | \$110 | | A17-5T200 | | 30,407 | 203 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timedclock to receive incentive |
| | \$110 | | A17-5T200/480 | | 30,973 | 201 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timedclock to receive incentive |
| | \$110 | SLG | FDCL 130 G1 35K D WFL SFD P | | 13,100 | 100 | 3,500 | |
| | \$110 | | FDCL 130 G1 3K D WFL SFD P | | 13,100 | 100 | 3,000 | |
| | \$110 | | FDCL 130 G1 4K D WFL SFD P | | 13,500 | 100 | 4,000 | |
| | \$110 | | FDCL 130 G1 5K D WFL SFD P | | 13,500 | 100 | 5,000 | |
| | \$110 | | FDCL 130 G1 HVU 35K D WFL SFD P | | 13,000 | 90 | 3,500 | |
| | \$110 | | FDCL 130 G1 HVU 3K D WFL SFD P | | 13,000 | 90 | 3,000 | |
| | \$110 | | FDCL 130 G1 HVU 4K D WFL SFD P | | 13,400 | 90 | 4,000 | |
| | \$110 | | FDCL 130 G1 HVU 5K D WFL SFD P | | 13,400 | 90 | 5,000 | |
| | \$110 | | FDCX 180 NFL G1 35K D D S P | | 17,500 | 135 | 3,500 | |
| | \$110 | | FDCX 180 NFL G1 3K D D S P | | 17,500 | 135 | 3,000 | |
| | \$110 | | FDCX 180 NFL G1 4K D D S P | | 18,000 | 135 | 4,000 | |
| | \$110 | | FDCX 180 NFL G1 5K D D S P | | 18,000 | 135 | 5,000 | |
| | \$110 | | FDCX 180 NFL G1 HVU 35K D D S P | | 17,500 | 135 | 3,500 | |
| | \$110 | | FDCX 180 NFL G1 HVU 3K D D S P | | 17,500 | 135 | 3,000 | |
| | \$110 | | FDCX 180 NFL G1 HVU 4K D D S P | | 18,000 | 135 | 4,000 | |
| | \$110 | | FDCX 180 NFL G1 HVU 5K D D S P | | 18,000 | 135 | 5,000 | |
| | \$110 | | FDCX 260 NFL G1 35K D D S P | | 26,000 | 200 | 3,500 | |
| | \$110 | | FDCX 260 NFL G1 3K D D S P | | 26,000 | 200 | 3,000 | |
| | \$110 | | FDCX 260 NFL G1 4K D D S P | | 26,500 | 200 | 4,000 | |
| | \$110 | | FDCX 260 NFL G1 5K D D S P | | 26,500 | 200 | 5,000 | |
| | \$110 | | FDCX 260 NFL G1 HVU 35K D D S P | | 26,000 | 200 | 3,500 | |
| | \$110 | | FDCX 260 NFL G1 HVU 3K D D S P | | 26,000 | 200 | 3,000 | |
| | \$110 | | FDCX 260 NFL G1 HVU 4K D D S P | | 26,500 | 200 | 4,000 | |
| | \$110 | | FDCX 260 NFL G1 HVU 5K D D S P | | 26,500 | 200 | 5,000 | |
| | \$110 | | FFCM 210 WFL G1 4K SFD D PC-1 B | | 20,500 | 150 | 4,000 | |
| | \$110 | | FFCM 210 WFL G1 5K SFD D PC-1 B | | 20,800 | 150 | 5,000 | |
| | \$110 | | FFCM 210 WFL G1 HVU 4K SFD D PC-2 B | | 21,000 | 150 | 4,000 | |
| | \$110 | | FFCM 210 WFL G1 HVU 5K SFD D PC-2 B | | 21,000 | 150 | 5,000 | |
| | \$110 | | FFCS 140 WFL G1 4K SFD PC-1 B | | 13,800 | 100 | 4,000 | |
| | \$110 | | FFCS 140 WFL G1 5K SFD PC-1 B | | 13,900 | 100 | 5,000 | |
| | \$110 | | FDCL 130 G1 5K D WFL SFD | | 13,500 | 100 | 5,000 | |
| | \$110 | | FDCL 130 G1 5K D WFL T | | 13,500 | 100 | 5,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|------------------------|--|--------------|-----------------------|------------------------|--------------|---|
| 87UCP | \$110 | Topaz | F-FL/90/50K/KN/BZ-87 | 751338034969 | 11,984 | 90 | 5,000 | Must include a photocell |
| | \$110 | | F-FL/90/50K/SF/BZ-87 | 751338034983 | 11,984 | 90 | 5,000 | Must include a photocell |
| | \$110 | | F-FL/90/50K/TR/BZ-87 | 751338035003 | 11,984 | 90 | 5,000 | Must include a photocell |
| | \$110 | | F-FL/150/40K/TR-87 | 751338036352 | 21,066 | 151 | 4,000 | |
| | \$110 | | F-FL/150/50K/TR-87 | 751338036369 | 21,376 | 152 | 5,000 | |
| | \$110 | | FL-200PCS-SFYK | 32886316616 | 28,218 | 201 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$110 | | FL-200PCS-SFYK-HV | 32886316623 | 28,708 | 206 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$110 | | FL-290PCS-SFYK | 32886316630 | 38,274 | 287 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$110 | | FL-290PCS-SFYK-HV | 32886316647 | 38,368 | 287 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$110 | WESTGATE MFG | LFXPRO-XL-150-300W-MCTP-SF-90120 | | 19,017 | 152 | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. If not installed with timeclock, must include a PE option |
| | \$110 | | LFXPRO-XL-150-300W-MCTP-TR-90120 | | 19,017 | 152 | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. If not installed with timeclock, must include a PE option |
| | \$110 | | LFXPRO-XL-150-300W-MCTP-YK-90120 | | 19,017 | 152 | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. If not installed with timeclock, must include a PE option |
| | \$110 | | SFX-G7-200-500W-45D-30K | | 63,071 | 503 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on minimum light output |
| | \$110 | | SFX-G7-200-500W-45D-40K | | 64,075 | 502 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on minimum light output |
| | \$110 | | SFX-G7-200-500W-45D-50K | | 65,078 | 502 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on minimum light output |
| | \$110 | | SFX-G7-200-500W-45D-30K-480V | | 63,167 | 482 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on minimum light output |
| | \$110 | | SFX-G7-200-500W-45D-40K-480V | | 64,210 | 483 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on minimum light output |
| | \$110 | | SFX-G7-200-500W-45D-50K-480V | | 65,252 | 483 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on minimum light output |
| | \$150 | SLG | FFCL 350 WFL G1 4K SFD FSP-212 | | 34,750 | 250 | 4,000 | |
| | \$150 | | FFCL 350 WFL G1 5K SFD FSP-212 | | 35,250 | 250 | 5,000 | |
| | \$150 | | FFCL 350 WFL G1 HVU 4K SFD FSP-212 | | 34,750 | 250 | 4,000 | |
| | \$150 | | FFCL 350 WFL G1 HVU 5K SFD FSP-212 | | 35,250 | 250 | 5,000 | |
| | \$150 | | FFCL 410 WFL G1 4K SFD D FSP-212 | | 40,500 | 300 | 4,000 | |
| | \$150 | | FFCL 410 WFL G1 5K SFD D FSP-212 | | 41,000 | 300 | 5,000 | |
| | \$150 | | FFCL 410 WFL G1 HVU 4K SFD D FSP-212 | | 41,500 | 300 | 4,000 | |
| | \$150 | | FFCL 410 WFL G1 HVU 5K SFD D FSP-212 | | 42,000 | 300 | 5,000 | |
| | \$150 | | FFCM 210 WFL G1 4K SFD D FSP-212 | | 20,500 | 150 | 4,000 | |
| | \$150 | | FFCM 210 WFL G1 5K SFD D FSP-212 | | 20,800 | 150 | 5,000 | |
| | \$150 | | FFCM 210 WFL G1 HVU 4K SFD D FSP-212 | | 21,000 | 150 | 4,000 | |
| | \$150 | | FFCM 210 WFL G1 HVU 5K SFD D FSP-212 | | 21,000 | 150 | 5,000 | |
| | \$150 | | FFCS 140 WFL G1 4K SFD FSP-212 | | 13,800 | 100 | 4,000 | |
| | \$150 | | FFCS 140 WFL G1 5K SFD FSP-212 | | 13,900 | 100 | 5,000 | |
| 87UDP | \$180 | Acuity Brands Lighting | RSXF3 LED P2 40K WFL MVOLT IS PE DDBXD | 194994395065 | 30,097 | 223 | 4,000 | |
| | \$180 | | RSXF3 LED P2 50K WFL MVOLT IS PE DDBXD | 193048252408 | 30,097 | 223 | 5,000 | |
| | \$180 | | RSXF3 LED P3 40K WFL MVOLT IS PE DDBXD | | 34,897 | 267 | 4,000 | |
| | \$180 | | RSXF3 LED P3 50K WFL MVOLT IS PE DDBXD | 193048010718 | 34,897 | 267 | 5,000 | |
| | \$180 | | RSXF3 LED P4 40K WFL MVOLT IS PE DDBXD | 193047789516 | 39,459 | 312 | 4,000 | |
| | \$180 | | RSXF3 LED P4 50K WFL MVOLT IS PE DDBXD | 193047458931 | 39,459 | 312 | 5,000 | |
| | \$180 | | RSXF4 LED P1 40K WFL MVOLT IS PE DDBXD | | 40,312 | 275 | 4,000 | |
| | \$180 | | RSXF4 LED P1 50K WFL MVOLT IS PE DDBXD | | 40,312 | 275 | 5,000 | |
| | \$180 | | RSXF4 LED P2 40K WFL MVOLT IS PE DDBXD | | 45,858 | 321 | 4,000 | |
| | \$180 | | RSXF4 LED P2 50K WFL MVOLT IS PE DDBXD | | 45,858 | 321 | 5,000 | |
| | \$180 | | RSXF4 LED P3 40K WFL MVOLT IS PE DDBXD | | 51,146 | 369 | 4,000 | |
| | \$180 | | RSXF4 LED P3 50K WFL MVOLT IS PE DDBXD | | 51,146 | 369 | 5,000 | |
| | \$180 | | RSXF4 LED P4 40K WFL MVOLT IS PE DDBXD | | 56,254 | 431 | 4,000 | |
| | \$180 | | RSXF4 LED P4 50K WFL MVOLT IS PE DDBXD | | 56,254 | 431 | 5,000 | |
| | \$180 | | RSXF4 LED P5 40K WFL MVOLT IS PE DDBXD | | 62,657 | 484 | 4,000 | |
| | \$180 | | RSXF4 LED P5 50K WFL MVOLT IS PE DDBXD | | 62,657 | 484 | 5,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|------------------------|--|--------------|-----------------------|------------------------|--------------|---|
| .87UDP | \$180 | Acuity Brands Lighting | RSXF4 LED P6 40K WFL MVOLT IS PE DDBXD | | 69,690 | 546 | 4,000 | |
| | \$180 | | RSXF4 LED P6 50K WFL MVOLT IS PE DDBXD | | 69,690 | 546 | 5,000 | |
| | \$180 | | RSXF4 LED P7 40K WFL MVOLT IS PE DDBXD | | 71,181 | 520 | 4,000 | |
| | \$180 | | RSXF4 LED P7 50K WFL MVOLT IS PE DDBXD | | 71,181 | 520 | 5,000 | |
| | \$180 | | RSXF4 LED P8 40K WFL MVOLT IS PE DDBXD | | 82,896 | 646 | 4,000 | |
| | \$180 | | RSXF4 LED P8 50K WFL MVOLT IS PE DDBXD | | 82,896 | 646 | 5,000 | |
| | \$180 | ASD Lighting Corp | ASD-SPFL7-300D50 | 810128114844 | 44,749 | 299 | 5,000 | Must be installed with a timeclock or photocell to receive incentive. |
| | \$180 | | ASD-SPFL7-A500D50 | 810128114851 | 74,492 | 499 | 5,000 | Must be installed with a timeclock or photocell to receive incentive. |
| | \$180 | | ASD-SPFL7-HV-A500D50 | 810128114868 | 74,867 | 499 | 5,000 | Must be installed with a timeclock or photocell to receive incentive. |
| | \$180 | | ASD-SPFL7-HV-A750D50 | 810128114875 | 112,607 | 749 | 5,000 | Must be installed with a timeclock or photocell to receive incentive. |
| | \$180 | | ASD-SPFL7-HV-A1000D50 | 810128114882 | 149,065 | 1,002 | 5,000 | Must be installed with a timeclock or photocell to receive incentive. |
| | \$180 | | ASD-SPFL5-300D50 | 810128114035 | 45,989 | 302 | 5,000 | Must be installed with a timeclock or photocell to receive incentive. |
| | \$180 | | ASD-SPFL5-500D50 | 810128113229 | 74,003 | 498 | 5,000 | Must be installed with a timeclock or photocell to receive incentive. |
| | \$180 | | ASD-SPFL5-750D50 | 810128114042 | 111,118 | 748 | 5,000 | Must be installed with a timeclock or photocell to receive incentive. |
| | \$180 | | ASD-SPFL5-HV-1000D50 | 810128113243 | 149,678 | 1,001 | 5,000 | Must be installed with a timeclock or photocell to receive incentive. |
| | \$180 | | ASD-SPFL5-HV-500D50 | 810128113830 | 73,389 | 497 | 5,000 | Must be installed with a timeclock or photocell to receive incentive. |
| | \$180 | | ASD-SPFL5-HV-750D50 | 810128113236 | 111,723 | 749 | 5,000 | Must be installed with a timeclock or photocell to receive incentive. |
| | \$180 | | ASD-SPFL2-1000D50-PRM | 810050735179 | 132,304 | 1,003 | 5,000 | Must be installed with a timeclock or photocell to receive incentive. |
| | \$180 | | ASD-SPFL2-750D50-PRM | 810050735186 | 98,712 | 751 | 5,000 | Must be installed with a timeclock or photocell to receive incentive. |
| | \$180 | | ASD-SPFL-500D50-PRM | 819201024681 | 64,253 | 504 | 5,000 | Must be installed with a timeclock or photocell to receive incentive. |
| | \$180 | | ASD-SPFLHV-500D50-PRM | 819201025749 | 71,788 | 498 | 5,000 | Must be installed with a timeclock or photocell to receive incentive. |
| | \$180 | ATG Electronics Corp. | ELF-240-30-PH | | 33,403 | 240 | 3,000 | |
| | \$180 | | ELF-240-40-PH | | 33,637 | 240 | 4,000 | |
| | \$180 | | ELF-240-50-PH | | 33,904 | 240 | 5,000 | |
| | \$180 | | ELF-300-30-PH | | 40,368 | 300 | 3,000 | |
| | \$180 | | ELF-300-40-PH | | 40,651 | 300 | 4,000 | |
| | \$180 | | ELF-300-50-PH | | 40,974 | 300 | 5,000 | |
| | \$180 | | SP2-60-40-V-40D-P2 | | 80,507 | 582 | 4,000 | |
| | \$180 | | SP2-60-50-V-40D-P2 | | 80,907 | 581 | 5,000 | |
| | \$180 | | SP2-100-40-V-40D-P2 | | 132,816 | 977 | 4,000 | |
| | \$180 | | SP2-100-50-V-40D-P2 | | 134,052 | 978 | 5,000 | |
| | \$180 | | SPL-40-30-30D | | 61,183 | 398 | 3,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$180 | | SPL-40-30-V-30D | | 61,383 | 399 | 3,000 | |
| | \$180 | | SPL-40-35-30D | | 61,657 | 399 | 3,500 | |
| | \$180 | | SPL-40-35-V-30D | | 61,847 | 398 | 3,500 | |
| | \$180 | | SPL-40-40-30D | | 62,130 | 399 | 4,000 | |
| | \$180 | | SPL-40-40-V-30D | | 62,311 | 398 | 4,000 | |
| | \$180 | | SPL-40-45-30D | | 62,603 | 399 | 4,500 | |
| | \$180 | | SPL-40-45-V-30D | | 62,775 | 398 | 4,500 | |
| | \$180 | | SPL-40-50-30D | | 63,076 | 399 | 5,000 | |
| | \$180 | | SPL-40-50-V-30D | | 63,239 | 398 | 5,000 | |
| | \$180 | | SPL-40-57-30D | | 63,549 | 400 | 5,700 | |
| | \$180 | | SPL-40-57-V-30D | | 63,704 | 398 | 5,700 | |
| | \$180 | | SPL-60-30-30D | | 84,657 | 601 | 3,000 | |
| | \$180 | | SPL-60-35-30D | | 85,365 | 602 | 3,500 | |
| | \$180 | | SPL-60-40-30D | | 86,073 | 602 | 4,000 | |
| | \$180 | | SPL-60-45-30D | | 86,781 | 602 | 4,500 | |
| | \$180 | | SPL-60-50-30D | | 87,489 | 602 | 5,000 | |
| | \$180 | | SPL-60-57-30D | | 88,197 | 602 | 5,700 | |
| | \$180 | | SPL-75-30-15D | | 95,432 | 754 | 3,000 | |
| | \$180 | | SPL-75-35-15D | | 96,376 | 755 | 3,500 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-----------------------------|-------------------------------------|--------------|-----------------------|------------------------|--------------|--|
| 87UDP | \$180 | ATG Electronics Corp. | SPL-75-40-15D | | 97,320 | 755 | 4,000 | |
| | \$180 | | SPL-75-45-15D | | 98,264 | 755 | 4,500 | |
| | \$180 | | SPL-75-50-15D | | 99,209 | 755 | 5,000 | |
| | \$180 | | SPL-75-57-15D | | 100,153 | 755 | 5,700 | |
| | \$180 | Cooper Lighting Solutions | NFFLD-L-C100-D-UNV-66-S-CB-PER | | 38,580 | 251 | 4,000 | |
| | \$180 | | NFFLD-L-C100-D-UNV-66-T-CB-PER | | 38,580 | 251 | 4,000 | |
| | \$180 | Current | SGF3-280-40K-K | | 34,059 | 283 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$180 | | SGF3-280-40K-T | | 34,059 | 283 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$180 | | SGF3-320-40K-K | | 39,084 | 322 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$180 | | SGF3-320-40K-T | | 39,084 | 322 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$180 | ETi Solid State Lighting | VFLL-3-LB3-CP3-MV-LVD-MM-7PR | | 45,684 | 334 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with photocell or timeclock to receive incentive. |
| | \$180 | | GI-FLF-D1000-UL4B-D-B77-YK | | 40,500 | 300 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$180 | Green Ignite | GI-FLF-D1000-UL4B-D-B77-SP | | 40,500 | 300 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$180 | | GI-FLF-D1000-UL4B-D-B77-WM | | 40,500 | 300 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$180 | | GI-FLF-C1000-480UL4B-D-B77-YK | | 42,000 | 300 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$180 | | GI-FLF-C1000-480UL4B-D-B77-SP | | 42,000 | 300 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$180 | | GI-FLF-C1000-480UL4B-D-B77-WM | | 42,000 | 300 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$180 | | GI-FLF-C1000-UL4B-D-B77-YK | | 41,000 | 300 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$180 | | GI-FLF-C1000-UL4B-D-B77-SP | | 41,000 | 300 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$180 | | GI-FLF-C1000-UL4B-D-B77-WM | | 41,000 | 300 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$180 | | GI-FL2-C1000-UL4D-D-B44TR | | 49,500 | 350 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$180 | | GI-STL-30C1500-ETL4 | | 73,817 | 503 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$180 | Halco Lighting Technologies | SFL-300-40-U-TR | 807154249053 | 42,761 | 297 | 4,000 | Must be installed with 3PR (807154249114) option or with a time clock to receive incentive. |
| | \$180 | | SFL-300-40-U-KN | 807154249053 | 42,761 | 297 | 4,000 | Must be installed with 3PR (807154249114) option or with a time clock to receive incentive. |
| | \$180 | | SFL-300-50-U-TR | 807154249077 | 43,184 | 297 | 5,000 | Must be installed with 3PR (807154249114) option or with a time clock to receive incentive. |
| | \$180 | | SFL-300-50-U-KN | 807154249077 | 43,184 | 297 | 5,000 | Must be installed with 3PR (807154249114) option or with a time clock to receive incentive. |
| | \$180 | Keystone Technologies | KT-SLFLED500-S1-20-YM-750-VDIM | 843654155265 | 71,000 | 500 | 5,000 | Must be installed with photo sensor or timeclock. |
| | \$180 | | KT-SLFLED500-S1-30-YM-750-VDIM | 843654154893 | 69,000 | 500 | 5,000 | Must be installed with photo sensor or timeclock. |
| | \$180 | | KT-SLFLED500-S1-40-YM-750-VDIM | 843654155272 | 72,000 | 500 | 5,000 | Must be installed with photo sensor or timeclock. |
| | \$180 | | KT-SLFLED500HV-S1-20-YM-750-VDIM | 843654155302 | 71,500 | 500 | 5,000 | Must be installed with photo sensor or timeclock. |
| | \$180 | | KT-SLFLED500HV-S1-30-YM-750-VDIM | 843654154916 | 70,500 | 500 | 5,000 | Must be installed with photo sensor or timeclock. |
| | \$180 | | KT-SLFLED500HV-S1-40-YM-750-VDIM | 843654155319 | 72,500 | 500 | 5,000 | Must be installed with photo sensor or timeclock. |
| | \$180 | | KT-SLFLED750-M1-20-YM-750-VDIM | 843654155289 | 99,000 | 750 | 5,000 | Must be installed with photo sensor or timeclock. |
| | \$180 | | KT-SLFLED750-M1-30-YM-750-VDIM | 843654154909 | 101,250 | 750 | 5,000 | Must be installed with photo sensor or timeclock. |
| | \$180 | | KT-SLFLED750-M1-40-YM-750-VDIM | 843654155296 | 108,000 | 750 | 5,000 | Must be installed with photo sensor or timeclock. |
| | \$180 | | KT-SLFLED750HV-M1-20-YM-750-VDIM | 843654155326 | 108,000 | 750 | 5,000 | Must be installed with photo sensor or timeclock. |
| | \$180 | | KT-SLFLED750HV-M1-30-YM-750-VDIM | 843654154923 | 108,750 | 750 | 5,000 | Must be installed with photo sensor or timeclock. |
| | \$180 | | KT-SLFLED750HV-M1-40-YM-750-VDIM | 843654155333 | 110,250 | 750 | 5,000 | Must be installed with photo sensor or timeclock. |
| | \$180 | LEDVANCE, LLC | FLOODLT1D/255UNVD7SC2/WF/BZ (61333) | 046135613333 | 33,804 | 248 | 3,000 | CCT Selectable |
| | \$180 | | FLOODLT1E/290UNVD7SC2/WF/BZ (61334) | 046135613340 | 39,653 | 296 | 3,000 | CCT Selectable |
| | \$180 | | FLOODLT1E/330UNVD7SC2/WF/BZ (61335) | 046135613357 | 45,684 | 334 | 3,000 | CCT Selectable |
| | \$180 | | | | | | | Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$180 | | FLOODLT2AS470UNHD8SC2BZP (63864) | 046135638640 | 67,771 | 465 | 3,000 | Must be installed with photosensor or timeclock to receive incentive |
| | \$180 | | FLOODLT2AS470HUV8SC2BZP (63866) | 046135638664 | 68,722 | 467 | 3,000 | Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with photosensor or timeclock to receive incentive |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|---------------------------|---------------------------|--------------|-----------------------|------------------------|--------------|---|
| 87UDP | \$180 | Litetronics International | FL3302 | | 45,684 | 334 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timeclock to receive incentive |
| | \$180 | LSI Industries | ZNF-70L-VNF-UNV-40-BLK | | 61,243 | 470 | 4,000 | |
| | \$180 | | ZNF-70L-VNF-UNV-50-BLK | | 63,857 | 470 | 5,000 | |
| | \$180 | | ZNF-70L-VNF-HV-40-BLK | | 61,622 | 450 | 4,000 | |
| | \$180 | | ZNF-70L-VNF-HV-50-BLK | | 64,253 | 450 | 5,000 | |
| | \$180 | MaxLite Inc. | FMX310UW-40BSKRPC | 767627125546 | 39,600 | 307 | 4,000 | |
| | \$180 | | FMX310UW-40BTSRPC | 767627125591 | 39,600 | 307 | 4,000 | |
| | \$180 | | FMX310UW-50BSKRPC | 767627125584 | 39,600 | 307 | 5,000 | |
| | \$180 | | FMX310UW-50BTSRPC | 767627125607 | 39,600 | 307 | 5,000 | |
| | \$180 | | MSF300UW-WCSBKRPC | 767627032844 | 38,980 | 310 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$180 | | MSF300UW-WCSBYRPC | 767627032837 | 38,980 | 310 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$180 | Morris Products Inc. | 77016A | | 96,687 | 731 | 5,000 | Must be installed with a timeclock or with the PC option to receive incentive. |
| | \$180 | | 71357B | | 37,800 | 300 | 5,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$180 | | 77000A | | 62,384 | 502 | 5,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$180 | | 71358B | | 42,600 | 300 | 5,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$180 | | 71354B | | 36,900 | 300 | 4,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$180 | | 71959B | | 42,000 | 300 | 4,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$180 | | 77100 | | 54,269 | 398 | 5,000 | |
| | \$180 | | 77001A | | 68,975 | 495 | 5,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$180 | P.Q.L. Inc. | RSTL-300-D-EV-50K (84246) | 811768026542 | 48,841 | 299 | 5,000 | Must be installed with a timeclock to receive incentive |
| | \$180 | | RSTL-300-D-MV-50K (84229) | 811768020038 | 49,709 | 308 | 5,000 | Must be installed with a timeclock to receive incentive |
| | \$180 | | RSTL-400-D-EV-50K (84248) | 811768028102 | 63,239 | 398 | 5,000 | Must be installed with a timeclock to receive incentive |
| | \$180 | | RSTL-400-D-MV-50K (84231) | 899645001806 | 63,076 | 399 | 5,000 | Must be installed with a timeclock to receive incentive |
| | \$180 | | RSTL-500-D-EV-50K (84250) | | 77,598 | 497 | 5,000 | Must be installed with a timeclock to receive incentive |
| | \$180 | | RSTL-500-D-MV-50K (84233) | 811768020229 | 76,525 | 496 | 5,000 | Must be installed with a timeclock to receive incentive |
| | \$180 | | RSTL-600-D-EV-50K (84252) | 854432004705 | 90,756 | 603 | 5,000 | Must be installed with a timeclock to receive incentive |
| | \$180 | | RSTL-600-D-MV-50K (84235) | 811768020595 | 87,489 | 602 | 5,000 | Must be installed with a timeclock to receive incentive |
| | \$180 | RAB Lighting | X17PA450SF/PCT | 192552015165 | 64,549 | 439 | 5,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$180 | | X17PA450T/PCT | 192552015202 | 64,549 | 439 | 5,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$180 | | X17PA450NSF/PCT | 192552015189 | 64,305 | 439 | 4,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$180 | | X17PA450NT/PCT | 192552015219 | 64,305 | 439 | 4,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$180 | | X17PA450SF/480/PCT | 192552015172 | 63,558 | 434 | 5,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$180 | | X17PA450T/480/PCT | | 63,558 | 434 | 5,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$180 | | X17PA450NSF/480/PCT | 192552015196 | 62,987 | 434 | 4,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$180 | | X17PA450NT/480/PCT | | 62,987 | 434 | 4,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$180 | | FXLEDMT/480 | | 45,431 | 335 | 4,000 | CCT & Wattage Selectable |
| | \$180 | | FXLEDMSF/480 | | 45,431 | 335 | 4,000 | CCT & Wattage Selectable |
| | | | | | | | | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$180 | | FXLEDMT | 192552019316 | 45,135 | 344 | 4,000 | Must be installed with a timeclock or PC to receive incentive. |
| | | | | | | | | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$180 | | FXLEDMT/7PR | | 45,135 | 344 | 4,000 | Must be installed with a timeclock or PC to receive incentive. |
| | | | | | | | | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$180 | | FXLEDMSF | 192552019286 | 45,135 | 344 | 4,000 | Must be installed with a timeclock or PC to receive incentive. |
| | | | | | | | | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$180 | | FXLEDLT | 192552019323 | 71,624 | 543 | 4,000 | Must be installed with a timeclock or PC to receive incentive. |
| | | | | | | | | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$180 | | FXLEDLSF | 192552019293 | 71,624 | 543 | 4,000 | Must be installed with a timeclock or PC to receive incentive. |
| | | | | | | | | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$180 | | FXLEDMTW | | 45,135 | 344 | 4,000 | Must be installed with a timeclock or PC to receive incentive. |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|--------------|------------------|-----|-----------------------|------------------------|--------------|--|
| 87UDP | \$180 | RAB Lighting | X34-450SF | | 45,135 | 344 | 4,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$180 | | | | 62,681 | 440 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$180 | | X34-350SF/480 | | 51,151 | 338 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$180 | | X34-350T/480 | | 51,151 | 338 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$180 | | X34-450T | | 62,681 | 440 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$180 | | X34-450SF/480 | | 62,074 | 421 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$180 | | X34-450T/480 | | 62,074 | 421 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$180 | | A17-3T300 | | 43,982 | 298 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. |
| | \$180 | | A17-3T375 | | 55,462 | 375 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. |
| | \$180 | | A17-4T300 | | 46,452 | 318 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. |
| | \$180 | | A17-4T375 | | 55,662 | 375 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. |
| | \$180 | | FXLEDLT/7PR | | 71,624 | 543 | 4,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$180 | | FXLEDLSF/7PR | | 71,624 | 543 | 4,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$180 | | FXLEDLSF/480 | | 71,580 | 510 | 4,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$180 | | FXLEDLSF/480/7PR | | 71,580 | 510 | 4,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$180 | | FXLEDLT/480 | | 71,580 | 510 | 4,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$180 | | FXLEDLT/480/7PR | | 71,580 | 510 | 4,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$180 | | X22-420 | | 57,558 | 416 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timeclock to receive incentive |
| | \$180 | | X22-420/480 | | 59,037 | 421 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timeclock to receive incentive |
| | \$180 | | X22-500 | | 65,359 | 494 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timeclock to receive incentive |
| | \$180 | | X22-500/480 | | 66,240 | 492 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timeclock to receive incentive |
| | \$180 | | X22-420W | | 57,558 | 416 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timeclock to receive incentive |
| | \$180 | | X22-420W/480 | | 59,037 | 421 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timeclock to receive incentive |
| | \$180 | | X22-500W | | 65,359 | 494 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timeclock to receive incentive |
| | \$180 | | X22-500W/480 | | 66,240 | 492 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timeclock to receive incentive |
| | \$180 | | A17-3T300/480 | | 46,077 | 306 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. |
| | \$180 | | A17-3T375/480 | | 57,192 | 379 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. |
| | \$180 | | A17-4T300/480 | | 45,792 | 306 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. |
| | \$180 | | A17-4T375/480 | | 56,635 | 380 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. |
| | \$180 | | A17-5T300 | | 43,397 | 298 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|----------------------------------|------------------------|--|--------------|-----------------------|------------------------|--------------|---|
| 87UDP | \$180 | RAB Lighting | A17-5T300/480 | | 45,561 | 305 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$180 | | A17-5T375 | | 56,731 | 376 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$180 | | A17-5T375/480 | | 58,525 | 380 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$180 | Signify | FL300-NW-G1-S-FL-8-BZ | 783352025197 | 37,961 | 302 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$180 | | FL300-NW-G1-T-FL-8-BZ | 783352024190 | 37,961 | 302 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$180 | SLG | FDCH 480 G1 35K D D Y P | | 48,000 | 350 | 3,500 | |
| | \$180 | | FDCH 480 G1 3K D D Y P | | 48,000 | 350 | 3,000 | |
| | \$180 | | FDCH 480 G1 4K D D Y P | | 50,000 | 350 | 4,000 | |
| | \$180 | | FDCH 480 G1 5K D D Y P | | 50,000 | 350 | 5,000 | |
| | \$180 | | FDCH 480 G1 HVU 35K D D Y P | | 48,000 | 350 | 3,500 | |
| | \$180 | | FDCH 480 G1 HVU 3K D D Y P | | 48,000 | 350 | 3,000 | |
| | \$180 | | FDCH 480 G1 HVU 4K D D Y P | | 50,000 | 350 | 4,000 | |
| | \$180 | | FDCH 480 G1 HVU 5K D D Y P | | 50,000 | 350 | 5,000 | |
| | \$180 | | FDCH 480 NFL G1 35K D D Y P | | 48,000 | 350 | 3,500 | |
| | \$180 | | FDCH 480 NFL G1 3K D D Y P | | 48,000 | 350 | 3,000 | |
| | \$180 | | FDCH 480 NFL G1 4K D D Y P | | 49,500 | 350 | 4,000 | |
| | \$180 | | FDCH 480 NFL G1 5K D D Y P | | 49,500 | 350 | 5,000 | |
| | \$180 | | FDCH 480 NFL G1 HVU 35K D D Y P | | 48,000 | 350 | 3,500 | |
| | \$180 | | FDCH 480 NFL G1 HVU 3K D D Y P | | 48,000 | 350 | 3,000 | |
| | \$180 | | FDCH 480 NFL G1 HVU 4K D D Y P | | 49,500 | 350 | 4,000 | |
| | \$180 | | FDCH 480 NFL G1 HVU 5K D D Y P | | 49,500 | 350 | 5,000 | |
| | \$180 | | FFCL 350 WFL G1 4K SFD PC-1 B | | 34,750 | 250 | 4,000 | |
| | \$180 | | FFCL 350 WFL G1 5K SFD PC-1 B | | 35,250 | 250 | 5,000 | |
| | \$180 | | FFCL 350 WFL G1 HVU 4K SFD PC-2 B | | 34,750 | 250 | 4,000 | |
| | \$180 | | FFCL 350 WFL G1 HVU 5K SFD PC-2 B | | 35,250 | 250 | 5,000 | |
| | \$180 | | FFCL 410 WFL G1 4K SFD D PC-1 B | | 40,500 | 300 | 4,000 | |
| | \$180 | | FFCL 410 WFL G1 5K SFD D PC-1 B | | 41,000 | 300 | 5,000 | |
| | \$180 | | FFCL 410 WFL G1 HVU 4K SFD D PC-2 B | | 41,500 | 300 | 4,000 | |
| | \$180 | | FFCL 410 WFL G1 HVU 5K SFD D PC-2 B | | 42,000 | 300 | 5,000 | |
| | \$180 | Topaz | F-FL/300/40K/TR-87 | 751338036376 | 42,577 | 302 | 4,000 | |
| | \$180 | | F-FL/300/50K/TR-87 | 751338036383 | 43,088 | 303 | 5,000 | |
| | \$180 | WESTGATE MFG | SFX-G7-1400-1700W-45D-40K-480V | | 240,874 | 1,655 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on minimum light output |
| | \$180 | | SFX-G7-1400-1700W-45D-50K-480V | 845060031119 | 245,641 | 1,657 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on minimum light output |
| | \$180 | | SFX-G7-700-1000W-45D-40K | | 134,404 | 975 | 4,000 | |
| | \$180 | | SFX-G7-700-1000W-45D-50K | 845060037753 | 136,752 | 977 | 5,000 | |
| | \$180 | | SFX-G7-700-1000W-45D-40K-480V | | 137,679 | 947 | 4,000 | |
| | \$180 | | SFX-G7-700-1000W-45D-50K-480V | 845060037753 | 139,549 | 948 | 5,000 | |
| Bollards | | | | | | | | |
| 87UAP | \$50 | RAB Lighting | B17 | | 3,360 | 24 | 3,000 | CCT & Wattage Selectable |
| | \$50 | | B17/D | | 3,360 | 24 | 3,000 | CCT & Wattage Selectable |
| | \$50 | | B17S | | 3,100 | 24 | 3,000 | CCT & Wattage Selectable |
| | \$50 | | B17/B | | 3,360 | 24 | 3,000 | CCT & Wattage Selectable |
| | \$50 | | B17/D/B | | 3,360 | 24 | 3,000 | CCT & Wattage Selectable |
| | \$50 | | B17S/B | | 3,100 | 24 | 3,000 | CCT & Wattage Selectable |
| | \$50 | WESTGATE MFG | BOL-42-R-C-C-MCTP-BR | | 2,860 | 22 | 3,000 | CCT & Wattage Selectable, measure/incentive based on minimum light output |
| | \$50 | | BOL-42-S-C-C-MCTP-BR | | 2,650 | 22 | 3,000 | CCT & Wattage Selectable, measure/incentive based on minimum light output |
| | \$50 | | BOL-42-R-C-C-MCTP-BK | 845060064070 | 2,860 | 22 | 3,000 | CCT & Wattage Selectable, measure/incentive based on minimum light output |
| | \$50 | | BOL-42-S-C-C-MCTP-BK | | 2,650 | 22 | 3,000 | CCT & Wattage Selectable, measure/incentive based on minimum light output |
| | Direct Linear Ambient Luminaires | | | | | | | |
| 89UA | \$8 | Acuity Brands Lighting | CLX L48 5000LM SEF FDL MVOLT GZ10 40K 80CRI WH | | 4,940 | 32 | 4,000 | |
| | \$8 | | CLX L48 5000LM SEF FDL MVOLT GZ10 50K 80CRI WH | 191723525908 | 4,926 | 32 | 5,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|---------------------------|--|--------------|-----------------------|------------------------|--------------|---|
| 89UA | \$8 | Acuity Brands Lighting | CLX L48 5000LM SEF RDL MVOLT GZ10 40K 80CRI WH | 191723525854 | 5,020 | | 32 | 4,000 |
| | \$8 | | CLX L48 5000LM SEF RDL MVOLT GZ10 50K 80CRI WH | 191723525946 | 5,006 | | 32 | 5,000 |
| | \$8 | | CLX L48 7000LM SEF FDL MVOLT GZ10 40K 80CRI WH | 191723700510 | 7,156 | | 47 | 4,000 |
| | \$8 | | CLX L48 7000LM SEF FDL MVOLT GZ10 50K 80CRI WH | 191723795455 | 7,136 | | 47 | 5,000 |
| | \$8 | | CLX L48 7000LM SEF RDL MVOLT GZ10 40K 80CRI WH | 191723795479 | 7,272 | | 47 | 4,000 |
| | \$8 | | CLX L48 7000LM SEF RDL MVOLT GZ10 50K 80CRI WH | 191723810424 | 7,251 | | 47 | 5,000 |
| | \$8 | | ZL1N L48 5000LM FST MVOLT 40K 80CRI WH | 190887789027 | 4,585 | | 34 | 4,000 |
| | \$8 | | CLX L48 7000LM SEF RDL MVOLT EZ1 35K 80CRI WH | | 7,067 | | 47 | 3,500 Premium under 5.0, Standard under 5.1 |
| | \$8 | | CLX L48 7000LM SEF RDL MVOLT EZ1 40K 80CRI WH | | 7,272 | | 47 | 4,000 Premium under 5.0, Standard under 5.1 |
| | \$8 | | CSS L48 ALO3 MVOLT SWW3 80CRI | | 5,255 | | 45 | 3,500 |
| | \$8 | ASD Lighting Corp | ASD-LSF5-4A44AC-12EM-PRM | 81005073605 | 5,724 | | 44 | 3,500 CCT & Wattage/Lumen Selectable |
| | \$8 | | ASD-LSF5-4A44AC-PRM | 81005073024 | 5,724 | | 44 | 3,500 CCT & Wattage/Lumen Selectable |
| | \$8 | | ASD-LVP2SM-4A56AC | 81005073551 | 6,440 | | 56 | 3,500 CCT & Wattage/Lumen Selectable |
| | \$8 | | ASD-LVP2SM-4A56AC10EM | 81005073553 | 6,440 | | 56 | 3,500 CCT & Wattage/Lumen Selectable |
| | \$8 | | ASD-LSF5-2A28AC-4EM-PRM | 81005073851 | 3,814 | | 28 | 3,500 CCT & Wattage/Lumen Selectable |
| | \$8 | | ASD-LSF5-2A28AC-PRM | 81005073797 | 3,814 | | 28 | 3,500 CCT & Wattage/Lumen Selectable |
| | \$8 | | ASD-WRL-4A48AC | 81012811452 | 5,520 | | 48 | 3,500 CCT & Wattage/lumen Selectable. |
| | \$8 | | ASD-WRL2-4A45AC | 81012811547 | 5,985 | | 45 | 3,500 CCT & Wattage/lumen Selectable. |
| | \$8 | Atlas Lighting Products | ORST22LL4K | 765364027277 | 2,600 | | 20 | 4,000 |
| | \$8 | | ORST44LL4K | 765364023835 | 4,550 | | 35 | 4,000 |
| | \$8 | | ILW25LED2D | 765364009365 | 4,455 | | 31 | 4,500 |
| | \$8 | | ILW25LED2D4K | 765364940200 | 4,455 | | 31 | 4,000 |
| | \$8 | | ILW25LED2D5K | 765364936043 | 4,624 | | 32 | 5,000 |
| | \$8 | | ILW25LED2DM | 765364009365 | 4,455 | | 31 | 4,500 |
| | \$8 | | ILW25LED2D4KM | 765364940200 | 4,455 | | 31 | 4,000 |
| | \$8 | | ILW25LED2D5KM | 765364936043 | 4,624 | | 32 | 5,000 |
| | \$8 | | ILW30LED4D | 765364032257 | 4,270 | | 30 | 4,500 |
| | \$8 | | ILW30LED4D4K | 765364042720 | 4,270 | | 30 | 4,000 |
| | \$8 | | ILW30LED4D4KCL | | 4,270 | | 30 | 4,000 |
| | \$8 | | ILW30LED4D5K | 765364033070 | 4,307 | | 30 | 5,000 |
| | \$8 | | ILW30LED4D5KCL | | 4,307 | | 30 | 5,000 |
| | \$8 | | ILW30LED4DCL | | 4,270 | | 30 | 4,500 |
| | \$8 | Barron Lighting Group | VPA-2-25-C | | 2,969 | | 24 | 3,500 |
| | \$8 | | VPA-4-40-C | | 5,199 | | 41 | 3,500 |
| | \$8 | Cooper Lighting Solutions | 4SNLED-LD5-48SL-L835-CD1-U | | 4,851 | | 31 | 3,500 |
| | \$8 | | 4SNLED-LD5-60SL-L835-CD1-U | | 6,079 | | 40 | 3,500 |
| | \$8 | | 4AWWS-L3C3-UNV | | 5,910 | | 49 | 3,500 CCT & Wattage Selectable |
| | \$8 | | 2AWWS-L3C3-UNV | | 3,140 | | 26 | 3,500 CCT & Wattage Selectable |
| | \$8 | Current | ALV204T04T481DSQVQSTKQW1PK | | 3,920 | | 26 | 4,000 |
| | \$8 | | ALV204T04T581DSQVQSTKQW1PK | | 4,000 | | 26 | 5,000 |
| | \$8 | | ALV204T06T481DSQVQSTKQW1PK | | 5,782 | | 41 | 4,000 |
| | \$8 | | CRW4-LSCS | 840141400228 | 5,200 | | 40 | 3,500 Wattage & CCT selectable |
| | \$8 | | CWP4-4035 | 078531127480 | 4,746 | | 38 | 3,500 |
| | \$8 | | CWP4-4040 | 078531127497 | 4,851 | | 38 | 4,000 |
| | \$8 | | LCL2-35ML-ED-U | | 2,750 | | 20 | 3,500 |
| | \$8 | | LCL2-40ML-ED-U | | 2,781 | | 20 | 4,000 |
| | \$8 | | LCL4-35HL-ED-U | | 6,237 | | 45 | 3,500 |
| | \$8 | | LCL4-40HL-ED-U | 078531127862 | 6,306 | | 45 | 4,000 |
| | \$8 | | LXEN4-35LW-RFA-ED-U | | 4,045 | | 30 | 3,500 |
| | \$8 | | LXEN4-40LW-RFA-ED-U | 078531130800 | 4,090 | | 30 | 4,000 |
| | \$8 | | LXEN4-35XW-RFA-ED-U | | 2,119 | | 15 | 3,500 |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|------------------------------|--|--------------|-----------------------|------------------------|--------------|--------------------------------|
| 89UA | \$8 | Current | LXEN4-40XW-RFA-ED-U | | 2,143 | 15 | 4,000 | |
| | \$8 | | MPS4-35ML-CW-ED-U | 078531138714 | 4,419 | 32 | 3,400 | |
| | \$8 | | MPS4-40ML-CW-ED-U | 078531138721 | 4,468 | 32 | 3,400 | |
| | \$8 | | MPS4-35ML-NL-ED-U | | 4,784 | 32 | 3,400 | |
| | \$8 | | MPS4-40ML-NL-ED-U | | 4,837 | 32 | 3,400 | |
| | \$8 | | NRL2-LSCS | 840141408392 | 2,032 | 18 | 3,500 | Lumen/Wattage & CCT Selectable |
| | \$8 | | NRL4-LSCS | 840141408408 | 3,975 | 34 | 3,500 | Lumen/Wattage & CCT Selectable |
| | \$8 | EarthTronics Inc. | LW4WSCCTD1 (11608) | 840791116081 | 5,520 | 48 | 3,500 | |
| | \$8 | Elite Lighting Co. | 2-OEC-LED-2000L/3000L/4000L-DIM10-MVOLT-35K/40K/50K-85 | | 4,256 | 32 | 3,500 | CCT & Wattage Selectable |
| | \$8 | | 4-OEC-LED-3000L/4000L/5000L-DIM10-MVOLT-35K/40K/50K-85 | | 5,320 | 40 | 3,500 | CCT & Wattage Selectable |
| | \$8 | Energetic Lighting Inc. | E2BL2040D-840 | 845940009962 | 6,905 | 58 | 3,000 | |
| | \$8 | Green Ignite | GI-4VTF-CCT120T3-UL4 | 670875445901 | 7,920 | 64 | 3,500 | CCT Selectable |
| | \$8 | | GI-4SLF-D90-UL3 | 670875446175 | 6,000 | 45 | 4,000 | |
| | \$8 | | GI-4SLF-C90-UL3 | 670875446168 | 6,000 | 45 | 5,000 | |
| | \$8 | Halco Lighting Technologies | LVPT-2-WS-CS-U | 807154280902 | 4,083 | 30 | 3,500 | |
| | \$8 | | LVPT-4-WS-CS-U | 807154280919 | 8,172 | 60 | 3,500 | |
| | \$8 | | LS4/36U40 (10240) | 807154102402 | 4,824 | 36 | 4,000 | |
| | \$8 | | LS4/36U50 (10241) | 807154102419 | 4,932 | 36 | 5,000 | |
| | \$8 | | LS4-WS-CS-U (90241) | 807154902415 | 6,346 | 52 | 3,500 | CCT & Wattage Selectable |
| | \$8 | | LWA-4-WS-CS-U (90381) | 807154903818 | 5,200 | 40 | 3,500 | CCT & Wattage Selectable |
| | \$8 | | LWA-2-WS-CS-U (90380) | 807154903801 | 3,250 | 25 | 3,500 | CCT & Wattage Selectable |
| | \$8 | | LWA-D23U2-40 (10300) | 807154103003 | 3,013 | 23 | 4,000 | |
| | \$8 | | LWA-D23U2-50 (10305) | 807154103058 | 3,056 | 23 | 5,000 | |
| | \$8 | | LWA-D46U4-40 (10301) | 807154103010 | 6,164 | 46 | 4,000 | |
| | \$8 | | LWA-D46U4-50 (10306) | 807154103065 | 6,256 | 46 | 5,000 | |
| | \$8 | Industrial Lighting Products | SS4-3L-U-35-FRL | | 3,341 | 25 | 3,500 | |
| | \$8 | | SS4-3L-U-40-FRL | | 3,375 | 25 | 4,000 | |
| | \$8 | | SS4-3L-U-50-FRL | | 3,378 | 25 | 5,000 | |
| | \$8 | | SS4-4L-U-35-FRL | | 4,415 | 33 | 3,500 | |
| | \$8 | | SS4-4L-U-40-FRL | | 4,438 | 33 | 4,000 | |
| | \$8 | | SS4-4L-U-50-FRL | | 4,505 | 33 | 5,000 | |
| | \$8 | | VS2-2L-U-35-FRL | | 2,477 | 19 | 3,500 | |
| | \$8 | | VS2-2L-U-40-FRL | | 2,485 | 19 | 4,000 | |
| | \$8 | | VS2-2L-U-50-FRL | | 2,501 | 19 | 5,000 | |
| | \$8 | | VS4-3L-U-35-FRL | | 3,211 | 24 | 3,500 | |
| | \$8 | | VS4-3L-U-40-FRL | | 3,279 | 24 | 4,000 | |
| | \$8 | | VS4-3L-U-50-FRL | | 3,278 | 24 | 5,000 | |
| | \$8 | | VS4-4L-U-35-FRL | | 4,374 | 33 | 3,500 | |
| | \$8 | | VS4-4L-U-40-FRL | | 4,383 | 33 | 4,000 | |
| | \$8 | | VS4-4L-U-50-FRL | | 4,478 | 33 | 5,000 | |
| | \$8 | | WTZ2-2L-U-35-RAFL | | 2,431 | 19 | 3,500 | |
| | \$8 | | WTZ2-2L-U-40-RAFL | | 2,532 | 19 | 4,000 | |
| | \$8 | | WTZ4-3L-U-40-RAFL | | 3,034 | 21 | 4,000 | |
| | \$8 | | WTZ4-3L-U-50-RAFL | | 3,034 | 21 | 5,000 | |
| | \$8 | | WTZ2-2L-U-35-SPFL | | 2,212 | 19 | 3,500 | |
| | \$8 | | WTZ2-2L-U-40-SPFL | | 2,305 | 19 | 4,000 | |
| | \$8 | | WTZ2-2L-U-50-SPFL | | 2,305 | 19 | 5,000 | |
| | \$8 | | WTZ2-2L-U-35-SAFL | | 2,391 | 19 | 3,500 | |
| | \$8 | | WTZ2-2L-U-40-SAFL | | 2,490 | 22 | 4,000 | |
| | \$8 | | WTZ2-2L-U-50-SAFL | | 2,490 | 22 | 5,000 | |
| | \$8 | | WTZ2-2L-U-50-RAFL | | 2,532 | 22 | 5,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|------------------------------|-------------------|-----|-----------------------|------------------------|--------------|--------|
| 89UA | \$8 | Industrial Lighting Products | WTZ2-3L-U-35-RAFL | | 3,152 | 28 | 3,500 | |
| | \$8 | | WTZ2-3L-U-40-RAFL | | 3,283 | 25 | 4,000 | |
| | \$8 | | WTZ2-3L-U-50-RAFL | | 3,283 | 25 | 5,000 | |
| | \$8 | | WTZ2-3L-U-35-SPFL | | 2,869 | 25 | 3,500 | |
| | \$8 | | WTZ2-3L-U-40-SPFL | | 2,988 | 25 | 4,000 | |
| | \$8 | | WTZ2-3L-U-50-SPFL | | 2,988 | 25 | 5,000 | |
| | \$8 | | WTZ2-3L-U-35-SAFL | | 3,100 | 25 | 3,500 | |
| | \$8 | | WTZ2-3L-U-40-SAFL | | 3,229 | 25 | 4,000 | |
| | \$8 | | WTZ2-3L-U-50-SAFL | | 3,229 | 25 | 5,000 | |
| | \$8 | | WTZ2-4L-U-35-RAFL | | 4,002 | 32 | 3,500 | |
| | \$8 | | WTZ2-4L-U-40-RAFL | | 4,169 | 32 | 4,000 | |
| | \$8 | | WTZ2-4L-U-50-RAFL | | 4,169 | 32 | 5,000 | |
| | \$8 | | WTZ2-4L-U-35-SPFL | | 3,643 | 32 | 3,500 | |
| | \$8 | | WTZ2-4L-U-40-SPFL | | 3,795 | 32 | 4,000 | |
| | \$8 | | WTZ2-4L-U-50-SPFL | | 3,795 | 32 | 5,000 | |
| | \$8 | | WTZ2-4L-U-35-SAFL | | 3,937 | 32 | 3,500 | |
| | \$8 | | WTZ2-4L-U-40-SAFL | | 4,101 | 32 | 4,000 | |
| | \$8 | | WTZ2-4L-U-50-SAFL | | 4,101 | 32 | 5,000 | |
| | \$8 | | WTZ2-6L-U-35-SPFL | | 4,668 | 40 | 3,500 | |
| | \$8 | | WTZ2-6L-U-40-SPFL | | 4,862 | 40 | 4,000 | |
| | \$8 | | WTZ2-6L-U-50-SPFL | | 4,862 | 40 | 5,000 | |
| | \$8 | | WTZ2-6L-U-35-SAFL | | 5,044 | 40 | 3,500 | |
| | \$8 | | WTZ4-3L-U-35-RAFL | | 2,913 | 21 | 3,500 | |
| | \$8 | | WTZ4-3L-U-35-SPFL | | 2,651 | 21 | 3,500 | |
| | \$8 | | WTZ4-3L-U-40-SPFL | | 2,762 | 21 | 4,000 | |
| | \$8 | | WTZ4-3L-U-50-SPFL | | 2,762 | 21 | 5,000 | |
| | \$8 | | WTZ4-3L-U-35-SAFL | | 2,865 | 21 | 3,500 | |
| | \$8 | | WTZ4-3L-U-40-SAFL | | 2,984 | 21 | 4,000 | |
| | \$8 | | WTZ4-3L-U-50-SAFL | | 2,984 | 21 | 5,000 | |
| | \$8 | | WTZ4-4L-U-35-RAFL | | 3,911 | 29 | 3,500 | |
| | \$8 | | WTZ4-4L-U-40-RAFL | | 4,074 | 29 | 4,000 | |
| | \$8 | | WTZ4-4L-U-50-RAFL | | 4,074 | 29 | 5,000 | |
| | \$8 | | WTZ4-4L-U-35-SPFL | | 3,560 | 29 | 3,500 | |
| | \$8 | | WTZ4-4L-U-40-SPFL | | 3,708 | 29 | 4,000 | |
| | \$8 | | WTZ4-4L-U-50-SPFL | | 3,708 | 29 | 5,000 | |
| | \$8 | | WTZ4-4L-U-35-SAFL | | 3,847 | 29 | 3,500 | |
| | \$8 | | WTZ4-4L-U-40-SAFL | | 4,007 | 29 | 4,000 | |
| | \$8 | | WTZ4-4L-U-50-SAFL | | 4,007 | 29 | 5,000 | |
| | \$8 | | WTZ4-5L-U-35-SPFL | | 4,545 | 38 | 3,500 | |
| | \$8 | | WTZ4-5L-U-40-SPFL | | 4,734 | 38 | 4,000 | |
| | \$8 | | WTZ4-5L-U-50-SPFL | | 4,734 | 38 | 5,000 | |
| | \$8 | | WTZ4-6L-U-35-SPFL | | 5,684 | 47 | 3,500 | |
| | \$8 | | WTZ4-6L-U-40-SPFL | | 5,921 | 47 | 4,000 | |
| | \$8 | | WTZ4-6L-U-50-SPFL | | 5,921 | 47 | 5,000 | |
| | \$8 | | FZ4-20W-U-35-FRAL | | 3,054 | 22 | 3,500 | |
| | \$8 | | FZ4-20W-U-40-FRAL | | 3,138 | 22 | 4,000 | |
| | \$8 | | FZ4-32W-U-35-FRAL | | 4,362 | 33 | 3,500 | |
| | \$8 | | FZ4-32W-U-40-FRAL | | 4,386 | 33 | 4,000 | |
| | \$8 | | FZ4-40W-U-35-FRAL | | 5,727 | 40 | 3,500 | |
| | \$8 | | FZ4-40W-U-40-FRAL | | 5,858 | 40 | 4,000 | |
| | \$8 | | FZ4-55W-U-35-FRAL | | 7,239 | 54 | 3,500 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|------------------------------|--------------------------|--------------|-----------------------|------------------------|--------------|--------|
| 89UA | \$8 | Industrial Lighting Products | FZ4-55W-U-40-FRAL | | 7,399 | | 54 | 4,000 |
| | \$8 | | DSC2-2LHE-U-30-FCLGR | | 2,282 | | 16 | 3,000 |
| | \$8 | | DSC2-2LHE-U-35-FCLGR | | 2,321 | | 16 | 3,500 |
| | \$8 | | DSC2-2LHE-U-40-FCLGR | | 2,360 | | 16 | 4,000 |
| | \$8 | | DSC2-2LHE-U-50-FCLGR | | 2,438 | | 16 | 5,000 |
| | \$8 | | DSC2-2LHE-U-30-FFLGR | | 2,255 | | 16 | 3,000 |
| | \$8 | | DSC2-2LHE-U-35-FFLGR | | 2,294 | | 16 | 3,500 |
| | \$8 | | DSC2-2LHE-U-40-FFLGR | | 2,332 | | 16 | 4,000 |
| | \$8 | | DSC2-2LHE-U-50-FFLGR | | 2,409 | | 16 | 5,000 |
| | \$8 | | DSC2-3LHE-U-30-FCLGR | | 2,984 | | 20 | 3,000 |
| | \$8 | | DSC2-3LHE-U-35-FCLGR | | 3,035 | | 20 | 3,500 |
| | \$8 | | DSC2-3LHE-U-40-FCLGR | | 3,086 | | 20 | 4,000 |
| | \$8 | | DSC2-3LHE-U-50-FCLGR | | 3,188 | | 20 | 5,000 |
| | \$8 | | DSC2-3LHE-U-30-FFLGR | | 2,949 | | 20 | 3,000 |
| | \$8 | | DSC2-3LHE-U-35-FFLGR | | 3,000 | | 20 | 3,500 |
| | \$8 | | DSC2-3LHE-U-40-FFLGR | | 3,050 | | 20 | 4,000 |
| | \$8 | | DSC2-3LHE-U-50-FFLGR | | 3,151 | | 20 | 5,000 |
| | \$8 | | DSC2-4LHE-U-30-FCLGR | | 3,897 | | 26 | 3,000 |
| | \$8 | | DSC2-4LHE-U-35-FCLGR | | 3,964 | | 26 | 3,500 |
| | \$8 | | DSC2-4LHE-U-40-FCLGR | | 4,031 | | 26 | 4,000 |
| | \$8 | | DSC2-4LHE-U-50-FCLGR | | 4,164 | | 26 | 5,000 |
| | \$8 | | DSC2-4LHE-U-30-FFLGR | | 3,852 | | 26 | 3,000 |
| | \$8 | | DSC2-4LHE-U-35-FFLGR | | 3,918 | | 26 | 3,500 |
| | \$8 | | DSC2-4LHE-U-40-FFLGR | | 3,983 | | 26 | 4,000 |
| | \$8 | | DSC2-4LHE-U-50-FFLGR | | 4,115 | | 26 | 5,000 |
| | \$8 | | DSC4-2LHE-U-30-FCLGR | | 2,633 | | 16 | 3,000 |
| | \$8 | | DSC4-2LHE-U-35-FCLGR | | 2,678 | | 16 | 3,500 |
| | \$8 | | DSC4-2LHE-U-40-FCLGR | | 2,723 | | 16 | 4,000 |
| | \$8 | | DSC4-2LHE-U-50-FCLGR | | 2,813 | | 16 | 5,000 |
| | \$8 | | DSC4-3LHE-U-30-FCLGR | | 3,087 | | 20 | 3,000 |
| | \$8 | | DSC4-3LHE-U-35-FCLGR | | 3,140 | | 20 | 3,500 |
| | \$8 | | DSC4-3LHE-U-40-FCLGR | | 3,193 | | 20 | 4,000 |
| | \$8 | | DSC4-3LHE-U-50-FCLGR | | 3,299 | | 20 | 5,000 |
| | \$8 | | DSC4-4LHE-U-30-FCLGR | | 4,587 | | 30 | 3,000 |
| | \$8 | | DSC4-4LHE-U-30-FFLGR | | 4,533 | | 30 | 3,000 |
| | \$8 | Keystone Technologies | KT-CWLED40-4-835-VDIM-P | 843654100968 | 5,200 | | 40 | 3,500 |
| | \$8 | | KT-CWLED40-4-840-VDIM-P | 843654101002 | 5,240 | | 40 | 4,000 |
| | \$8 | | KT-CWLED40-4-850-VDIM-P | 843654101019 | 5,280 | | 40 | 5,000 |
| | \$8 | | KT-MSLED18-4-835-VDIM-P | 843654101057 | 2,340 | | 18 | 3,500 |
| | \$8 | | KT-MSLED18-4-840-VDIM-P | 843654101064 | 2,358 | | 18 | 4,000 |
| | \$8 | | KT-MSLED18-4-850-VDIM-P | 843654101187 | 2,376 | | 18 | 5,000 |
| | \$8 | | KT-MSLED19-2-835-VDIM-P | 843654101026 | 2,470 | | 19 | 3,500 |
| | \$8 | | KT-MSLED19-2-840-VDIM-P | 843654101033 | 2,489 | | 19 | 4,000 |
| | \$8 | | KT-MSLED19-2-850-VDIM-P | 843654101040 | 2,508 | | 19 | 5,000 |
| | \$8 | | KT-MSLED28-4-835-VDIM-P | 843654101248 | 3,584 | | 28 | 3,500 |
| | \$8 | | KT-MSLED28-4-840-VDIM-P | 843654101309 | 3,640 | | 28 | 4,000 |
| | \$8 | | KT-MSLED28-4-850-VDIM-P | 843654101484 | 3,696 | | 28 | 5,000 |
| | \$8 | | KT-MSLED44-4-835-VDIM-P | 843654101491 | 5,632 | | 44 | 3,500 |
| | \$8 | | KT-MSLED44-4-840-VDIM-P | 843654101507 | 5,720 | | 44 | 4,000 |
| | \$8 | | KT-MSLED44-4-850-VDIM-P | 843654101651 | 5,764 | | 44 | 5,000 |
| | \$8 | | KT-VTLED18-4A-840-VDIM-P | 843654122137 | 2,300 | | 18 | 4,000 |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-----------------------|---|------------------------------|-----------------------|------------------------|--------------|--------------------------|
| 89UA | \$8 | Keystone Technologies | KT-VTLED18-4A-850-VDIM-P | 843654122144 | 2,340 | 18 | 5,000 | |
| | \$8 | | KT-WLED33-4-835-VDIM-P | 843654100753 | 4,220 | 33 | 3,500 | |
| | \$8 | | KT-WLED33-4-840-VDIM-P | 843654100852 | 4,257 | 33 | 4,000 | |
| | \$8 | | KT-WLED33-4-850-VDIM-P | 843654100937 | 4,290 | 33 | 5,000 | |
| | \$8 | | KT-VTLED44-4A-840-VDIM-P | 843654122175 | 5,630 | 44 | 4,000 | |
| | \$8 | | KT-VTLED44-4A-850-VDIM-P | 843654122182 | 5,720 | 44 | 5,000 | |
| | \$8 | | KT-VTLED19-2A-840-VDIM-P | 843654122113 | 2,430 | 19 | 4,000 | |
| | \$8 | | KT-VTLED19-2A-850-VDIM-P | 843654122120 | 2,465 | 19 | 5,000 | |
| | \$8 | | KT-VTLED28-4A-840-VDIM-P | 843654122151 | 3,580 | 28 | 4,000 | |
| | \$8 | | KT-VTLED28-4A-850-VDIM-P | 843654122168 | 3,640 | 28 | 5,000 | |
| | \$8 | | KT-VTLED63-4A-840-VDIM-P | 843654122199 | 8,065 | 63 | 4,000 | |
| | \$8 | | KT-VTLED63-4A-850-VDIM-P | 843654122205 | 8,190 | 63 | 5,000 | |
| | \$8 | | KT-WLED44PS-4-8CSA-VDIM | | 5,808 | 44 | 3,500 | CCT & Wattage Selectable |
| | \$8 | | KT-MSLED25PS-2-8CSA-VDIM | 843654134895 | 3,200 | 25 | 3,500 | Wattage & CCT selectable |
| | \$8 | | KT-MSLED44PS-4-8CSA-VDIM | 843654134482 | 5,808 | 44 | 3,500 | Wattage & CCT selectable |
| | \$8 | | KT-VTLED44PS-4A-8CSA-VDIM | 843654134451 | 5,764 | 44 | 3,500 | Wattage & CCT selectable |
| | \$8 | LEDVANCE, LLC | STRIP2A/022UNHD835/24U/WH (65209) | 046135652097 | 2,878 | 22 | 3,500 | |
| | \$8 | | STRIP2A/022UNHD835/48U/WH (65176) | 046135651762 | 3,131 | 22 | 3,500 | |
| | \$8 | | STRIP2A/022UNHD840/24U/WH (65210) | 046135652103 | 2,882 | 22 | 4,000 | |
| | \$8 | | STRIP2A/022UNHD840/48U/WH (65177) | 046135651779 | 3,146 | 22 | 4,000 | |
| | \$8 | | STRIP2A/022UNHD850/24U/WH (65211) | 046135652110 | 2,904 | 22 | 5,000 | |
| | \$8 | | STRIP2A/022UNHD850/48U/WH (65178) | 046135651786 | 3,190 | 22 | 5,000 | |
| | \$8 | | STRIP2A/034UNHD835/48U/WH (65212) | 046135652127 | 4,580 | 34 | 3,500 | |
| | \$8 | | STRIP2A/034UNHD840/48U/WH (65213) | 046135652134 | 4,590 | 34 | 4,000 | |
| | \$8 | | STRIP2A/034UNHD850/48U/WH (65214) | 046135652141 | 4,658 | 34 | 5,000 | |
| | \$8 | | STRIP2A/044UNVD835/48U/WH (65215) | 046135652158 | 5,724 | 44 | 3,500 | |
| | \$8 | | STRIP2A/044UNVD835/48U/WH/E (65158) | 046135651588 | 5,724 | 44 | 3,500 | |
| | \$8 | | STRIP2A/044UNVD840/48U/WH (65216) | 046135652165 | 5,764 | 44 | 4,000 | |
| | \$8 | | STRIP2A/044UNVD840/48U/WH/E (65159) | 046135651595 | 5,764 | 44 | 4,000 | |
| | \$8 | | STRIP2A/044UNVD850/48U/WH/E (65160) | 046135651601 | 5,808 | 44 | 5,000 | |
| | \$8 | | WRAP2A/022UNVD8SC7/24U/WH (62176) | 046135621765 | 2,792 | 22 | 3,500 | |
| | \$8 | | WRAP2A/022UNVD8SC7/48U/WH (62177) | 046135621772 | 2,957 | 22 | 3,500 | |
| | \$8 | | WRAP2A/022UNVD8SC7/48U/WH/E (65607) | 046135656071 | 2,957 | 22 | 3,500 | |
| | \$8 | | WRAP2A/068UNVD8SC7/48U/WH (62179) | 046135621796 | 8,731 | 68 | 3,500 | |
| | \$8 | | WRAP2A/068UNVD8SC7/48U/WH/E (65609) | 046135656095 | 8,731 | 68 | 3,500 | |
| | \$8 | | WRAP2A/S044UNVD8SC7/48U/WH (62178) | 046135621789 | 6,063 | 44 | 3,500 | |
| | \$8 | | WRAP2A/S044UNVD8SC7/48U/WH/E (65608) | 046135656088 | 6,063 | 44 | 3,500 | |
| | \$8 | | VAPOR3A/S025UNHD8SC7/24/GR (65699) | 046135656996 | 3,250 | 25 | 3,500 | Wattage & CCT selectable |
| | \$8 | | VAPOR3A/S050UNHD8SC7/48/GR (65700) | 046135657009 | 6,500 | 50 | 3,500 | Wattage & CCT selectable |
| | \$8 | | VAPOR3A/S025UNHD8SC7/24/GR/E (62491) | 046135624919 | 3,250 | 25 | 3,500 | Wattage & CCT selectable |
| | \$8 | | VAPOR3A/S050UNHD8SC7/48/GR/E (62492) | 046135624926 | 6,500 | 50 | 3,500 | Wattage & CCT selectable |
| | \$8 | | STRIP2A/044UNVD850/48U/WH (65217) | 046135652172 | 5,808 | 44 | 5,000 | |
| | \$8 | | STRIP1B/S020UNVD8SC7/24S/WH (62351) | 046135623516 | 2,324 | 20 | 3,500 | CCT & Wattage Selectable |
| | \$8 | | STRIP1B/S040UNVD8SC7/48S/WH (62352) | 046135623523 | 4,672 | 40 | 3,500 | CCT & Wattage Selectable |
| | \$8 | | STRIP3A/S030UNHD8SC7/24/WH (63785) | 046135637858 | 4,005 | 30 | 3,500 | Wattage & CCT selectable |
| | \$8 | | STRIP3A/S055UNHD8SC7/48/WH (63786) | 046135637865 | 7,381 | 55 | 3,500 | Wattage & CCT selectable |
| | \$8 | | STRIP3A/S030UNHD8SC7/24/WH (63785)+MOTIONDAYSENSOR/PIR/6M/PIN (63908)+PINBR | 046135637858+046135639081+04 | 4,005 | 30 | 3,500 | Wattage & CCT selectable |
| | \$8 | | | 046135637865+046135639081+04 | 7,381 | 55 | 3,500 | Wattage & CCT selectable |
| | \$8 | | WRAP/HNG/S030UNHD8SC7/24WH (64117) | 046135641176 | 3,924 | 30 | 3,500 | Wattage & CCT selectable |
| | \$8 | | WRAP/HNG/S060UNHD8SC7/48WH (64118) | 046135641183 | 7,872 | 60 | 3,500 | Wattage & CCT selectable |
| | \$8 | | WRAP/FVL/S030UNHD8SC7/24WH (64115) | 046135641152 | 3,936 | 30 | 3,500 | Wattage & CCT selectable |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|---------------------------|------------------------------------|--------------|-----------------------|------------------------|--------------|--------------------------------|
| 89UA | \$8 | LEDVANCE, LLC | WRAP/FVL/S050UNHD8SC7/48WH (64116) | 046135641169 | 6,590 | 50 | 3,500 | Wattage & CCT selectable |
| | \$8 | | VAPOR/ILT/S025UNHD8SC7/24 (65905) | 046135659058 | 3,283 | 25 | 3,500 | CCT & Lumen/Wattage Selectable |
| | \$8 | | VAPOR/ILT/S050UNHD8SC7/48 (65906) | 046135659065 | 6,580 | 50 | 3,500 | CCT & Lumen/Wattage Selectable |
| | \$8 | Litetronics International | SFS2 | | 3,382 | 25 | 4,000 | CCT & Wattage Selectable |
| | \$8 | | SFS4 | | 7,226 | 50 | 3,500 | CCT & Wattage Selectable |
| | \$8 | MaxLite Inc. | LS2-2U20WCSCR | 767627008405 | 3,879 | 30 | 3,500 | |
| | \$8 | | LS2-4U23WCSCR | 767627008467 | 6,481 | 50 | 3,500 | |
| | \$8 | | LSU4U23WCSCR | | 6,426 | 48 | 3,500 | Wattage & CCT selectable |
| | \$8 | | LSU4U35WCSCR | | 6,426 | 48 | 3,500 | Wattage & CCT selectable |
| | \$8 | | LSU4U48WCSCR | 767627008801 | 6,426 | 48 | 3,500 | CCT & Wattage Selectable. |
| | \$8 | | LSV4U23WCSCR | 767627008276 | 6,366 | 48 | 3,500 | |
| | \$8 | | LS3-2U15WCSCR (110524) | | 3,250 | 25 | 3,500 | CCT & Wattage Selectable |
| | \$8 | | LS3-2U15WCSCRTA (110994) | | 3,250 | 25 | 3,500 | CCT & Wattage Selectable |
| | \$8 | | LS3-4U23WCSCR (110525) | | 6,110 | 47 | 3,500 | CCT & Wattage Selectable |
| | \$8 | | LS3-4U23WCSCRTA (110995) | | 6,110 | 47 | 3,500 | CCT & Wattage Selectable |
| | \$8 | NICOR Inc. | LSCS14U | 767706170337 | 5,132 | 39 | 3,500 | Lumen and CCT Selectable |
| | \$8 | | LSCS14UM | | 5,132 | 39 | 3,500 | |
| | \$8 | | VT3202SUNV40 | | 2,620 | 20 | 4,000 | |
| | \$8 | | VT3202SUNV50 | | 2,640 | 20 | 5,000 | |
| | \$8 | | VT3204SUNV40 | | 4,952 | 38 | 4,000 | |
| | \$8 | | VT3204SUNV50 | | 4,893 | 38 | 5,000 | |
| | \$8 | | VT3204HUNV40 | | 6,760 | 52 | 4,000 | |
| | \$8 | | VT3204HUNV50 | | 6,812 | 52 | 5,000 | |
| | \$8 | P.Q.L. Inc. | 55461 | | 2,502 | 18 | 4,000 | |
| | \$8 | | 55462 | | 2,520 | 18 | 5,000 | |
| | \$8 | | 55464 | | 4,585 | 35 | 4,000 | |
| | \$8 | | 55465 | | 4,620 | 35 | 5,000 | |
| | \$8 | | 55611 | 811768026498 | 6,075 | 45 | 3,500 | Wattage & CCT selectable |
| | \$8 | | 55605-8WEM | 811768023022 | 4,522 | 34 | 3,500 | Wattage & CCT selectable |
| | \$8 | | 55605 | 854432004996 | 4,522 | 34 | 3,500 | Wattage & CCT selectable |
| | \$8 | | 55606 | 854432004682 | 5,850 | 45 | 3,500 | Wattage & CCT selectable |
| | \$8 | | 55617 | 811768022872 | 5,320 | 40 | 3,500 | Wattage & CCT selectable |
| | \$8 | | 55371 | | 2,620 | 20 | 4,000 | |
| | \$8 | | 55372 | | 2,640 | 20 | 5,000 | |
| | \$8 | | 55374 | 811768029260 | 4,420 | 34 | 4,000 | |
| | \$8 | | 55375 | 811768025811 | 4,454 | 34 | 5,000 | |
| | \$8 | | 55377 | 811768028973 | 6,760 | 52 | 4,000 | |
| | \$8 | | 55378 | 811768023565 | 6,812 | 52 | 5,000 | |
| | \$8 | RAB Lighting | GUS4-36NW/D10 | 019813424194 | 4,672 | 36 | 3,800 | |
| | \$8 | | GUS4-36W/D10 | 019813493015 | 4,853 | 35 | 5,000 | |
| | \$8 | | GUS4-50W/D10 | 019813493022 | 6,349 | 46 | 5,000 | |
| | \$8 | | STRP210-835U | 019813949963 | 1,332 | 10 | 3,500 | |
| | \$8 | | STRP210-840U | 019813949956 | 1,449 | 10 | 4,000 | |
| | \$8 | | STRP220-835U | 019813949994 | 2,503 | 19 | 3,500 | |
| | \$8 | | STRP220-840U | 019813949987 | 2,722 | 19 | 4,000 | |
| | \$8 | | STRP420-835U | 019813828299 | 2,681 | 19 | 3,500 | |
| | \$8 | | STRP420-840U | 019813950013 | 2,835 | 18 | 4,000 | |
| | \$8 | | STRP440-835U | 019813828305 | 5,359 | 39 | 3,500 | |
| | \$8 | | STRP440-840U | 019813950068 | 5,667 | 38 | 4,000 | |
| | \$8 | | STRP440-850U | 019813950020 | 5,785 | 39 | 5,000 | |
| | \$8 | | GUS4-36N/D10 | | 4,758 | 37 | 3,300 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|--------------|-----------------------|--------------|-----------------------|------------------------|--------------|---|
| 89UA | \$8 | RAB Lighting | GUS17-4 | | 5,694 | 49 | 3,500 | |
| | \$8 | | SR2 | | 2,887 | 21 | 3,500 | CCT & Wattage Selectable |
| | \$8 | | SR4 | | 5,976 | 43 | 3,500 | CCT & Wattage Selectable |
| | \$8 | | GUS17-2 | | 2,906 | 25 | 3,500 | CCT & Wattage Selectable |
| | \$8 | | TOMO-2 | | 3,016 | 25 | 3,000 | |
| | \$8 | | TOMO-4 | | 5,929 | 49 | 3,000 | |
| | \$8 | | SEAL4 | | 6,500 | 50 | 3,500 | CCT & Wattage Selectable, Must use bi-level dimming |
| | \$8 | SATCO | 65/821R1 | 045923650963 | 7,712 | 59 | 3,000 | CCT & Wattage Selectable. |
| | \$8 | | 65/824R1 | 045923650994 | 7,712 | 59 | 3,000 | CCT & Wattage Selectable. |
| | \$8 | | 65/831R1 | 045923651205 | 7,815 | 59 | 3,000 | CCT & Wattage Selectable. |
| | \$8 | Signify | FSI440L835-UNV-DIM | | 4,096 | 30 | 3,500 | |
| | \$8 | | FSI440L840-UNV-DIM | 784197245542 | 4,198 | 29 | 4,000 | |
| | \$8 | | FSI455L835-UNV-DIM | | 5,474 | 41 | 3,500 | |
| | \$8 | | FSI455L840-UNV-DIM | 784197245566 | 5,610 | 40 | 4,000 | |
| | \$8 | | FSS220L835-UNV-DIM | | 1,997 | 17 | 3,500 | |
| | \$8 | | FSS220L840-UNV-DIM | 784197245351 | 2,048 | 17 | 4,000 | |
| | \$8 | | FSS330L835-UNV-DIM | | 2,922 | 22 | 3,500 | |
| | \$8 | | FSS330L840-UNV-DIM | | 2,997 | 22 | 4,000 | |
| | \$8 | | FSS430L835-UNV-DIM | | 2,922 | 22 | 3,500 | |
| | \$8 | | FSS430L840-UNV-DIM | | 2,997 | 22 | 4,000 | |
| | \$8 | | FSS440L835-UNV-DIM | 784197270025 | 3,973 | 30 | 4,000 | |
| | \$8 | | FSS440L840-UNV-DIM | 784197245382 | 4,075 | 30 | 4,000 | |
| | \$8 | | FSS455L835-UNV-DIM | 784197270100 | 5,377 | 41 | 3,500 | |
| | \$8 | | FSS455L840-UNV-DIM | 784197245405 | 5,515 | 41 | 4,000 | |
| | \$8 | | FSSEZ440L830-UNV-DIM | | 3,900 | 31 | 3,000 | |
| | \$8 | | FSSEZ440L835-UNV-DIM | | 3,950 | 31 | 3,500 | |
| | \$8 | | FSSEZ440L840-UNV-DIM | 784197700171 | 4,130 | 31 | 4,000 | |
| | \$8 | | FSW230L835-UNV-DIM | | 2,910 | 23 | 3,500 | |
| | \$8 | | FSW230L840-UNV-DIM | | 2,982 | 23 | 4,000 | |
| | \$8 | | FSW440L835-UNV-DIM | 784197263485 | 3,893 | 32 | 3,500 | |
| | \$8 | | FSW440L840-UNV-DIM | 784197245481 | 3,990 | 32 | 4,000 | |
| | \$8 | | SDS21224L8CST-UNV-DIM | 190096131563 | 2,324 | 20 | 3,500 | CCT & Wattage Selectable |
| | \$8 | | SDS42448L8CST-UNV-DIM | 190096131570 | 4,672 | 40 | 3,500 | CCT & Wattage Selectable |
| | \$8 | SLG | TR 4 39 G2 35K | 728943427059 | 3,990 | 30 | 3,500 | |
| | \$8 | | TR 4 39 G2 4K | 728943427059 | 4,020 | 30 | 4,000 | |
| | \$8 | | TR 4 39 G2 5K | 728943427066 | 4,050 | 30 | 5,000 | |
| | \$8 | | TR 4 52 G2 35K | 728943427080 | 5,200 | 40 | 3,500 | |
| | \$8 | | TR 4 52 G2 4K | 728943427073 | 5,240 | 40 | 4,000 | |
| | \$8 | | TR 4 52 G2 5K | 728943427080 | 5,280 | 40 | 5,000 | |
| | \$8 | | TSC 4 30 G1 35K | | 3,400 | 25 | 3,500 | |
| | \$8 | | TSC 4 30 G1 4K | | 3,425 | 25 | 4,000 | |
| | \$8 | | TSC 4 30 G1 5K | | 3,450 | 25 | 5,000 | |
| | \$8 | | TSC 4 45 G1 35K | | 4,655 | 35 | 3,500 | |
| | \$8 | | TSC 4 45 G1 4K | | 4,690 | 35 | 4,000 | |
| | \$8 | | TSC 4 45 G1 5K | | 4,725 | 35 | 5,000 | |
| | \$8 | | VTC 4 50 G1 35K | | 5,130 | 38 | 3,500 | |
| | \$8 | | VTC 4 50 G1 4K | | 5,168 | 38 | 4,000 | |
| | \$8 | | VTC 4 50 G1 5K | | 5,206 | 38 | 5,000 | |
| | \$8 | | VTC 4 70 G1 35K | | 6,760 | 52 | 3,500 | |
| | \$8 | | VTC 4 70 G1 4K | | 6,812 | 52 | 4,000 | |
| | \$8 | | VTC 4 70 G1 5K | | 6,864 | 52 | 5,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 | |
|--------------|-----------|-----------------------------|-----------------------|--------------|-----------------------|---------------------------------------|---------------------------------------|--------------------------------|--|
| 89UA | \$8 | TCP | LWR2300135 | 762148275633 | 2,990 | 23 | 3,500 | | |
| | \$8 | | LWR2300140 | 762148279679 | 2,990 | 23 | 4,000 | | |
| | \$8 | | LWR2300150 | 762148275886 | 2,990 | 23 | 5,000 | | |
| | \$8 | | LWR3500135 | 762148301264 | 4,550 | 35 | 3,500 | | |
| | \$8 | | LWR3500140 | 762148301233 | 4,550 | 35 | 4,000 | | |
| | \$8 | | LWR3500150 | 762148301257 | 4,550 | 35 | 5,000 | | |
| | \$8 | | TCPGPS2UZDA835K | 762148077107 | 2,600 | 20 | 3,500 | | |
| | \$8 | | TCPGPS2UZDA840K | 762148074687 | 2,600 | 20 | 4,000 | | |
| | \$8 | | TCPGPS2UZDA850K | 762148074700 | 2,600 | 20 | 5,000 | | |
| | \$8 | | TCPGPS2UZDA8CCT | 762148302223 | 2,600 | 20 | 3,500 | | |
| | \$8 | | TCPGPS4HZDA840K | 762148120759 | 4,200 | 32 | 4,000 | | |
| | \$8 | | TCPGPS4HZDA850K | 762148120919 | 4,200 | 32 | 5,000 | | |
| | \$8 | | TCPGPS4UZDA835K | 762148077336 | 4,200 | 32 | 3,500 | | |
| | \$8 | | TCPGPS4UZDA840K | 762148074595 | 4,200 | 32 | 4,000 | | |
| | \$8 | | TCPGPS4UZDA850K | 762148074601 | 4,200 | 32 | 5,000 | | |
| | \$8 | | TCPGPS4UZDA8CCT | 762148302179 | 4,200 | 32 | 3,500 | | |
| | \$8 | | TCPGPS4UZDB835K | 762148283867 | 2,300 | 18 | 3,500 | | |
| | \$8 | | TCPGPS4UZDB840K | 762148120582 | 2,300 | 18 | 4,000 | | |
| | \$8 | | TCPGPS4UZDB850K | 762148118251 | 2,300 | 18 | 5,000 | | |
| | \$8 | | TCPGPS4UZDE835K | 762148231073 | 5,200 | 40 | 3,500 | | |
| | \$8 | | TCPGPS4UZDE840K | 762148233381 | 5,200 | 40 | 4,000 | | |
| | \$8 | | TCPGPS4UZDE850K | 762148231561 | 5,200 | 40 | 5,000 | | |
| | \$8 | | TCPGPS4UZDE8CCT | 762148302193 | 5,200 | 40 | 3,500 | | |
| | \$8 | | VTF2UZDA140K | | 3,120 | 24 | 4,000 | | |
| | \$8 | | VTF2UZDA150K | | 3,120 | 24 | 5,000 | | |
| | \$8 | | VTF4UZDA140K | | 3,000 | 23 | 4,000 | | |
| | \$8 | | VTF4UZDA150K | | 2,600 | 20 | 5,000 | | |
| | \$8 | | VTF4UZDA240K | | 5,200 | 40 | 4,000 | | |
| | \$8 | | VTF4UZDA250K | | 5,200 | 40 | 5,000 | | |
| | \$8 | | TCPGPS4UZDB840KEB | | 762148086901 | 2,300 | 18 | 4,000 | |
| | \$8 | | GPS4UZDSW4CCT | | | 6,000 | 46 | 3,500 CCT & Wattage Selectable | |
| | \$8 | | VTF4UZDSW2CCT | | | 4,200 | 32 | 5,000 CCT & Wattage Selectable | |
| | \$8 | | VTF4UZDSW4CCT | | | 6,000 | 46 | 5,000 CCT & Wattage Selectable | |
| | \$8 | Technical Consumer Products | EVT4UZDSW2CCT | 4,200 | | 32 | 3,500 CCT & Lumen/Wattage Selectable. | | |
| | \$8 | | EVT4UZDSW4CCT | 6,000 | 46 | 3,500 CCT & Lumen/Wattage Selectable. | | | |
| | \$8 | Topaz | F-L4/40W/CTS/D-87 | 751338036741 | 5,200 | 40 | 3,500 | | |
| | \$8 | | F-VT4/50W/40-86 | 751338023420 | 6,500 | 50 | 4,000 | | |
| | \$8 | | F-VT4/50W/50-86 | 751338023437 | 6,500 | 50 | 5,000 | | |
| | \$8 | | LVT4-40-40K | 032886300615 | 4,848 | 37 | 4,000 | | |
| | \$8 | | LVT4-40-50K | 032886300622 | 4,972 | 37 | 5,000 | | |
| | \$8 | | LVT2-20-CS | 032886300608 | 2,719 | 19 | 3,500 CCT Selectable | | |
| | \$8 | | LVT4-50PCS | 032886300639 | 7,025 | 50 | 3,500 Wattage & CCT selectable | | |
| | \$8 | | LVT4-50PCS-EM | 032886300646 | 7,025 | 50 | 3,500 Wattage & CCT selectable | | |
| | \$8 | | LS4-40-40K-D | 032886308239 | 5,422 | 39 | 4,000 | | |
| | \$8 | | LS4-40-50K-D | 032886308246 | 5,504 | 39 | 5,000 | | |
| | \$8 | WESTGATE MFG | LLVT2-4FT-36W-MCT-D-F | 845060045963 | 4,624 | 35 | 3,500 CCT Selectable | | |
| | \$8 | | LSS-4FT-34W-MCTP | 845060058932 | 4,600 | 34 | 3,500 Wattage & CCT selectable | | |
| | \$8 | | LSS-4FT-46W-MCTP | 845060058949 | 6,150 | 46 | 3,500 Wattage & CCT selectable | | |
| | \$8 | | LLVT2-4FT-46W-MCT-D-F | 845060046014 | 6,325 | 46 | 3,500 CCT Selectable | | |
| | \$8 | | LLVT2-4FT-65W-MCT-D-F | 845060046021 | 9,224 | 67 | 3,500 CCT Selectable | | |
| | \$8 | | LSL-2FT-20W-MCT-D | 845060052435 | 2,300 | 20 | 3,500 CCT & Lumen Selectable | | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-----------------------|---------------------------------------|---------------------------|-----------------------|------------------------|--------------|--------------------------|
| 89UA | \$8 | WESTGATE MFG | LSN-2FT-20W-MCT-D | 845060085181 | 2,618 | 19 | 3,500 | CCT Selectable |
| | \$8 | | LSN-4FT-32W-35K-D | 845060085198 | 3,978 | 33 | 3,500 | |
| | \$8 | | LSN-4FT-32W-40K-D | 845060085204 | 3,978 | 33 | 4,000 | |
| | \$8 | | LSN-4FT-40W-35K-D | 845060085228 | 4,975 | 40 | 3,500 | |
| | \$8 | | LSN-4FT-40W-40K-D | 845060085235 | 4,975 | 40 | 4,000 | |
| | \$8 | | LSN-4FT-40W-MCTP-D | 845060085259 | 5,122 | 41 | 3,500 | CCT & Wattage Selectable |
| | \$8 | | SCX-4FT-40W-MCT4-D | 845060056822 | 5,099 | 42 | 3,000 | CCT Selectable |
| | \$8 | | LSL-4FT-40W-MCT-D | 845060052459 | 4,600 | 40 | 3,500 | CCT & Wattage Selectable |
| | \$8 | | LSL-3FT-30W-MCT-D | 845060052442 | 3,450 | 30 | 3,500 | CCT & Wattage Selectable |
| | \$8 | | LSL-4FT-40W-35K-D-E | | 4,600 | 40 | 3,500 | |
| | \$8 | | LSL-4FT-40W-40K-D-E | | 4,600 | 40 | 4,000 | |
| | \$8 | | LSL-4FT-40W-50K-D-E | | 4,600 | 40 | 5,000 | |
| | \$8 | | SCX-3FT-30W-MCT4-D | 845060056815 | 3,730 | 31 | 3,000 | CCT Selectable |
| | \$8 | | SCX-2FT-20W-MCT4-D | 845060056808 | 2,446 | 22 | 3,000 | CCT Selectable |
| | \$8 | | LSS-2FT-25W-MCTP | 845060081619 | 3,250 | 25 | 3,500 | CCT & Wattage Selectable |
| | \$8 | | SCE-4FT-40W-MCTP-D | 845060086874 | 4,600 | 40 | 3,500 | CCT & Wattage Selectable |
| | \$8 | | LSN-4FT-50W-MCTP-D | | 6,346 | 52 | 3,500 | CCT & Wattage Selectable |
| | \$8 | | LSN-4FT-40W-50K-D | 845060085242 | 5,192 | 40 | 5,000 | |
| | \$8 | | LSN-4FT-32W-50K-D | 845060085211 | 4,132 | 33 | 5,000 | |
| 89UAC | \$15 | Barron Lighting Group | VPA-2-25-C-SC | | 2,969 | 24 | 3,500 | |
| | \$15 | | VPA-4-40-C-SC | 190622144104 | 5,199 | 41 | 3,500 | |
| | \$15 | Keystone Technologies | KT-VTLED90-8A-840-VDIM-P/MW3 | | 11,520 | 90 | 4,000 | |
| | \$15 | | KT-VTLED54-8A-840-VDIM-P/MW3 | | 6,910 | 54 | 4,000 | |
| | \$15 | | KT-MSLED25PS-2-8CSA-VDIM/FC2 | 843654134895+843654135236 | 3,200 | 25 | 3,500 | Wattage & CCT selectable |
| | \$15 | LEDVANCE, LLC | KT-MSLED44PS-4-8CSA-VDIM/FC2 | 843654134482+843654135236 | 5,808 | 44 | 3,500 | Wattage & CCT selectable |
| | \$15 | | STRIP2A/022UNHD835/24U/WH/D (65128) | 046135651281 | 2,878 | 22 | 3,500 | |
| | \$15 | | STRIP2A/022UNHD835/48U/WH/D (65179) | 046135651793 | 3,131 | 22 | 3,500 | |
| | \$15 | | STRIP2A/022UNHD840/24U/WH/D (65129) | 046135651298 | 2,882 | 22 | 4,000 | |
| | \$15 | | STRIP2A/022UNHD840/48U/WH/D (65180) | 046135651809 | 3,146 | 22 | 4,000 | |
| | \$15 | | STRIP2A/022UNHD850/24U/WH/D (65130) | 046135651304 | 2,904 | 22 | 5,000 | |
| | \$15 | | STRIP2A/022UNHD850/48U/WH/D (65181) | 046135651816 | 3,190 | 22 | 5,000 | |
| | \$15 | | STRIP2A/034UNHD835/48U/WH/D (65131) | 046135651311 | 4,580 | 34 | 3,500 | |
| | \$15 | | STRIP2A/034UNHD840/48U/WH/D (65132) | 046135651328 | 4,590 | 34 | 4,000 | |
| | \$15 | | STRIP2A/034UNHD850/48U/WH/D (65133) | 046135651335 | 4,658 | 34 | 5,000 | |
| | \$15 | | STRIP2A/044UNVD835/48U/WH/D (65134) | 046135651342 | 5,724 | 44 | 3,500 | |
| | \$15 | | STRIP2A/044UNVD835/48U/WH/DE (65191) | 046135651915 | 5,724 | 44 | 3,500 | |
| | \$15 | | STRIP2A/044UNVD840/48U/WH/D (65135) | 046135651359 | 5,764 | 44 | 4,000 | |
| | \$15 | | STRIP2A/044UNVD840/48U/WH/DE (65192) | 046135651922 | 5,764 | 44 | 4,000 | |
| | \$15 | | STRIP2A/044UNVD850/48U/WH/D (65136) | 046135651366 | 5,808 | 44 | 5,000 | |
| | \$15 | | STRIP2A/044UNVD850/48U/WH/DE (65193) | 046135651939 | 5,808 | 44 | 5,000 | |
| | \$15 | | WRAP2A/022UNVD8SC7/24U/WH/D (65603) | 046135656033 | 2,792 | 22 | 3,500 | |
| | \$15 | | WRAP2A/022UNVD8SC7/48U/WH/D (65604) | 046135656040 | 2,957 | 22 | 3,500 | |
| | \$15 | | WRAP2A/022UNVD8SC7/48U/WH/DE (65610) | | 2,957 | 22 | 3,500 | |
| | \$15 | | WRAP2A/068UNVD8SC7/48U/WH/D (65606) | 046135656064 | 8,731 | 68 | 3,500 | |
| | \$15 | | WRAP2A/068UNVD8SC7/48U/WH/DE (65612) | | 8,731 | 68 | 3,500 | |
| | \$15 | | WRAP2A/S044UNVD8SC7/48U/WH/D (65605) | 046135656057 | 6,063 | 44 | 3,500 | |
| | \$15 | | WRAP2A/S044UNVD8SC7/48U/WH/DE (65611) | 046135656118 | 6,063 | 44 | 3,500 | |
| | \$15 | | VAPOR3A/S025UNHD8SC7/24/GR/D (62488) | 046135624889 | 3,250 | 25 | 3,500 | Wattage & CCT selectable |
| | \$15 | | VAPOR3A/S050UNHD8SC7/48/GR/D (62489) | 046135624896 | 6,500 | 50 | 3,500 | Wattage & CCT selectable |
| | \$15 | | VAPOR3A/S050UNHD8SC7/48/GR/DE (62494) | 046135624940 | 6,500 | 50 | 3,500 | Wattage & CCT selectable |
| | \$15 | | STRIP1B/S020UNVD8SC7/24S/WH/D (62422) | 046135623516 | 2,324 | 20 | 3,500 | CCT & Wattage Selectable |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-----------------------------|---|------------------------------|-----------------------|------------------------|--------------|--|
| 89UAC | \$15 | LEDVANCE, LLC | STRIP1B/S040UNVD8SC7/48S/WH/D (62423) | 046135623523 | 4,672 | 40 | 3,500 | CCT & Wattage Selectable |
| | \$15 | | STRIP3A/S030UNHD8SC7/24/WH (63785)+MOTIONDAYSENSOR/MICRO/6M (63907) | 046135637858+046135639074 | 4,005 | 30 | 3,500 | Wattage & CCT selectable |
| | \$15 | | STRIP3A/S055UNHD8SC7/48/WH (63786)+MOTIONDAYSENSOR/MICRO/6M (63907) | 046135637865+046135639074 | 7,381 | 55 | 3,500 | Wattage & CCT selectable |
| | \$15 | | STRIP3A/S030UNHD8SC7/24/WH (63785)+ADAPTER/AUX12V/BLE (62630)+PINBRACKET/LS- | 046135637858+046135626302+04 | 4,005 | 30 | 3,500 | Must be connected to a LEDVANCE LINK Sensor to receive incentive. Wattage & CCT Sele |
| | \$15 | | STRIP3A/S055UNHD8SC7/48/WH (63786)+ADAPTER/AUX12V/BLE (62630)+PINBRACKET/LS- | 046135637865+046135626302+04 | 7,381 | 55 | 3,500 | Must be connected to a LEDVANCE LINK Sensor to receive incentive. Wattage & CCT Sele |
| | \$15 | | STRIP3A/S030UNHD8SC7/24/WH (63785)+SENSORHB/PIRAUX12V/BLE (62634)+PINBRACKET/ | 046135637858+046135626340+04 | 4,005 | 30 | 3,500 | Must be connected to a LEDVANCE LINK Sensor to receive incentive. Wattage & CCT Sele |
| | \$15 | | STRIP3A/S055UNHD8SC7/48/WH (63786)+SENSORHB/PIRAUX12V/BLE (62634)+PINBRACKET/ | 046135637865+046135626340+04 | 7,381 | 55 | 3,500 | Must be connected to a LEDVANCE LINK Sensor to receive incentive. Wattage & CCT Sele |
| | \$15 | | WRAP/HNG/S030UNHD8SC7/24WH/D (66261) | 046135662614 | 3,924 | 30 | 3,500 | Wattage & CCT selectable |
| | \$15 | | WRAP/HNG/S060UNHD8SC7/48WH/D (66262) | 046135662621 | 7,872 | 60 | 3,500 | Wattage & CCT selectable |
| | \$15 | | WRAP/HNG/S030UNHD8SC7/24WH (64117)+SENSORHB/PIRAUX12V/BLE (62634)+PINBRACI | 046135641176+046135626340+04 | 3,924 | 30 | 3,500 | Wattage & CCT selectable |
| | \$15 | | WRAP/HNG/S030UNHD8SC7/24WH (64117)+ADAPTER/AUX12V/BLE (62630)+PINBRACKET/L | 046135641176+046135626302+04 | 3,924 | 30 | 3,500 | Must be connected to a LEDVANCE LINK Sensor to receive incentive. Wattage & CCT Sele |
| | \$15 | | WRAP/HNG/S030UNHD8SC7/24WH (64117)+MOTIONDAYSENSOR/MICRO/6M (63907) | 046135641176+046135639074 | 3,924 | 30 | 3,500 | Wattage & CCT selectable |
| | \$15 | | WRAP/HNG/S060UNHD8SC7/48WH (64118)+SENSORHB/PIRAUX12V/BLE (62634)+PINBRACI | 046135641183+046135626340+04 | 7,872 | 60 | 3,500 | Wattage & CCT selectable |
| | \$15 | | WRAP/HNG/S060UNHD8SC7/48WH (64118)+ADAPTER/AUX12V/BLE (62630)+PINBRACKET/L | 046135641183+046135626302+04 | 7,872 | 60 | 3,500 | Must be connected to a LEDVANCE LINK Sensor to receive incentive. Wattage & CCT Sele |
| | \$15 | | WRAP/HNG/S060UNHD8SC7/48WH (64118)+MOTIONDAYSENSOR/MICRO/6M (63907) | 046135641183+046135639074 | 7,872 | 60 | 3,500 | Wattage & CCT selectable |
| | \$15 | | WRAP/FVL/S030UNHD8SC7/24WH/D (66238) | 046135662386 | 3,936 | 30 | 3,500 | Wattage & CCT selectable |
| | \$15 | | WRAP/FVL/S050UNHD8SC7/48WH/D (66239) | 046135662393 | 6,590 | 50 | 3,500 | Wattage & CCT selectable |
| | \$15 | | WRAP/FVL/S030UNHD8SC7/24WH (64115)+SENSORHB/PIRAUX12V/BLE (62634)+PINBRACK | 046135641152+046135626340+04 | 3,936 | 30 | 3,500 | Wattage & CCT selectable |
| | \$15 | | WRAP/FVL/S030UNHD8SC7/24WH (64115)+ADAPTER/AUX12V/BLE (62630)+PINBRACKET/L | 046135641152+046135626302+04 | 3,936 | 30 | 3,500 | Must be connected to a LEDVANCE LINK Sensor to receive incentive. Wattage & CCT Sele |
| | \$15 | | WRAP/FVL/S030UNHD8SC7/24WH (64115)+MOTIONDAYSENSOR/MICRO/6M (63907) | 046135641152+046135639074 | 3,936 | 30 | 3,500 | Wattage & CCT selectable |
| | \$15 | | WRAP/FVL/S050UNHD8SC7/48WH (64116)+SENSORHB/PIRAUX12V/BLE (62634)+PINBRACK | 046135641169+046135626340+04 | 6,590 | 50 | 3,500 | Wattage & CCT selectable |
| | \$15 | | WRAP/FVL/S050UNHD8SC7/48WH (64116)+ADAPTER/AUX12V/BLE (62630)+PINBRACKET/L | 046135641169+046135626302+04 | 6,590 | 50 | 3,500 | Must be connected to a LEDVANCE LINK Sensor to receive incentive. Wattage & CCT Sele |
| | \$15 | | WRAP/FVL/S050UNHD8SC7/48WH (64116)+MOTIONDAYSENSOR/MICRO/6M (63907) | 046135641169+046135639074 | 6,590 | 50 | 3,500 | Wattage & CCT selectable |
| | \$15 | | VAPOR/ILT/S025UNHD8SC7/24 (65905)+MOTIONDAYSENSOR/MICRO/6M (63907) | 046135659058+046135639074 | 3,283 | 25 | 3,500 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output |
| | \$15 | | VAPOR/ILT/S050UNHD8SC7/48 (65906)+MOTIONDAYSENSOR/MICRO/6M (63907) | 046135659065+046135639074 | 6,580 | 50 | 3,500 | CCT & Lumen/Wattage Selectable |
| | \$15 | MaxLite Inc. | LSU4U48WCSER+CN-RDMSW | 767627008801+767627007873 | 6,426 | 48 | 3,500 | CCT & Wattage Selectable. |
| | \$15 | | LSU4U48WCSER+NN-RDMSW | 767627008801+767627011979 | 6,426 | 48 | 3,500 | CCT & Wattage Selectable. |
| | \$15 | | LSV4U23WCSER+CN-RDMSW | 767627008276+767627007873 | 6,366 | 48 | 3,500 | CCT & Wattage Selectable. |
| | \$15 | | LSV4U23WCSER+NN-RDMSW | 767627008276+767627011979 | 6,366 | 48 | 3,500 | CCT & Wattage Selectable. |
| | \$15 | NICOR Inc. | LSCS14UN2 | | 5,132 | 39 | 3,500 | |
| | \$15 | RAB Lighting | STRP440-840U/MVS | 019813950082 | 5,667 | 38 | 4,000 | |
| | \$15 | | SR2/MVS | | 2,887 | 21 | 3,500 | CCT & Wattage Selectable |
| | \$15 | | SR4/MVS | | 5,976 | 43 | 3,500 | CCT & Wattage Selectable |
| | \$15 | | GUS17-2/MVS | | 2,906 | 25 | 3,500 | CCT & Wattage Selectable |
| | | | | | | | | CCT & Wattage Selectable. Motion sensor dip switch setting for Daylight Threshold |
| | \$15 | SATCO | 65/824R1 w/ Sensor | 045923650994 | 7,712 | 59 | 3,000 | should not be disabled in order to receive incentive. |
| | \$15 | Signify | NWL440L8CST-UNV-DIM-OCC | 190096130917 | 4,200 | 36 | 3,000 | CCT Selectable |
| | \$15 | Technical Consumer Products | EVT4UZDSW2CCTLS1D | | 4,200 | 32 | 3,500 | CCT & Lumen/Wattage Selectable. |
| | \$15 | | EVT4UZDSW4CCTLS1D | | 6,000 | 46 | 3,500 | CCT & Lumen/Wattage Selectable. |
| | \$15 | Topaz | LVT4-50PCS-MS | 032886300653 | 7,025 | 50 | 3,500 | Wattage & CCT selectable |
| | \$15 | | LVT4-50PCS-EMS | 032886300660 | 7,025 | 50 | 3,500 | Wattage & CCT selectable |
| 89UAP | \$15 | Acuity Brands Lighting | LBL4 LP835 | 190887819199 | 4,188 | 33 | 3,500 | |
| | \$15 | | LBL4 LP840 | 190887819359 | 4,253 | 33 | 4,000 | |
| | \$15 | | CLX L48 3000LM SEF RDL MVOLT GZ10 LUGR 35K 80CRI WH | | 2,736 | 18 | 3,500 | |
| | \$15 | | CLX L48 3000LM SEF RDL MVOLT GZ10 LUGR 40K 80CRI WH | | 2,815 | 18 | 4,000 | |
| | \$15 | | CLX L48 3000LM SEF RDL MVOLT GZ10 LUGR 50K 80CRI WH | | 2,807 | 18 | 5,000 | |
| | \$15 | | CLX L48 3000LM SEF FDL MVOLT GZ10 LUGR 35K 80CRI WH | | 2,690 | 18 | 3,500 | |
| | \$15 | | CLX L48 3000LM SEF FDL MVOLT GZ10 LUGR 40K 80CRI WH | | 2,768 | 18 | 4,000 | |
| | \$15 | | CLX L48 3000LM SEF FDL MVOLT GZ10 LUGR 50K 80CRI WH | | 2,760 | 18 | 5,000 | |
| | \$15 | | CLX L48 4000LM SEF RDL MVOLT GZ10 LUGR 35K 80CRI WH | | 3,680 | 25 | 3,500 | |
| | \$15 | | CLX L48 4000LM SEF RDL MVOLT GZ10 LUGR 40K 80CRI WH | | 3,787 | 25 | 4,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|------------------------------|---|--------------|-----------------------|------------------------|--------------|--------------------------------------|
| 89UAP | \$15 | Acuity Brands Lighting | CLX L48 4000LM SEF RDL MVOLT GZ10 LUGR 50K 80CRI WH | | 3,776 | | 25 | 5,000 |
| | \$15 | | CLX L48 4000LM SEF FDL MVOLT GZ10 LUGR 35K 80CRI WH | | 3,618 | | 25 | 3,500 |
| | \$15 | | CLX L48 4000LM SEF FDL MVOLT GZ10 LUGR 40K 80CRI WH | | 3,722 | | 25 | 4,000 |
| | \$15 | | CLX L48 4000LM SEF FDL MVOLT GZ10 LUGR 50K 80CRI WH | | 3,712 | | 25 | 5,000 |
| | \$15 | | CLX L48 5000LM SEF RDL MVOLT GZ10 LUGR 35K 80CRI WH | | 4,510 | | 31 | 3,500 |
| | \$15 | | CLX L48 5000LM SEF RDL MVOLT EZ1 LUGR 35K 80CRI WH | | 4,510 | | 31 | 3,500 |
| | \$15 | | CLX L48 5000LM SEF RDL MVOLT GZ10 LUGR 40K 80CRI WH | | 4,641 | | 31 | 4,000 |
| | \$15 | | CLX L48 5000LM SEF RDL MVOLT EZ1 LUGR 40K 80CRI WH | | 4,641 | | 31 | 4,000 |
| | \$15 | | CLX L48 5000LM SEF RDL MVOLT GZ10 LUGR 50K 80CRI WH | | 4,628 | | 31 | 5,000 |
| | \$15 | | CLX L48 5000LM SEF RDL MVOLT EZ1 LUGR 50K 80CRI WH | | 4,628 | | 31 | 5,000 |
| | \$15 | | CLX L48 5000LM SEF FDL MVOLT GZ10 LUGR 35K 80CRI WH | | 4,434 | | 31 | 3,500 |
| | \$15 | | CLX L48 5000LM SEF FDL MVOLT GZ10 LUGR 40K 80CRI WH | | 4,562 | | 31 | 4,000 |
| | \$15 | | CLX L48 5000LM SEF FDL MVOLT GZ10 LUGR 50K 80CRI WH | | 4,550 | | 31 | 5,000 |
| | \$15 | Barron Lighting Group | SLS-2-20-C | 190622144722 | 2,755 | | 20 | 3,500 |
| | \$15 | | SLS-4-40-C | 190622145002 | 5,375 | | 41 | 3,500 |
| | \$15 | | SLS-4-50-CP | 190622144746 | 6,378 | | 48 | 3,500 |
| | \$15 | Industrial Lighting Products | DSC4-2LHE-U-30-FFLGR | | 2,602 | | 16 | 3,000 |
| | \$15 | | DSC4-2LHE-U-35-FFLGR | | 2,646 | | 16 | 3,500 |
| | \$15 | | DSC4-2LHE-U-40-FFLGR | | 2,691 | | 16 | 4,000 |
| | \$15 | | DSC4-2LHE-U-50-FFLGR | | 2,780 | | 16 | 5,000 |
| | \$15 | | DSC4-3LHE-U-30-FFLGR | | 3,051 | | 20 | 3,000 |
| | \$15 | | DSC4-3LHE-U-35-FFLGR | | 3,103 | | 20 | 3,500 |
| | \$15 | | DSC4-3LHE-U-40-FFLGR | | 3,155 | | 20 | 4,000 |
| | \$15 | | DSC4-3LHE-U-50-FFLGR | | 3,260 | | 20 | 5,000 |
| 89UB | \$20 | Acuity Brands Lighting | CLX L96 10000LM SEF FDL MVOLT GZ10 40K 80CRI WH | 191723525922 | 9,880 | | 64 | 4,000 |
| | \$20 | | CLX L96 10000LM SEF FDL MVOLT GZ10 50K 80CRI WH | 191723525830 | 9,852 | | 64 | 5,000 |
| | \$20 | | CLX L96 10000LM SEF RDL MVOLT GZ10 40K 80CRI WH | 191723525953 | 10,040 | | 64 | 4,000 |
| | \$20 | | CLX L96 10000LM SEF RDL MVOLT GZ10 50K 80CRI WH | 191723525847 | 10,012 | | 64 | 5,000 |
| | \$20 | | CLX L96 14000LM SEF FDL MVOLT GZ10 40K 80CRI WH | 191723700480 | 14,311 | | 93 | 4,000 |
| | \$20 | | CLX L96 14000LM SEF FDL MVOLT GZ10 50K 80CRI WH | 191723795615 | 14,271 | | 93 | 5,000 |
| | \$20 | | CLX L96 14000LM SEF RDL MVOLT GZ10 40K 80CRI WH | 191723893793 | 14,544 | | 93 | 4,000 |
| | \$20 | | CLX L96 14000LM SEF RDL MVOLT GZ10 50K 80CRI WH | 191723862218 | 14,503 | | 93 | 5,000 |
| | \$20 | | CLX L96 6000LM SEF FDL MVOLT GZ10 40K 80CRI WH | 191723525861 | 5,971 | | 37 | 4,000 |
| | \$20 | | CLX L96 6000LM SEF FDL MVOLT GZ10 50K 80CRI WH | 191723525915 | 5,954 | | 37 | 5,000 |
| | \$20 | | CLX L96 6000LM SEF RDL MVOLT GZ10 40K 80CRI WH | 191723525878 | 6,068 | | 37 | 4,000 |
| | \$20 | | CLX L96 6000LM SEF RDL MVOLT GZ10 50K 80CRI WH | 191723525823 | 6,050 | | 37 | 5,000 |
| | \$20 | | CSS L96 ALO4 MVOLT SWW3 80CRI | | 10,510 | | 91 | 3,500 |
| | \$20 | | TZL1N L96 10000LM FST MVOLT 40K 80CRI | 190887791914 | 9,019 | | 68 | 4,000 |
| | \$20 | ASD Lighting Corp | ASD-LSF5-8A90AC-EM-PRM | 81005073028 | 12,357 | | 90 | 3,500 CCT & Wattage/Lumen Selectable |
| | \$20 | | ASD-LSF5-8A90AC-PRM | 81005073027 | 12,357 | | 90 | 3,500 CCT & Wattage/Lumen Selectable |
| | \$20 | | ASD-LSF7A-8A90 | 81012811309 | 11,970 | | 90 | 3,500 CCT & Wattage/Lumen Selectable |
| | \$20 | | ASD-LSF7A-8A90-EM | 81012811310 | 11,970 | | 90 | 3,500 CCT & Wattage/Lumen Selectable |
| | \$20 | | ASD-LVP2SM-8A120AC | 81005073552 | 13,800 | | 120 | 3,500 CCT & Wattage/Lumen Selectable |
| | \$20 | | ASD-LVP2SM-8A120AC-20EM | 81005073554 | 13,800 | | 120 | 3,500 CCT & Wattage/Lumen Selectable |
| | \$20 | Atlas Lighting Products | ORST88LL4K | 765364027284 | 8,450 | | 65 | 4,000 |
| | \$20 | Barron Lighting Group | VPA-8-80-C | | 10,336 | | 82 | 3,500 |
| | \$20 | Cooper Lighting Solutions | 8AWWS-L3C3-UNV | | 12,404 | | 88 | 3,500 CCT & Wattage Selectable |
| | \$20 | Current | ALV208T08T481DSQVQSTKQW1PK | | 7,742 | | 52 | 4,000 |
| | \$20 | | ALV208T08T581DSQVQSTKQW1PK | | 7,900 | | 52 | 5,000 |
| | \$20 | | LCL8-35HL-ED-U | | 12,473 | | 89 | 3,500 |
| | \$20 | | LCL8-40HL-ED-U | | 12,612 | | 89 | 4,000 |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|------------------------------|--|------------------------------|-----------------------|------------------------|--------------|--------------------------------|
| 89UB | \$20 | Current | NRL8-LSCS | 840141408415 | 7,950 | 69 | 3,500 | Lumen/Wattage & CCT Selectable |
| | \$20 | Elite Lighting Co. | 8-OEC-LED-14000L/16000L/18000L-DIM10-MVOLT-35K/40K/50K-85 | | 18,620 | 140 | 3,500 | CCT & Wattage Selectable |
| | \$20 | | 8-OEC-LED-6000L/8000L/10000L-DIM10-MVOLT-35K/40K/50K-85 | | 9,975 | 75 | 3,500 | CCT & Wattage Selectable |
| | \$20 | | 8-OWVS1-LED-8000L/10000L/12000L-DIM10-MVOLT-35K/40K/50K-85 | | 11,880 | 90 | 3,500 | |
| | \$20 | Green Ignite | GI-8VTF-CCT200T3-UL4 | | 13,072 | 106 | 3,500 | CCT Selectable |
| | \$20 | Halco Lighting Technologies | LVPT-8-WS-CS-U | 807154280926 | 12,195 | 90 | 3,500 | |
| | \$20 | | LS8/72U40 (10243) | 807154102433 | 9,648 | 72 | 4,000 | |
| | \$20 | | LS8/72U50 (10244) | 807154102440 | 9,792 | 72 | 5,000 | |
| | \$20 | | LS8-WS-CS-U (90242) | 807154902422 | 9,061 | 70 | 3,500 | CCT & Wattage Selectable |
| | \$20 | Industrial Lighting Products | FZ8-40W-U-35-FRAL | | 6,007 | 44 | 3,500 | |
| | \$20 | | FZ8-40W-U-40-FRAL | | 6,125 | 44 | 4,000 | |
| | \$20 | | FZ8-64W-U-35-FRAL | | 8,641 | 64 | 3,500 | |
| | \$20 | | FZ8-64W-U-40-FRAL | | 9,016 | 65 | 4,000 | |
| | \$20 | | FZ8-80W-U-35-FRAL | | 11,677 | 82 | 3,500 | |
| | \$20 | | FZ8-80W-U-40-FRAL | | 11,750 | 82 | 4,000 | |
| | \$20 | | FZ8-110W-U-35-FRAL | | 14,499 | 108 | 3,500 | |
| | \$20 | | FZ8-110W-U-40-FRAL | | 14,690 | 108 | 4,000 | |
| | \$20 | Keystone Technologies | KT-MSLED54-8-835-VDIM-P | 843654101668 | 7,290 | 54 | 3,500 | |
| | \$20 | | KT-MSLED54-8-840-VDIM-P | 843654101705 | 7,344 | 54 | 4,000 | |
| | \$20 | | KT-MSLED54-8-850-VDIM-P | 843654101712 | 7,398 | 54 | 5,000 | |
| | \$20 | | KT-VTLED90-8A-840-VDIM-P | 843654122236 | 11,520 | 90 | 4,000 | |
| | \$20 | | KT-VTLED90-8A-850-VDIM-P | 843654122243 | 11,700 | 90 | 5,000 | |
| | \$20 | | KT-VTLED54-8A-840-VDIM-P | 843654122212 | 6,910 | 54 | 4,000 | |
| | \$20 | | KT-VTLED54-8A-850-VDIM-P | 843654122229 | 7,020 | 54 | 5,000 | |
| | \$20 | | KT-MSLED90PS-8-8CSA-VDIM | 843654134499 | 11,880 | 90 | 3,500 | Wattage & CCT selectable |
| | \$20 | | KT-VTLED90PS-8A-8CSA-VDIM | 843654134475 | 11,790 | 90 | 3,500 | Wattage & CCT selectable |
| | \$20 | LEDVANCE, LLC | STRIP2A/044UNVD835/96U/WH (65218) | 046135652189 | 6,169 | 44 | 3,500 | |
| | \$20 | | STRIP2A/044UNVD835/96U/WH/E (65161) | 046135651618 | 6,169 | 44 | 3,500 | |
| | \$20 | | STRIP2A/044UNVD840/96U/WH (65219) | 046135652196 | 6,204 | 44 | 4,000 | |
| | \$20 | | STRIP2A/044UNVD840/96U/WH/E (65162) | 046135651625 | 6,204 | 44 | 4,000 | |
| | \$20 | | STRIP2A/044UNVD850/96U/WH (65220) | 046135652202 | 6,292 | 44 | 5,000 | |
| | \$20 | | STRIP2A/044UNVD850/96U/WH/E (65163) | 046135651632 | 6,292 | 44 | 5,000 | |
| | \$20 | | STRIP2A/068UNHD835/96U/WH (65224) | 046135652240 | 9,160 | 68 | 3,500 | |
| | \$20 | | STRIP2A/068UNHD840/96U/WH (65225) | 046135652257 | 9,180 | 68 | 4,000 | |
| | \$20 | | STRIP2A/068UNHD850/96U/WH (65226) | 046135652264 | 9,316 | 68 | 5,000 | |
| | \$20 | | STRIP2A/096UNVD835/96U/WH (65230) | 046135652301 | 12,787 | 96 | 3,500 | |
| | \$20 | | STRIP2A/096UNVD835/96U/WH/E (65173) | 046135651731 | 12,787 | 96 | 3,500 | |
| | \$20 | | STRIP2A/096UNVD840/96U/WH (65231) | 046135652318 | 12,960 | 96 | 4,000 | |
| | \$20 | | STRIP2A/096UNVD840/96U/WH/E (65174) | 046135651748 | 12,960 | 96 | 4,000 | |
| | \$20 | | STRIP2A/096UNVD850/96U/WH (65232) | 046135652325 | 13,056 | 96 | 5,000 | |
| | \$20 | | STRIP2A/096UNVD850/96U/WH/E (65175) | 046135651755 | 13,056 | 96 | 5,000 | |
| | \$20 | | VAPOR3A/S090UNHD8SC7/96/GR (65701) | 046135657016 | 11,700 | 90 | 3,500 | Wattage & CCT selectable |
| | \$20 | | VAPOR3A/S090UNHD8SC7/96/GR/E (62493) | 046135624933 | 11,700 | 90 | 3,500 | Wattage & CCT selectable |
| | \$20 | | STRIP1B/S080UNVD8SC7/96S/WH (62353) | 046135623530 | 9,376 | 80 | 3,500 | CCT & Wattage Selectable |
| | \$20 | | STRIP3A/S100UNHD8SC7/96/WH (63787) | 046135637872 | 13,440 | 100 | 3,500 | Wattage & CCT selectable |
| | \$20 | | STRIP3A/S030UNHD8SC7/24/WH (63785)+MOTIONDAYSSENSOR/PIR/6M/PIN (63908)+PINBR | 046135637872+046135639081+04 | 13,440 | 100 | 3,500 | Wattage & CCT selectable |
| | \$20 | | VAPOR/ILT/S100UNHD8SC7/96 (65907) | 046135659072 | 13,160 | 100 | 3,500 | CCT & Lumen/Wattage Selectable |
| | \$20 | Litetronics International | SFS8 | | 10,032 | 68 | 3,500 | CCT & Wattage Selectable |
| | \$20 | MaxLite Inc. | LS2-8U65WCSCR | 767627008528 | 12,446 | 95 | 3,500 | |
| | \$20 | | LSV8U90WCSCR | 767627009020 | 11,517 | 88 | 3,500 | CCT & Wattage Selectable. |
| | \$20 | | LSV8U65WCSCR | | 11,517 | 88 | 3,500 | CCT & Wattage Selectable. |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-----------------------------|--------------------------|--------------|-----------------------|------------------------|--------------|---------------------------------|
| 89UB | \$20 | MaxLite Inc. | LS3-8U65WCSCR (110526) | | 11,700 | 90 | 3,500 | CCT & Wattage Selectable |
| | \$20 | | LS3-8U65WCSCRTA (110997) | | 11,700 | 90 | 3,500 | CCT & Wattage Selectable |
| | \$20 | NICOR Inc. | LSCS18U | 767706170351 | 8,306 | 64 | 3,500 | Lumen and CCT Selectable |
| | \$20 | | LSCS18UM | | 8,306 | 64 | 3,500 | |
| | \$20 | P.Q.L. Inc. | VT3208HUNV40 | | 11,700 | 90 | 4,000 | |
| | \$20 | | VT3208HUNV50 | | 11,790 | 90 | 5,000 | |
| | \$20 | | 55467 | | 5,282 | 38 | 4,000 | |
| | \$20 | | 55470 | | 8,515 | 65 | 4,000 | |
| | \$20 | | 55471 | | 8,580 | 65 | 5,000 | |
| | \$20 | | 55608 | 811768029888 | 11,880 | 90 | 3,500 | Wattage & CCT selectable |
| | \$20 | | 55380 | 854432004408 | 9,750 | 75 | 4,000 | |
| | \$20 | | 55381 | 854432004453 | 9,825 | 75 | 5,000 | |
| | \$20 | RAB Lighting | SR8 | | 8,518 | 61 | 3,500 | CCT & Wattage Selectable |
| | \$20 | | TOMO-8 | | 10,988 | 94 | 3,000 | |
| | \$20 | SATCO | 65/703 | 045923667039 | 10,400 | 80 | 3,500 | CCT Selectable |
| | \$20 | Signify | FSI8110L835-UNV-DIM | | 10,948 | 82 | 3,500 | |
| | \$20 | | FSI8110L840-UNV-DIM | 784197245597 | 11,220 | 81 | 4,000 | |
| | \$20 | | FSS860L835-UNV-DIM | | 5,844 | 44 | 3,500 | |
| | \$20 | | FSS860L840-UNV-DIM | | 5,994 | 44 | 4,000 | |
| | \$20 | | FSS880L835-UNV-DIM | 784197270308 | 7,946 | 60 | 3,500 | |
| | \$20 | | FSS880L840-UNV-DIM | 784197245429 | 8,150 | 60 | 4,000 | |
| | \$20 | | FSS8110L835-UNV-DIM | | 10,754 | 82 | 3,500 | |
| | \$20 | | FSS8110L840-UNV-DIM | 784197245436 | 11,030 | 82 | 4,000 | |
| | \$20 | | FSSEZ880L830-UNV-DIM | | 7,800 | 62 | 3,000 | |
| | \$20 | | FSSEZ880L835-UNV-DIM | | 7,900 | 62 | 3,500 | |
| | \$20 | | FSSEZ880L840-UNV-DIM | 784197700188 | 8,260 | 62 | 4,000 | |
| | \$20 | | SDS84998L8CST-UNV-DIM | 190096131587 | 9,376 | 80 | 3,500 | CCT & Wattage Selectable |
| | \$20 | SLG | VTC 8 120 G1 35K | | 12,150 | 90 | 3,500 | |
| | \$20 | | VTC 8 120 G1 4K | | 12,240 | 90 | 4,000 | |
| | \$20 | | VTC 8 120 G1 5K | | 12,330 | 90 | 5,000 | |
| | \$20 | TCP | TCPGPS8UZDA835K | 762148077404 | 8,500 | 65 | 3,500 | |
| | \$20 | | TCPGPS8UZDA840K | 762148074618 | 8,500 | 65 | 4,000 | |
| | \$20 | | TCPGPS8UZDA850K | 762148074625 | 8,500 | 65 | 5,000 | |
| | \$20 | | TCPGPS8UZDA8CCT | 762148302216 | 8,500 | 65 | 3,500 | |
| | \$20 | | TCPGPS8UZDB835K | 762148237266 | 4,900 | 38 | 3,500 | |
| | \$20 | | TCPGPS8UZDB840K | 762148114246 | 4,900 | 38 | 4,000 | |
| | \$20 | | TCPGPS8UZDB850K | 762148114826 | 4,900 | 38 | 5,000 | |
| | \$20 | | TCPGPS8UZDE835K | 762148285243 | 10,400 | 80 | 3,500 | |
| | \$20 | | TCPGPS8UZDE840K | 762148285656 | 10,400 | 80 | 4,000 | |
| | \$20 | | TCPGPS8UZDE850K | 762148285649 | 10,400 | 80 | 5,000 | |
| | \$20 | | VTF8UZDA140K | | 8,450 | 65 | 4,000 | |
| | \$20 | | VTF8UZDA150K | | 8,450 | 65 | 5,000 | |
| | \$20 | | GPS8UZDSW4CCT | | 11,000 | 85 | 3,500 | CCT & Wattage Selectable |
| | \$20 | | VTF8UZDSW2CCT | | 6,000 | 46 | 5,000 | CCT & Wattage Selectable |
| | \$20 | Technical Consumer Products | EVT8UZDSW2CCT | | 6,000 | 46 | 3,500 | CCT & Lumen/Wattage Selectable. |
| | \$20 | | EVT8UZDSW5CCT | | 8,500 | 65 | 3,500 | CCT & Lumen/Wattage Selectable. |
| | \$20 | Topaz | F-L8/64W/CTS/D-87 | 751338036772 | 8,320 | 64 | 3,500 | |
| | \$20 | | LVT8-70PCS | 032886300677 | 9,493 | 67 | 3,500 | Wattage & CCT selectable |
| | \$20 | | LVT8-70PCS-EM | 032886300684 | 9,493 | 67 | 3,500 | Wattage & CCT selectable |
| | \$20 | | LS8-64-40K-D | 032886308253 | 9,232 | 63 | 4,000 | |
| | \$20 | | LS8-64-50K-D | 032886308260 | 9,378 | 63 | 5,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|------------------------|--|---------------------------|-----------------------|------------------------|--------------|--|
| 89UB | \$20 | WESTGATE MFG | LLVT-8FT-100W-40K-D-C | | 13,750 | 100 | 4,000 | |
| | \$20 | | LLVT-8FT-100W-50K-D-C | 845060032642 | 13,850 | 100 | 5,000 | |
| | \$20 | | LLVT-8FT-65W-40K-D-C | 845060032611 | 9,250 | 65 | 4,000 | |
| | \$20 | | LLVT-8FT-65W-50K-D-C | 845060032628 | 9,300 | 65 | 5,000 | |
| | \$20 | | LSS-8FT-65W-MCT | 845060045758 | 8,500 | 65 | 3,500 | CCT Selectable |
| | \$20 | | LLVT-8FT-100W-35K-D-C | | 13,700 | 100 | 3,500 | |
| | \$20 | | LLVT-8FT-65W-35K-D-C | | 9,200 | 65 | 3,500 | |
| | \$20 | | LSN-8FT-64W-40K-D | | 8,656 | 62 | 4,000 | |
| | \$20 | | | 845060085266 | 8,656 | 62 | 4,000 | |
| | \$20 | | LSN-8FT-64W-35K-D | | 8,617 | 62 | 3,500 | |
| | \$20 | | LSN-8FT-50W-MCTP-D | 845060085280 | 6,930 | 48 | 3,500 | CCT & Wattage Selectable |
| | \$20 | | LSL-6FT-60W-MCT-D | 845060052008 | 6,900 | 60 | 3,500 | CCT & Wattage Selectable |
| | \$20 | | LSL-8FT-84W-35K-D-HL | | 11,000 | 84 | 3,500 | |
| | \$20 | | LSL-8FT-84W-40K-D-HL | 845060052411 | 11,000 | 84 | 4,000 | |
| | \$20 | | LSL-8FT-84W-50K-D-HL | 845060052428 | 11,000 | 84 | 5,000 | |
| | \$20 | | LSL-8FT-84W-MCT-D-HL | 845060052022 | 11,000 | 84 | 3,500 | CCT Selectable |
| | \$20 | | LSL-8FT-80W-35K-D-A | | 9,200 | 80 | 3,500 | |
| | \$20 | | LSL-8FT-80W-40K-D-A | 845060052084 | 9,200 | 80 | 4,000 | |
| | \$20 | | LSL-8FT-80W-50K-D-A | 845060052091 | 9,200 | 80 | 5,000 | |
| | \$20 | | LSL-8FT-80W-35K-D | | 9,200 | 80 | 3,500 | |
| | \$20 | | LSL-8FT-80W-40K-D | 845060052466 | 9,200 | 80 | 4,000 | |
| | \$20 | | LSL-8FT-80W-50K-D | 845060052473 | 9,200 | 80 | 5,000 | |
| | \$20 | | LSL-8FT-80W-MCT-D | 845060052015 | 9,200 | 80 | 3,500 | CCT Selectable |
| | \$20 | | LSS-8FT-90W-MCTP | 845060073720 | 12,500 | 90 | 3,500 | CCT & Wattage Selectable |
| | \$20 | | SCX-8FT-80W-MCT4-D | 845060056846 | 9,263 | 82 | 3,000 | CCT Selectable |
| | \$20 | | SCX-6FT-60W-MCT4-D | 845060056839 | 7,460 | 62 | 3,000 | CCT Selectable |
| | \$20 | | SCE-6FT-50W-MCTP-D | 845060086898 | 5,750 | 50 | 3,500 | CCT & Wattage Selectable |
| | \$20 | | LSN-8FT-80W-MCTP-D | 845060085297 | 10,611 | 81 | 3,500 | CCT & Wattage Selectable |
| | \$20 | | LSN-8FT-64W-50K-D | 845060085273 | 8,733 | 62 | 5,000 | |
| 89UBC | \$30 | Acuity Brands Lighting | CLX L96 10000LM SEF FDL MVOLT GZ10 40K 80CRI WH LSXR | | 9,880 | 64 | 4,000 | LSXR must be configured with either P, ADC, or ANL occ. & photocell control. |
| | \$30 | | CLX L96 10000LM SEF FDL MVOLT GZ10 40K 80CRI MSD7 WH | 193048249910 | 9,880 | 64 | 4,000 | After 12/31/22 measure code will change to 86UAC. Premium under 5.0 |
| | \$30 | Barron Lighting Group | VPA-8-80-C-SC | 190622144142 | 10,336 | 82 | 3,500 | |
| | \$30 | Keystone Technologies | KT-MSLED90PS-8-8CSA-VDIM/FC2 | 843654134499+843654135236 | 11,880 | 90 | 3,500 | Wattage & CCT selectable |
| | \$30 | LEDVANCE, LLC | STRIP2A/044UNVD835/96U/WH/D (65137) | 046135651373 | 6,169 | 44 | 3,500 | |
| | \$30 | | STRIP2A/044UNVD835/96U/WH/DE (65194) | 046135651946 | 6,169 | 44 | 3,500 | |
| | \$30 | | STRIP2A/044UNVD840/96U/WH/D (65138) | 046135651380 | 6,204 | 44 | 4,000 | |
| | \$30 | | STRIP2A/044UNVD840/96U/WH/DE (65195) | 046135651953 | 6,204 | 44 | 4,000 | |
| | \$30 | | STRIP2A/044UNVD850/96U/WH/D (65139) | 046135651397 | 6,292 | 44 | 5,000 | |
| | \$30 | | STRIP2A/044UNVD850/96U/WH/DE (65196) | 046135651960 | 6,292 | 44 | 5,000 | |
| | \$30 | | STRIP2A/068UNHD835/96U/WH/D (65143) | 046135651434 | 9,160 | 68 | 3,500 | |
| | \$30 | | STRIP2A/068UNHD840/96U/WH/D (65144) | 046135651441 | 9,180 | 68 | 4,000 | |
| | \$30 | | STRIP2A/068UNHD850/96U/WH/D (65145) | 046135651458 | 9,316 | 68 | 5,000 | |
| | \$30 | | STRIP2A/096UNVD835/96U/WH/D (65149) | 046135651496 | 12,787 | 96 | 3,500 | |
| | \$30 | | STRIP2A/096UNVD835/96U/WH/DE (65206) | 046135652066 | 12,787 | 96 | 3,500 | |
| | \$30 | | STRIP2A/096UNVD840/96U/WH/D (65150) | 046135651502 | 12,960 | 96 | 4,000 | |
| | \$30 | | STRIP2A/096UNVD840/96U/WH/DE (65207) | 046135652073 | 12,960 | 96 | 4,000 | |
| | \$30 | | STRIP2A/096UNVD850/96U/WH/D (65151) | 046135651519 | 13,056 | 96 | 5,000 | |
| | \$30 | | STRIP2A/096UNVD850/96U/WH/DE (65208) | 046135652080 | 13,056 | 96 | 5,000 | |
| | \$30 | | VAPOR3A/S090UNHD8SC7/96/GR/D (62490) | 046135624902 | 11,700 | 90 | 3,500 | Wattage & CCT selectable |
| | \$30 | | VAPOR3A/S090UNHD8SC7/96/GR/DE (62495) | 046135624957 | 11,700 | 90 | 3,500 | Wattage & CCT selectable |
| | \$30 | | STRIP1B/S080UNVD8SC7/96S/WH/D (62424) | 046135623530 | 9,376 | 80 | 3,500 | CCT & Wattage Selectable |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------------|-----------|-----------------------------|--|------------------------------|-----------------------|------------------------|--------------|--|
| 89UBC | \$30 | LEDVANCE, LLC | STRIP3A/S100UNHD8SC7/96/WH (63787)+MOTIONDAYSENSOR/MICRO/6M (63907) | 046135637872+046135639074 | 13,440 | 100 | 3,500 | Wattage & CCT selectable |
| | \$30 | | STRIP3A/S100UNHD8SC7/96/WH (63787)+ADAPTER/AUX12V/BLE (62630)+PINBRACKET/LS | 046135637872+046135626302+04 | 13,440 | 100 | 3,500 | Must be connected to a LEDVANCE LINK Sensor to receive incentive. Wattage & CCT Sele |
| | \$30 | | STRIP3A/S100UNHD8SC7/96/WH (63787)+SENSORHB/PIRAUX12V/BLE (62634)+PINBRACKET | 046135637872+046135626340+04 | 13,440 | 100 | 3,500 | Must be connected to a LEDVANCE LINK Sensor to receive incentive. Wattage & CCT Sele |
| | \$30 | | VAPOR/ILT/S100UNHD8SC7/96 (65907)+MOTIONDAYSENSOR/MICRO/6M (63907) | 046135659072+046135639074 | 13,160 | 100 | 3,500 | CCT & Lumen/Wattage Selectable |
| | \$30 | NICOR Inc. | LSCS18UN2 | | 8,306 | 64 | 3,500 | |
| | \$30 | RAB Lighting | SR8/MVS | | 8,518 | 61 | 3,500 | CCT & Wattage Selectable |
| | \$30 | Technical Consumer Products | EVT8UZDSW2CCTLS1D | | 6,000 | 46 | 3,500 | CCT & Lumen/Wattage Selectable. |
| | \$30 | | EVT8UZDSW5CCTLS1D | | 8,500 | 65 | 3,500 | CCT & Lumen/Wattage Selectable. |
| 89UBP | \$30 | Topaz | LVT8-70PCS-MS | 032886300691 | 9,493 | 67 | 3,500 | Wattage & CCT selectable |
| | \$30 | Barron Lighting Group | SLS-8-64-C | 190622144784 | 8,121 | 62 | 3,500 | |
| | \$30 | | SLS-8-64-C-SC | 190622144814 | 8,832 | 64 | 3,500 | |
| | \$30 | SATCO | 65/702 | 045923655708 | 6,694 | 49 | 3,500 | |
| 93UP | \$50 | LEDVANCE, LLC | WRAP/HNG/S030UNHD8SC7/24WH (64117)+SENSORHB/PIRAUX12V/BLE (62634)+PINBRACI | 046135641176+046135626340+04 | 3,924 | 30 | 3,500 | Wattage & CCT selectable |
| | \$50 | | WRAP/HNG/S030UNHD8SC7/24WH (64117)+ADAPTER/AUX12V/BLE (62630)+PINBRACKET/L | 046135641176+046135626302+04 | 3,924 | 30 | 3,500 | Must be connected to a LEDVANCE LINK Sensor to receive incentive. Wattage & CCT Sele |
| | \$50 | | WRAP/HNG/S030UNHD8SC7/24WH (64117)+MOTIONDAYSENSOR/MICRO/6M (63907) | 046135641176+046135639074 | 3,924 | 30 | 3,500 | Wattage & CCT selectable |
| | \$50 | | WRAP/HNG/S060UNHD8SC7/48WH (64118)+SENSORHB/PIRAUX12V/BLE (62634)+PINBRACI | 046135641183+046135626340+04 | 7,872 | 60 | 3,500 | Wattage & CCT selectable |
| | \$50 | | WRAP/HNG/S060UNHD8SC7/48WH (64118)+ADAPTER/AUX12V/BLE (62630)+PINBRACKET/L | 046135641183+046135626302+04 | 7,872 | 60 | 3,500 | Must be connected to a LEDVANCE LINK Sensor to receive incentive. Wattage & CCT Sele |
| | \$50 | | WRAP/HNG/S060UNHD8SC7/48WH (64118)+MOTIONDAYSENSOR/MICRO/6M (63907) | 046135641183+046135639074 | 7,872 | 60 | 3,500 | Wattage & CCT selectable |
| | \$50 | | WRAP/FVL/S030UNHD8SC7/24WH (64115)+SENSORHB/PIRAUX12V/BLE (62634)+PINBRACK | 046135641152+046135626340+04 | 3,936 | 30 | 3,500 | Wattage & CCT selectable |
| | \$50 | | WRAP/FVL/S030UNHD8SC7/24WH (64115)+ADAPTER/AUX12V/BLE (62630)+PINBRACKET/LS | 046135641152+046135626302+04 | 3,936 | 30 | 3,500 | Must be connected to a LEDVANCE LINK Sensor to receive incentive. Wattage & CCT Sele |
| | \$50 | | WRAP/FVL/S030UNHD8SC7/24WH (64115)+MOTIONDAYSENSOR/MICRO/6M (63907) | 046135641152+046135639074 | 3,936 | 30 | 3,500 | Wattage & CCT selectable |
| | \$50 | | WRAP/FVL/S050UNHD8SC7/48WH (64116)+SENSORHB/PIRAUX12V/BLE (62634)+PINBRACK | 046135641169+046135626340+04 | 6,590 | 50 | 3,500 | Wattage & CCT selectable |
| | \$50 | | WRAP/FVL/S050UNHD8SC7/48WH (64116)+ADAPTER/AUX12V/BLE (62630)+PINBRACKET/LS | 046135641169+046135626302+04 | 6,590 | 50 | 3,500 | Must be connected to a LEDVANCE LINK Sensor to receive incentive. Wattage & CCT Sele |
| | \$50 | | WRAP/FVL/S050UNHD8SC7/48WH (64116)+MOTIONDAYSENSOR/MICRO/6M (63907) | 046135641169+046135639074 | 6,590 | 50 | 3,500 | Wattage & CCT selectable |
| Downlight Recessed | | | | | | | | |
| 80UA | \$5 | ASD Lighting Corp | ASD-CDL7-4DA13AC | 810050736121 | 1,050 | 13 | 2700K,4000/ | Lumen/Wattage & CCT Selectable |
| | \$5 | | ASD-CDL7-6DA22AC | 810050736022 | 1,850 | 22 | 2700K,4000/ | Lumen/Wattage & CCT Selectable |
| | \$5 | | ASD-CDL7-6DA22AC-BK | 810050739443 | 1,850 | 22 | 2700K,4000/ | Lumen/Wattage & CCT Selectable |
| | \$5 | | ASD-CDL7-8DA30AC | 810050736039 | 2,400 | 30 | 2700K,4000/ | Lumen/Wattage & CCT Selectable |
| | \$5 | | ASD-CDL7-8DA30AC-BK | 810050739450 | 2,400 | 30 | 2700K,4000/ | Lumen/Wattage & CCT Selectable |
| | \$5 | | ASD-CDL7-10DA40AC | 810050736046 | 3,000 | 40 | 2700K,4000/ | Lumen/Wattage & CCT Selectable |
| | \$5 | | ASD-CDL7-10DA40AC-BK | 810050736046 | 3,000 | 40 | 2700K,4000/ | Lumen/Wattage & CCT Selectable |
| | \$5 | | ASD-CDL7-6DA30AC | 810050739825 | 2,487 | 30 | 2700K,4000/ | Wattage/Lumen Selectable. |
| | \$5 | Barron Lighting Group | FPR4-6L-KFS | | 580 | 9 | 2700K,4000/ | CCT Selectable |
| | \$5 | | FPR6-10L-KFS | | 1,080 | 15 | 2700K,4000/ | CCT Selectable |
| | \$5 | | CDR4-1L-LKFS-WHT | 190622075828 | 950 | 12 | 2700K,4000/ | CCT & Wattage/Lumen Selectable |
| | \$5 | | CDR4-1L-LKFS-SW | | 970 | 12 | 2700K,4000/ | CCT & Wattage/Lumen Selectable |
| | \$5 | | CDR6-2L-LKFS-WHT | | 1,790 | 22 | 2700K,4000/ | CCT & Wattage/Lumen Selectable |
| | \$5 | | CDR6-2L-LKFS-SW | | 1,500 | 19 | 2700K,4000/ | CCT & Wattage/Lumen Selectable |
| | \$5 | | CDR8-5L-LKFS-WHT | 190622075316 | 4,365 | 52 | 2700K,4000/ | CCT & Wattage/Lumen Selectable |
| | \$5 | Cooper Lighting Solutions | HC620D010-HM60525840-61MDW | | 1,883 | 20 | 2700K | |
| | \$5 | | RA4LS9FSD2W1EWHDM | 80083283019 | 920 | 9 | 2700K,4000/ | Lumen/Wattage & CCT Selectable. |
| | \$5 | | RA6LS9FSD2W1EWHDM | 80083283033 | 950 | 10 | 2700K,4000/ | Lumen/Wattage & CCT Selectable. |
| | \$5 | | HLA406FL9FS1EMWR | | 650 | 11 | 5000K | CCT Selectable |
| | \$5 | | HLA4S06FL9FS1EMWR | | 650 | 11 | 5000K | CCT Selectable |
| | \$5 | Current | LBRP-M-LSHL27K9 / LBRP-8RD-T-D | 840141407586 | 4,505 | 55 | 2700K | Lumen/Wattage Selectable |
| | \$5 | | LBRP-M-LSHL27K9 / LBRP-8RD-T-DWT | 840141412153 | 4,505 | 55 | 2700K | Lumen/Wattage Selectable |
| | \$5 | | LBRP-M-LSHL27K9 / LBRP-8RD-T-WC | 840141413235 | 4,505 | 55 | 2700K | Lumen/Wattage Selectable |
| | \$5 | | LBRP-M-LSHL30K9 / LBRP-8RD-T-D | 840141407593 | 4,505 | 55 | 3000K | Lumen/Wattage Selectable |
| | \$5 | | LBRP-M-LSHL30K9 / LBRP-8RD-T-DWT | 840141412160 | 4,505 | 55 | 3000K | Lumen/Wattage Selectable |
| | \$5 | | LBRP-M-LSHL30K9 / LBRP-8RD-T-WC | 840141413242 | 4,505 | 55 | 3000K | Lumen/Wattage Selectable |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|--------------|---|--------------|-----------------------|------------------------|----------------|--------------------------------|
| 80UA | \$5 | Current | LBRP-M-LSHL35K9 / LBRP-8RD-T-D | 840141407609 | 4,505 | | 55 3500K | Lumen/Wattage Selectable |
| | \$5 | | LBRP-M-LSHL35K9 / LBRP-8RD-T-DWT | 840141412177 | 4,505 | | 55 3500K | Lumen/Wattage Selectable |
| | \$5 | | LBRP-M-LSHL35K9 / LBRP-8RD-T-WC | 840141413259 | 4,505 | | 55 3500K | Lumen/Wattage Selectable |
| | \$5 | | LBRP-M-LSHL40K9 / LBRP-8RD-T-D | 840141407616 | 4,505 | | 55 4000/4100K | Lumen/Wattage Selectable |
| | \$5 | | LBRP-M-LSHL40K9 / LBRP-8RD-T-DWT | 840141412948 | 4,505 | | 55 4000/4100K | Lumen/Wattage Selectable |
| | \$5 | | LBRP-M-LSHL40K9 / LBRP-8RD-T-WC | 840141413266 | 4,505 | | 55 4000/4100K | Lumen/Wattage Selectable |
| | \$5 | | LBRP-M-LSHL50K9 / LBRP-8RD-T-D | 840141407623 | 4,505 | | 55 5000K | Lumen/Wattage Selectable |
| | \$5 | | LBRP-M-LSHL50K9 / LBRP-8RD-T-DWT | 840141412955 | 4,505 | | 55 5000K | Lumen/Wattage Selectable |
| | \$5 | | LBRP-M-LSHL50K9 / LBRP-8RD-T-WC | 840141413273 | 4,505 | | 55 5000K | Lumen/Wattage Selectable |
| | \$5 | | LBRP-M-LSMLCS9 / LBRP-10RD-T-D | 840141407579 | 1,995 | | 30 2700K,4000/ | Lumen/Wattage & CCT Selectable |
| | \$5 | | LBRP-M-LSMLCS9 / LBRP-4SQ-T-D | 840141412146 | 1,684 | | 30 2700K,4000/ | Lumen/Wattage & CCT Selectable |
| | \$5 | | LBRP-M-LSSLC9 / LBRP-10RD-T-D | 840141407562 | 1,425 | | 20 2700K,4000/ | Lumen/Wattage & CCT Selectable |
| | \$5 | | LBRP-M-LSSLC9 / LBRP-4SQ-T-D | 840141412139 | 1,251 | | 20 2700K,4000/ | Lumen/Wattage & CCT Selectable |
| | \$5 | | LBRST-4RD-M-LSSLCWCS9-WH | 840141409009 | 1,050 | | 14 4000/4100K, | Lumen/Wattage & CCT Selectable |
| | \$5 | | LBRST-4RD-M-LSSLWWCS9-WH | 840141407708 | 950 | | 14 2700K,3000K | Lumen/Wattage & CCT Selectable |
| | \$5 | | LBRST-6RD-M-LSSLCWCS9-WH | 840141409016 | 1,700 | | 22 4000/4100K, | Lumen/Wattage & CCT Selectable |
| | \$5 | | LBRST-6RD-M-LSSLWWCS9-WH | 840141407715 | 1,550 | | 22 2700K,3000K | Lumen/Wattage & CCT Selectable |
| | \$5 | | LBRST-8RD-M-30LCWCS9-WH | 840141409023 | 2,950 | | 37 4000/4100K, | Lumen/Wattage & CCT Selectable |
| | \$5 | | LBRST-8RD-M-30LWWCS9-WH | 840141407722 | 2,700 | | 37 2700K,3000K | Lumen/Wattage & CCT Selectable |
| | \$5 | | LFR-4RD-M-10L30K8-MD-DM1 / LFR-4RD-T-S | 840141406718 | 733 | | 8 3000K | |
| | \$5 | | LFR-4RD-M-10L35K8-MD-DM1 / LFR-4RD-T-S | 840141406749 | 733 | | 8 3500K | |
| | \$5 | | LFR-4RD-M-10L40K8-MD-DM1 / LFR-4RD-T-S | 840141406770 | 733 | | 8 4000/4100K | |
| | \$5 | | LFR-4RD-M-15L30K8-MD-DM1 / LFR-4RD-T-S | | 1,088 | | 12 3000K | |
| | \$5 | | LFR-4RD-M-15L35K8-MD-DM1 / LFR-4RD-T-S | 840141406756 | 1,088 | | 12 3500K | |
| | \$5 | | LFR-4RD-M-15L40K8-MD-DM1 / LFR-4RD-T-S | 840141406787 | 1,088 | | 12 4000/4100K | |
| | \$5 | | LFR-4RD-M-20L30K8-MD-DM1 / LFR-4RD-T-S | 840141406732 | 1,372 | | 15 3000K | |
| | \$5 | | LFR-4RD-M-20L35K8-MD-DM1 / LFR-4RD-T-S | 840141406763 | 1,372 | | 15 3500K | |
| | \$5 | | LFR-4RD-M-20L40K8-MD-DM1 / LFR-4RD-T-S | 840141406794 | 1,372 | | 15 4000/4100K | |
| | \$5 | | LFR-6RD-M-10L30K8-MD-DM1 / LFR-6RD-T-S | | 711 | | 7 3000K | |
| | \$5 | | LFR-6RD-M-10L35K8-MD-DM1 / LFR-6RD-T-S | | 711 | | 7 3500K | |
| | \$5 | | LFR-6RD-M-10L40K8-MD-DM1 / LFR-6RD-T-S | | 711 | | 7 4000/4100K | |
| | \$5 | | LFR-6RD-M-15L30K8-MD-DM1 / LFR-6RD-T-S | | 1,081 | | 12 3000K | |
| | \$5 | | LFR-6RD-M-15L35K8-MD-DM1 / LFR-6RD-T-S | | 1,081 | | 12 3500K | |
| | \$5 | | LFR-6RD-M-15L40K8-MD-DM1 / LFR-6RD-T-S | | 1,081 | | 12 4000/4100K | |
| | \$5 | | LFR-6RD-M-20L30K8-MD-DM1 / LFR-6RD-T-S | | 1,365 | | 14 3000K | |
| | \$5 | | LFR-6RD-M-20L35K8-MD-DM1 / LFR-6RD-T-S | | 1,365 | | 14 3500K | |
| | \$5 | | LFR-6RD-M-20L40K8-MD-DM1 / LFR-6RD-T-S | | 1,365 | | 14 4000/4100K | |
| | \$5 | | LFR-4RDS-M-10L27K8-MD-DM1 / LFR-4RDS-T-S | 840141405919 | 714 | | 8 2700K | |
| | \$5 | | LFR-4RDS-M-10L27K8-MD-DM1 / LFR-4RDS-T-SS | 840141405926 | 714 | | 8 2700K | |
| | \$5 | | LFR-4RDS-M-10L30K8-MD-DM1 / LFR-4RDS-T-S | | 714 | | 8 3000K | |
| | \$5 | | LFR-4RDS-M-10L35K8-MD-DM1 / LFR-4RDS-T-S | | 714 | | 8 3500K | |
| | \$5 | | LFR-4RDS-M-10L40K8-MD-DM1 / LFR-4RDS-T-S | | 714 | | 8 4000/4100K | |
| | \$5 | | LFR-4RDS-M-15L30K8-MD-DM1 / LFR-4RDS-T-S | | 1,082 | | 12 3000K | |
| | \$5 | | LFR-4RDS-M-15L35K8-MD-DM1 / LFR-4RDS-T-S | | 1,082 | | 12 3500K | |
| | \$5 | | LFR-4RDS-M-15L40K8-MD-DM1 / LFR-4RDS-T-S | | 1,082 | | 12 4000/4100K | |
| | \$5 | | LFR-4RDS-M-20L30K8-MD-DM1 / LFR-4RDS-T-S | | 1,404 | | 16 3000K | |
| | \$5 | | LFR-4RDS-M-20L35K8-MD-DM1 / LFR-4RDS-T-S | | 1,404 | | 16 3500K | |
| | \$5 | | LFR-4RDS-M-20L40K8-MD-DM1 / LFR-4RDS-T-S | | 1,404 | | 16 4000/4100K | |
| | \$5 | | LFR-6RDS-M-10L35K8-MD-DM1 / LFR-6RDS-T-S | 840141406923 | 714 | | 8 3500K | |
| | \$5 | | LFR-6RDS-M-10L40K8-MD-DM1 / LFR-6RDS-T-S | 840141406954 | 714 | | 8 4000/4100K | |
| | \$5 | | LFR-6RDS-M-15L35K8-MD-DM1 / LFR-6RDS-T-S | | 1,082 | | 12 3500K | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|--------------|--|--------------|-----------------------|------------------------|--------------|--------------------------|
| 80UA | \$5 | Current | LFR-6RDS-M-15L40K8-MD-DM1 / LFR-6RDS-T-S | | 1,082 | 12 | 4000/4100K | |
| | \$5 | | LFR-6RDS-M-20L35K8-MD-DM1 / LFR-6RDS-T-S | | 1,404 | 16 | 3500K | |
| | \$5 | | LFR-6RDS-M-20L40K8-MD-DM1 / LFR-6RDS-T-S | | 1,404 | 16 | 4000/4100K | |
| | \$5 | | LTR-3RD-RH-SL06LDM1 + LTR-3RD-T-SL35K8WDSS | 785235432948 | 645 | 7 | 3500K | |
| | \$5 | | LTR-3RD-RH-SL10LDM1 + LTR-3RD-T-SL35K8WDSS | 785235432955 | 1,001 | 12 | 3500K | |
| | \$5 | | LTR-3RD-RH-SL15LDM1 + LTR-3RD-T-SL35K8WDSS | 785235432962 | 1,551 | 18 | 3500K | |
| | \$5 | | LTR-3RD-RH-ML20LDM1 + LTR-3RD-T-ML35K8WDSS | 840141402055 | 1,985 | 25 | 3500K | |
| | \$5 | | LTR-3SQD-RH-SL06LDM1 + LTR-3SQD-T-SL35K8WDSS | 840141402536 | 645 | 7 | 3500K | |
| | \$5 | | LTR-3SQD-RH-SL10LDM1 + LTR-3SQD-T-SL35K8WDSS | | 1,001 | 12 | 3500K | |
| | \$5 | | LTR-3SQD-RH-SL15LDM1 + LTR-3SQD-T-SL35K8WDSS | | 1,552 | 18 | 3500K | |
| | \$5 | | LTR-3SQD-RH-ML20LDM1 + LTR-3SQD-T-ML35K8WDSS | 840141402550 | 1,941 | 24 | 3500K | |
| | \$5 | | LTR-4RD-H-SL10LDM1 + LTR-4RD-T-SL35K8WDSS | 785235433037 | 994 | 12 | 3500K | |
| | \$5 | | LTR-4RD-H-SL15LDM1 + LTR-4RD-T-SL35K8WDSS | 785235433044 | 1,489 | 18 | 3500K | |
| | \$5 | | LTR-4RD-H-ML20LDM1 + LTR-4RD-T-ML35K8WDSS | 785235433013 | 2,059 | 23 | 3500K | |
| | \$5 | | LTR-4RD-H-ML30LDM1 + LTR-4RD-T-ML35K8WDSS | 785235433020 | 2,976 | 34 | 3500K | |
| | \$5 | | LTR-4RD-H-HL40LDM1 + LTR-4RD-T-HL35K8WDSS | 785235432986 | 3,884 | 51 | 3500K | |
| | \$5 | | LTR-4RD-H-SL10LDM1 + LTR-4RW-T-SL35K8WWSS | 785235433617 | 994 | 12 | 3500K | |
| | \$5 | | LTR-4SQ-H-ML20LDM1 + LTR-4SQD-T-ML35K8WDSS | 785235433396 | 1,989 | 23 | 3500K | |
| | \$5 | | LTR-4SQ-H-ML30LDM1 + LTR-4SQD-T-ML35K8WDSS | | 2,976 | 34 | 3500K | |
| | \$5 | | LTR-4SQ-H-HL40LDM1 + LTR-4SQD-T-HL35K8WDSSWT | | 3,884 | 51 | 3500K | |
| | \$5 | | LTR-6RD-H-SL10LDM1 + LTR-6RD-T-SL35K8WDSS | 785235433150 | 1,053 | 12 | 3500K | |
| | \$5 | | LTR-6RD-H-SL15LDM1 + LTR-6RD-T-SL35K8WDSS | 785235433167 | 1,525 | 18 | 3500K | |
| | \$5 | | LTR-6RD-H-ML20LDM1 + LTR-6RD-T-ML35K8WDSS | 785235433174 | 2,180 | 23 | 3500K | |
| | \$5 | | LTR-6RD-H-ML30LDM1 + LTR-6RD-T-ML35K8WDSS | 785235433136 | 2,203 | 22 | 3500K | |
| | \$5 | | LTR-6RD-H-HL40LDM1 +LTR-6RD-T-HL35K8WDSS | 785235433143 | 4,483 | 52 | 3500K | |
| | \$5 | | LTR-6RD-H-ML20LDM1 + LTR-6RW-T-ML35K8WWSS | 785235433648 | 2,211 | 23 | 3500K | |
| | \$5 | | LRXR410830MD | | 1,000 | 13 | 2700K | Lumen/Wattage Selectable |
| | \$5 | | LRXR410835MD | | 1,000 | 13 | 2700K | Lumen/Wattage Selectable |
| | \$5 | | LRXR410840MD | | 1,000 | 13 | 2700K | Lumen/Wattage Selectable |
| | \$5 | | LRXS410830MD | | 1,000 | 13 | 2700K | Lumen/Wattage Selectable |
| | \$5 | | LRXS41035MD | | 1,000 | 13 | 2700K | Lumen/Wattage Selectable |
| | \$5 | | LRXS410840MD | | 1,000 | 13 | 2700K | Lumen/Wattage Selectable |
| | \$5 | | LRXR610830MD | | 1,000 | 13 | 2700K | Lumen/Wattage Selectable |
| | \$5 | | LRXR610835MD | | 1,000 | 13 | 2700K | Lumen/Wattage Selectable |
| | \$5 | | LRXR610840MD | | 1,000 | 13 | 2700K | Lumen/Wattage Selectable |
| | \$5 | | LRXR618830MD | | 1,800 | 22 | 3000K | |
| | \$5 | | LRXR618835MD | | 1,800 | 22 | 3000K | |
| | \$5 | | LRXR618840MD | | 1,800 | 22 | 3000K | |
| | \$5 | | LRXS610830MD | | 1,000 | 13 | 2700K | Lumen/Wattage Selectable |
| | \$5 | | LRXS610835MD | | 1,000 | 13 | 2700K | Lumen/Wattage Selectable |
| | \$5 | | LRXS610840MD | | 1,000 | 13 | 2700K | Lumen/Wattage Selectable |
| | \$5 | | LRXS618830MD | | 1,800 | 22 | 2700K | |
| | \$5 | | LRXS618835MD | | 1,800 | 22 | 2700K | |
| | \$5 | | LRXS618840MD | | 1,800 | 22 | 2700K | |
| | \$5 | | LRXR810830MD | | 1,000 | 13 | 2700K | Lumen/Wattage Selectable |
| | \$5 | | LRXR810835MD | | 1,000 | 13 | 2700K | Lumen/Wattage Selectable |
| | \$5 | | LRXR810840MD | | 1,000 | 13 | 2700K | Lumen/Wattage Selectable |
| | \$5 | | LRXS810830MD | | 1,000 | 13 | 2700K | Lumen/Wattage Selectable |
| | \$5 | | LRXS810835MD | | 1,000 | 13 | 2700K | Lumen/Wattage Selectable |
| | \$5 | | LRXS810840MD | | 1,000 | 13 | 2700K | Lumen/Wattage Selectable |
| | \$5 | | LRXR818930MD | | 1,525 | 22 | 2700K | Lumen/Wattage Selectable |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|--------------------------|-----------------------------|--------------|-----------------------|------------------------|---|--------------------------------|
| 80UA | \$5 | Current | LRXR818935MD | | 1,525 | | 22 2700K | Lumen/Wattage Selectable |
| | \$5 | | LRXR818940MD | | 1,525 | | 22 2700K | Lumen/Wattage Selectable |
| | \$5 | | LRXS818830MD | | 1,800 | | 22 2700K | Lumen/Wattage Selectable |
| | \$5 | | LRXS818835MD | | 1,800 | | 22 2700K | Lumen/Wattage Selectable |
| | \$5 | | LRXS818840MD | | 1,800 | | 22 2700K | Lumen/Wattage Selectable |
| | \$5 | | LRXR830830MD | | 3,000 | | 35 2700K | Lumen/Wattage Selectable |
| | \$5 | | LRXR830835MD | | 3,000 | | 35 2700K | Lumen/Wattage Selectable |
| | \$5 | | LRXR830840MD | | 3,000 | | 35 2700K | Lumen/Wattage Selectable |
| | \$5 | | LRXS830830MD | | 3,000 | | 35 2700K | Lumen/Wattage Selectable |
| | \$5 | | LRXS830835MD | | 3,000 | | 35 2700K | Lumen/Wattage Selectable |
| | \$5 | | LRXS830840MD | | 3,000 | | 35 2700K | Lumen/Wattage Selectable |
| | \$5 | | LRXBR41X9CWVQ | | 1,050 | | 14 4000/4100K, Lumen/Wattage & CCT Selectable | |
| | \$5 | | LRXBR41X9WWVQ | | 950 | | 14 2700K,3000K Lumen/Wattage & CCT Selectable | |
| | \$5 | | LRXBS41X9CWVQ | | 1,050 | | 14 4000/4100K, Lumen/Wattage & CCT Selectable | |
| | \$5 | | LRXBS41X9WWVQ | | 950 | | 14 2700K,3000K Lumen/Wattage & CCT Selectable | |
| | \$5 | | LRXBR61X9CWVQ | | 1,700 | | 22 4000/4100K, Lumen/Wattage & CCT Selectable | |
| | \$5 | | LRXBR61X9WWVQ | | 1,550 | | 22 2700K,3000K Lumen/Wattage & CCT Selectable | |
| | \$5 | | LRXBS61X9CWVQ | | 1,700 | | 22 4000/4100K, Lumen/Wattage & CCT Selectable | |
| | \$5 | | LRXBS61X9WWVQ | | 1,550 | | 22 2700K,3000K Lumen/Wattage & CCT Selectable | |
| | \$5 | | LRXBR81X9CWVQ | | 1,800 | | 22 4000/4100K, Lumen/Wattage & CCT Selectable | |
| | \$5 | | LRXBR81X9WWVQ | | 1,650 | | 22 2700K,3000K Lumen/Wattage & CCT Selectable | |
| | \$5 | | LRXBS81X9CWVQ | | 1,800 | | 22 4000/4100K, Lumen/Wattage & CCT Selectable | |
| | \$5 | | LRXBS81X9WWVQ | | 1,650 | | 22 2700K,3000K Lumen/Wattage & CCT Selectable | |
| | \$5 | | LRXBR83X9CWVQ | | 2,950 | | 37 4000/4100K, Lumen/Wattage & CCT Selectable | |
| | \$5 | | LRXBR83X9WWVQ | | 2,700 | | 37 2700K,3000K Lumen/Wattage & CCT Selectable | |
| | \$5 | | LRXBS83X9CWVQ | | 2,950 | | 37 4000/4100K, Lumen/Wattage & CCT Selectable | |
| | \$5 | | LRXBS83X9WWVQ | | 2,700 | | 37 2700K,3000K Lumen/Wattage & CCT Selectable | |
| | \$5 | | LRXBR106X9CWVQ | | 5,250 | | 62 4000/4100K, Lumen/Wattage & CCT Selectable | |
| | \$5 | | LRXBR106X9WWVQ | | 4,800 | | 62 2700K,3000K Lumen/Wattage & CCT Selectable | |
| | \$5 | | LRXBS106X9CWVQ | | 5,250 | | 62 4000/4100K, Lumen/Wattage & CCT Selectable | |
| | \$5 | | LRXBS106X9WWVQ | | 4,800 | | 62 2700K,3000K Lumen/Wattage & CCT Selectable | |
| | \$5 | | LRXBR126X9CWVQ | | 5,450 | | 62 4000/4100K, Lumen/Wattage & CCT Selectable | |
| | \$5 | | LRXBR126X9WWVQ | | 5,000 | | 62 2700K,3000K Lumen/Wattage & CCT Selectable | |
| | \$5 | | LRXBS126X9CWVQ | | 5,450 | | 62 4000/4100K, Lumen/Wattage & CCT Selectable | |
| | \$5 | | LRXBS126X9WWVQ | | 5,000 | | 62 2700K,3000K Lumen/Wattage & CCT Selectable | |
| | \$5 | | LRXR41X9SW | | 1,500 | | 20 2700K,4000/ CCT & Wattage/Lumen Selectable | |
| | \$5 | | LRXR62X9SW | | 2,350 | | 31 2700K,4000/ CCT & Wattage/Lumen Selectable | |
| | \$5 | | LRXR84X9SW | | 4,450 | | 49 2700K,4000/ CCT & Wattage/Lumen Selectable | |
| | \$5 | ETi Solid State Lighting | DLLP-3IN-550LM-9-5CP-SV-TD | | 550 | | 10 2700K,4000/ CCT Selectable | |
| | \$5 | | DLLP-4IN-650LM-9-5CP-SV-TD | | 650 | | 11 2700K,4000/ CCT Selectable | |
| | \$5 | | DLLP-6IN-900LM-9-5CP-SV-TD | | 900 | | 15 2700K,4000/ CCT Selectable | |
| | \$5 | | DLLP-8IN-1800LM-9-5CP-SV-TD | | 1,800 | | 25 2700K,4000/ CCT Selectable | |
| | \$5 | Green Creative | SLFT4/9CCT5S/DUALDIM | 790492370308 | 800 | | 10 2700K | Lumen/Wattage & CCT Selectable |
| | \$5 | | SLFT6/9CCT5S/DUALDIM | 790492370315 | 1,500 | | 17 2700K | Lumen/Wattage & CCT Selectable |
| | \$5 | | SLFT6HO/9CCT5S/DUALDIM | 790492370322 | 2,650 | | 30 2700K | Lumen/Wattage & CCT Selectable |
| | \$5 | | SLFT8/9CCT5S/DUALDIM | 790492370339 | 1,850 | | 20 2700K | Lumen/Wattage & CCT Selectable |
| | \$5 | | SLFT8HO/9CCT5S/DUALDIM | 790492370346 | 3,800 | | 43 2700K | Lumen/Wattage & CCT Selectable |
| | \$5 | | SLFT9.5/9CCT5S/DUALDIM | 790492370363 | 3,600 | | 40 2700K | Lumen/Wattage & CCT Selectable |
| | \$5 | | MFR4/9CCT5S/DUALDIM/EXT | 790492369982 | 600 | | 8 2700K | |
| | \$5 | | MFR6/9CCT5S/DUALDIM/EXT | 790492369999 | 800 | | 10 2700K | |
| | \$5 | | MFR6HO/9CCT5S/DUALDIM/EXT | 790492370001 | 1,100 | | 14 2700K,4000/ | |
| | \$5 | | | | | | | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|------------------------|----------------------------------|--------------|-----------------------|------------------------|--------------|--------------------------|
| 80UA | \$5 | Green Creative | MFR8/9CCT55/DUALDIM/EXT | 790492370018 | 1,500 | 18 | 2700K | |
| | \$5 | | MFR8HO/9CCT55/DUALDIM/EXT | 790492370025 | 1,800 | 24 | 2700K | |
| | \$5 | Hubbell Lighting, Inc. | LBRP-M-LSSLCS9 / LBRP-4RD-T-D | 840141407630 | 1,425 | 20 | 2700K,4000/ | Lumen/Wattage Selectable |
| | \$5 | | LBRP-M-LSSLCS9 / LBRP-4RD-T-DWT | 840141410456 | 1,425 | 20 | 2700K,4000/ | Lumen/Wattage Selectable |
| | \$5 | | LBRP-M-LSSLCS9 / LBRP-4RD-T-WC | 840141407647 | 1,425 | 20 | 2700K,4000/ | Lumen/Wattage Selectable |
| | \$5 | | LBRP-M-LSSLCS9 / LBRP-6RD-T-D | 840141407654 | 1,425 | 20 | 2700K,4000/ | Lumen/Wattage Selectable |
| | \$5 | | LBRP-M-LSSLCS9 / LBRP-6RD-T-DWT | 840141410463 | 1,425 | 20 | 2700K,4000/ | Lumen/Wattage Selectable |
| | \$5 | | LBRP-M-LSSLCS9 / LBRP-6RD-T-WC | 840141407661 | 1,425 | 20 | 2700K,4000/ | Lumen/Wattage Selectable |
| | \$5 | | LBRP-M-LSSLCS9 / LBRP-8RD-T-D | 840141407678 | 1,425 | 20 | 2700K,4000/ | Lumen/Wattage Selectable |
| | \$5 | | LBRP-M-LSSLCS9 / LBRP-8RD-T-DWT | 840141410470 | 1,425 | 20 | 2700K,4000/ | Lumen/Wattage Selectable |
| | \$5 | | LBRP-M-LSSLCS9 / LBRP-8RD-T-WC | 840141407685 | 1,425 | 20 | 2700K,4000/ | Lumen/Wattage Selectable |
| | \$5 | Keystone Technologies | KT-WDLED23PS-8A-9CSF-VDIM | 843654139203 | 1,800 | 23 | 2700K,4000/ | Wattage & CCT selectable |
| | \$5 | | KT-WDLED13-6A-9CSF-FDIM | 843654139074 | 950 | 13 | 2700K | |
| | \$5 | | KT-WDLED13-6B-9CSF-FDIM | 843654139111 | 950 | 13 | 2700K | |
| | \$5 | | KT-RDLED29PS-8A-8CSG-VDIM | 843654137063 | 2,600 | 29 | 2700K | |
| | \$5 | | KT-RDLED18PS-6A-8CSG-VDIM | 843654137049 | 1,700 | 19 | 2700K | |
| | \$5 | | KT-RDLED29PS-8A-9CSE-VDIM | 843654137124 | 2,500 | 29 | 2700K | CCT & Wattage Selectable |
| | \$5 | | KT-WDLED14PS-6B-9CSF-VDIM | 843654139234 | 1,150 | 14 | 2700K,4000/ | CCT & Wattage Selectable |
| | \$5 | | KT-WDLED23PS-8B-9CSF-VDIM | 843654139241 | 1,800 | 23 | 2700K,4000/ | |
| | \$5 | | KT-RDLED38PS-10A-9CSE-VDIM | 843654137131 | 3,150 | 38 | 2700K | |
| | \$5 | | KT-RDLED18PS-6A-9CSE-VDIM | 843654137117 | 1,500 | 19 | 2700K | |
| | \$5 | LEDVANCE, LLC | RT4S700UNVD9275A (65686) | 046135656866 | 700 | 9 | 2700K | |
| | \$5 | | RT4S700UNVD9SC85A (65687) | 046135656873 | 700 | 9 | 4000/4100K, | |
| | \$5 | | RT6S900UNVD9275A (65688) | 046135656880 | 900 | 11 | 2700K | |
| | \$5 | | RT6S900UNVD9SC85A (65689) | 046135656897 | 900 | 11 | 4000/4100K, | |
| | \$5 | | RT6S2000UNVD9SC85A (65690) | 046135656903 | 2,000 | 24 | 4000/4100K, | |
| | \$5 | | RT8S3300UNVD9SC85A (65691) | 046135656910 | 3,000 | 35 | 4000/4100K, | |
| | \$5 | | RT10S4000UNVD9SC85A (65692) | 046135656927 | 4,000 | 43 | 4000/4100K, | |
| | \$5 | | RT4S1000UNH9SC85A (65693) | 046135656934 | 1,000 | 12 | 2700K,4000/ | |
| | \$5 | | RT6S2000UNH9SC85A (65694) | 046135656941 | 2,000 | 23 | 2700K,4000/ | |
| | \$5 | | RT8S3000UNH9SC85A (65695) | 046135656958 | 3,000 | 34 | 2700K,4000/ | |
| | \$5 | | LEDRT56/R3C/700ST/9SC8 (65472) | 046135654725 | 700 | 9 | 5000K | |
| | \$5 | | LEDRT56/R3C/700UD/9SC8 (65473) | 046135654732 | 700 | 9 | 5000K | |
| | \$5 | | LEDRT56/R3C/900UD/9SC8 (65474) | 046135654749 | 900 | 11 | 5000K | |
| | \$5 | | LEDRT6/R3C/1200UD/9SC8 (65475) | 046135654756 | 1,200 | 14 | 5000K | |
| | \$5 | | LEDRT6/R3C/1500UD/9SC8 (65476) | 046135654763 | 1,500 | 18 | 5000K | |
| | \$5 | | LEDRT8/R3C/900UD/9SC8 (65477) | 046135654770 | 900 | 11 | 5000K | |
| | \$5 | | LEDRT8/R3C/1500UD/9SC8 (65478) | 046135654787 | 1,500 | 17 | 5000K | |
| | \$5 | | LEDRT8/R3C/2000UD/9SC8 (65479) | 046135654794 | 2,000 | 22 | 5000K | |
| | \$5 | | LEDRT8/R3C/3000UD/9SC8 (65480) | 046135654800 | 3,000 | 33 | 5000K | |
| | \$5 | | LEDRT8/R3C/5000UD/9SC8 (65481) | 046135654817 | 5,000 | 55 | 5000K | |
| | \$5 | | LEDMD3R3B500ST9SC3WH (63425) | 046135634253 | 500 | 7 | 2700K,4000/ | CCT Selectable |
| | \$5 | | LEDMD4R3B800ST9SC3WH (63426) | 046135634260 | 800 | 10 | 2700K,4000/ | CCT Selectable |
| | \$5 | | LEDMD6R3B1200ST9SC3WH (63427) | 046135634277 | 1,200 | 14 | 2700K,4000/ | CCT Selectable |
| | \$5 | | LEDMD8R3B1600ST9SC3WH (63428) | 046135634284 | 1,600 | 19 | 2700K,4000/ | CCT Selectable |
| | \$5 | | LEDMD3R3A/500ST9SC3/WH (63053) | 046135630538 | 500 | 7 | 2700K,4000/ | CCT Selectable |
| | \$5 | | LEDMD4R3A/800ST9SC3/WH (63054) | 046135630545 | 800 | 10 | 2700K,4000/ | CCT Selectable |
| | \$5 | | LEDMD6R3A/800ST9SC3/WH (63055) | 046135630552 | 800 | 10 | 2700K,4000/ | CCT Selectable |
| | \$5 | | LEDMD6R3A/1200ST9SC3/WH (63056) | 046135630569 | 1,200 | 14 | 2700K,4000/ | CCT Selectable |
| | \$5 | | LEDMD8R3A/1600ST9SC3/WH (63057) | 046135630576 | 1,600 | 19 | 2700K,4000/ | CCT Selectable |
| | \$5 | | LEDMD12R3A/2000ST9SC3/WH (63058) | 046135630583 | 2,000 | 23 | 2700K,4000/ | CCT Selectable |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-----------------------|---------------------------------|---------------|-----------------------|------------------------|--------------|--------------------------------|
| 80UA | \$5 | LEDVANCE, LLC | LEDRT3G550SC3 (62392) | 046135623929 | 550 | 7 | 2700K,4000/ | CCT Selectable |
| | \$5 | | LEDRT4G650SC3 (62393) | 046135623936 | 650 | 9 | 2700K,4000/ | CCT Selectable |
| | \$5 | | LEDRT6G1000SC3 (62394) | 046135623943 | 1,000 | 13 | 2700K,4000/ | CCT Selectable |
| | \$5 | | RT45AS700UNVD9SC8WHTAA (62805) | 046135628054 | 700 | 9 | 4000/4100K, | CCT & Wattage/Lumen Selectable |
| | \$5 | | RT65AS900UNVD9SC8WHTAA (62807) | 046135628078 | 900 | 11 | 4000/4100K, | CCT & Wattage/Lumen Selectable |
| | \$5 | | RT65AS2000UNVD9SC8WHTAA (62808) | 046135628085 | 2,000 | 24 | 4000/4100K, | CCT & Wattage/Lumen Selectable |
| | \$5 | | RT85AS2000UNVD9SC8WHTAA (62809) | 046135628092 | 2,000 | 22 | 4000/4100K, | |
| | \$5 | | LEDRT3G500SC3BL (65794) | 046135657948 | 500 | 7 | 2700K,4000/ | CCT Selectable |
| | \$5 | | LEDRT4G600SC3BL (65795) | 046135657955 | 600 | 9 | 2700K,4000/ | CCT Selectable |
| | \$5 | | LEDRT6G950SC3BL (65796) | 046135657962 | 950 | 13 | 2700K,4000/ | CCT Selectable |
| | \$5 | MaxLite Inc. | RCF1030WCSDW | 767627995781 | 3,400 | 40 | 4000/4100K, | CCT & Wattage Selectable. |
| | \$5 | | RCF1040CSW | 767627976971 | 3,600 | 40 | 4000/4100K, | CCT Selectable |
| | \$5 | | RCF409CSW-V2 | 767627030253 | 750 | 9 | 4000/4100K, | CCT Selectable |
| | \$5 | | RCF412CSDW | 767627995750 | 900 | 12 | 4000/4100K, | CCT Selectable |
| | \$5 | | RCF610WCSDW | 767627995767 | 1,700 | 17 | 4000/4100K, | CCT & Wattage Selectable. |
| | \$5 | | RCF613CSW-V2 | 767627030260 | 1,100 | 13 | 4000/4100K, | CCT Selectable |
| | \$5 | | RCF618CSW-V2 | 767627030277 | 1,650 | 18 | 4000/4100K, | CCT Selectable |
| | \$5 | | RCF813CSW-V2 | 767627030284 | 1,100 | 13 | 4000/4100K, | CCT Selectable |
| | \$5 | | RCF814WCSDW | 767627995774 | 2,000 | 20 | 4000/4100K, | CCT & Wattage Selectable. |
| | \$5 | | RCF818CSW-V2 | 767627030291 | 1,650 | 18 | 4000/4100K, | CCT Selectable |
| | \$5 | | RCF822CSW-V2 | 767627030307 | 2,100 | 22 | 4000/4100K, | CCT Selectable |
| | \$5 | | RCF832WCSDW | 767627030673 | 5,000 | 52 | 4000/4100K, | CCT & Wattage Selectable. |
| | \$5 | Morris Products Inc. | 72639 | | 1,000 | 30 | 3000K | |
| | \$5 | | 72781B | 601986727815 | 340 | 6 | 2700K,4000/ | CCT Selectable |
| | \$5 | | 72680B | 601986726801 | 580 | 9 | 2700K,4000/ | CCT Selectable |
| | \$5 | | 72682B | 601986726825 | 880 | 12 | 2700K,4000/ | CCT Selectable |
| | \$5 | | 72783B | 601986727839 | 1,315 | 18 | 2700K,4000/ | CCT Selectable |
| | \$5 | | 72784B | 601986727846 | 605 | 9 | 2700K,4000/ | CCT Selectable |
| | \$5 | | 72785B | 6019867247853 | 785 | 12 | 2700K,4000/ | CCT Selectable |
| | \$5 | | 72761B | 6019867247617 | 640 | 10 | 2700K,4000/ | CCT Selectable |
| | \$5 | | 72762B | 601986727624 | 910 | 15 | 2700K,4000/ | CCT Selectable |
| | \$5 | | 72763B | | 640 | 10 | 2700K,4000/ | CCT Selectable |
| | \$5 | | 72764B | | 910 | 15 | 2700K,4000/ | CCT Selectable |
| | \$5 | | 72645 | | 1,100 | 15 | 5000K | |
| | \$5 | | 72680A | | 650 | 10 | 2700K,4000/ | CCT Selectable |
| | \$5 | | 72682A | | 1,100 | 15 | 2700K,4000/ | CCT Selectable |
| | \$5 | | 72783C | 601986001519 | 1,480 | 18 | 4000k,5000k, | |
| | \$5 | NDR Electric | RZR-CCT-400-WH | | 680 | 10 | 3000K | |
| | \$5 | | RZR-CCT-600-WH | | 1,000 | 13 | 3000K | |
| | \$5 | | RZR-CCT-FR-400-WH | | 680 | 10 | 3000K | |
| | \$5 | | RZR-CCT-FR-600-WH | | 1,000 | 13 | 3000K | |
| | \$5 | Portor Industry, Inc. | PT-DLS2-R-6I-15W-5CCT-277 | 764046162732 | 1,275 | 15 | 2700K,4000/ | CCT Selectable |
| | \$5 | | PT-DLS2-R-4I-9W-5CCT-277 | 764046162725 | 772 | 9 | 2700K,4000/ | CCT Selectable |
| | \$5 | Topaz | RDL/3RND/8/5CTS | 751338038653 | 530 | 8 | 2700K,4000/ | CCT Selectable |
| | \$5 | | RDL/4RND/9/5CTS | 751338034853 | 530 | 9 | 2700K,4000/ | CCT Selectable |
| | \$5 | | RDL/6RND/12/5CTS | 751338034860 | 850 | 12 | 2700K,4000/ | CCT Selectable |
| | \$5 | | RDL/6RND/12HL/5CTS | 751338034877 | 960 | 12 | 2700K,4000/ | CCT Selectable |
| | \$5 | | RDL/8RND/18/5CTS | 751338038660 | 1,350 | 18 | 2700K,4000/ | CCT Selectable |
| | \$5 | | RDL/4GIM/9/5CTS-46 | 751338038622 | 580 | 9 | 2700K,4000/ | CCT Selectable |
| | \$5 | | RDL/4GIM/11/5CTS-46 | 751338038639 | 770 | 11 | 2700K,4000/ | CCT Selectable |
| | \$5 | | RDL/4GIM/15/5CTS-46 | 751338038646 | 1,000 | 15 | 2700K,4000/ | CCT Selectable |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------------------------|-----------|-----------------------|---------------------------|--------------|-----------------------|------------------------|--------------|---------------------------------|
| 80UA | \$5 | Topaz | RDL/6GIM/16/5CTS-46 | 751338044166 | 1,200 | 16 | 2700K,4000/ | CCT Selectable |
| | \$5 | | RDL/4SQ/9/5CTS-46 | 751338038691 | 570 | 9 | 2700K,4000/ | |
| | \$5 | | RDL/6SQ/11/5CTS-46 | 751338038714 | 770 | 11 | 2700K,4000/ | |
| | \$5 | | RDL/6SQ/15/5CTS-46 | 751338038721 | 1,000 | 15 | 2700K,4000/ | |
| | \$5 | | DLD6B-10CS (73301) | 32886300240 | 820 | 10 | 4000k,5000k | CCT Selectable |
| | \$5 | | DLD6B-13CS (73303) | 32886300257 | 1,070 | 13 | 4000k,5000k | CCT Selectable |
| Downlight Solid State Retrofit | | | | | | | | |
| 80UA | \$5 | Barron Lighting Group | MODR4-7L-KFS | 190622075804 | 640 | 10 | 2700K,4000/ | CCT Selectable |
| | \$5 | | MODR6-10L-KFS | | 915 | 15 | 2700K,4000/ | CCT Selectable |
| | \$5 | Current | LBRA-4RD-T-07LCS9-WH | 840141407104 | 700 | 10 | 2700K,4000/ | |
| | \$5 | | LBRA-4RD-T-07LCS9-BL | 840141407098 | 700 | 10 | 2700K,4000/ | |
| | \$5 | | LBRA-6RD-T-10LCS9-WH | 840141407142 | 1,000 | 14 | 2700K,4000/ | |
| | \$5 | | LBRA-6RD-T-10LCS9-BL | 840141407135 | 1,000 | 14 | 2700K,4000/ | |
| | \$5 | | LBRA-6RW-T-10LCS9-WH | 840141407166 | 940 | 14 | 2700K,4000/ | |
| | \$5 | | LBRA-6RW-T-10LCS9-BL | 840141407159 | 940 | 14 | 2700K,4000/ | |
| | \$5 | Keystone Technologies | KT-LED14RD-6C-9CSF-DIM | 843654137438 | 1,200 | 14 | 2700K | |
| | \$5 | | KT-LED14PSRD-6C-9CSF-DIM | 843654137452 | 1,200 | 14 | 2700K | CCT & Wattage/lumen Selectable. |
| | \$5 | LEDVANCE, LLC | LEDRT49SC3650BA (62009) | 046135620096 | 650 | 8 | 2700K,4000/ | |
| | \$5 | | LEDRT569SC3725BA (62010) | 046135620102 | 725 | 9 | 2700K,4000/ | |
| | \$5 | | LEDRT569SC3900BA (62011) | 046135620119 | 900 | 11 | 2700K,4000/ | |
| | \$5 | | LEDRT569SC31200BA (62012) | 046135620126 | 1,200 | 14 | 2700K,4000/ | |
| | \$5 | | LEDRT49SC3500SM (62013) | 046135620133 | 500 | 6 | 2700K,4000/ | |
| | \$5 | | LEDRT49SC3650SM (62014) | 046135620140 | 650 | 8 | 2700K,4000/ | |
| | \$5 | | LEDRT569SC3725SM (62015) | 046135620157 | 725 | 9 | 2700K,4000/ | |
| | \$5 | | LEDRT569SC3900SM (62016) | 046135620164 | 900 | 11 | 2700K,4000/ | |
| | \$5 | | LEDRT569SC31200SM (62017) | 046135620171 | 1,200 | 14 | 2700K,4000/ | |
| | \$5 | Morris Products Inc. | 72601 | | 1,100 | 15 | 5000K | |
| | \$5 | RAB Lighting | DSK34-6R16930120WS | | 1,000 | 16 | 3000K | |
| | \$5 | | DSK34-6R16935120WS | | 1,000 | 16 | 3500K | |
| | \$5 | | DSK34-6R16940120WS | | 1,000 | 16 | 4000/4100K | |
| | \$5 | | DSK34-6R16950120WS | | 1,000 | 16 | 5000K | |
| | \$5 | TCP | LEDDR56BVCCT2 | 762148308379 | 1,100 | 14 | 2700K,3000K | |
| Downlight Surface Mount | | | | | | | | |
| 80UA | \$5 | Current | LBSE-4RD-30K8-WH | 840141400662 | 640 | 11 | 4000/4100K, | |
| | \$5 | | LBSE-4RD-35K8-WH | 840141400679 | 640 | 11 | 4000/4100K, | |
| | \$5 | | LBSE-4SQD-30K8-WH | 840141400754 | 640 | 11 | 4000/4100K, | |
| | \$5 | | LBSE-4SQD-35K8-WH | 840141400761 | 640 | 11 | 4000/4100K, | |
| | \$5 | | LBSE-6RD-30K8-WH | 840141400686 | 960 | 14 | 4000/4100K, | |
| | \$5 | | LBSE-6RD-35K8-WH | 840141400693 | 960 | 14 | 4000/4100K, | |
| | \$5 | | LBSE-6SQD-30K8-WH | 840141400778 | 960 | 14 | 4000/4100K, | |
| | \$5 | | LBSE-6SQD-35K8-WH | 840141400785 | 960 | 14 | 4000/4100K, | |
| | \$5 | | LBSE-8RD-30K8-WH | 840141400709 | 1,600 | 20 | 4000/4100K, | |
| | \$5 | | LBSE-8RD-35K8-WH | 840141400716 | 1,600 | 20 | 4000/4100K, | |
| | \$5 | | LBSE-8SQD-30K8-WH | 840141400792 | 1,600 | 20 | 4000/4100K, | |
| | \$5 | | LBSE-8SQD-35K8-WH | 840141400808 | 1,600 | 20 | 4000/4100K, | |
| | \$5 | | LBSES-4RD-CS9-WH | 840141400723 | 640 | 11 | 2700K,4000/ | CCT Selectable |
| | \$5 | | LBSES-4SQD-CS9-WH | 840141400815 | 640 | 11 | 2700K,4000/ | CCT Selectable |
| | \$5 | | LBSES-6RD-CS9-WH | 840141400730 | 960 | 14 | 2700K,4000/ | CCT Selectable |
| | \$5 | | LBSES-6SQD-CS9-WH | 840141400822 | 960 | 14 | 2700K,4000/ | CCT Selectable |
| | \$5 | | LBSES-8RD-CS9-WH | 840141400747 | 1,600 | 20 | 2700K,4000/ | CCT Selectable |
| | \$5 | | LBSES-8SQD-CS9-WH | 840141400839 | 1,600 | 20 | 2700K,4000/ | CCT Selectable |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|-----------------------------|-----------|-------------------------|--------------------------------------|---------------------------|-----------------------|------------------------|--------------|--|
| 80UA | \$5 | Current | LBSD-4RD-CS9-WH | 840141405087 | 700 | | 8 | 2700K,4000/. |
| | \$5 | | LBSD-6RD-CS9-WH | 840141405094 | 1,000 | | 12 | 2700K,4000/. |
| Fuel Pump Canopy Luminaires | | | | | | | | |
| 83UBC | \$80 | Atlas Lighting Products | CPM25LEDIC | 765364019456 | 3,363 | | 25 | 4,500 |
| | \$80 | | CPM25LED3KIC | 765364024122 | 3,363 | | 25 | 3,000 |
| | \$80 | | CPM25LED4KIC | 765364052668 | 3,363 | | 25 | 4,000 |
| | \$80 | | CPM25LED5KIC | | 3,492 | | 25 | 5,000 |
| | \$80 | | CPM40LEDIC | 765364931017 | 5,452 | | 41 | 4,500 |
| | \$80 | | CPM40LED3KIC | | 5,452 | | 41 | 3,000 |
| | \$80 | | CPM40LED4KIC | 765364036385 | 5,452 | | 41 | 4,000 |
| | \$80 | | CPM40LED5KIC | | 5,626 | | 42 | 5,000 |
| | \$80 | | CPM60LEDIC | | 7,680 | | 60 | 4,500 |
| | \$80 | | CPM60LED3KIC | | 7,680 | | 60 | 3,000 |
| | \$80 | | CPM60LED4KIC | | 7,680 | | 60 | 4,000 |
| | \$80 | | CPM60LED5KIC | | 7,788 | | 60 | 5,000 |
| | \$80 | | CPM80LEDIC | 765364036583 | 9,691 | | 80 | 4,500 |
| | \$80 | | CPM80LED3KIC | | 9,691 | | 80 | 3,000 |
| | \$80 | | CPM80LED4KIC | | 9,691 | | 80 | 4,000 |
| | \$80 | | CPM80LED5KIC | 765364940026 | 9,821 | | 81 | 5,000 |
| 83UBP | \$80 | Acuity Brands Lighting | CNY LED P1 40K MVOLT WH | | 4,505 | | 36 | 4,000 |
| | \$80 | | CNY LED P0 40K MVOLT DDB | | 3,539 | | 27 | 4,000 |
| | \$80 | | CNY LED P0 40K MVOLT WH | | 3,539 | | 27 | 4,000 |
| | \$80 | | CNY LED ALO SWW2 UVOLT PE PIR DDB M2 | 197589495041 | 9,496 | | 78 | 3,000 CCT & Wattage Selectable. Selectable Photocell & Occ Sensor not changed from default |
| | \$80 | | CNY LED ALO SWW2 UVOLT PE PIR WH M2 | 197589495126 | 9,496 | | 78 | 3,000 CCT & Wattage Selectable. Selectable Photocell & Occ Sensor not changed from default |
| | \$80 | Atlas Lighting Products | LPC5L4SK | 765364014307 | 5,100 | | 36 | 4,500 |
| | \$80 | | LPC5L4K | 765364014291 | 5,100 | | 36 | 4,000 |
| | \$80 | | LPC5L5K | 765364014314 | 5,101 | | 36 | 5,000 |
| | \$80 | | LPC7L4SK | 765364014338 | 7,001 | | 52 | 4,500 |
| | \$80 | | LPC7L4K | 765364014321 | 7,030 | | 52 | 4,000 |
| | \$80 | | LPC7L5K | 765364014345 | 7,001 | | 52 | 5,100 |
| | \$80 | | ORC5L4K | 765364023958 | 4,630 | | 36 | 4,000 |
| | \$80 | Barron Lighting Group | ECX-40-10D-CP-WH | | 5,011 | | 40 | 3,000 CCT & Wattage Selectable |
| | \$80 | | ECX-75-CP-WH | | 9,261 | | 75 | 3,000 CCT & Wattage Selectable |
| | \$80 | Current | GSY-30-4K7 | | 4,757 | | 30 | 4,000 |
| | \$80 | Keystone Technologies | KT-CLED25PS-S1-8CSB-VDIM/L110 | 843654151984+843654152011 | 3,450 | | 25 | 3,000 Wattage & CCT Selectable. |
| | \$80 | | KT-CLED40PS-S1-8CSB-VDIM/L110 | 843654151953+843654152004 | 5,330 | | 40 | 3,000 Wattage & CCT Selectable. |
| | \$80 | | KT-CLED60PS-M1-8CSB-VDIM/L110 | 843654151953+843654152004 | 7,700 | | 60 | 3,000 Wattage & CCT Selectable. |
| | \$80 | | KT-CLED40-S1-850-VDIM /L110 | 843654151991+843654152011 | 5,440 | | 40 | 5,000 |
| | \$80 | LEDVANCE, LLC | VAPOR3A/S050UNHD8SC7/48/GR (65700) | 046135657009 | 6,500 | | 50 | 3,500 |
| | \$80 | | VAPOR3A/S090UNHD8SC7/96/GR (65701) | 046135657016 | 11,700 | | 90 | 3,500 |
| | \$80 | LSI Industries | SCV LED 10L SC UNV DIM 30 WHT | | 9,408 | | 67 | 3,100 |
| | \$80 | | SCV LED 10L SC UNV DIM 40 WHT | | 9,923 | | 67 | 4,000 |
| | \$80 | | SCV LED 10L SC UNV DIM 50 WHT | | 10,306 | | 67 | 5,100 |
| | \$80 | | SCV LED 13L SC UNV DIM 30 WHT | | 12,272 | | 90 | 3,000 |
| | \$80 | | SCV LED 13L SC UNV DIM 40 WHT | | 12,943 | | 90 | 4,000 |
| | \$80 | | SCV LED 13L SC UNV DIM 50 WHT | | 13,443 | | 90 | 5,000 |
| | \$80 | | SCV LED 15L SC UNV DIM 30 WHT | | 13,659 | | 102 | 3,100 |
| | \$80 | | SCV LED 15L SC UNV DIM 40 WHT | | 14,407 | | 102 | 4,000 |
| | \$80 | | SCV LED 15L SC UNV DIM 50 WHT | | 14,963 | | 102 | 5,000 |
| | \$80 | | | | | | | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|----------------|-------------------------------|-----|-----------------------|------------------------|--------------|--------|
| 83UBP | \$80 | LSI Industries | SCV LED 20L SC UNV DIM 30 WHT | | 18,471 | 132 | 3,000 | |
| | \$80 | | SCV LED 20L SC UNV DIM 40 WHT | | 19,482 | 132 | 4,000 | |
| | \$80 | | SCV LED 20L SC UNV DIM 50 WHT | | 20,234 | 132 | 5,000 | |
| | \$80 | | SCV LED 23L SC UNV DIM 30 WHT | | 21,954 | 155 | 3,000 | |
| | \$80 | | SCV LED 23L SC UNV DIM 40 WHT | | 23,156 | 155 | 4,000 | |
| | \$80 | | SCV LED 23L SC UNV DIM 50 WHT | | 24,050 | 155 | 5,000 | |
| | \$80 | | SCV LED 10L SC UNV DIM 30 BLK | | 9,408 | 67 | 3,100 | |
| | \$80 | | SCV LED 10L SC UNV DIM 40 BLK | | 9,923 | 67 | 4,000 | |
| | \$80 | | SCV LED 10L SC UNV DIM 50 BLK | | 10,306 | 67 | 5,100 | |
| | \$80 | | SCV LED 13L SC UNV DIM 30 BLK | | 12,272 | 90 | 3,000 | |
| | \$80 | | SCV LED 13L SC UNV DIM 40 BLK | | 12,943 | 90 | 4,000 | |
| | \$80 | | SCV LED 13L SC UNV DIM 50 BLK | | 13,443 | 90 | 5,000 | |
| | \$80 | | SCV LED 15L SC UNV DIM 30 BLK | | 13,659 | 102 | 3,100 | |
| | \$80 | | SCV LED 15L SC UNV DIM 40 BLK | | 14,407 | 102 | 4,000 | |
| | \$80 | | SCV LED 15L SC UNV DIM 50 BLK | | 14,963 | 102 | 5,000 | |
| | \$80 | | SCV LED 20L SC UNV DIM 30 BLK | | 18,471 | 132 | 3,000 | |
| | \$80 | | SCV LED 20L SC UNV DIM 40 BLK | | 19,482 | 132 | 4,000 | |
| | \$80 | | SCV LED 20L SC UNV DIM 50 BLK | | 20,234 | 132 | 5,000 | |
| | \$80 | | SCV LED 23L SC UNV DIM 30 BLK | | 21,954 | 155 | 3,000 | |
| | \$80 | | SCV LED 23L SC UNV DIM 40 BLK | | 23,156 | 155 | 4,000 | |
| | \$80 | | SCV LED 23L SC UNV DIM 50 BLK | | 24,050 | 155 | 5,000 | |
| | \$80 | | SCV LED 10L SC UNV DIM 30 BRZ | | 9,408 | 67 | 3,100 | |
| | \$80 | | SCV LED 10L SC UNV DIM 40 BRZ | | 9,923 | 67 | 4,000 | |
| | \$80 | | SCV LED 10L SC UNV DIM 50 BRZ | | 10,306 | 67 | 5,100 | |
| | \$80 | | SCV LED 13L SC UNV DIM 30 BRZ | | 12,272 | 90 | 3,000 | |
| | \$80 | | SCV LED 13L SC UNV DIM 40 BRZ | | 12,943 | 90 | 4,000 | |
| | \$80 | | SCV LED 13L SC UNV DIM 50 BRZ | | 13,443 | 90 | 5,000 | |
| | \$80 | | SCV LED 15L SC UNV DIM 30 BRZ | | 13,659 | 102 | 3,100 | |
| | \$80 | | SCV LED 15L SC UNV DIM 40 BRZ | | 14,407 | 102 | 4,000 | |
| | \$80 | | SCV LED 15L SC UNV DIM 50 BRZ | | 14,963 | 102 | 5,000 | |
| | \$80 | | SCV LED 20L SC UNV DIM 30 BRZ | | 18,471 | 132 | 3,000 | |
| | \$80 | | SCV LED 20L SC UNV DIM 40 BRZ | | 19,482 | 132 | 4,000 | |
| | \$80 | | SCV LED 20L SC UNV DIM 50 BRZ | | 20,234 | 132 | 5,000 | |
| | \$80 | | SCV LED 23L SC UNV DIM 30 BRZ | | 21,954 | 155 | 3,000 | |
| | \$80 | | SCV LED 23L SC UNV DIM 40 BRZ | | 23,156 | 155 | 4,000 | |
| | \$80 | | SCV LED 23L SC UNV DIM 50 BRZ | | 24,050 | 155 | 5,000 | |
| | \$80 | NICOR Inc. | OUC3080MV40BZ | | 10,240 | 80 | 4,000 | |
| | \$80 | | OUC3080MV40BZP | | 10,240 | 80 | 4,000 | |
| | \$80 | | OUC3080MV40BZM | | 10,240 | 80 | 4,000 | |
| | \$80 | RAB Lighting | MASI16-52W/D10 | | 6,782 | 54 | 5,000 | |
| | \$80 | | MASI16-52NW/D10 | | 6,857 | 55 | 4,000 | |
| | \$80 | | MASI16-52YW/D10 | | 6,312 | 54 | 3,000 | |
| | \$80 | | MASI16-80W/D10 | | 12,207 | 86 | 5,000 | |
| | \$80 | | MASI16-80NW/D10 | | 12,192 | 85 | 4,000 | |
| | \$80 | | MASI16-80YW/D10 | | 11,533 | 86 | 3,000 | |
| | \$80 | | MASI16-100W/D10 | | 16,344 | 114 | 5,000 | |
| | \$80 | | MASI16-100NW/D10 | | 15,454 | 115 | 4,000 | |
| | \$80 | | MASI16-100YW/D10 | | 14,477 | 114 | 3,000 | |
| | \$80 | | MASI20-160W/D10 | | 22,632 | 158 | 5,000 | |
| | \$80 | | MASI20-160NW/D10 | | 23,017 | 160 | 4,000 | |
| | \$80 | | MASI20-200W/D10 | | 28,478 | 211 | 5,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|--------------|------------------|-----|-----------------------|------------------------|--------------|--|
| 83UBP | \$80 | RAB Lighting | MASI20-200NW/D10 | | 29,172 | 212 | 4,000 | |
| | \$80 | | MASI20-200YW/D10 | | 27,027 | 211 | 3,000 | |
| | \$80 | | MASI20-160YW/D10 | | 21,458 | 157 | 3,000 | |
| | \$80 | | VANLED20 | | 3,249 | 22 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | VANLED20W | | 3,249 | 22 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | VANLED20/PCS | | 3,249 | 22 | 5,000 | |
| | \$80 | | VANLED20W/PCS | | 3,249 | 22 | 5,000 | |
| | \$80 | | VANLED20F | | 3,260 | 22 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | VANLED20FW | | 3,260 | 22 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | VANLED20F/PCS | | 3,260 | 22 | 5,000 | |
| | \$80 | | VANLED20FW/PCS | | 3,260 | 22 | 5,000 | |
| | \$80 | | VANLED20N | | 3,350 | 23 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | VANLED20NW | | 3,350 | 23 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | VANLED20N/PCS | | 3,350 | 23 | 4,000 | |
| | \$80 | | VANLED20NW/PCS | | 3,350 | 23 | 4,000 | |
| | \$80 | | VANLED20NF | | 3,300 | 22 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | VANLED20NFW | | 3,300 | 22 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | VANLED20NF/PCS | | 3,300 | 22 | 4,000 | |
| | \$80 | | VANLED20NFW/PCS | | 3,300 | 22 | 4,000 | |
| | \$80 | | VANLED28 | | 4,019 | 28 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | VANLED28W | | 4,019 | 28 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | VANLED28/PCS | | 4,019 | 28 | 5,000 | |
| | \$80 | | VANLED28W/PCS | | 4,019 | 28 | 5,000 | |
| | \$80 | | VANLED28F | | 4,016 | 28 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | VANLED28FW | | 4,016 | 28 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | VANLED28F/PCS | | 4,016 | 28 | 5,000 | |
| | \$80 | | VANLED28FW/PCS | | 4,016 | 28 | 5,000 | |
| | \$80 | | VANLED28N | | 4,143 | 29 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | VANLED28NW | | 4,143 | 29 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | VANLED28N/PCS | | 4,143 | 29 | 4,000 | |
| | \$80 | | VANLED28NW/PCS | | 4,143 | 29 | 4,000 | |
| | \$80 | | VANLED28NF | | 4,065 | 28 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | VANLED28NFW | | 4,065 | 28 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | VANLED28NF/PCS | | 4,065 | 28 | 4,000 | |
| | \$80 | | VANLED28NFW/PCS | | 4,065 | 28 | 4,000 | |
| | \$80 | | VANLED40 | | 6,113 | 40 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | VANLED40W | | 6,113 | 40 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | VANLED40/PCS | | 6,113 | 40 | 5,000 | |
| | \$80 | | VANLED40W/PCS | | 6,113 | 40 | 5,000 | |
| | \$80 | | VANLED40F | | 5,844 | 40 | 3,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | VANLED40FW | | 5,844 | 40 | 3,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | VANLED40F/PCS | | 5,844 | 40 | 3,000 | |
| | \$80 | | VANLED40FW/PCS | | 5,844 | 40 | 3,000 | |
| | \$80 | | VANLED40N | | 6,302 | 41 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | VANLED40NW | | 6,302 | 41 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | VANLED40N/PCS | | 6,302 | 41 | 4,000 | |
| | \$80 | | VANLED40NW/PC | | 6,302 | 41 | 4,000 | |
| | \$80 | | VANLED40NF | | 6,308 | 40 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | VANLED40NFW | | 6,308 | 40 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | VANLED40NF/PCS | | 6,308 | 40 | 4,000 | |
| | \$80 | | VANLED40NFW/PCS | | 6,308 | 40 | 4,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|------------------------|--|--------------|-----------------------|------------------------|--------------|---|
| 83UBP | \$80 | RAB Lighting | VANLED52 | | 7,822 | 54 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | VANLED52W | | 7,822 | 54 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | VANLED52/PCS | | 7,822 | 54 | 5,000 | |
| | \$80 | | VANLED52W/PCS | | 7,822 | 54 | 5,000 | |
| | \$80 | | VANLED52F | | 8,133 | 54 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | VANLED52FW | | 8,133 | 54 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | VANLED52F/PCS | | 8,133 | 54 | 5,000 | |
| | \$80 | | VANLED52FW/PCS | | 8,133 | 54 | 5,000 | |
| | \$80 | | VANLED52N | | 8,064 | 55 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | VANLED52NW | | 8,064 | 55 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | VANLED52N/PCS | | 8,064 | 55 | 4,000 | |
| | \$80 | | VANLED52NW/PCS | | 8,064 | 55 | 4,000 | |
| | \$80 | | VANLED52NF | | 8,232 | 54 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | VANLED52NFW | | 8,232 | 54 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | VANLED52NF/PCS | | 8,232 | 54 | 4,000 | |
| | \$80 | | VANLED52NFW/PCS | | 8,232 | 54 | 4,000 | |
| | \$80 | | VAN17-30 | | 4,181 | 30 | 3,000 | CCT & Wattage/Lumen Selectable |
| | \$80 | | VAN17-50 | | 6,665 | 48 | 3,000 | CCT & Wattage/Lumen Selectable |
| | \$80 | | VAN17-60 | | 7,944 | 59 | 3,000 | CCT & Wattage/Lumen Selectable |
| | \$80 | | VAN17-90 | | 11,888 | 89 | 3,000 | CCT & Wattage/Lumen Selectable |
| | \$80 | | VAN17-30W | | 4,181 | 30 | 3,000 | CCT & Wattage/Lumen Selectable |
| | \$80 | | VAN17-50W | | 6,665 | 48 | 3,000 | CCT & Wattage/Lumen Selectable |
| | \$80 | | VAN17-60W | | 7,944 | 59 | 3,000 | CCT & Wattage/Lumen Selectable |
| | \$80 | | VAN17-90W | | 11,888 | 89 | 3,000 | CCT & Wattage/Lumen Selectable |
| | \$80 | Starco Lighting | SLLB-35S4F3065-DH | | 5,000 | 35 | 3,000 | |
| | \$80 | | SLLB-35S4F3565-DH | | 5,000 | 35 | 3,500 | |
| | \$80 | | SLLB-35S4F4065-DH | | 5,425 | 35 | 4,000 | |
| | \$80 | | SLLB-35S4F5065-DH | | 5,425 | 35 | 5,000 | |
| | \$80 | | SLLB-35S4F3065-DC | | 5,000 | 35 | 3,000 | |
| | \$80 | | SLLB-35S4F3565-DC | | 5,000 | 35 | 3,500 | |
| | \$80 | | SLLB-35S4F4065-DC | | 5,425 | 35 | 4,000 | |
| | \$80 | | SLLB-35S4F5065-DC | | 5,425 | 35 | 5,000 | |
| | \$80 | TCP | CPUZDB340K | | 7,387 | 63 | 4,000 | |
| | \$80 | | CPUZDB350K | | 7,582 | 63 | 5,000 | |
| | \$80 | WESTGATE MFG | CDLX-LG-30-80W-30K | 845060088946 | 9,808 | 76 | 3,000 | Wattage selectable |
| | \$80 | | CDLX-LG-30-80W-40K | 845060088953 | 9,833 | 76 | 4,000 | Wattage selectable |
| | \$80 | | CDLX-LG-30-80W-50K | 845060088960 | 9,858 | 76 | 5,000 | Wattage selectable |
| | \$80 | | GSX-SRFC-80-150W-30K | | 22,500 | 150 | 3,000 | |
| | \$80 | | GSX-SRFC-80-150W-40K | | 22,500 | 150 | 4,000 | |
| | \$80 | | GSX-SRFC-80-150W-50K | 845060072488 | 22,650 | 150 | 5,000 | |
| | \$80 | | GSX-RECS-80-150W-30K | | 22,500 | 150 | 3,000 | |
| | \$80 | | GSX-RECS-80-150W-40K | | 22,500 | 150 | 4,000 | |
| | \$80 | | GSX-RECS-80-150W-50K | 845060088984 | 22,650 | 150 | 5,000 | |
| | \$80 | | CXER-40-80W-MCTP-SR-EM-WH | | 10,285 | 75 | 3,000 | CCT & Wattage Selectable |
| | \$80 | | CXER-40-80W-MCTP-SR-WH | | 10,285 | 75 | 3,000 | CCT & Wattage Selectable |
| | \$80 | | CXES-30-60W-MCTP | 845060091618 | 7,128 | 56 | 3,000 | CCT & Wattage Selectable |
| | \$80 | | CXES-40-80W-MCTP | 845060091625 | 10,550 | 78 | 3,000 | CCT & Wattage Selectable |
| 83UBPC | \$100 | Acuity Brands Lighting | CNY LED ALO SWW2 UVOLT PE PIR DDB M2 (photocell & occ sensor on) | 197589495041 | 9,496 | 78 | 3,000 | CCT & Wattage Selectable. Selectable Photocell toggled on & Occ Sensor toggled on or 10% to receive incentive |
| | | | | | | | | CCT & Wattage Selectable. Selectable Photocell toggled on & Occ Sensor toggled on or 10% to receive incentive |
| | \$100 | | CNY LED ALO SWW2 UVOLT PE PIR WH M2 (photocell & occ sensor on) | 197589495126 | 9,496 | 78 | 3,000 | 10% to receive incentive |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-----------------------|---------------------------------------|------------------------------|-----------------------|------------------------|--------------|--|
| 83UBPC | \$100 | Keystone Technologies | KT-CLED25PS-S1-8CSB-VDIM/L110/MW3 | 843654151984+843654152011+84 | 3,450 | 25 | 3,000 | Wattage & CCT Selectable. Must be installed with sensor to dim if ambient light and dim or turn off with no occupancy. |
| | \$100 | | KT-CLED40PS-S1-8CSB-VDIM/L110/MW3 | 843654151953+843654152004+84 | 5,330 | 40 | 3,000 | Wattage & CCT Selectable. Must be installed with sensor to dim if ambient light and dim or turn off with no occupancy. |
| | \$100 | | KT-CLED60PS-M1-8CSB-VDIM/L110/MW3 | 843654151953+843654152004+84 | 7,700 | 60 | 3,000 | Wattage & CCT Selectable. Must be installed with sensor to dim if ambient light and dim or turn off with no occupancy. |
| | \$100 | LSI Industries | SCV LED 10L SC UNV DIM 30 WHT IMSBT1L | | 9,408 | 67 | 3,100 | |
| | \$100 | | SCV LED 10L SC UNV DIM 40 WHT IMSBT1L | | 9,923 | 67 | 4,000 | |
| | \$100 | | SCV LED 10L SC UNV DIM 50 WHT IMSBT1L | | 10,306 | 67 | 5,100 | |
| | \$100 | | SCV LED 13L SC UNV DIM 30 WHT IMSBT1L | | 12,272 | 90 | 3,000 | |
| | \$100 | | SCV LED 13L SC UNV DIM 40 WHT IMSBT1L | | 12,943 | 90 | 4,000 | |
| | \$100 | | SCV LED 13L SC UNV DIM 50 WHT IMSBT1L | | 13,443 | 90 | 5,000 | |
| | \$100 | | SCV LED 15L SC UNV DIM 30 WHT IMSBT1L | | 13,659 | 102 | 3,100 | |
| | \$100 | | SCV LED 15L SC UNV DIM 40 WHT IMSBT1L | | 14,407 | 102 | 4,000 | |
| | \$100 | | SCV LED 15L SC UNV DIM 50 WHT IMSBT1L | | 14,963 | 102 | 5,000 | |
| | \$100 | | SCV LED 20L SC UNV DIM 30 WHT IMSBT1L | | 18,471 | 132 | 3,000 | |
| | \$100 | | SCV LED 20L SC UNV DIM 40 WHT IMSBT1L | | 19,482 | 132 | 4,000 | |
| | \$100 | | SCV LED 20L SC UNV DIM 50 WHT IMSBT1L | | 20,234 | 132 | 5,000 | |
| | \$100 | | SCV LED 23L SC UNV DIM 30 WHT IMSBT1L | | 21,954 | 155 | 3,000 | |
| | \$100 | | SCV LED 23L SC UNV DIM 40 WHT IMSBT1L | | 23,156 | 155 | 4,000 | |
| | \$100 | | SCV LED 23L SC UNV DIM 50 WHT IMSBT1L | | 24,050 | 155 | 5,000 | |
| | \$100 | | SCV LED 10L SC UNV DIM 30 BLK IMSBT1L | | 9,408 | 67 | 3,100 | |
| | \$100 | | SCV LED 10L SC UNV DIM 40 BLK IMSBT1L | | 9,923 | 67 | 4,000 | |
| | \$100 | | SCV LED 10L SC UNV DIM 50 BLK IMSBT1L | | 10,306 | 67 | 5,100 | |
| | \$100 | | SCV LED 13L SC UNV DIM 30 BLK IMSBT1L | | 12,272 | 90 | 3,000 | |
| | \$100 | | SCV LED 13L SC UNV DIM 40 BLK IMSBT1L | | 12,943 | 90 | 4,000 | |
| | \$100 | | SCV LED 13L SC UNV DIM 50 BLK IMSBT1L | | 13,443 | 90 | 5,000 | |
| | \$100 | | SCV LED 15L SC UNV DIM 30 BLK IMSBT1L | | 13,659 | 102 | 3,100 | |
| | \$100 | | SCV LED 15L SC UNV DIM 40 BLK IMSBT1L | | 14,407 | 102 | 4,000 | |
| | \$100 | | SCV LED 15L SC UNV DIM 50 BLK IMSBT1L | | 14,963 | 102 | 5,000 | |
| | \$100 | | SCV LED 20L SC UNV DIM 30 BLK IMSBT1L | | 18,471 | 132 | 3,000 | |
| | \$100 | | SCV LED 20L SC UNV DIM 40 BLK IMSBT1L | | 19,482 | 132 | 4,000 | |
| | \$100 | | SCV LED 20L SC UNV DIM 50 BLK IMSBT1L | | 20,234 | 132 | 5,000 | |
| | \$100 | | SCV LED 23L SC UNV DIM 30 BLK IMSBT1L | | 21,954 | 155 | 3,000 | |
| | \$100 | | SCV LED 23L SC UNV DIM 40 BLK IMSBT1L | | 23,156 | 155 | 4,000 | |
| | \$100 | | SCV LED 23L SC UNV DIM 50 BLK IMSBT1L | | 24,050 | 155 | 5,000 | |
| | \$100 | | SCV LED 10L SC UNV DIM 30 BRZ IMSBT1L | | 9,408 | 67 | 3,100 | |
| | \$100 | | SCV LED 10L SC UNV DIM 40 BRZ IMSBT1L | | 9,923 | 67 | 4,000 | |
| | \$100 | | SCV LED 10L SC UNV DIM 50 BRZ IMSBT1L | | 10,306 | 67 | 5,100 | |
| | \$100 | | SCV LED 13L SC UNV DIM 30 BRZ IMSBT1L | | 12,272 | 90 | 3,000 | |
| | \$100 | | SCV LED 13L SC UNV DIM 40 BRZ IMSBT1L | | 12,943 | 90 | 4,000 | |
| | \$100 | | SCV LED 13L SC UNV DIM 50 BRZ IMSBT1L | | 13,443 | 90 | 5,000 | |
| | \$100 | | SCV LED 15L SC UNV DIM 30 BRZ IMSBT1L | | 13,659 | 102 | 3,100 | |
| | \$100 | | SCV LED 15L SC UNV DIM 40 BRZ IMSBT1L | | 14,407 | 102 | 4,000 | |
| | \$100 | | SCV LED 15L SC UNV DIM 50 BRZ IMSBT1L | | 14,963 | 102 | 5,000 | |
| | \$100 | | SCV LED 20L SC UNV DIM 30 BRZ IMSBT1L | | 18,471 | 132 | 3,000 | |
| | \$100 | | SCV LED 20L SC UNV DIM 40 BRZ IMSBT1L | | 19,482 | 132 | 4,000 | |
| | \$100 | | SCV LED 20L SC UNV DIM 50 BRZ IMSBT1L | | 20,234 | 132 | 5,000 | |
| | \$100 | | SCV LED 23L SC UNV DIM 30 BRZ IMSBT1L | | 21,954 | 155 | 3,000 | |
| | \$100 | | SCV LED 23L SC UNV DIM 40 BRZ IMSBT1L | | 23,156 | 155 | 4,000 | |
| | \$100 | | SCV LED 23L SC UNV DIM 50 BRZ IMSBT1L | | 24,050 | 155 | 5,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|---|-----------|-------------------------|--|------------------------------|-----------------------|------------------------|--------------|---|
| 83UBPC | \$100 | RAB Lighting | VAN17-30+PIR20 | +192552026024 | 4,181 | 30 | 3,000 | CCT & Wattage/lumen Selectable. Install must include PIR20 sensor to dim light based on occ. & daylight. |
| | \$100 | | VAN17-50+PIR20 | +192552026024 | 6,665 | 48 | 3,000 | CCT & Wattage/lumen Selectable. Install must include PIR20 sensor to dim light based on occ. & daylight. |
| | \$100 | | VAN17-60+PIR20 | +192552026024 | 7,944 | 59 | 3,000 | CCT & Wattage/lumen Selectable. Install must include PIR20 sensor to dim light based on occ. & daylight. |
| | \$100 | | VAN17-90+PIR20 | +192552026024 | 11,888 | 89 | 3,000 | CCT & Wattage/lumen Selectable. Install must include PIR20 sensor to dim light based on occ. & daylight. |
| | \$100 | | VAN17-30W+PIR20 | +192552026024 | 4,181 | 30 | 3,000 | CCT & Wattage/lumen Selectable. Install must include PIR20 sensor to dim light based on occ. & daylight. |
| | \$100 | | VAN17-50W+PIR20 | +192552026024 | 6,665 | 48 | 3,000 | CCT & Wattage/lumen Selectable. Install must include PIR20 sensor to dim light based on occ. & daylight. |
| | \$100 | | VAN17-60W+PIR20 | +192552026024 | 7,944 | 59 | 3,000 | CCT & Wattage/lumen Selectable. Install must include PIR20 sensor to dim light based on occ. & daylight. |
| | \$100 | | VAN17-90W+PIR20 | +192552026024 | 11,888 | 89 | 3,000 | CCT & Wattage/lumen Selectable. Install must include PIR20 sensor to dim light based on occ. & daylight. |
| | \$100 | | TCP | CPUZDB340KMS | | 7,387 | 63 | 4,000 |
| | \$100 | | CPUZDB350KMS | | 7,582 | 63 | 5,000 | |
| High-Bay Luminaires for Commercial and Industrial Buildings | | | | | | | | |
| 86UAC | \$30 | Barron Lighting Group | RQHL-67-VS-4K-BL-SC | | 9,100 | 67 | 4,000 | |
| | \$30 | | RQHL-67-VS-4K-BL-BB-SC | | 9,100 | 67 | 4,000 | |
| | \$30 | | RQHL-67-VS-5K-BL-SC | | 9,100 | 67 | 5,000 | |
| | \$30 | | RQHL-67-VS-5K-BL-BB-SC | | 9,100 | 67 | 5,000 | |
| | \$30 | Green Ignite | GI-HBUB-CCT400PS-UL5-M | 795154055579 | 14,000 | 97 | 4,000 | Must be installed with Occ Sensor to receive incentive. CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$30 | LEDVANCE, LLC | STRIP2A/096UNVD835/96U/WH/D (65149) | 046135651496 | 12,787 | 96 | 3,500 | |
| | \$30 | | STRIP2A/096UNVD835/96U/WH/DE (65206) | 046135652066 | 12,787 | 96 | 3,500 | |
| | \$30 | | STRIP2A/096UNVD840/96U/WH/D (65150) | 046135651502 | 12,960 | 96 | 4,000 | |
| | \$30 | | STRIP2A/096UNVD840/96U/WH/DE (65207) | 046135652073 | 12,960 | 96 | 4,000 | |
| | \$30 | | STRIP2A/096UNVD850/96U/WH/D (65151) | 046135651519 | 13,056 | 96 | 5,000 | |
| | \$30 | | STRIP2A/096UNVD850/96U/WH/DE (65208) | 046135652080 | 13,056 | 96 | 5,000 | |
| | \$30 | | STRIP3A/S100UNHD8SC7/96/WH (63787)+MOTIONDAYSENSOR/MICRO/6M (63907) | 046135637872+046135639074 | 13,440 | 100 | 3,500 | Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$30 | | STRIP3A/S100UNHD8SC7/96/WH (63787)+ADAPTER/AUX12V/BLE (62630)+PINBRACKET/LS- | 046135637872+046135626302+04 | 13,440 | 100 | 3,500 | Must be connected to a LEDVANCE LINK Sensor to receive incentive. Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$30 | | STRIP3A/S100UNHD8SC7/96/WH (63787)+SENSORHB/PIRAUX12V/BLE (62634)+PINBRACKET/LS- | 046135637872+046135626340+04 | 13,440 | 100 | 3,500 | Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$30 | | STRIP3A/S100UNHD8SC7/96/WH (63787)+MOTIONDAYSENSOR/PIR/6M/PIN (63908)+PINBRACKET/LS- | 046135637872+046135639081+04 | 13,440 | 100 | 3,500 | Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$30 | | VAPOR/ILT/S100UNHD8SC7/96/D (66219) | 046135662195 | 13,160 | 100 | 3,500 | CCT & Lumen/Wattage Selectable |
| | \$30 | | VAPOR/ILT/S100UNHD8SC7/96 (65907)+MOTIONDAYSENSOR/MICRO/6M (63907) | 046135659072+046135639074 | 13,160 | 100 | 3,500 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output |
| | \$30 | MaxLite Inc. | LS3-8U65WCSCR (110526)+CN-RTMST (105564) | | 11,700 | 90 | 3,500 | CCT & Wattage Selectable |
| | \$30 | | LS3-8U65WCSCR (110526)+CN-RTPSW (105890) | | 11,700 | 90 | 3,500 | CCT & Wattage Selectable |
| | \$30 | | LS3-8U65WCSCR (110526)+NN-RTW (105892) | | 11,700 | 90 | 3,500 | CCT & Wattage Selectable |
| | \$30 | TCP | GPS8UZDSW4CCT-LS1 | | 11,000 | 85 | 3,500 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| 86UAP | \$30 | ASD Lighting Corp | ASD-WHB5A-PRO-100 | 810128111065 | 16,000 | 100 | 3,500 | CCT & Wattage/lumen Selectable, measure/incentive based on minimum lumen setting |
| | \$30 | | ASD-UHB3-100ADAC-BK | 810128111294 | 14,500 | 100 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on minimum lumen setting |
| | \$30 | Atlas Lighting Products | ILWS7-13L8D | 765364049361 | 13,819 | 95 | 4,500 | Lumen/Wattage Selectable. Measure/incentive based on lowest wattage/lumen setting. |
| | \$30 | | ILWS7-13L8D4K | 765364049767 | 13,863 | 95 | 4,000 | Lumen/Wattage Selectable. Measure/incentive based on lowest wattage/lumen setting. |
| | \$30 | | | | 13,863 | 95 | 4,000 | Lumen/Wattage Selectable. Measure/incentive based on lowest wattage/lumen setting. |
| | \$30 | | ILWS7-13L8D4KCL | | 13,863 | 95 | 4,000 | Lumen/Wattage Selectable. Measure/incentive based on lowest wattage/lumen setting. |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|--------------------------|----------------------------------|---------------|-----------------------|------------------------|--------------|---|
| 86UAP | \$30 | Atlas Lighting Products | ILWS7-13L8D5K | 765364049774 | 13,819 | 95 | 5,000 | Lumen/Wattage Selectable. Measure/incentive based on lowest wattage/lumen setting. |
| | \$30 | | ILWS7-13L8D5KCL | | 13,819 | 95 | 5,000 | Lumen/Wattage Selectable. Measure/incentive based on lowest wattage/lumen setting. |
| | \$30 | | ILWS7-13L8DCL | | 13,819 | 95 | 4,500 | Lumen/Wattage Selectable. Measure/incentive based on lowest wattage/lumen setting. |
| | \$30 | | ORHBS9-11L | | 11,219 | 85 | 4,000 | Lumen/Wattage Selectable. Measure/incentive based on lowest wattage/lumen setting. |
| | \$30 | Back To Earth Energy Inc | BE-HCP06-70W-D120-LV-4000K | | 9,612 | 72 | 4,000 | |
| | \$30 | | BE-HCP06-70W-D120-LV-5000K | | 9,757 | 72 | 5,000 | |
| | \$30 | | BE-HCP06-70W-D120-HV-4000K | | 9,707 | 71 | 4,000 | |
| | \$30 | | BE-HCP06-70W-D120-HV-5000K | | 9,892 | 71 | 5,000 | |
| | \$30 | Barron Lighting Group | RSHL-100-CP-BL | 190622070588 | 14,000 | 100 | 3,000 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$30 | | RSHL-100-CP-WH | 190622064952 | 14,000 | 100 | 3,000 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$30 | | RSHL-100-CP-BL-BB | | 14,000 | 100 | 3,000 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$30 | | RSHL-100-CP-WH-BB | | 14,000 | 100 | 3,000 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$30 | | RSHL-150-CP-BL | 190622073480 | 22,000 | 150 | 3,000 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$30 | | RSHL-150-CP-WH | 190622064969 | 22,000 | 150 | 3,000 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$30 | | RSHL-150-CP-BL-BB | | 22,000 | 150 | 3,000 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$30 | | RSHL-150-CP-WH-BB | | 22,000 | 150 | 3,000 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$30 | | RSHL-100-CP-BL+LE-MS3-AUX-HB1 | 190622070588+ | 14,000 | 100 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. LiteLogic Sensor must be installed in field and programmed to dim or turn off with no occupancy. |
| | \$30 | | RSHL-100-CP-WH+LE-MS3-AUX-HB1 | 190622064952+ | 14,000 | 100 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. LiteLogic Sensor must be installed in field and programmed to dim or turn off with no occupancy. |
| | \$30 | | RSHL-100-CP-BL-BB+LE-MS3-AUX-HB1 | | 14,000 | 100 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. LiteLogic Sensor must be installed in field and programmed to dim or turn off with no occupancy. |
| | \$30 | | RSHL-100-CP-WH-BB+LE-MS3-AUX-HB1 | | 14,000 | 100 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. LiteLogic Sensor must be installed in field and programmed to dim or turn off with no occupancy. |
| | \$30 | | RSHL-150-CP-BL+LE-MS3-AUX-HB1 | 190622073480+ | 22,000 | 150 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. LiteLogic Sensor must be installed in field and programmed to dim or turn off with no occupancy. |
| | \$30 | | RSHL-150-CP-WH+LE-MS3-AUX-HB1 | 190622064969+ | 22,000 | 150 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. LiteLogic Sensor must be installed in field and programmed to dim or turn off with no occupancy. |
| | \$30 | | RSHL-150-CP-BL-BB+LE-MS3-AUX-HB1 | | 22,000 | 150 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. LiteLogic Sensor must be installed in field and programmed to dim or turn off with no occupancy. |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|------------------------------|----------------------------------|--------------|-----------------------|------------------------|--------------|---|
| 86UAP | \$30 | Barron Lighting Group | RSHL-150-CP-WH-BB+LE-MS3-AUX-HB1 | | 22,000 | 150 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. LiteLogic Sensor must be installed in field and programmed to dim or turn off with no occupancy. |
| | \$30 | EarthTronics Inc. | HBU150WSCCTB1 (11776) | 840791117767 | 22,500 | 150 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$30 | ETi Solid State Lighting | ERHB-15L-LB3-8-CP3-MV-LVD-BL | | 13,746 | 104 | 3,500 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$30 | | CLHB-1-LB3-CP2-MV-LVD | | 15,489 | 111 | 5,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. |
| | \$30 | Halco Lighting Technologies | LHB-1-WS-40-U | 807154302802 | 14,652 | 110 | 4,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$30 | | LHB-1-WS-50-U | 807154302819 | 14,850 | 110 | 5,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$30 | | CLHB-1-WS-CS-U (36100) | 807154361007 | 17,681 | 132 | 4,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$30 | Industrial Lighting Products | FZ8-80W-U-35-FRAL | | 11,677 | 82 | 3,500 | |
| | \$30 | | FZ8-80W-U-40-FRAL | | 11,750 | 82 | 4,000 | |
| | \$30 | | FZ8-110W-U-35-FRAL | | 14,499 | 108 | 3,500 | |
| | \$30 | | FZ8-110W-U-40-FRAL | | 14,690 | 108 | 4,000 | |
| | \$30 | | DSC8-8LHE-U-35-FCLGR | | 9,138 | 60 | 3,500 | |
| | \$30 | | DSC8-8LHE-U-40-FCLGR | | 9,292 | 60 | 4,000 | |
| | \$30 | | DSC8-8LHE-U-50-FCLGR | | 9,599 | 60 | 5,000 | |
| | \$30 | | DSC8-8LHE-U-35-FFLGR | | 9,031 | 60 | 3,500 | |
| | \$30 | | DSC8-8LHE-U-40-FFLGR | | 9,183 | 60 | 4,000 | |
| | \$30 | | DSC8-8LHE-U-50-FFLGR | | 9,487 | 60 | 5,000 | |
| | \$30 | | DSC8-10LHE-U-30-FCLGR | | 10,914 | 70 | 3,000 | |
| | \$30 | | DSC8-10LHE-U-35-FCLGR | | 11,101 | 70 | 3,500 | |
| | \$30 | | DSC8-10LHE-U-40-FCLGR | | 11,288 | 70 | 4,000 | |
| | \$30 | | DSC8-10LHE-U-50-FCLGR | | 11,661 | 70 | 5,000 | |
| | \$30 | | DSC8-10LHE-U-30-FFLGR | | 10,786 | 70 | 3,000 | |
| | \$30 | | DSC8-10LHE-U-35-FFLGR | | 10,971 | 70 | 3,500 | |
| | \$30 | | DSC8-10LHE-U-40-FFLGR | | 11,155 | 70 | 4,000 | |
| | \$30 | | DSC8-10LHE-U-50-FFLGR | | 11,524 | 70 | 5,000 | |
| | \$30 | | DSC8-12LHE-U-30-FCLGR | | 12,350 | 83 | 3,000 | |
| | \$30 | | DSC8-12LHE-U-35-FCLGR | | 12,561 | 83 | 3,500 | |
| | \$30 | | DSC8-12LHE-U-40-FCLGR | | 12,773 | 83 | 4,000 | |
| | \$30 | | DSC8-12LHE-U-50-FCLGR | | 13,195 | 83 | 5,000 | |
| | \$30 | | DSC8-12LHE-U-30-FFLGR | | 12,205 | 83 | 3,000 | |
| | \$30 | | DSC8-12LHE-U-35-FFLGR | | 12,414 | 83 | 3,500 | |
| | \$30 | | DSC8-12LHE-U-40-FFLGR | | 12,623 | 83 | 4,000 | |
| | \$30 | | DSC8-12LHE-U-50-FFLGR | | 13,040 | 83 | 5,000 | |
| | \$30 | | DSC8-14LHE-U-30-FCLGR | | 13,268 | 91 | 3,000 | |
| | \$30 | | DSC8-14LHE-U-35-FCLGR | | 13,495 | 91 | 3,500 | |
| | \$30 | | DSC8-14LHE-U-40-FCLGR | | 13,722 | 91 | 4,000 | |
| | \$30 | | DSC8-14LHE-U-50-FCLGR | | 14,176 | 91 | 5,000 | |
| | \$30 | | DSC8-14LHE-U-30-FFLGR | | 13,112 | 91 | 3,000 | |
| | \$30 | | DSC8-14LHE-U-35-FFLGR | | 13,336 | 91 | 3,500 | |
| | \$30 | | DSC8-14LHE-U-40-FFLGR | | 13,561 | 91 | 4,000 | |
| | \$30 | | DSC8-14LHE-U-50-FFLGR | | 14,009 | 91 | 5,000 | |
| | \$30 | | DSC8-16LHE-U-30-FCLGR | | 15,171 | 106 | 3,000 | |
| | \$30 | | DSC8-16LHE-U-35-FCLGR | | 15,431 | 106 | 3,500 | |
| | \$30 | | DSC8-16LHE-U-40-FCLGR | | 15,691 | 106 | 4,000 | |
| | \$30 | | DSC8-16LHE-U-50-FCLGR | | 16,210 | 106 | 5,000 | |
| | \$30 | | DSC8-16LHE-U-30-FFLGR | | 14,993 | 106 | 3,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|------------------------------|--------------------------------------|--------------|-----------------------|------------------------|--------------|---|
| 86UAP | \$30 | Industrial Lighting Products | DSC8-16LHE-U-35-FFLGR | | 15,250 | 106 | 3,500 | |
| | \$30 | | DSC8-16LHE-U-40-FFLGR | | 15,506 | 106 | 4,000 | |
| | \$30 | | DSC8-16LHE-U-50-FFLGR | | 16,019 | 106 | 5,000 | |
| | \$30 | | DSC8-18LHE-U-30-FCLGR | | 16,932 | 120 | 3,000 | |
| | \$30 | | DSC8-18LHE-U-35-FCLGR | | 17,221 | 120 | 3,500 | |
| | \$30 | | DSC8-18LHE-U-40-FCLGR | | 17,511 | 120 | 4,000 | |
| | \$30 | | DSC8-18LHE-U-50-FCLGR | | 18,090 | 120 | 5,000 | |
| | \$30 | | DSC8-18LHE-U-30-FFLGR | | 16,733 | 120 | 3,000 | |
| | \$30 | | DSC8-18LHE-U-35-FFLGR | | 17,019 | 120 | 3,500 | |
| | \$30 | | DSC8-18LHE-U-40-FFLGR | | 17,305 | 120 | 4,000 | |
| | \$30 | | DSC8-18LHE-U-50-FFLGR | | 17,878 | 120 | 5,000 | |
| | \$30 | | DSC8-20LHE-U-30-FCLGR | | 19,868 | 144 | 3,000 | |
| | \$30 | | DSC8-20LHE-U-30-FFLGR | | 19,635 | 144 | 3,000 | |
| | \$30 | | DSC8-20LHE-U-35-FFLGR | | 19,971 | 144 | 3,500 | |
| | \$30 | | DSC8-10LSE-U-30-FCLGR | | 10,225 | 72 | 3,000 | |
| | \$30 | | DSC8-10LSE-U-35-FCLGR | | 10,399 | 72 | 3,500 | |
| | \$30 | | DSC8-10LSE-U-40-FCLGR | | 10,574 | 72 | 4,000 | |
| | \$30 | | DSC8-10LSE-U-50-FCLGR | | 10,924 | 72 | 5,000 | |
| | \$30 | | DSC8-10LSE-U-30-FFLGR | | 10,104 | 72 | 3,000 | |
| | \$30 | | DSC8-10LSE-U-35-FFLGR | | 10,277 | 72 | 3,500 | |
| | \$30 | | DSC8-10LSE-U-40-FFLGR | | 10,450 | 72 | 4,000 | |
| | \$30 | | DSC8-10LSE-U-50-FFLGR | | 10,796 | 72 | 5,000 | |
| | \$30 | | DSC8-12LSE-U-30-FCLGR | | 13,069 | 95 | 3,000 | |
| | \$30 | | DSC8-12LSE-U-35-FCLGR | | 13,292 | 95 | 3,500 | |
| | \$30 | | DSC8-12LSE-U-40-FCLGR | | 13,516 | 95 | 4,000 | |
| | \$30 | | DSC8-12LSE-U-50-FCLGR | | 13,963 | 95 | 5,000 | |
| | \$30 | | DSC8-12LSE-U-30-FFLGR | | 12,915 | 95 | 3,000 | |
| | \$30 | | DSC8-12LSE-U-35-FFLGR | | 13,136 | 95 | 3,500 | |
| | \$30 | | DSC8-12LSE-U-40-FFLGR | | 13,357 | 95 | 4,000 | |
| | \$30 | | DSC8-12LSE-U-50-FFLGR | | 13,799 | 95 | 5,000 | |
| | \$30 | Keystone Technologies | KT-RHLED100PS-11C-8CSB-VDIM /G2 | 843654160825 | 13,551 | 100 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$30 | | KT-RHLED100PS-11C-8CSB-VDIM-W /G2 | 843654160863 | 13,551 | 100 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$30 | | KT-RHLED100PS-12CD-OSD-8CSB-VDIM-P | 843654160726 | 13,892 | 100 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$30 | | KT-RHLED100PS-12CD-OSD-8CSB-VDIM-P-W | 843654160719 | 13,892 | 100 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$30 | MaxLite Inc. | LS2-8U65WCSCR | 767627009020 | 12,446 | 95 | 3,500 | Wattage & CCT selectable, Measure/incentive based on min. lumen level |
| | \$30 | | LSV8U90WCSCR | | 11,517 | 88 | 3,500 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$30 | | LSV8U65WCSCR | | 11,517 | 88 | 3,500 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$30 | RAB Lighting | ARXS | | 13,030 | 90 | 5,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$30 | | ARXS/480 | | 13,575 | 91 | 5,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$30 | | H17S | | 14,500 | 100 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$30 | | CS8 | | 12,984 | 89 | 3,500 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$30 | | LHB-15L-W-PCS-U | 032886308765 | 14,416 | 103 | 3,500 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$30 | WESTGATE MFG | UHX-150W-MP-40K | 845060074260 | 20,640 | 149 | 4,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$30 | | UHX-150W-MP-50K | 845060062984 | 20,568 | 144 | 5,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|------------------------------|--|---------------------------|-----------------------|------------------------|--------------|--|
| 86UAP | \$30 | WESTGATE MFG | LLHB4-100W-MP-40K-D | 845060078732 | 13,782 | 105 | 4,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$30 | | LLHB4-100W-MP-50K-D | 845060078749 | 14,321 | 105 | 5,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$30 | | LVTE-8FT-65-110W-MCTP-HL | 845060090659 | 15,400 | 110 | 3,500 | CCT & Wattage Selectable, measure/incentive based on minimum light output |
| | \$60 | Back To Earth Energy Inc | BE-HCP06-70W-D120-LV-4000K-MS | | 9,612 | 72 | 4,000 | |
| 86UAPC | \$60 | | BE-HCP06-70W-D120-LV-5000K-MS | | 9,757 | 72 | 5,000 | |
| | \$60 | EarthTronics Inc. | HBU150WSCCTB1 (11776) w/ 11806 ECUFOPIRLV | 840791117767+840791118061 | 22,500 | 150 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | | | | | | | | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with ERHB-QI-OCC-MS Quick Install Occupancy Sensor and dim or turn off with no motion detected. |
| | \$60 | ETi Solid State Lighting | ERHB-15L-LB3-8-CP3-MV-LVD-BL+ERHB-QI-OCC-MS | | 13,746 | 104 | 3,500 | |
| | \$60 | | CLHB-1-LB3-CP2-MV-LVD+QI-PIR-OCC | | 15,489 | 111 | 5,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. |
| | \$60 | | CLHB-1-LB3-CP2-MV-LVD+QI-MW-OCC | | 15,489 | 111 | 5,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. |
| | \$60 | Halco Lighting Technologies | LHB-1-WS-40-U-LVMS | | 14,652 | 110 | 4,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$60 | | LHB-1-WS-50-U-LVMS | | 14,850 | 110 | 5,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | | | | | | | | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$60 | | CLHB-1-WS-CS-UPIRMS (36106) | | 17,681 | 132 | 4,000 | |
| | \$60 | | LHB-1-WS-40-U-PIRMS | | 14,652 | 110 | 4,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$60 | | LHB-1-WS-50-U-PIRMS | | 14,850 | 110 | 5,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$60 | Industrial Lighting Products | FZ8-80W-U-35-FRAL-FIOS | | 11,677 | 82 | 3,500 | |
| | \$60 | | FZ8-80W-U-40-FRAL-FIOS | | 11,750 | 82 | 4,000 | |
| | \$60 | | FZ8-80W-U-50-FRAL-FIOS | | 12,477 | 82 | 5,000 | |
| | \$60 | | FZ8-110W-U-35-FRAL-FIOS | | 14,499 | 108 | 3,500 | |
| | \$60 | | FZ8-110W-U-40-FRAL-FIOS | | 14,690 | 108 | 4,000 | |
| | \$60 | | FZ8-110W-U-50-FRAL-FIOS | | 15,070 | 110 | 5,000 | |
| | \$60 | Keystone Technologies | KT-RHLED100PS-11C-8CSB-VDIM /G2/FC3 | | 13,551 | 100 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$60 | | KT-RHLED100PS-11C-8CSB-VDIM-W /G2/FC3 | | 13,551 | 100 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$60 | | KT-RHLED100PS-12CD-OSD-8CSB-VDIM-P/FC3 | | 13,892 | 100 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$60 | | KT-RHLED100PS-12CD-OSD-8CSB-VDIM-P-W/FC3 | | 13,892 | 100 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$60 | | KT-RHLED100PS-12CD-OSD-8CSB-VDIM-P/PIR-A | | 13,892 | 100 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$60 | | KT-RHLED100PS-12CD-OSD-8CSB-VDIM-P-W/PIR-A | | 13,892 | 100 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$60 | MaxLite Inc. | LS2-8U65WSCRMS | | 12,446 | 95 | 3,500 | Wattage & CCT selectable, Measure/incentive based on min. lumen level |
| | \$60 | RAB Lighting | H17S+PIR40 | | 14,500 | 100 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$60 | | H17S+PIR40/LCB | | 14,500 | 100 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$60 | | CS8/MVS | | 12,984 | 89 | 3,500 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$60 | | CS8/LCBS | | 12,984 | 89 | 3,500 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| 86UBC | \$60 | Acuity Brands Lighting | IBE L24 18000LM ATC MD MVOLT GZ10 40K 80CRI LAOZU DWH | | 18,059 | 136 | 4,000 | |
| | \$60 | | IBE L24 18000LM ATC MD MVOLT GZ10 50K 80CRI LAOZU DWH | | 18,306 | 136 | 5,000 | |
| | \$60 | | JEBL 18000LM FRGL MVOLT 40K 80CRI NLTAIR2 RSBOR10 SCF120 WBF DWHXD | | 16,897 | 136 | 4,000 | |
| | \$60 | | CPRB ALO13 UVOLT SWW9 80CRI MSOD30 0V DBL | | 17,623 | 133 | 4,000 | |
| | \$60 | Back To Earth Energy Inc | BE-CHB-100W-D120-B-LV-4000K-MS | | 15,065 | 103 | 4,000 | Must be installed with Motion Sensor to receive incentive |
| | \$60 | | BE-CHB-100W-D120-B-LV-5000K-MS | | 15,441 | 103 | 5,000 | Must be installed with Motion Sensor to receive incentive |
| | \$60 | | BE-CHB-120W-D120-B-LV-4000K-MS | | 17,484 | 121 | 4,000 | Must be installed with Motion Sensor to receive incentive |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|--------------------------|--|--------------|-----------------------|------------------------|--------------|--|
| 86UBC | \$60 | Back To Earth Energy Inc | BE-CHB-120W-D120-B-LV-5000K-MS | | 17,921 | 121 | 5,000 | Must be installed with Motion Sensor to receive incentive |
| | \$60 | Barron Lighting Group | RQHL-97-VS-4K-BL-SC | | 12,300 | 97 | 4,000 | |
| | \$60 | | RQHL-97-VS-4K-BL-BB-SC | | 12,300 | 97 | 4,000 | |
| | \$60 | | RQHL-97-VS-5K-BL-SC | 190622009533 | 12,300 | 97 | 5,000 | |
| | \$60 | | RQHL-97-VS-5K-BL-BB-SC | | 12,300 | 97 | 5,000 | |
| | \$60 | | RQHL-140-VS-4K-BL-SC | | 17,500 | 140 | 4,000 | |
| | \$60 | | RQHL-140-VS-4K-BL-BB-SC | | 17,500 | 140 | 4,000 | |
| | \$60 | | RQHL-140-VS-5K-BL-SC | 190622014995 | 17,500 | 140 | 5,000 | |
| | \$60 | | RQHL-140-VS-5K-BL-BB-SC | | 17,500 | 140 | 5,000 | |
| | \$60 | Current | ABC1018471DQASTKQW1PK | | 16,364 | 126 | 4,000 | |
| | \$60 | | ABC1018471QQASTAQW1PK | | 16,364 | 126 | 4,000 | |
| | \$60 | | ABC1018481DQASTKQW1PK | | 15,397 | 126 | 4,000 | |
| | \$60 | | ABC1018571DQA42QW1PK | | 16,380 | 126 | 5,000 | |
| | \$60 | | ABC1018571DQASTKQW1PK | | 16,380 | 126 | 5,000 | |
| | \$60 | | ABC1018571QQASTAQW1PK | | 18,000 | 126 | 5,000 | |
| | \$60 | | ABC1018581DQASTKQW1PK | | 15,725 | 126 | 5,000 | |
| | \$60 | Green Ignite | GI-HBUB-CCT1000PS-UL5-M | 795154055586 | 30,500 | 215 | 4,000 | Must be installed with Occ Sensor to receive incentive. CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$60 | LEDVANCE, LLC | WVAP1A/S090UNVD8SC7/48EC/GR/D (65518) | 046135655180 | 13,374 | 90 | 3,500 | |
| | \$60 | | WVAP1A/S090UNVD8SC7/48EC/GR/DE (62132) | 046135655326 | 13,374 | 90 | 3,500 | |
| | \$60 | | WVAP1A/S180UNVD8SC7/48EC/GR/D (65519) | 046135655197 | 26,658 | 180 | 3,500 | CCT & Lumen Selectable, measure code based on minimum lumens |
| | \$60 | | WVAP1A/S180UNVD8SC7/48EC/GR/DE (62133) | 046135655333 | 26,658 | 180 | 3,500 | CCT & Lumen Selectable, measure code based on minimum lumens |
| | \$60 | LSI Industries | MHB 1 LED 12L DPW UNV 40 IMSBT2L | | 11,126 | 78 | 4,000 | |
| | \$60 | | MHB 1 LED 12L DPW UNV 50 IMSBT2L | | 11,418 | 79 | 5,000 | |
| | \$60 | | MHB 1 LED 12L CPN UNV 40 IMSBT2L | | 11,089 | 78 | 4,000 | |
| | \$60 | | MHB 1 LED 12L CPN UNV 50 IMSBT2L | | 11,501 | 79 | 5,000 | |
| | \$60 | | MHB 1 LED 12L CPW UNV 40 IMSBT2L | | 12,386 | 78 | 4,000 | |
| | \$60 | | MHB 1 LED 12L CPW UNV 50 IMSBT2L | | 12,669 | 79 | 5,000 | |
| | \$60 | | MHB 1 LED 15L DPW UNV 40 IMSBT2L | | 14,567 | 105 | 4,000 | |
| | \$60 | | MHB 1 LED 15L DPW UNV 50 IMSBT2L | | 14,949 | 105 | 5,000 | |
| | \$60 | | MHB 1 LED 15L CPN UNV 40 IMSBT2L | | 14,652 | 105 | 4,000 | |
| | \$60 | | MHB 1 LED 15L CPN UNV 50 IMSBT2L | | 15,196 | 105 | 5,000 | |
| | \$60 | | MHB 1 LED 15L CPW UNV 40 IMSBT2L | | 16,144 | 105 | 4,000 | |
| | \$60 | | MHB 1 LED 15L CPW UNV 50 IMSBT2L | | 16,513 | 105 | 5,000 | |
| | \$60 | | MHB 1 LED 18L DPW UNV 40 IMSBT2L | | 16,767 | 122 | 4,000 | |
| | \$60 | | MHB 1 LED 18L DPW UNV 50 IMSBT2L | | 17,207 | 122 | 5,000 | |
| | \$60 | | MHB 1 LED 18L CPN UNV 40 IMSBT2L | | 16,766 | 122 | 4,000 | |
| | \$60 | | MHB 1 LED 18L CPN UNV 50 IMSBT2L | | 17,389 | 122 | 5,000 | |
| | \$60 | | MHB 1 LED 18L CPW UNV 40 IMSBT2L | | 18,597 | 122 | 4,000 | |
| | \$60 | | MHB 1 LED 18L CPW UNV 50 IMSBT2L | | 19,022 | 122 | 5,000 | |
| | \$60 | Signify | FBY12L840-UNV-MD360 | | 12,135 | 90 | 4,000 | |
| | \$60 | TCP | QHB2UZDA250KLS1 | | 14,850 | 110 | 5,000 | |
| | \$60 | | QHB2UZDA250KLS1D | | 14,850 | 110 | 5,000 | |
| 86UBP | \$60 | Acuity Brands Lighting | CPHB 12LM MVOLT 40K | 194994608325 | 12,100 | 88 | 4,000 | |
| | \$60 | | CPHB 12LM MVOLT 50K | 194994429548 | 12,256 | 88 | 5,000 | |
| | \$60 | | CPHB 15LM MVOLT 40K | 194994429562 | 14,721 | 104 | 4,000 | |
| | \$60 | | CPHB 15LM MVOLT 50K | 194994429593 | 14,910 | 104 | 5,000 | |
| | \$60 | | CPHB 18LM MVOLT 40K | 194994608295 | 18,481 | 133 | 4,000 | |
| | \$60 | | CPHB 18LM MVOLT 50K | 194994429630 | 18,719 | 133 | 5,000 | |
| | \$60 | | IBG 12L MVOLT | 194994009313 | 11,856 | 77 | 4,000 | |
| | \$60 | | IBG 12L MVOLT 5K | 194994009160 | 12,046 | 77 | 5,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|--------------------------------|--|---------------------------|-----------------------|------------------------|--------------|---|
| 86UBP | \$60 | Acuity Brands Lighting | IBG 15L MVOLT | 194994009184 | 14,774 | 95 | 4,000 | |
| | \$60 | | IBG 15L MVOLT 5K | 194994009061 | 15,010 | 95 | 5,000 | |
| | \$60 | | IBG 18000LM HEF PCL GND MVOLT GZ10 50K 80CRI DWH | | 18,013 | 100 | 5,000 | |
| | \$60 | | IBG 18L MVOLT | 194994009078 | 18,531 | 107 | 4,000 | |
| | \$60 | | IBG 18L MVOLT 5K | 194994009177 | 18,297 | 106 | 5,000 | |
| | \$60 | | XIB L24 18000LM AFMD MVOLT GZ10 40K 80CRI DWHXD | 193048816662 | 18,002 | 113 | 4,000 | |
| | \$60 | | CPRB 18LM MVOLT 40K 80CRI DWH | 196182615429 | 18,252 | 132 | 4,000 | |
| | \$60 | | CPRB ALO13 UVOLT SWW9 80CRI DWH | 196182615023 | 18,445 | 133 | 4,000 | Wattage & CCT selectable, Measure/incentive based on min. wattage/lumen level. If not installed with time clock, a separate photo sensor is needed. |
| | \$60 | | CPHB 18LM MVOLT 50K+LSXR610 | 194994429630+820476095115 | 18,319 | 133 | 5,000 | |
| | \$60 | | CPHB 18000LM HEF GCL MD 480 GZ10 40K 80CRI DWH | | 18,936 | 138 | 4,000 | |
| | \$60 | | CPHB 18000LM HEF GCL MD 480 GZ10 50K 80CRI DWH | | 19,236 | 138 | 5,000 | |
| | \$60 | | CPHB ALO22 MVOLT SWW9 80CRI DWH | 197589305388 | 15,396 | 106 | 4,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$60 | | CPHB ALO13 MVOLT SWW9 80CRI DWH | 196183428561 | 18,335 | 135 | 4,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$60 | | CPHB 18000LM HEF GCL MD MVOLT GZ10 35K 80CRI DWH | 196182544545 | 17,884 | 127 | 3,500 | |
| | \$60 | | CPHB 15000LM HEF GCL MD MVOLT GZ10 35K 70CRI DWH | | 14,639 | 96 | 3,500 | |
| | \$60 | Allstar Lighting Supplies Inc. | LEDASLHB1X1/3WO/4CCT/WT/D | 793888407947 | 20,500 | 150 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$60 | ASD Lighting Corp | ASD-UHB2-100D40W-PRM | 810050733281 | 14,700 | 100 | 4,000 | |
| | \$60 | | ASD-UHB2-100D50-PRM | 819201023486 | 14,800 | 100 | 5,000 | |
| | \$60 | | ASD-UHB2-100D50W-PRM | 810050733298 | 14,800 | 100 | 5,000 | |
| | \$60 | | ASD-UHB2-FS-100D50 | | 14,600 | 100 | 5,000 | |
| | \$60 | | ASD-WHB5M-2D11040 | 810050734899 | 15,180 | 110 | 4,000 | |
| | \$60 | | ASD-WHB5M-2D11050 | 810050734912 | 15,290 | 110 | 5,000 | |
| | \$60 | | ASD-UHB2-150A40-BK | | 23,253 | 150 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$60 | | ASD-UHB2-150A50-BK | 810128114936 | 23,599 | 150 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$60 | | ASD-UHB2-200A40-BK | | 30,501 | 202 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$60 | | ASD-UHB2-200A50-BK | 810128114943 | 30,936 | 202 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$60 | | ASD-UHB5-PRO-100BK | 81012811356 | 17,000 | 100 | 3,000 | CCT & Wattage/lumen selectable. Measure/incentive based on minimum lumen output |
| | \$60 | | ASD-UFS-PRO-200 | 81012811402 | 30,000 | 200 | 3,000 | CCT & Wattage/lumen selectable. Measure/incentive based on minimum lumen output |
| | \$60 | | ASD-UHB5-HV-PRO-200BK | 81012811352 | 34,000 | 200 | 3,000 | CCT & Wattage/lumen selectable. Measure/incentive based on minimum lumen output |
| | \$60 | | ASD-UHB5-PRO-150BK | 81012811357 | 25,500 | 150 | 3,000 | CCT & Wattage/lumen selectable. Measure/incentive based on minimum lumen output |
| | \$60 | | ASD-UHB5-PRO-150WH | 81012811481 | 25,500 | 150 | 3,000 | CCT & Wattage/lumen selectable. Measure/incentive based on minimum lumen output |
| | \$60 | | ASD-UHB5-PRO-200BK | 81012811358 | 34,000 | 200 | 3,000 | CCT & Wattage/lumen selectable. Measure/incentive based on minimum lumen output |
| | \$60 | | ASD-UHB5-PRO-200WH | 81012811480 | 34,000 | 200 | 3,000 | CCT & Wattage/lumen selectable. Measure/incentive based on minimum lumen output |
| | \$60 | | ASD-UHB5-HV-PRO-150BK | 81012811351 | 25,500 | 150 | 3,000 | CCT & Wattage/lumen selectable. Measure/incentive based on minimum lumen output |
| | \$60 | | ASD-WHB5A-100D50 | 810050738705 | 13,843 | 100 | 5,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|--------------------------|-----------------------------|--------------|-----------------------|------------------------|--------------|--|
| 86UBP | \$60 | ASD Lighting Corp | ASD-WHB5A-PRO-160 | 810128113656 | 25,600 | 160 | 3,500 | CCT & Wattage/lumen Selectable, measure/incentive based on minimum lumen setting |
| | \$60 | | ASD-WHB5A-PRO-160-EM | 810128113205 | 25,600 | 160 | 3,500 | CCT & Wattage/lumen Selectable, measure/incentive based on minimum lumen setting |
| | \$60 | | ASD-UHB2-100D35-PRM | 810050734523 | 14,600 | 100 | 3,500 | |
| | \$60 | | ASD-UHB3-100DAC-BK | 810050738446 | 14,500 | 100 | 3,000 | CCT Selectable |
| | \$60 | | ASD-UHB3-200ADAC-BK | 810050737371 | 29,000 | 200 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on minimum lumen setting |
| | \$60 | | ASD-UHB3-200ADAC-WH | 810128111317 | 29,000 | 200 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on minimum lumen setting |
| | \$60 | | ASD-WHB5A-A160DAC-20EM | 810128111812 | 21,763 | 158 | 3,500 | CCT & Wattage/lumen Selectable, measure/incentive based on minimum lumen setting |
| | \$60 | | ASD-UHB3-150ADAC-BK | 810128110433 | 21,750 | 150 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on minimum lumen setting |
| | \$60 | | ASD-UHB3-150ADAC-WH | 810128111300 | 21,750 | 150 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on minimum lumen setting |
| | \$60 | | ASD-WHB5A-A220DAC-20EM | 810128111812 | 29,845 | 215 | 3,500 | CCT & Wattage/lumen Selectable, measure/incentive based on minimum lumen setting |
| | \$60 | Atlas Lighting Products | ILW130LED4WD4KCL | | 17,821 | 126 | 4,000 | |
| | \$60 | | ILW130LED4WD5KCL | 765364026157 | 17,621 | 126 | 5,300 | |
| | \$60 | | ILW130LED4WDCL | 765364028397 | 17,621 | 126 | 4,500 | |
| | \$60 | | ILW98LED4WD4KCL | | 14,033 | 95 | 4,000 | |
| | \$60 | | ILW98LED4WD5KCL | | 14,130 | 96 | 5,300 | |
| | \$60 | | ILW98LED4WDCL | 765364934735 | 14,033 | 95 | 4,500 | |
| | \$60 | | ORHB12L4K | 765364027222 | 12,534 | 93 | 4,000 | |
| | \$60 | | ORHB12L5K | 765364028243 | 12,507 | 94 | 5,000 | |
| | \$60 | | ORHB18L4K | 765364027246 | 17,500 | 128 | 4,000 | |
| | \$60 | | ORHB18L5K | 765364028267 | 17,500 | 128 | 5,000 | |
| | \$60 | | ORHBS12-21L | 765364050558 | 20,381 | 152 | 4,000 | Lumen/Wattage Selectable. Measure/incentive based on lowest wattage/lumen setting. |
| | \$60 | Back To Earth Energy Inc | BE-CHB-70W-D90-B-LV-4000K | | 10,885 | 72 | 4,000 | |
| | \$60 | | BE-CHB-70W-D90-B-LV-5000K | | 11,343 | 73 | 5,000 | |
| | \$60 | | BE-CHB-90W-D90-B-LV-4000K | | 14,613 | 93 | 4,000 | |
| | \$60 | | BE-CHB-90W-D90-B-LV-5000K | | 14,978 | 93 | 5,000 | |
| | \$60 | | BE-CHB-100W-D90-B-LV-4000K | | 15,810 | 103 | 4,000 | |
| | \$60 | | BE-CHB-100W-D90-B-LV-5000K | | 16,205 | 103 | 5,000 | |
| | \$60 | | BE-CHB-120W-D90-B-LV-4000K | | 18,349 | 121 | 4,000 | |
| | \$60 | | BE-CHB-120W-D90-B-LV-5000K | | 18,807 | 121 | 5,000 | |
| | \$60 | | BE-HCP06-100W-D120-LV-4000K | | 13,308 | 102 | 4,000 | |
| | \$60 | | BE-HCP06-100W-D120-LV-5000K | | 13,528 | 101 | 5,000 | |
| | \$60 | | BE-HCP06-120W-D120-LV-4000K | | 15,966 | 121 | 4,000 | |
| | \$60 | | BE-HCP06-120W-D120-LV-5000K | | 16,264 | 121 | 5,000 | |
| | \$60 | Barron Lighting Group | BE-HCP06-100W-D120-HV-4000K | | 13,384 | 100 | 4,000 | |
| | \$60 | | BE-HCP06-100W-D120-HV-5000K | | 13,639 | 100 | 5,000 | |
| | \$60 | | BE-HCP06-120W-D120-HV-4000K | | 16,162 | 120 | 4,000 | |
| | \$60 | | BE-HCP06-120W-D120-HV-5000K | | 16,469 | 120 | 5,000 | |
| | \$60 | | EQHB-130-D-VS-4K | 190622145835 | 18,500 | 130 | 4,000 | |
| | \$60 | | EQHB-130-D-VS-5K | 190622145842 | 18,500 | 130 | 5,000 | |
| | \$60 | | EQHB-90-D-VS-4K | 190622145811 | 12,600 | 90 | 4,000 | |
| | \$60 | | EQHB-90-D-VS-5K | 190622145828 | 12,600 | 90 | 5,000 | |
| | \$60 | | RHL-135-VS-4K-WH | 190622140328 | 19,400 | 135 | 4,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-----------------------|----------------------------------|---------------|-----------------------|------------------------|--------------|---|
| 86UBP | \$60 | Barron Lighting Group | RHL-135-VS-5K-WH | 190622140335 | 19,400 | 135 | 5,000 | |
| | \$60 | | RHL-135-VS-4K-BL | 190622141752 | 19,400 | 135 | 4,000 | |
| | \$60 | | RHL-135-VS-4K-BL-BB | 190622145415 | 19,400 | 135 | 4,000 | |
| | \$60 | | RHL-135-VS-4K-WH-BB | 190622144319 | 19,400 | 135 | 4,000 | |
| | \$60 | | RHL-135-VS-5K-BL | 190622143312 | 19,400 | 135 | 5,000 | |
| | \$60 | | RHL-135-VS-5K-BL-BB | | 19,400 | 135 | 5,000 | |
| | \$60 | | RHL-135-VS-5K-WH-BB | 190622145798 | 19,400 | 135 | 5,000 | |
| | \$60 | | RHL-135-HVS-4K-BL | 190622141752 | 19,400 | 135 | 4,000 | |
| | \$60 | | RHL-135-HVS-4K-WH | 190622140328 | 19,400 | 135 | 4,000 | |
| | \$60 | | RHL-135-HVS-5K-BL | 190622141752 | 19,400 | 135 | 5,000 | |
| | \$60 | | RHL-135-HVS-5K-WH | 190622141387 | 19,400 | 135 | 5,000 | |
| | \$60 | | EQHB-90-D-VS-4K-BB | 190622010324 | 12,600 | 90 | 4,000 | |
| | \$60 | | EQHB-90-D-HVS-4K | | 12,600 | 90 | 4,000 | |
| | \$60 | | EQHB-90-D-VS-5K-BB | | 12,600 | 90 | 5,000 | |
| | \$60 | | EQHB-90-D-HVS-5K | | 12,600 | 90 | 5,000 | |
| | \$60 | | EQHB-130-D-VS-4K-BB | | 18,500 | 130 | 4,000 | |
| | \$60 | | EQHB-130-D-HVS-4K | | 18,500 | 130 | 4,000 | |
| | \$60 | | RSHL-230-CP-BL | 190622073497 | 34,000 | 230 | 3,000 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$60 | | RSHL-230-CP-WH | 190622064976 | 34,000 | 230 | 3,000 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$60 | | RSHL-230-CP-BL-BB | | 34,000 | 230 | 3,000 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$60 | | RSHL-230-CP-WH-BB | 190622075637 | 34,000 | 230 | 3,000 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$60 | | MQHB-S-92-D-VS-4K | 190622065089 | 13,800 | 92 | 4,000 | |
| | \$60 | | MQHB-S-92-D-VS-4K-BB1 | | 13,800 | 92 | 4,000 | |
| | \$60 | | MQHB-S-92-D-VS-4K-BB2 | | 13,800 | 92 | 4,000 | |
| | \$60 | | MQHB-S-92-D-VS-5K | 190622065096 | 13,892 | 92 | 5,000 | |
| | \$60 | | MQHB-S-92-D-VS-5K-BB1 | | 13,892 | 92 | 5,000 | |
| | \$60 | | MQHB-S-92-D-VS-5K-BB2 | | 13,892 | 92 | 5,000 | |
| | \$60 | | MQHB-S-135-D-VS-CP | 190622065164 | 20,115 | 135 | 4,000 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$60 | | MQHB-S-135-D-VS-CP-BB1 | | 20,115 | 135 | 4,000 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$60 | | MQHB-S-135-D-VS-CP-BB2 | 190622075729 | 20,115 | 135 | 4,000 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$60 | | RSHL-230-CP-BL+LE-MS3-AUX-HB1 | 190622073497+ | 34,000 | 230 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. LiteLogic Sensor must be installed in field and programmed to dim or turn off with no occupancy. |
| | \$60 | | RSHL-230-CP-WH+LE-MS3-AUX-HB1 | 190622064976+ | 34,000 | 230 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. LiteLogic Sensor must be installed in field and programmed to dim or turn off with no occupancy. |
| | \$60 | | RSHL-230-CP-BL-BB+LE-MS3-AUX-HB1 | | 34,000 | 230 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. LiteLogic Sensor must be installed in field and programmed to dim or turn off with no occupancy. |
| | \$60 | | RSHL-230-CP-WH-BB+LE-MS3-AUX-HB1 | 190622075637+ | 34,000 | 230 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. LiteLogic Sensor must be installed in field and programmed to dim or turn off with no occupancy. |
| | \$60 | | MQHB-S-92-D-VS-4K+LE-MS3-AUX-HB1 | 190622065089+ | 13,800 | 92 | 4,000 | LiteLogic Sensor must be installed in field and programmed to dim or turn off with no occupancy. |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-----------------------------|---|---------------|-----------------------|------------------------|--------------|---|
| 86UBP | \$60 | Barron Lighting Group | MQHB-S-92-D-VS-4K-BB1+LE-MS3-AUX-HB1 | | 13,800 | 92 | 4,000 | LiteLogic Sensor must be installed in field and programmed to dim or turn off with no occupancy. |
| | \$60 | | MQHB-S-92-D-VS-4K-BB2+LE-MS3-AUX-HB1 | | 13,800 | 92 | 4,000 | LiteLogic Sensor must be installed in field and programmed to dim or turn off with no occupancy. |
| | \$60 | | MQHB-S-92-D-VS-5K+LE-MS3-AUX-HB1 | 190622065096+ | 13,892 | 92 | 5,000 | LiteLogic Sensor must be installed in field and programmed to dim or turn off with no occupancy. |
| | \$60 | | MQHB-S-92-D-VS-5K-BB1+LE-MS3-AUX-HB1 | | 13,892 | 92 | 5,000 | LiteLogic Sensor must be installed in field and programmed to dim or turn off with no occupancy. |
| | \$60 | | MQHB-S-92-D-VS-5K-BB2+LE-MS3-AUX-HB1 | | 13,892 | 92 | 5,000 | LiteLogic Sensor must be installed in field and programmed to dim or turn off with no occupancy. |
| | \$60 | | MQHB-S-135-D-VS-CP+LE-MS3-AUX-HB1 | 190622065164+ | 20,115 | 135 | 4,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. LiteLogic Sensor must be installed in field and programmed to dim or turn off with no occupancy. |
| | \$60 | | MQHB-S-135-D-VS-CP-BB1+LE-MS3-AUX-HB1 | | 20,115 | 135 | 4,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. LiteLogic Sensor must be installed in field and programmed to dim or turn off with no occupancy. |
| | \$60 | | MQHB-S-135-D-VS-CP-BB2+LE-MS3-AUX-HB1 | 190622075729+ | 20,115 | 135 | 4,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. LiteLogic Sensor must be installed in field and programmed to dim or turn off with no occupancy. |
| | \$60 | Cooper Lighting Solutions | OHB-12SE-W-UNV-L840-CD-U | 080083137909 | 12,071 | 75 | 4,000 | |
| | \$60 | | OHB-18SE-W-UNV-L840-CD-U | 080083903023 | 18,140 | 111 | 4,000 | |
| | \$60 | | UHB-12-UNV-L840-CD-U | 080083885862 | 14,607 | 102 | 4,000 | |
| | \$60 | | LHBS-1218-UNV-L84050-U | 080083274741 | 18,042 | 128 | 5,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$60 | | LHBS-1824-UNV-L84050-U | 080083275625 | 23,524 | 159 | 5,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$60 | | UHBS-1218-MV-L84050-U | 080083256471 | 17,400 | 120 | 4,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$60 | | UHBS-1218-MV-L84050-BLK | 080083272341 | 17,400 | 120 | 4,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$60 | | OHBL-18SE-W-UNV-L840-CD-U | | 18,261 | 107 | 4,000 | |
| | \$60 | | OHBL-18SE-W-UNV-L850-CD-U | | 18,525 | 107 | 5,000 | |
| | \$60 | | OHBL-12SE-W-UNV-L950-CD-C3(1)-U | | 10,586 | 68 | 5,000 | |
| | \$60 | Current | ARC014488LQVSTAQB | | 14,368 | 101 | 4,000 | |
| | \$60 | EarthTronics Inc. | HBL510550WH1 | 840791114513 | 14,280 | 105 | 5,000 | |
| | \$60 | | HBU10050B1 | 840791114735 | 14,786 | 101 | 5,000 | |
| | \$60 | | HBU150WSCCTB1S (11887) | 840791118870 | 24,000 | 150 | 4,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$60 | Eiko | BAYE2/100W/840/UD/BK | 031293112903 | 16,000 | 100 | 4,000 | |
| | \$60 | | BAYE2/100W/850/UD/BK | 031293112910 | 16,000 | 100 | 5,000 | |
| | \$60 | | BAYE2/100W/840/VD/BK | 031293113023 | 16,000 | 100 | 4,000 | |
| | \$60 | | BAYE2/100W/850/VD/BK | 031293113016 | 16,000 | 100 | 5,000 | |
| | \$60 | Elite Lighting Co. | CB2-LED-13000L-DIM10-MVOLT-WD-40K-85 | 848070048665 | 11,475 | 85 | 4,000 | |
| | \$60 | | CB2-LED-13000L-DIM10-MVOLT-WD-50K-85 | | 11,560 | 85 | 5,000 | |
| | \$60 | | CB2-LED-18000L-DIM10-MVOLT-WD-40K-85 | 848070078297 | 17,550 | 130 | 4,000 | |
| | \$60 | | CB2-LED-18000L-DIM10-MVOLT-WD-50K-85 | | 17,680 | 130 | 5,000 | |
| | \$60 | ETi Solid State Lighting | ERHB-22L-LB3-8-CP3-MV-LVD-BL | | 19,790 | 150 | 3,500 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$60 | | CLHB-2-LB3-CP2-MV-LVD | | 23,119 | 164 | 5,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. |
| | \$60 | Gingko Lighting Corporation | GKOMLHG490W27V40KCD (MLHG4090-27V-40K) | | 12,600 | 90 | 4,000 | |
| | \$60 | | GKOMLHG490W27V40KCDB (MLHG4090-27V-40K-B) | | 12,600 | 90 | 4,000 | |
| | \$60 | | GKOMLHG490W27V50KCD | | 12,600 | 90 | 5,000 | |
| | \$60 | | GKOMLHG490W27V50KCDB | | 12,600 | 90 | 5,000 | |
| | \$60 | | GKOMLHG4130W27V40KCD | | 18,500 | 130 | 4,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|------------------------------|--------------------------------------|--------------|-----------------------|------------------------|--------------|--|
| 86UBP | \$60 | Gingko Lighting Corporation | GKOMLHG4130W27V40KCDB | | 18,500 | 130 | 4,000 | |
| | \$60 | | GKOMLHG4130W27V50KCD | | 18,500 | 130 | 5,000 | |
| | \$60 | | GKOMLHG4130W27V50KCDB | | 18,500 | 130 | 5,000 | |
| | \$60 | Halco Lighting Technologies | HRHB-100-CS-U-BL | 807154302512 | 14,726 | 103 | 4,000 | CCT Selectable |
| | \$60 | | HRHB-100-CS-U-WH | 807154302505 | 14,726 | 103 | 4,000 | CCT Selectable |
| | \$60 | | LHB-2-WS-40-U | 807154302826 | 21,360 | 160 | 4,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$60 | Industrial Lighting Products | LHB-2-WS-50-U | 807154302833 | 21,600 | 160 | 5,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$60 | | GH22-90WLED-UNIV-35-FRL | | 11,953 | 89 | 3,500 | |
| | \$60 | | RB4-14L/21L/28L-U-CCTS-WHT-FRL-AD | | 24,490 | 196 | 3,500 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed w/Acrylic Diffuser (AD) to receive incentive. |
| | \$60 | | RB4-14L-U-CCTS-WHT-AD | | 12,963 | 101 | 3,500 | CCT Selectable. Must be installed w/Acrylic Diffuser (AD) to receive incentive. |
| | \$60 | | RB4-21L-U-CCTS-WHT-AD | | 19,260 | 148 | 3,500 | CCT Selectable. Must be installed w/Acrylic Diffuser (AD) to receive incentive. |
| | \$60 | | EVT-18L-U-40-FRL | | 18,285 | 132 | 4,000 | |
| | \$60 | | EVT-18L-U-50-FRL | | 18,328 | 132 | 5,000 | |
| | \$60 | | EVT1-12L/18L/24L-U-40-FRL | 790492378878 | 24,107 | 155 | 4,000 | Lumen/Wattage Selectable, measure based on minimum lumen output |
| | \$60 | | EVT1-12L/18L/24L-U-50-FRL | 790492378915 | 24,720 | 155 | 5,000 | Lumen/Wattage Selectable, measure based on minimum lumen output |
| | \$60 | Keystone Technologies | KT-HBLED215PS-2FB-8CSD-VDIM-P | | 30,100 | 215 | 5,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | \$60 | | KT-RHLED100-12C-840-VDIM-P /G2 | 843654133188 | 15,700 | 100 | 4,000 | |
| | \$60 | | KT-RHLED100-12C-850-VDIM-P /G2 | 843654133195 | 15,900 | 100 | 5,000 | |
| | \$60 | | KT-RHLED200PS-14C-8CSB-VDIM-P | 843654132938 | 30,135 | 200 | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating |
| | \$60 | | KT-RHLED200PS-14C-8CSB-VDIM-P-W | | 30,135 | 200 | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating |
| | \$60 | | KT-HBLED80-1.5F-840-VDIM-P /G2 | 843654136820 | 12,000 | 80 | 4,000 | |
| | \$60 | | KT-HBLED80-1.5F-850-VDIM-P /G2 | 843654136837 | 12,080 | 80 | 5,000 | |
| | \$60 | | KT-HBLED90-1.5F-840-VDIM-P /G2 | 843654136844 | 13,500 | 90 | 4,000 | |
| | \$60 | | KT-HBLED90-1.5F-850-VDIM-P /G2 | 843654136851 | 13,590 | 90 | 5,000 | |
| | \$60 | | KT-HBLED115-1.5F-840-VDIM-P /G2 | 843654136721 | 17,250 | 115 | 4,000 | |
| | \$60 | | KT-HBLED115-1.5F-850-VDIM-P /G2 | 843654136738 | 17,365 | 115 | 5,000 | |
| | \$60 | | KT-HBLED105PS-2FB-8CSD-VDIM-P | | 15,200 | 105 | 4,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | \$60 | | KT-RHLED200PSHV-14C-8CSB-VDIM-P | 843654156354 | 26,600 | 200 | 3,000 | Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$60 | | KT-RHLED100-11CB-840-VDIM | 843654152073 | 14,150 | 100 | 4,000 | |
| | \$60 | | KT-RHLED100-11CB-850-VDIM | 843654152080 | 14,860 | 100 | 5,000 | |
| | \$60 | | KT-RHLED150PS-11C-8CSB-VDIM /G2 | 843654160832 | 20,568 | 150 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$60 | | KT-RHLED150PS-11C-8CSB-VDIM-W /G2 | 843654160870 | 20,568 | 150 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$60 | | KT-RHLED200PS-12C-8CSB-VDIM /G2 | 843654160849 | 28,908 | 200 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$60 | | KT-RHLED200PS-12C-8CSB-VDIM-W /G2 | 843654160887 | 28,908 | 200 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$60 | | KT-RHLED150PS-12CD-OSD-8CSB-VDIM-P | 843654160740 | 19,988 | 150 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$60 | | KT-RHLED150PS-12CD-OSD-8CSB-VDIM-P-W | 843654160733 | 19,988 | 150 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$60 | | KT-RHLED200PS-14CD-OSD-8CSB-VDIM-P | 843654160764 | 26,934 | 200 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$60 | | KT-RHLED200PS-14CD-OSD-8CSB-VDIM-P-W | 843654160757 | 26,934 | 200 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$60 | | KT-RHLED200PSHV-14CD-OSD-8CSB-VDIM-P | 843654160788 | 26,420 | 200 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$60 | LEDVANCE, LLC | LNHIBA3A/105UNVD840/12W/WH (61982) | 046135619823 | 14,175 | 105 | 4,000 | |
| | \$60 | | LNHIBA3A/105UNVD850/12W/WH (61983) | 046135619830 | 14,280 | 105 | 5,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|------------------|--|--------------|-----------------------|------------------------|--------------|---|
| 86UBP | \$60 | LEDVANCE, LLC | LNHIBA3A/130UNVD840/12W/WH (61984) | 046135619847 | 17,550 | 130 | 4,000 | |
| | \$60 | | LNHIBA3A/130UNVD850/12W/WH (61985) | 046135619854 | 17,680 | 130 | 5,000 | |
| | \$60 | | UFOHIBA2A/100HUV840/WH (62081) | 046135620812 | 14,815 | 103 | 4,000 | |
| | \$60 | | UFOHIBA2A/100HUV850/WH (62082) | 046135620829 | 14,734 | 103 | 5,000 | |
| | \$60 | | UFOHIBA2A/100UNVD840/WH (62069) | 046135620690 | 14,385 | 103 | 4,000 | |
| | \$60 | | UFOHIBA2A/100UNVD850/WH (62070) | 046135620706 | 14,196 | 103 | 5,000 | |
| | \$60 | | UFOHIBA2A/100UNVD840/BL (62320) | 046135623202 | 14,385 | 103 | 4,000 | |
| | \$60 | | LNHIBA4A/090UNVD840/12W/WH (62280) | 046135622809 | 12,200 | 87 | 4,000 | |
| | \$60 | | LNHIBA4A/090UNVD850/12W/WH (62281) | 046135622816 | 12,258 | 88 | 5,000 | |
| | \$60 | | LNHIBA4A/130UNVD840/12W/WH (62282) | 046135622823 | 17,589 | 129 | 4,000 | |
| | \$60 | | LNHIBA4A/130UNVD850/12W/WH (62283) | 046135622830 | 17,536 | 128 | 5,000 | |
| | \$60 | | LNHIBA4A/110HUV840/12W/WH (62290) | 046135622908 | 15,556 | 111 | 4,000 | |
| | \$60 | | LNHIBA4A/110HUV850/12W/WH (62291) | 046135622915 | 15,601 | 111 | 5,000 | |
| | \$60 | | LNHIBA4A/090UNVD840/12W/WH/E (65722) | | 12,200 | 87 | 4,000 | |
| | \$60 | | LNHIBA4A/090UNVD850/12W/WH/E (65723) | | 12,258 | 88 | 5,000 | |
| | \$60 | | LNHIBA4A/130UNVD840/12W/WH/E (65724) | | 17,589 | 129 | 4,000 | |
| | \$60 | | LNHIBA4A/130UNVD850/12W/WH/E (65725) | | 17,536 | 128 | 5,000 | |
| | \$60 | | UFOHIBA3A/S150UNVD8SC7/WH (62693) | 046135626937 | 21,773 | 154 | 3,500 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$60 | | UFOHIBA3A/S150UNVD8SC7/BL (62695) | 046135626958 | 21,773 | 154 | 3,500 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$60 | | LNHIBA5A/S165UNVD8SC14/12/WH (62875) | 046135628757 | 23,119 | 164 | 5,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$60 | | LNHIBA5A/S165UNVD8SC14/12/WH/E (63061) | 046135630610 | 23,119 | 164 | 5,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$60 | | LNHIBA6A/085UNHD840/11W/WH (63110) | 046135631108 | 11,765 | 85 | 4,000 | |
| | \$60 | | LNHIBA6A/085UNHD850/11W/WH (63111) | 046135631115 | 11,720 | 84 | 5,000 | |
| | \$60 | | LNHIBA6A/105UNHD840/11W/WH (63112) | 046135631122 | 14,685 | 105 | 4,000 | |
| | \$60 | | LNHIBA6A/105UNHD850/11W/WH (63113) | 046135631139 | 14,633 | 104 | 5,000 | |
| | \$60 | | LNHIBA6A/130UNHD840/11W/WH (63114) | 046135631146 | 17,760 | 130 | 4,000 | |
| | \$60 | | LNHIBA6A/130UNHD850/11W/WH (63115) | 046135631153 | 17,963 | 130 | 5,000 | |
| | \$60 | | LNHIBA6A/085UNHD840/11W/WH/E (63124) | 046135631108 | 11,765 | 85 | 4,000 | |
| | \$60 | | LNHIBA6A/085UNHD850/11W/WH/E (63125) | 046135631115 | 11,720 | 84 | 5,000 | |
| | \$60 | | LNHIBA6A/105UNHD840/11W/WH/E (63126) | 046135631122 | 14,685 | 105 | 4,000 | |
| | \$60 | | LNHIBA6A/105UNHD850/11W/WH/E (63127) | 046135631139 | 14,633 | 104 | 5,000 | |
| | \$60 | | LNHIBA6A/130UNHD840/11W/WH/E (63128) | 046135631146 | 17,760 | 130 | 4,000 | |
| | \$60 | | LNHIBA6A/130UNHD850/11W/WH/E (63129) | 046135631153 | 17,963 | 130 | 5,000 | |
| | \$60 | | UFOHIBA4A/100UNHD840/WH (63034) | 046135630347 | 15,828 | 103 | 4,000 | |
| | \$60 | | UFOHIBA4A/100UNHD850/WH (63035) | 046135630354 | 15,962 | 103 | 5,000 | |
| | \$60 | | UFOHIBA4A/100UNHD840/BL (63034) | 046135630347 | 15,828 | 103 | 4,000 | |
| | \$60 | | UFOHIBA4A/100UNHD850/BL (63042) | 046135630422 | 15,962 | 103 | 5,000 | |
| | \$60 | | UFOHIBA2A/100UNVD850/BL (62321) | 046135623219 | 14,196 | 103 | 5,000 | |
| | \$60 | | UFOHIBA2A/100HUV840/BL (62328) | 046135623288 | 14,815 | 103 | 4,000 | |
| | \$60 | | UFOHIBA2A/100HUV850/BL (62329) | 046135623295 | 14,734 | 103 | 5,000 | |
| | \$60 | | LNHIBA3A/085HUV840/12W/WH (65627) | | 11,475 | 85 | 4,000 | |
| | \$60 | | LNHIBA3A/085HUV850/12W/WH (65628) | | 11,560 | 85 | 5,000 | |
| | \$60 | | LNHIBA3A/130HUV840/12W/WH (65629) | | 17,550 | 130 | 4,000 | |
| | \$60 | | LNHIBA3A/130HUV850/12W/WH (65630) | | 17,680 | 130 | 5,000 | |
| | \$60 | | UFO5A/S200UNHD8SC7/WH (62299) | 046135622991 | 27,000 | 200 | 3,500 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output |
| | \$60 | | UFO5A/S200UNHD8SC7/BL (62301) | 046135623011 | 27,000 | 200 | 3,500 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output |
| | \$60 | Linmore LED Labs | AH10S-A2-12K-SM-40-80-FR-LV-CRM-10CW-S-10V | | 11,653 | 86 | 4,000 | |
| | \$60 | | AH10S-A2-12K-SM-50-80-FR-LV-CRM-10CW-S-10V | | 11,663 | 86 | 5,000 | |
| | \$60 | | AH10S-A2-15K-SM-40-80-FR-LV-CRM-10CW-S-10V | | 14,958 | 112 | 4,000 | |
| | \$60 | | AH10S-A2-15K-SM-50-80-FR-LV-CRM-10CW-S-10V | | 15,007 | 112 | 5,000 | |
| | \$60 | | AH10S-A2-18K-SM-40-80-FR-LV-CRM-10CW-S-10V | | 17,412 | 129 | 4,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|---------------------------|--|--------------|-----------------------|------------------------|--------------|---|
| 86UBP | \$60 | Linmore LED Labs | AH10S-A2-18K-SM-50-80-FR-LV-CRM-10CW-S-10V | | 17,551 | 130 | 5,000 | |
| | \$60 | | AH10S-A2-12K-SM-40-80-FR-HV-CRM-10CW-S-EMB-10V | | 11,845 | 86 | 4,000 | |
| | \$60 | | AH10S-A2-12K-SM-50-80-FR-HV-CRM-10CW-S-EMB-10V | | 12,028 | 87 | 5,000 | |
| | \$60 | | AH10S-A2-15K-SM-40-80-FR-HV-CRM-10CW-S-EMB-10V | | 15,356 | 111 | 4,000 | |
| | \$60 | | AH10S-A2-15K-SM-50-80-FR-HV-CRM-10CW-S-EMB-10V | | 15,311 | 111 | 5,000 | |
| | \$60 | | AH10S-A2-18K-SM-40-80-FR-HV-CRM-10CW-S-EMB-10V | | 17,886 | 130 | 4,000 | |
| | \$60 | Litetronics International | AH10S-A2-18K-SM-50-80-FR-HV-CRM-10CW-S-EMB-10V | | 18,148 | 130 | 5,000 | |
| | \$60 | | LHB7850 | | 11,778 | 78 | 5,000 | |
| | \$60 | LSI Industries | LHB11550 | | 17,365 | 115 | 5,000 | |
| | \$60 | | AHB 18L 840 | | 17,500 | 128 | 4,000 | |
| | \$60 | MaxLite Inc. | AHB 18L 850 | 767627005893 | 17,500 | 128 | 5,000 | |
| | \$60 | | BLHE3-085UF-40 | | 11,475 | 85 | 4,000 | |
| | \$60 | | BLHE3-085UF-50 | | 11,560 | 85 | 5,000 | |
| | \$60 | | BLHE3-130UF-40 | | 17,550 | 130 | 4,000 | |
| | \$60 | | BLHE3-130UF-50 | | 17,680 | 130 | 5,000 | |
| | \$60 | | BLHE3-085UF-40EM | | 11,475 | 85 | 4,000 | |
| | \$60 | | BLHE3-085UF-50EM | | 11,560 | 85 | 5,000 | |
| | \$60 | | BLHE3-130UF-40EM | | 17,550 | 130 | 4,000 | |
| | \$60 | | BLHE3-130UF-50EM | | 17,680 | 130 | 5,000 | |
| | \$60 | | HL3-078UF-CSCR | | 11,700 | 78 | 4,000 | CCT Selectable |
| | \$60 | | HL3-105WUF-CSCR | | 15,750 | 105 | 4,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$60 | | HL3-115UF-CSCR | | 17,250 | 115 | 4,000 | CCT Selectable |
| | \$60 | | BPHE2-U090WCS | | 20,250 | 150 | 3,500 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$60 | | | | | | | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$60 | | HLE-100WUF-CS (110858) | | 20,385 | 135 | 5,000 | |
| | \$60 | | HLE-100WUF-CSEM (110870) | | 20,385 | 135 | 5,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$60 | Morris Products Inc. | 71706A | | 15,303 | 111 | 5,000 | |
| | \$60 | | 74297 | | 20,300 | 149 | 3,000 | Wattage & CCT selectable, Measure/incentive based on min. lumen level |
| | \$60 | | 71708A | | 15,406 | 110 | 4,000 | |
| | \$60 | | 74100B | | 14,681 | 103 | 5,000 | |
| | \$60 | | 74101B | | 14,796 | 102 | 4,000 | |
| | \$60 | | 74198 | | 20,525 | 150 | 3,000 | Wattage & CCT selectable, Measure/incentive based on min. lumen level. |
| | \$60 | | 71708B | | 15,266 | 110 | 4,000 | |
| | \$60 | | 71706B | | 15,473 | 110 | 5,000 | |
| | \$60 | | 74096B | | 14,048 | 99 | 5,000 | |
| | \$60 | | 74297C | | 20,619 | 147 | 3,000 | CCT & Wattage selectable, measure based on minimum lumen output. |
| | \$60 | NICOR Inc. | HBG116U408A | 767706181982 | 16,000 | 100 | 4,000 | |
| | \$60 | | HBG116U408D | | 15,400 | 100 | 4,000 | |
| | \$60 | | HBG116U508A | | 16,100 | 100 | 5,000 | |
| | \$60 | | HBG116U508D | | 15,500 | 100 | 5,000 | |
| | \$60 | | HBC4100U408BK | | 14,947 | 102 | 4,000 | |
| | \$60 | | HBC4100U408WH | | 14,947 | 102 | 4,000 | |
| | \$60 | | HBC4100U508BK | | 15,098 | 103 | 5,000 | |
| | \$60 | | HBC4100U508WH | | 15,098 | 103 | 5,000 | |
| | \$60 | | HML1100U40A | | 14,100 | 100 | 4,000 | |
| | \$60 | | HML1100U40AS | | 14,100 | 100 | 4,000 | |
| | \$60 | | HML1100U50A | | 14,200 | 100 | 5,000 | |
| | \$60 | | HML1100U50AS | | 14,200 | 100 | 5,000 | |
| | \$60 | | HML1130U40A | | 18,330 | 130 | 4,000 | |
| | \$60 | | HML1130U40AS | | 18,330 | 130 | 4,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|---------------------------|---------------------------|--------------|-----------------------|------------------------|--------------|--|
| 86UBP | \$60 | NICOR Inc. | HML1130U50A | 767706194241 | 18,460 | 130 | 5,000 | |
| | \$60 | | HML1130U50AS | 767706194395 | 18,460 | 130 | 5,000 | |
| | \$60 | | HBC4101U358BK | | 13,953 | 102 | 3,500 | |
| | \$60 | | HBC4101U358WH | | 13,953 | 102 | 3,500 | |
| | \$60 | | HBC4101U408BK | | 14,796 | 102 | 4,000 | |
| | \$60 | | HBC4101U408WH | | 14,796 | 102 | 4,000 | |
| | \$60 | | HBC4101U508BK | | 14,681 | 103 | 5,000 | |
| | \$60 | | HBC4101U508WH | | 14,681 | 103 | 5,000 | |
| | \$60 | | HML1100H35A | | 14,000 | 100 | 3,500 | |
| | \$60 | | HML1100H35AS | | 14,000 | 100 | 3,500 | |
| | \$60 | | HML1100H40AS | | 14,100 | 100 | 4,000 | |
| | \$60 | | HML1100H50AS | | 14,200 | 100 | 5,000 | |
| | \$60 | | HML1100H57A | | 14,200 | 100 | 5,700 | |
| | \$60 | | HML1100H57AS | | 14,200 | 100 | 5,700 | |
| | \$60 | | HML1100U35A | | 14,000 | 100 | 3,500 | |
| | \$60 | | HML1100U35AS | | 14,000 | 100 | 3,500 | |
| | \$60 | | HML1100U57A | | 14,200 | 100 | 5,700 | |
| | \$60 | | HML1100U57AS | | 14,200 | 100 | 5,700 | |
| | \$60 | | HML1130H35A | | 18,200 | 130 | 3,500 | |
| | \$60 | | HML1130H35AS | | 18,200 | 130 | 3,500 | |
| | \$60 | | HML1130H40AS | | 18,330 | 130 | 4,000 | |
| | \$60 | | HML1130H50AS | | 18,460 | 130 | 5,000 | |
| | \$60 | | HML1130H57A | | 18,460 | 130 | 5,700 | |
| | \$60 | | HML1130H57AS | | 18,460 | 130 | 5,700 | |
| | \$60 | | HML1130U35A | | 18,200 | 130 | 3,500 | |
| | \$60 | | HML1130U35AS | | 18,200 | 130 | 3,500 | |
| | \$60 | | HML1130U57A | | 18,460 | 130 | 5,700 | |
| | \$60 | | HML1130U57AS | | 18,460 | 130 | 5,700 | |
| | \$60 | | HBC5150SUS8 | | 19,790 | 150 | 3,500 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$60 | Orion Energy Systems, Inc | MLHB1112LHMVFD8CSLPND15W | | 12,143 | 88 | 4,000 | CCT Selectable |
| | \$60 | | MLHB1112LUNVFD8CSLPND15W | | 12,089 | 88 | 4,000 | CCT Selectable |
| | \$60 | | MLHB1115LHMVFD8CSLPND15W | | 14,900 | 108 | 4,000 | CCT Selectable |
| | \$60 | | MLHB1115LUNVFD8CSLPND15W | | 15,107 | 110 | 4,000 | CCT Selectable |
| | \$60 | | MLHB1118LUNVFD8CSLPND15W | | 17,166 | 126 | 4,000 | CCT Selectable |
| | \$60 | | MLHB1118LHMVFD8CSLPND15W | | 17,194 | 127 | 4,000 | CCT Selectable |
| | \$60 | | MLHB1112LUNVFD8CSLPGR15W | | 12,231 | 88 | 4,000 | CCT Selectable |
| | \$60 | | MLHB1112LHMVFD8CSLPGR15W | | 12,349 | 88 | 4,000 | CCT Selectable |
| | \$60 | | MLHB1115LUNVFD8CSLPGR15W | | 15,456 | 112 | 4,000 | CCT Selectable |
| | \$60 | | MLHB1115LHMVFD8CSLPGR15W | | 15,153 | 108 | 4,000 | CCT Selectable |
| | \$60 | | MLHB1118LUNVFD8CSLPGR15W | | 17,430 | 126 | 4,000 | CCT Selectable |
| | \$60 | | MLHB1118LHMVFD8CSLPGR15W | | 17,403 | 127 | 4,000 | CCT Selectable |
| | \$60 | P.Q.L. Inc. | CHB3-100-D-MV-50K (90300) | 811768028096 | 14,208 | 98 | 5,000 | |
| | \$60 | RAB Lighting | ARBAY2-120 | 019813507507 | 16,039 | 117 | 5,030 | |
| | \$60 | | ARBAY2-120N | 019813507514 | 15,969 | 116 | 3,923 | |
| | \$60 | | ARBAY2-145 | 019813507521 | 19,939 | 147 | 5,030 | |
| | \$60 | | ARBAY2-145N | 019813507538 | 19,852 | 146 | 3,933 | |
| | \$60 | | ARBAY2-95 | 019813507484 | 13,360 | 98 | 5,030 | |
| | \$60 | | ARBAY2-95N | 019813507491 | 13,301 | 97 | 3,925 | |
| | \$60 | | HAYBAY100/D10 | | 14,897 | 102 | 5,000 | |
| | \$60 | | HAYBAY100N/D10 | | 14,892 | 101 | 4,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|--------------|----------------------|--------------|-----------------------|------------------------|--------------|---|
| 86UBP | \$60 | RAB Lighting | HAYBAY130/D10 | | 18,454 | 137 | 5,000 | |
| | \$60 | | HAYBAY130N/D10 | | 19,294 | 134 | 4,000 | |
| | \$60 | | H17 | 192552022026 | 21,750 | 150 | 3,000 | Wattage & CCT selectable, Measure/incentive based on min. lumen level |
| | \$60 | | RBAY17S | 192552025423 | 18,200 | 130 | 3,500 | Wattage & CCT selectable, Measure/incentive based on min. wattage/lumen level |
| | \$60 | | RBAY17S/480 | 192552025430 | 18,200 | 130 | 3,500 | Wattage & CCT selectable, Measure/incentive based on min. wattage/lumen level |
| | \$60 | | | | | | | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$60 | | ARS | | 22,545 | 157 | 5,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$60 | | ARS/480 | | 23,057 | 162 | 5,000 | output |
| | \$60 | SATCO | 65/501 | 045923535017 | 10,347 | 77 | 4,000 | |
| | \$60 | | 65/502 | 045923682391 | 10,495 | 76 | 5,000 | |
| | \$60 | | 65/503 | 045923535031 | 15,909 | 104 | 4,000 | |
| | \$60 | | 65/504 | 046135600470 | 16,073 | 104 | 5,000 | |
| | \$60 | | 65/770 | 045923665677 | 17,668 | 124 | 3,000 | Wattage & CCT selectable |
| | \$60 | | 65/781 | 045923665691 | 14,385 | 103 | 4,000 | |
| | \$60 | | 65/782 | 045923665707 | 14,196 | 103 | 5,000 | |
| | \$60 | | 65/791 | 045923662898 | 14,385 | 103 | 4,000 | |
| | \$60 | | 65/792 | 045923662904 | 14,196 | 103 | 5,000 | |
| | \$60 | | 65/801 | 045923666308 | 14,815 | 103 | 4,000 | |
| | \$60 | | 65/802 | 045923665868 | 14,734 | 103 | 5,000 | |
| | \$60 | | 65/781R1 | 045923661914 | 15,536 | 104 | 4,000 | |
| | \$60 | | 65/782R1 | 045923661921 | 15,484 | 105 | 5,000 | |
| | \$60 | | 65/791R1 | 045923661990 | 15,536 | 104 | 4,000 | |
| | \$60 | | 65/792R1 | 045923662003 | 15,484 | 105 | 5,000 | |
| | \$60 | | 65/770R1 | | 17,272 | 119 | 3,000 | Wattage & CCT selectable, Measure/incentive based on min. wattage/lumen level. |
| | \$60 | | 65/781R2 | 045923648052 | 13,838 | 99 | 4,000 | |
| | \$60 | | 65/782R2 | 045923648069 | 13,838 | 99 | 5,000 | |
| | \$60 | | 65/791R2 | 045923648212 | 13,838 | 99 | 4,000 | |
| | \$60 | | 65/792R2 | 045923648229 | 13,838 | 99 | 5,000 | |
| | \$60 | | 65/770R2 | 045923648298 | 17,094 | 120 | 3,000 | Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$60 | Signify | FBY12L840-UNV | 784197653125 | 12,135 | 88 | 4,000 | |
| | \$60 | | FBY12L850-UNV | 784197655891 | 12,135 | 88 | 5,000 | |
| | \$60 | | FBY18L840-UNV | 784197653118 | 18,790 | 133 | 4,000 | |
| | \$60 | | FBY18L850-UNV | 784197655907 | 18,790 | 133 | 5,000 | |
| | \$60 | | FBY18L840-UNV-LCA | | 18,030 | 133 | 4,000 | |
| | \$60 | | FBZ18L840-UNV | 784197707958 | 17,503 | 101 | 4,000 | |
| | \$60 | | FBZ18L850-UNV | | 17,614 | 101 | 5,000 | |
| | \$60 | | FCY15L8CST-UNV-DIM | 190096180653 | 14,860 | 107 | 4,000 | CCT Selectable |
| | \$60 | | HCY1421L8CST-UN3-DIM | 190096131648 | 21,386 | 146 | 4,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$60 | SLG | HE 120 G2 4K | 728943426502 | 12,600 | 90 | 4,000 | |
| | \$60 | | HE 120 G2 5K | 728943426519 | 12,600 | 90 | 5,000 | |
| | \$60 | | HE 170 G2 4K | 728943424584 | 18,500 | 130 | 4,000 | |
| | \$60 | | HE 170 G2 5K | 728943424676 | 18,500 | 130 | 5,000 | |
| | \$60 | | HR 190 WD G3 4K | 728943426359 | 19,400 | 135 | 4,000 | |
| | \$60 | | HR 190 WD G3 5K | 728943426359 | 19,400 | 135 | 5,000 | |
| | \$60 | | HR 190 WD G3 HVU 4K | 728943426373 | 19,400 | 135 | 4,000 | |
| | \$60 | | HR 190 WD G3 HVU 5K | 728943426373 | 19,400 | 135 | 5,000 | |
| | \$60 | | HCL 120 G1 4K | | 12,200 | 90 | 4,000 | |
| | \$60 | | HCL 120 G1 5K | | 12,200 | 90 | 5,000 | |
| | \$60 | | HCL 120 G1 HVU 4K | | 12,200 | 90 | 4,000 | |
| | \$60 | | HCL 120 G1 HVU 5K | | 12,200 | 90 | 5,000 | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|------------------------|--|---------------------------|-----------------------|------------------------|--------------|---|
| 86UBP | \$60 | SLG | HCL 140 G1 4K | | 14,000 | 100 | 4,000 | |
| | \$60 | | HCL 140 G1 5K | | 14,000 | 100 | 5,000 | |
| | \$60 | | HCL 140 G1 HVU 4K | | 14,000 | 100 | 4,000 | |
| | \$60 | | HCL 140 G1 HVU 5K | | 14,000 | 100 | 5,000 | |
| | \$60 | | HB10500140 | 819816020122 | 14,175 | 105 | 4,000 | |
| | \$60 | | HB10500150 | 819816020139 | 14,175 | 105 | 5,000 | |
| | \$60 | | HB10500140B | | 14,175 | 105 | 4,000 | |
| | \$60 | | HB10500150B | | 14,175 | 105 | 5,000 | |
| | \$60 | | UFOUZDA140K | 762148314400 | 13,500 | 100 | 4,000 | |
| | \$60 | | UFOUZDA150K | 762148314448 | 13,500 | 100 | 5,000 | |
| | \$60 | TCP | UFOUZDSW3CCT | 762148333524 | 23,898 | 153 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$60 | | EUFOUZDSW4CCT | | 30,000 | 200 | 4,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$60 | | HBC/100W/50K/BL (72986) | 751338039414 | 15,380 | 100 | 5,000 | |
| | \$60 | | HBC-150W-PCTS-BL (73567) | 751338044258 | 23,920 | 149 | 4,000 | Wattage & CCT selectable, Measure/incentive based on min. lumen level |
| | \$60 | | HBC-150W-PCTS-WH (73568) | 751338044265 | 23,920 | 149 | 4,000 | Wattage & CCT selectable, Measure/incentive based on min. lumen level |
| | \$60 | | LHB-30L-W-PCS-U | 032886308741 | 28,821 | 205 | 3,500 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$60 | | LHB-30L-W-PCS-UEM | 032886308727 | 28,821 | 205 | 3,500 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$60 | | LHB-30L-W-PCS-HV | 032886308758 | 29,657 | 201 | 3,500 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$60 | | LHB-30L-W-PCS-HVEM | 032886308734 | 29,657 | 201 | 3,500 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$60 | | LHB-18L-W-40K-U | 032886308772 | 17,772 | 121 | 4,000 | |
| | \$60 | | LHB-18L-W-50K-U | 032886308789 | 18,029 | 121 | 5,000 | |
| | \$60 | Topaz | HBC-24L-50K-PS | 032886309038 | 24,000 | 150 | 5,000 | Wattage/Power Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$60 | | HBC-30L-50K-PS | 032886309045 | 30,000 | 200 | 5,000 | Wattage/Power Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$60 | | HBC-24L-50K-PS+OS-PIR-UNV | 032886309038+032886309656 | 24,000 | 150 | 5,000 | Wattage/Power Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$60 | | UHX-230W-MP-40K | 845060074307 | 33,458 | 243 | 4,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$60 | | UHX-230W-MP-50K | 845060062991 | 34,813 | 242 | 5,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$60 | | UHX-100W-MP-50K | | 14,807 | 101 | 5,000 | |
| | \$60 | | LLHB4-150W-MP-40K-D | 845060078756 | 21,860 | 164 | 4,000 | Wattage selectable, Measure/incentive based on min. lumen level |
| | \$60 | | LLHB4-150W-MP-50K-D | 845060078763 | 22,714 | 164 | 5,000 | Wattage selectable, Measure/incentive based on min. lumen level |
| | \$60 | | LLHB4-200W-MP-40K-D | 845060073768 | 27,609 | 210 | 4,000 | Wattage selectable, Measure/incentive based on min. lumen level |
| | \$60 | | LLHB4-200W-MP-50K-D | 845060073775 | 28,401 | 208 | 5,000 | Wattage selectable, Measure/incentive based on min. lumen level |
| | \$60 | WESTGATE MFG | LLHC-80-150W-MCTP | 845060017588 | 20,500 | 150 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$60 | | UHXE-80-150W-MCTP4-SR | | 20,000 | 150 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| 86UBPC | \$90 | Acuity Brands Lighting | CPHB 12000LM SEF GCL MD MVOLT GZ10 40K 80CRI LSXR6 DWH | 194995141388 | 12,273 | 88 | 4,000 | |
| | \$90 | | CPHB 12000LM SEF GCL MD MVOLT GZ10 40K 80CRI NLTAIR2 RLSXR6 DWH | 194995154425 | 12,273 | 88 | 4,000 | |
| | \$90 | | CPHB 12000LM SEF GCL MD MVOLT GZ10 50K 80CRI LSXR6 DWH | 194995158102 | 12,354 | 88 | 5,000 | |
| | \$90 | | CPHB 15000LM SEF GCL MD MVOLT GZ10 40K 80CRI LSXR6 DWH | 194995158348 | 15,343 | 105 | 4,000 | |
| | \$90 | | CPHB 15000LM SEF GCL MD MVOLT GZ10 40K 80CRI NLTAIR2 RLSXR6 DWH | 194995158393 | 15,343 | 105 | 4,000 | |
| | \$90 | | CPHB 15000LM SEF GCL MD MVOLT GZ10 50K 80CRI LSXR6 DWH | 194995158928 | 15,444 | 105 | 5,000 | |
| | \$90 | | CPHB 15000LM SEF GCL MD MVOLT GZ10 50K 80CRI NLTAIR2 RLSXR6 DWH | 194995158959 | 15,444 | 105 | 5,000 | |
| | \$90 | | CPHB 18000LM SEF GCL MD MVOLT GZ10 40K 80CRI LSXR6 DWH | 194995156139 | 18,199 | 133 | 4,000 | |
| | \$90 | | CPHB 18000LM SEF GCL MD MVOLT GZ10 40K 80CRI NLTAIR2 RLSXR6 DWH | 194995159710 | 18,199 | 133 | 4,000 | |
| | \$90 | | CPHB 18000LM SEF GCL MD MVOLT GZ10 50K 80CRI LSXR6 DWH | 194995159307 | 18,319 | 133 | 5,000 | |
| | \$90 | | CPHB 18000LM SEF GCL MD MVOLT GZ10 50K 80CRI NLTAIR2 RLSXR6 DWH | 194995159482 | 18,319 | 133 | 5,000 | |
| | \$90 | | IBG 18000LM SEF ATL ND MVOLT GZ10 50K 80CRI CNPW LSXR6 DWH | | 18,265 | 106 | 5,000 | |
| | \$90 | | IBG 18000LM SEF ATL ND MVOLT GZ10 50K 80CRI IE20WCPHE CNPW LSXR6 DWH | | 18,265 | 106 | 5,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|---------------------------|--|---------------------------|-----------------------|------------------------|--------------|---|
| 86UBPC | \$90 | Acuity Brands Lighting | CPHB 12000LM SEF GCL MD MVOLT GZ10 50K 80CRI DWH | 194995158164 | 12,354 | 88 | 5,000 | |
| | \$90 | | CPHB 12LM MVOLT 40K+LSXR610 | 194994608325+820476095115 | 12,273 | 88 | 4,000 | |
| | \$90 | | CPHB 12LM MVOLT 50K+LSXR610 | 194994429548+820476095115 | 12,354 | 88 | 5,000 | |
| | \$90 | | CPHB 15LM MVOLT 40K+LSXR610 | 194994429562+820476095115 | 15,343 | 105 | 4,000 | |
| | \$90 | | CPHB 15LM MVOLT 50K+LSXR610 | 194994429593+820476095115 | 15,444 | 105 | 5,000 | |
| | \$90 | | CPHB 18LM MVOLT 40K+LSXR610 | 194994608295+820476095115 | 18,199 | 133 | 4,000 | |
| | \$90 | | CPRB 18LM MVOLT 40K 80CRI MSOD30 0V DWH | 196182615429 | 18,252 | 132 | 4,000 | |
| | \$90 | | CPRB 18LM MVOLT 40K 80CRI DWH + CPRBSNSR-MSOD30-0V-DWH | 196182615429+ | 18,252 | 132 | 4,000 | |
| | \$90 | ASD Lighting Corp | CPRB ALO13 UVOLT SWW9 80CRI MSOD30 0V DWH | 196182615023 | 18,445 | 133 | 4,000 | Wattage & CCT selectable, Measure/incentive based on min. wattage/lumen level. If not installed with time clock, a separate photo sensor is needed. |
| | \$90 | | ASD-WHB5M-2D11050-MSR | 810050734943 | 15,290 | 110 | 5,000 | |
| | \$90 | | ASD-UHB5-PRO-100BK+ASD-09IR-BK | 81012811356+810128114349 | 17,000 | 100 | 3,000 | CCT & Wattage/lumen selectable. Measure/incentive based on minimum lumen output |
| | \$90 | | ASD-UHB5-HV-PRO-200BK+ASD-09IR-BK | 81012811352+810128114349 | 34,000 | 200 | 3,000 | CCT & Wattage/lumen selectable. Measure/incentive based on minimum lumen output |
| | \$90 | | ASD-UHB5-PRO-150BK+ASD-09IR-BK | 81012811357+810128114349 | 25,500 | 150 | 3,000 | CCT & Wattage/lumen selectable. Measure/incentive based on minimum lumen output |
| | \$90 | | ASD-UHB5-PRO-150WH+ASD-09IR-BK | 81012811481+810128114349 | 25,500 | 150 | 3,000 | CCT & Wattage/lumen selectable. Measure/incentive based on minimum lumen output |
| | \$90 | | ASD-UHB5-PRO-200BK+ASD-09IR-BK | 81012811358+810128114349 | 34,000 | 200 | 3,000 | CCT & Wattage/lumen selectable. Measure/incentive based on minimum lumen output |
| | \$90 | | ASD-UHB5-PRO-200WH+ASD-09IR-BK | 81012811480+810128114349 | 34,000 | 200 | 3,000 | CCT & Wattage/lumen selectable. Measure/incentive based on minimum lumen output |
| | \$90 | | ASD-UHB5-HV-PRO-150BK+ASD-09IR-BK | 81012811351+810128114349 | 25,500 | 150 | 3,000 | CCT & Wattage/lumen selectable. Measure/incentive based on minimum lumen output |
| | \$90 | Back To Earth Energy Inc | BE-HCP06-100W-D120-LV-4000K-MS | | 13,308 | 102 | 4,000 | |
| | \$90 | | BE-HCP06-100W-D120-LV-5000K-MS | | 13,528 | 101 | 5,000 | |
| | \$90 | | BE-HCP06-120W-D120-LV-4000K-MS | | 15,966 | 121 | 4,000 | |
| | \$90 | | BE-HCP06-120W-D120-LV-5000K-MS | | 16,264 | 121 | 5,000 | |
| | \$90 | Barron Lighting Group | EQHB-130-D-VS-4K-SC | | 18,500 | 130 | 4,000 | |
| | \$90 | | EQHB-130-D-VS-5K-SC | | 18,500 | 130 | 5,000 | |
| | \$90 | | EQHB-90-D-VS-4K-SC | | 12,600 | 90 | 4,000 | |
| | \$90 | | EQHB-90-D-VS-5K-SC | | 12,600 | 90 | 5,000 | |
| | \$90 | | RHL-135-VS-4K-WH-SC | 190622144050 | 19,400 | 135 | 4,000 | |
| | \$90 | | RHL-135-VS-5K-WH-SC | 190622144270 | 19,400 | 135 | 5,000 | |
| | \$90 | | RHL-135-VS-4K-BL-BB-SC | | 19,400 | 135 | 4,000 | |
| | \$90 | | RHL-135-VS-4K-WH-BB-SC | | 19,400 | 135 | 4,000 | |
| | \$90 | | RHL-135-VS-4K-BL-SC | | 19,400 | 135 | 4,000 | |
| | \$90 | | RHL-135-VS-5K-BL-BB-SC | | 19,400 | 135 | 5,000 | |
| | \$90 | | RHL-135-VS-5K-WH-BB-SC | | 19,400 | 135 | 5,000 | |
| | \$90 | | RHL-135-VS-5K-BL-SC | | 19,400 | 135 | 5,000 | |
| | \$90 | | EQHB-90-D-VS-4K-BB-SC | | 12,600 | 90 | 4,000 | |
| | \$90 | | EQHB-90-D-VS-5K-BB-SC | 190622015114 | 12,600 | 90 | 5,000 | |
| | \$90 | | EQHB-130-D-VS-4K-BB-SC | 190622027025 | 18,500 | 130 | 4,000 | |
| | \$90 | Cooper Lighting Solutions | OHBL-18SE-W-UNV-L840-CD-MS-U | | 18,261 | 107 | 4,000 | |
| | \$90 | | OHBL-18SE-W-UNV-L850-CD-MS-U | | 18,525 | 107 | 5,000 | |
| | \$90 | Current | ARC014488LOVSTAQB (w/sensor 93142316) | | 14,368 | 101 | 4,000 | Must be sold and installed with sensor option - 93142316 to receive incentive |
| | \$90 | EarthTronics Inc. | HBU10050B1+11480 | 840791114735+11480 | 14,786 | 101 | 5,000 | |
| | \$90 | | HBU150WSCCTB1S (11887)+Microwave Sensor (11795) | 840791118870+ | 24,000 | 150 | 4,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$90 | | HBU150WSCCTB1S (11887)+ECUFOPIRLV (11806) | 840791118870+840791118061 | 24,000 | 150 | 4,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 | |
|--------------|-----------|-----------------------------|---|---------------------------|---------------------------|------------------------|--------------|--|--|
| 86UBPC | \$90 | Elite Lighting Co. | CB2-LED-13000L-DIM10-MVOLT-WD-50K-85-MS | | 11,560 | 85 | 5,000 | | |
| | \$90 | | CB2-LED-18000L-DIM10-MVOLT-WD-40K-85-MS | | 17,550 | 130 | 4,000 | | |
| | \$90 | | CB2-LED-18000L-DIM10-MVOLT-WD-50K-85-MS | | 17,680 | 130 | 5,000 | | |
| | | | | | | | | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with ERHB-QI-OCC-MS Quick Install Occupancy Sensor and dim or turn off with no motion detected. | |
| | \$90 | ETi Solid State Lighting | ERHB-22L-LB3-8-CP3-MV-LVD-BL+ERHB-QI-OCC-MS | | 19,790 | 150 | 3,500 | | |
| | \$90 | | CLHB-2-LB3-CP2-MV-LVD+QI-PIR-OCC | | 23,119 | 164 | 5,000 | CCT & Wattage Selectable. Measure code/incentive based on lowest wattage/lumen output. | |
| | \$90 | | CLHB-2-LB3-CP2-MV-LVD+QI-MW-OCC | | 23,119 | 164 | 5,000 | CCT & Wattage Selectable. Measure code/incentive based on lowest wattage/lumen output. | |
| | \$90 | Gingko Lighting Corporation | GKOMLHG490W27V40KCDM (MLHG4090-27V-40K-M) | | 12,600 | 90 | 4,000 | | |
| | \$90 | | GKOMLHG490W27V40KCDB (MLHG4090-27V-40K-MB) | | 12,600 | 90 | 4,000 | | |
| | \$90 | | GKOMLHG490W27V50KCDM | | 12,600 | 90 | 5,000 | | |
| | \$90 | | GKOMLHG490W27V50KCDB | | 12,600 | 90 | 5,000 | | |
| | \$90 | | GKOMLHG4130W27V40KCDM | | 18,500 | 130 | 4,000 | | |
| | \$90 | | GKOMLHG4130W27V40KCDB | | 18,500 | 130 | 4,000 | | |
| | \$90 | | GKOMLHG4130W27V50KCDM | | 18,500 | 130 | 5,000 | | |
| | \$90 | | GKOMLHG4130W27V50KCDB | | 18,500 | 130 | 5,000 | | |
| | \$90 | Halco Lighting Technologies | LHB-2-WS-40-U-LVMS | | 807154302512+807154248759 | 21,360 | 160 | 4,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$90 | | LHB-2-WS-50-U-LVMS | 21,600 | | 160 | 5,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. | |
| | \$90 | | HRHB-100-CS-U-BL+DCMS | 14,726 | | 103 | 4,000 | CCT Selectable | |
| | \$90 | | HRHB-100-CS-U-WH+DCMS | 14,726 | | 103 | 4,000 | CCT Selectable | |
| | \$90 | | LHB-2-WS-40-U-PIRMS | 21,360 | | 160 | 4,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. | |
| | \$90 | | LHB-2-WS-50-U-PIRMS | 21,600 | | 160 | 5,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. | |
| | \$90 | Keystone Technologies | KT-HBLEDD215PS-2FB-8CSD-VDIM-P/MW | 30,100 | | 215 | 5,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. | |
| | \$90 | | KT-HBLEDD215PS-2FB-8CSD-VDIM-P/PIR | 30,100 | | 215 | 5,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. | |
| | | | | | | 30,135 | 200 | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. Select one occ. Sensor option to qual. For incent. (UPCs: 843654135212-MW, 843654133317-MW-A, 843654133324-MA-B, 843654136196-PIR, 843654133638-PIR-A, 843654133645-PIR-B) |
| | \$90 | | KT-RHLED200PS-14C-8CSB-VDIM-P [/MW, /MW-A, /MW-B, /PIR, /PIR-A, /PIR-B] | | | | | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. Select one occ. Sensor option to qual. For incent. (UPCs: 843654135212-MW, 843654133317-MW-A, 843654133324-MA-B, 843654136196-PIR, 843654133638-PIR-A, 843654133645-PIR-B) |
| | \$90 | | KT-RHLED200PS-14C-8CSB-VDIM-P-W [/MW, /MW-A, /MW-B, /PIR, /PIR-A, /PIR-B] | | | | | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. Select one occ. Sensor option to qual. For incent. (UPCs: 843654135212-MW, 843654133317-MW-A, 843654133324-MA-B, 843654136196-PIR, 843654133638-PIR-A, 843654133645-PIR-B) |
| | \$90 | | KT-HBLEDD80-1.5F-840-VDIM-P /G2/HBFC1 | 843654136820+843654129266 | | 12,000 | 80 | 4,000 | |
| | \$90 | | KT-HBLEDD80-1.5F-850-VDIM-P /G2/HBFC1 | 843654136837+843654129266 | | 12,080 | 80 | 5,000 | |
| | \$90 | | KT-HBLEDD90-1.5F-840-VDIM-P /G2/HBFC1 | 843654136844+843654129266 | | 13,500 | 90 | 4,000 | |
| | \$90 | | KT-HBLEDD90-1.5F-850-VDIM-P /G2/HBFC1 | 843654136851+843654129266 | | 13,590 | 90 | 5,000 | |
| | \$90 | | KT-HBLEDD115-1.5F-840-VDIM-P /G2/HBFC1 | 843654136721+843654129266 | | 17,250 | 115 | 4,000 | |
| | \$90 | | KT-HBLEDD115-1.5F-850-VDIM-P /G2/HBFC1 | 843654136738+843654129266 | 17,365 | 115 | 5,000 | | |
| | \$90 | | KT-HBLEDD80-1.5F-840-VDIM-P /G2/FC3 | 843654136820+843654138862 | 12,000 | 80 | 4,000 | | |
| | \$90 | | KT-HBLEDD80-1.5F-850-VDIM-P /G2/FC3 | 843654136837+843654138862 | 12,080 | 80 | 5,000 | | |
| | \$90 | | KT-HBLEDD90-1.5F-840-VDIM-P /G2/FC3 | 843654136844+843654138862 | 13,500 | 90 | 4,000 | | |
| | \$90 | | KT-HBLEDD90-1.5F-850-VDIM-P /G2/FC3 | 843654136851+843654138862 | 13,590 | 90 | 5,000 | | |
| | \$90 | | KT-HBLEDD115-1.5F-840-VDIM-P /G2/FC3 | 843654136721+843654138862 | 17,250 | 115 | 4,000 | | |
| | \$90 | | KT-HBLEDD115-1.5F-850-VDIM-P /G2/FC3 | 843654136738+843654138862 | 17,365 | 115 | 5,000 | | |
| | \$90 | | KT-HBLEDD80-1.5F-840-VDIM-P /G2/PIR | 843654136820+843654123288 | 12,000 | 80 | 4,000 | | |
| | \$90 | | KT-HBLEDD80-1.5F-850-VDIM-P /G2/PIR | 843654136837+843654123288 | 12,080 | 80 | 5,000 | | |
| | \$90 | | KT-HBLEDD90-1.5F-840-VDIM-P /G2/PIR | 843654136844+843654123288 | 13,500 | 90 | 4,000 | | |
| | \$90 | | KT-HBLEDD90-1.5F-850-VDIM-P /G2/PIR | 843654136851+843654123288 | 13,590 | 90 | 5,000 | | |
| | \$90 | | KT-HBLEDD115-1.5F-840-VDIM-P /G2/PIR | 843654136721+843654123288 | 17,250 | 115 | 4,000 | | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-----------------------|---------------------------------------|---------------------------|-----------------------|------------------------|--------------|---|
| 86UBPC | \$90 | Keystone Technologies | KT-HBLED115-1.5F-850-VDIM-P /G2/PIR | 843654136738+843654123288 | 17,365 | 115 | 5,000 | |
| | \$90 | | KT-HBLED80-1.5F-840-VDIM-P /G2/PIR-A | 843654136820+843654133638 | 12,000 | 80 | 4,000 | |
| | \$90 | | KT-HBLED80-1.5F-850-VDIM-P /G2/PIR-A | 843654136837+843654133638 | 12,080 | 80 | 5,000 | |
| | \$90 | | KT-HBLED90-1.5F-840-VDIM-P /G2/PIR-A | 843654136844+843654133638 | 13,500 | 90 | 4,000 | |
| | \$90 | | KT-HBLED90-1.5F-850-VDIM-P /G2/PIR-A | 843654136851+843654133638 | 13,590 | 90 | 5,000 | |
| | \$90 | | KT-HBLED115-1.5F-840-VDIM-P /G2/PIR-A | 843654136721+843654133638 | 17,250 | 115 | 4,000 | |
| | \$90 | | KT-HBLED115-1.5F-850-VDIM-P /G2/PIR-A | 843654136738+843654133638 | 17,365 | 115 | 5,000 | |
| | \$90 | | KT-HBLED80-1.5F-840-VDIM-P /G2/PIR-B | 843654136820+843654133645 | 12,000 | 80 | 4,000 | |
| | \$90 | | KT-HBLED80-1.5F-850-VDIM-P //PIR-B | 843654136837+843654133645 | 12,080 | 80 | 5,000 | |
| | \$90 | | KT-HBLED90-1.5F-840-VDIM-P /G2/PIR-B | 843654136844+843654133645 | 13,500 | 90 | 4,000 | |
| | \$90 | | KT-HBLED90-1.5F-850-VDIM-P /G2/PIR-B | 843654136851+843654133645 | 13,590 | 90 | 5,000 | |
| | \$90 | | KT-HBLED115-1.5F-840-VDIM-P /G2/PIR-B | 843654136721+843654133645 | 17,250 | 115 | 4,000 | |
| | \$90 | | KT-HBLED115-1.5F-850-VDIM-P /G2/PIR-B | 843654136738+843654133645 | 17,365 | 115 | 5,000 | |
| | \$90 | | KT-HBLED80-1.5F-840-VDIM-P /G2/MW3-A | 843654136820+843654133317 | 12,000 | 80 | 4,000 | |
| | \$90 | | KT-HBLED80-1.5F-850-VDIM-P /G2/MW3-A | 843654136837+843654133317 | 12,080 | 80 | 5,000 | |
| | \$90 | | KT-HBLED90-1.5F-840-VDIM-P /G2/MW3-A | 843654136844+843654133317 | 13,500 | 90 | 4,000 | |
| | \$90 | | KT-HBLED90-1.5F-850-VDIM-P /G2/MW3-A | 843654136851+843654133317 | 13,590 | 90 | 5,000 | |
| | \$90 | | KT-HBLED115-1.5F-840-VDIM-P /G2/MW3-A | 843654136721+843654133317 | 17,250 | 115 | 4,000 | |
| | \$90 | | KT-HBLED115-1.5F-850-VDIM-P /G2/MW3-A | 843654136738+843654133317 | 17,365 | 115 | 5,000 | |
| | \$90 | | KT-HBLED80-1.5F-840-VDIM-P /G2/MW3-B | 843654136820+843654133324 | 12,000 | 80 | 4,000 | |
| | \$90 | | KT-HBLED80-1.5F-850-VDIM-P /G2/MW3-B | 843654136837+843654133324 | 12,080 | 80 | 5,000 | |
| | \$90 | | KT-HBLED90-1.5F-840-VDIM-P /G2/MW3-B | 843654136844+843654133324 | 13,500 | 90 | 4,000 | |
| | \$90 | | KT-HBLED90-1.5F-850-VDIM-P /G2/MW3-B | 843654136851+843654133324 | 13,590 | 90 | 5,000 | |
| | \$90 | | KT-HBLED115-1.5F-840-VDIM-P /G2/MW3-B | 843654136721+843654133324 | 17,250 | 115 | 4,000 | |
| | \$90 | | KT-HBLED115-1.5F-850-VDIM-P /G2/MW3-B | 843654136738+843654133324 | 17,365 | 115 | 5,000 | |
| | \$90 | | KT-HBLED105PS-2FB-8CSD-VDIM-P/MW | | 15,200 | 105 | 4,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | \$90 | | KT-HBLED105PS-2FB-8CSD-VDIM-P/PIR | | 15,200 | 105 | 4,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | \$90 | | KT-RHLED200PSHV-14C-8CSB-VDIM-P/FC3 | 843654156354+843654138862 | 26,600 | 200 | 3,000 | Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$90 | | KT-RHLED200PSHV-14C-8CSB-VDIM-P/MW3 | 843654156354+843654135212 | 26,600 | 200 | 3,000 | Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$90 | | KT-RHLED200PSHV-14C-8CSB-VDIM-P/PIR3 | 843654156354+843654146447 | 26,600 | 200 | 3,000 | Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$90 | | KT-RHLED100-12C-840-VDIM-P /G2/PIR3 | 843654133188+843654146447 | 15,700 | 100 | 4,000 | |
| | \$90 | | KT-RHLED100-12C-850-VDIM-P /G2/PIR3 | 843654133195+843654146447 | 15,900 | 100 | 5,000 | |
| | \$90 | | KT-RHLED100-12C-840-VDIM-P /G2/FC3 | 843654133188+843654138862 | 15,700 | 100 | 4,000 | |
| | \$90 | | KT-RHLED100-12C-850-VDIM-P /G2/FC3 | 843654133195+843654138862 | 15,900 | 100 | 5,000 | |
| | \$90 | | KT-RHLED100-12C-840-VDIM-P /G2/FC4 | 843654133188+843654149066 | 15,700 | 100 | 4,000 | Must be installed and linked to another fixture with the KTSL-FC3-12V-PKO-PIR sensor |
| | \$90 | | KT-RHLED100-12C-850-VDIM-P /G2/FC4 | 843654133195+843654149066 | 15,900 | 100 | 5,000 | Must be installed and linked to another fixture with the KTSL-FC3-12V-PKO-PIR sensor |
| | \$90 | | KT-RHLED100-11CB-840-VDIM/PIR3 | 843654152073+843654146447 | 14,150 | 100 | 4,000 | |
| | \$90 | | KT-RHLED100-11CB-850-VDIM/PIR3 | 843654152080+843654146447 | 14,860 | 100 | 5,000 | |
| | \$90 | | KT-RHLED100-12C-840-VDIM-P /G2/MW3-A | 843654133188+843654133317 | 15,700 | 100 | 4,000 | Must be installed and linked to another fixture with the KTSL-FC3-12V-PKO-PIR sensor |
| | \$90 | | KT-RHLED100-12C-850-VDIM-P /G2/MW3-A | 843654133195+843654133317 | 15,900 | 100 | 5,000 | Must be installed and linked to another fixture with the KTSL-FC3-12V-PKO-PIR sensor |
| | \$90 | | KT-RHLED150PS-11C-8CSB-VDIM /G2/FC3 | | 20,568 | 150 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$90 | | KT-RHLED150PS-11C-8CSB-VDIM-W /G2/FC3 | | 20,568 | 150 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$90 | | KT-RHLED200PS-12C-8CSB-VDIM /G2/FC3 | | 28,908 | 200 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-----------------------|---|---------------------------|-----------------------|------------------------|--------------|---|
| 86UBPC | \$90 | Keystone Technologies | KT-RHLED200PS-12C-8CSB-VDIM-W /G2/FC3 | | 28,908 | 200 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$90 | | KT-RHLED150PS-12CD-OSD-8CSB-VDIM-P/FC3 | | 19,988 | 150 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$90 | | KT-RHLED150PS-12CD-OSD-8CSB-VDIM-P-W/FC3 | | 19,988 | 150 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$90 | | KT-RHLED200PS-14CD-OSD-8CSB-VDIM-P/FC3 | | 26,934 | 200 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$90 | | KT-RHLED200PS-14CD-OSD-8CSB-VDIM-P-W/FC3 | | 26,934 | 200 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$90 | | KT-RHLED200PSHV-14CD-OSD-8CSB-VDIM-P/FC3 | | 26,420 | 200 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$90 | | KT-RHLED150PS-12CD-OSD-8CSB-VDIM-P/PIR-A | | 19,988 | 150 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$90 | | KT-RHLED150PS-12CD-OSD-8CSB-VDIM-P-W/PIR-A | | 19,988 | 150 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$90 | | KT-RHLED200PS-14CD-OSD-8CSB-VDIM-P/PIR-A | | 26,934 | 200 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$90 | | KT-RHLED200PS-14CD-OSD-8CSB-VDIM-P-W/PIR-A | | 26,934 | 200 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$90 | | KT-RHLED200PSHV-14CD-OSD-8CSB-VDIM-P/PIR-A | | 26,420 | 200 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$90 | LEDVANCE, LLC | LNHIBA3A/105UNVD840/12W/WH/D (61996) | 046135619960 | 14,175 | 105 | 4,000 | |
| | \$90 | | LNHIBA3A/105UNVD850/12W/WH/D (61997) | 046135619977 | 14,280 | 105 | 5,000 | |
| | \$90 | | LNHIBA3A/130UNVD840/12W/WH/D (61998) | 046135619984 | 17,550 | 130 | 4,000 | |
| | \$90 | | LNHIBA3A/130UNVD850/12W/WH/D (61999) | 046135619991 | 17,680 | 130 | 5,000 | |
| | \$90 | | UFOHIBA2A/100UNVD840/WH with control (62069+65622) | 046135620690+046135656224 | 14,385 | 103 | 4,000 | Must be sold with accessory 65622 - Field Installed occ/daylight sensor |
| | \$90 | | UFOHIBA2A/100UNVD850/WH with control (62070+65622) | 046135620706+046135656224 | 14,196 | 103 | 5,000 | Must be sold with accessory 65622 - Field Installed occ/daylight sensor |
| | \$90 | | UFOHIBA2A/100HUV840/WH with control (62081+65622) | 046135620812+046135656224 | 14,815 | 103 | 4,000 | Must be sold with accessory 65622 - Field Installed occ/daylight sensor |
| | \$90 | | UFOHIBA2A/100HUV850/WH with control (62082+65622) | 046135620829+046135656224 | 14,734 | 103 | 5,000 | Must be sold with accessory 65622 - Field Installed occ/daylight sensor |
| | \$90 | | UFOHIBA3A/S150UNVD8SC7/WH with control (62693+65622) | 046135626937+046135656224 | 21,773 | 154 | 3,500 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$90 | | UFOHIBA3A/S150UNVD8SC7/BL with control (62695+65622) | 046135626958+046135656224 | 21,773 | 154 | 3,500 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$90 | | LNHIBA5A/S165UNVD8SC14/12/WH with control (62875+65622) | 046135628757+046135656224 | 23,119 | 164 | 5,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$90 | | LNHIBA5A/S165UNVD8SC14/12/WH/E with control (63061+65622) | 046135630610+046135656224 | 23,119 | 164 | 5,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$90 | | LNHIBA6A/085UNHD840/11W/WH (63110)+MS 65622 | 046135631108+046135656224 | 11,765 | 85 | 4,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$90 | | LNHIBA6A/085UNHD850/11W/WH (63111)+MS 65622 | 046135631115+046135656224 | 11,720 | 84 | 5,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$90 | | LNHIBA6A/105UNHD840/11W/WH (63112)+MS 65622 | 046135631122+046135656224 | 14,685 | 105 | 4,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$90 | | LNHIBA6A/105UNHD850/11W/WH (63113)+MS 65622 | 046135631139+046135656224 | 14,633 | 104 | 5,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$90 | | LNHIBA6A/130UNHD840/11W/WH (63114)+MS 65622 | 046135631146+046135656224 | 17,760 | 130 | 4,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$90 | | LNHIBA6A/130UNHD850/11W/WH (63115)+MS 65622 | 046135631153+046135656224 | 17,963 | 130 | 5,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$90 | | LNHIBA6A/085UNHD840/11W/WH (63110)+MS 62664 | 046135631108+046135626647 | 11,765 | 85 | 4,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$90 | | LNHIBA6A/085UNHD850/11W/WH (63111)+MS 62664 | 046135631115+046135626647 | 11,720 | 84 | 5,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$90 | | LNHIBA6A/105UNHD840/11W/WH (63112)+MS 62664 | 046135631122+046135626647 | 14,685 | 105 | 4,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$90 | | LNHIBA6A/105UNHD850/11W/WH (63113)+MS 62664 | 046135631139+046135626647 | 14,633 | 104 | 5,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$90 | | LNHIBA6A/130UNHD840/11W/WH (63114)+MS 62664 | 046135631146+046135626647 | 17,760 | 130 | 4,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$90 | | LNHIBA6A/130UNHD850/11W/WH (63115)+MS 62664 | 046135631153+046135626647 | 17,963 | 130 | 5,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$90 | | LNHIBA6A/085UNHD840/11W/WH/E (63124)+MS 65622 | 046135631108+046135656224 | 11,765 | 85 | 4,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$90 | | LNHIBA6A/085UNHD850/11W/WH/E (63125)+MS 65622 | 046135631115+046135656224 | 11,720 | 84 | 5,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$90 | | LNHIBA6A/105UNHD840/11W/WH/E (63126)+MS 65622 | 046135631122+046135656224 | 14,685 | 105 | 4,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$90 | | LNHIBA6A/105UNHD850/11W/WH/E (63127)+MS 65622 | 046135631139+046135656224 | 14,633 | 104 | 5,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$90 | | LNHIBA6A/130UNHD840/11W/WH/E (63128)+MS 65622 | 046135631146+046135656224 | 17,760 | 130 | 4,000 | Must be sold & installed with Motion Sensor to receive incentive |

1/6/2025 On the Spot Light Program Qualified Products Listed by Primary Use/Measure 82 of 214

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|------------------|--|------------------------------|-----------------------|------------------------|--------------|---|
| 86UBPC | \$90 | LEDVANCE, LLC | LNHIBA6A/130UNHD840/11W/WH (63114)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAL | 046135631146+046135636523+04 | 17,760 | 130 | 4,000 | |
| | \$90 | | LNHIBA6A/130UNHD850/11W/WH (63115)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAL | 046135631153+046135636523+04 | 17,963 | 130 | 5,000 | |
| | \$90 | | LNHIBA6A/085UNHD840/11W/WH/E (63124)+SENSORADAPTOR1A (63652)+SENSORHB/PIR | 046135631108+046135636523+04 | 11,765 | 85 | 4,000 | |
| | \$90 | | LNHIBA6A/085UNHD850/11W/WH/E (63125)+SENSORADAPTOR1A (63652)+SENSORHB/PIR | 046135631115+046135636523+04 | 11,720 | 84 | 5,000 | |
| | \$90 | | LNHIBA6A/105UNHD840/11W/WH/E (63126)+SENSORADAPTOR1A (63652)+SENSORHB/PIR | 046135631122+046135636523+04 | 14,685 | 105 | 4,000 | |
| | \$90 | | LNHIBA6A/105UNHD850/11W/WH/E (63127)+SENSORADAPTOR1A (63652)+SENSORHB/PIR | 046135631139+046135636523+04 | 14,633 | 104 | 5,000 | |
| | \$90 | | LNHIBA6A/130UNHD840/11W/WH/E (63128)+SENSORADAPTOR1A (63652)+SENSORHB/PIR | 046135631146+046135636523+04 | 17,760 | 130 | 4,000 | |
| | \$90 | | LNHIBA6A/130UNHD850/11W/WH/E (63129)+SENSORADAPTOR1A (63652)+SENSORHB/PIR | 046135631153+046135636523+04 | 17,963 | 130 | 5,000 | |
| | | | | | | | | Must be connected to a LEDVANCE LINK Sensor to turn on/off light to receive incentive. CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$90 | | UFOHIBA3A/S150UNVD85C7/WH (62693)+SENSORADAPTOR1A (63652)+ADAPTER/AUX12V/ | 046135626937+046135636523+04 | 21,773 | 154 | 3,500 | |
| | | | | | | | | Must be connected to a LEDVANCE LINK Sensor to turn on/off light to receive incentive. CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$90 | | UFOHIBA3A/S150UNVD85C7/BL (62695)+SENSORADAPTOR1A (63652)+ADAPTER/AUX12V/E | 046135626958+046135636523+04 | 21,773 | 154 | 3,500 | |
| | \$90 | | UFOHIBA4A/100UNHD840/WH (63034)+SENSORADAPTOR1A (63652)+ADAPTER/AUX12V/BI | 046135630347+046135636523+04 | 15,828 | 103 | 4,000 | |
| | \$90 | | UFOHIBA4A/100UNHD850/WH (63035)+SENSORADAPTOR1A (63652)+ADAPTER/AUX12V/BI | 046135630354+046135636523+04 | 15,962 | 103 | 5,000 | |
| | \$90 | | UFOHIBA4A/100UNHD840/BL (63034)+SENSORADAPTOR1A (63652)+ADAPTER/AUX12V/BL | 046135630347+046135636523+04 | 15,828 | 103 | 4,000 | |
| | \$90 | | UFOHIBA4A/100UNHD850/BL (63042)+SENSORADAPTOR1A (63652)+ADAPTER/AUX12V/BL | 046135630422+046135636523+04 | 15,962 | 103 | 5,000 | |
| | \$90 | | UFOHIBA3A/S150UNVD85C7/WH (62693)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAUX | 046135626937+046135636523+04 | 21,773 | 154 | 3,500 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$90 | | UFOHIBA3A/S150UNVD85C7/BL (62695)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAUX1 | 046135626958+046135636523+04 | 21,773 | 154 | 3,500 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$90 | | UFOHIBA4A/100UNHD840/WH (63034)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAUX1: | 046135630347+046135636523+04 | 15,828 | 103 | 4,000 | |
| | \$90 | | UFOHIBA4A/100UNHD850/WH (63035)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAUX1: | 046135630354+046135636523+04 | 15,962 | 103 | 5,000 | |
| | \$90 | | UFOHIBA4A/100UNHD840/BL (63034)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAUX12 | 046135630347+046135636523+04 | 15,828 | 103 | 4,000 | |
| | \$90 | | UFOHIBA4A/100UNHD850/BL (63042)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAUX12 | 046135630422+046135636523+04 | 15,962 | 103 | 5,000 | |
| | \$90 | | LNHIBA3A/085HUV840/12W/WH/D (62574) | | 11,475 | 85 | 4,000 | |
| | \$90 | | LNHIBA3A/085HUV850/12W/WH/D (62575) | | 11,560 | 85 | 5,000 | |
| | \$90 | | LNHIBA3A/130HUV840/12W/WH/D (62576) | | 17,550 | 130 | 4,000 | |
| | \$90 | | LNHIBA3A/130HUV850/12W/WH/D (62577) | | 17,680 | 130 | 5,000 | |
| | \$90 | | UFOHIBA2A/100UNVD840/BL (62320)+HIGHBAY/MOTIONDAYSENSOR (65622) | 046135623202+046135656224 | 14,385 | 103 | 4,000 | Must be sold with accessory 65622 - Field Installed occ/daylight sensor |
| | \$90 | | UFOHIBA2A/100UNVD850/BL (62321)+HIGHBAY/MOTIONDAYSENSOR (65622) | 046135623219+046135656224 | 14,196 | 103 | 5,000 | Must be sold with accessory 65622 - Field Installed occ/daylight sensor |
| | \$90 | | UFOHIBA2A/100HUV840/BL (62328)+HIGHBAY/MOTIONDAYSENSOR (65622) | 046135623288+046135656224 | 14,815 | 103 | 4,000 | Must be sold with accessory 65622 - Field Installed occ/daylight sensor |
| | \$90 | | UFOHIBA2A/100HUV850/BL (62329)+HIGHBAY/MOTIONDAYSENSOR (65622) | 046135623295+046135656224 | 14,734 | 103 | 5,000 | Must be sold with accessory 65622 - Field Installed occ/daylight sensor |
| | \$90 | | UFOHIBA2A/100UNVD840/BL (62320)+HIGHBAY/PIR/MOTIONDAYSENSOR2 (62664) | 046135623202+046135626647 | 14,385 | 103 | 4,000 | Must be sold with accessory 62664 - Field Installed PIR occ/daylight sensor |
| | \$90 | | UFOHIBA2A/100UNVD850/BL (62321)+HIGHBAY/PIR/MOTIONDAYSENSOR2 (62664) | 046135623219+046135626647 | 14,196 | 103 | 5,000 | Must be sold with accessory 62664 - Field Installed PIR occ/daylight sensor |
| | \$90 | | UFOHIBA2A/100HUV840/BL (62328)+HIGHBAY/PIR/MOTIONDAYSENSOR2 (62664) | 046135623288+046135626647 | 14,815 | 103 | 4,000 | Must be sold with accessory 62664 - Field Installed PIR occ/daylight sensor |
| | \$90 | | UFOHIBA2A/100HUV850/BL (62329)+HIGHBAY/PIR/MOTIONDAYSENSOR2 (62664) | 046135623295+046135626647 | 14,734 | 103 | 5,000 | Must be sold with accessory 62664 - Field Installed PIR occ/daylight sensor |
| | \$90 | | UFO5A/S200UNHD85C7/WH (62299)+HIGHBAY/MOTIONDAYSENSOR (65622) | 046135622991+046135656224 | 27,000 | 200 | 3,500 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output |
| | \$90 | | UFO5A/S200UNHD85C7/WH (62299)+HIGHBAY/PIR/MOTIONDAYSENSOR2 (62664) | 046135622991+046135626647 | 27,000 | 200 | 3,500 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output |
| | \$90 | | UFO5A/S200UNHD85C7/BL (62301)+HIGHBAY/MOTIONDAYSENSOR (65622) | 046135623011+046135656224 | 27,000 | 200 | 3,500 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output |
| | \$90 | | UFO5A/S200UNHD85C7/BL (62301)+HIGHBAY/PIR/MOTIONDAYSENSOR2 (62664) | 046135623011+046135626647 | 27,000 | 200 | 3,500 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output |
| | \$90 | Linmore LED Labs | AH10S-A2-12K-SM-40-80-FR-LV-CRM-10CW-S-10V+AH1-SEN-PIR-SK | | 11,653 | 86 | 4,000 | |
| | \$90 | | AH10S-A2-12K-SM-50-80-FR-LV-CRM-10CW-S-10V+AH1-SEN-PIR-SK | | 11,663 | 86 | 5,000 | |
| | \$90 | | AH10S-A2-15K-SM-40-80-FR-LV-CRM-10CW-S-10V+AH1-SEN-PIR-SK | | 14,958 | 112 | 4,000 | |
| | \$90 | | AH10S-A2-15K-SM-50-80-FR-LV-CRM-10CW-S-10V+AH1-SEN-PIR-SK | | 15,007 | 112 | 5,000 | |
| | \$90 | | AH10S-A2-18K-SM-40-80-FR-LV-CRM-10CW-S-10V+AH1-SEN-PIR-SK | | 17,412 | 129 | 4,000 | |
| | \$90 | | AH10S-A2-18K-SM-50-80-FR-LV-CRM-10CW-S-10V+AH1-SEN-PIR-SK | | 17,551 | 130 | 5,000 | |
| | \$90 | | AH10S-A2-12K-SM-40-80-FR-HV-CRM-10CW-S-EMB-10V+AH1-SEN-PIR-SK | | 11,845 | 86 | 4,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|------------------|---|---------------------------|-----------------------|------------------------|--------------|--|
| 86UBPC | \$90 | Linmore LED Labs | AH10S-A2-12K-SM-50-80-FR-HV-CRM-10CW-S-EMB-10V+AH1-SEN-PIR-SK | | 12,028 | 87 | 5,000 | |
| | \$90 | | AH10S-A2-15K-SM-40-80-FR-HV-CRM-10CW-S-EMB-10V+AH1-SEN-PIR-SK | | 15,356 | 111 | 4,000 | |
| | \$90 | | AH10S-A2-15K-SM-50-80-FR-HV-CRM-10CW-S-EMB-10V+AH1-SEN-PIR-SK | | 15,311 | 111 | 5,000 | |
| | \$90 | | AH10S-A2-18K-SM-40-80-FR-HV-CRM-10CW-S-EMB-10V+AH1-SEN-PIR-SK | | 17,886 | 130 | 4,000 | |
| | \$90 | | AH10S-A2-18K-SM-50-80-FR-HV-CRM-10CW-S-EMB-10V+AH1-SEN-PIR-SK | | 18,148 | 130 | 5,000 | |
| | \$90 | LSI Industries | AHB 18L 840 IMSBT2L | | 17,500 | 128 | 4,000 | |
| | \$90 | | AHB 18L 850 IMSBT2L | | 17,500 | 128 | 5,000 | |
| | \$90 | MaxLite Inc. | BLHE3-085UF-40MS | 767627006357 | 11,475 | 85 | 4,000 | |
| | \$90 | | BLHE3-085UF-50MS | 767627006364 | 11,560 | 85 | 5,000 | |
| | \$90 | | BLHE3-130UF-40MS | 767627006418 | 17,550 | 130 | 4,000 | |
| | \$90 | | BLHE3-130UF-50MS | 767627006425 | 17,680 | 130 | 5,000 | |
| | \$90 | | BLHE3-085UF-40EMMS | | 11,475 | 85 | 4,000 | |
| | \$90 | | BLHE3-085UF-50EMMS | | 11,560 | 85 | 5,000 | |
| | \$90 | | BLHE3-130UF-40EMMS | | 17,550 | 130 | 4,000 | |
| | \$90 | | BLHE3-130UF-50EMMS | | 17,680 | 130 | 5,000 | |
| | \$90 | | HL3-078UF-CSCR+CN-RDMSW | 767627031175+767627007873 | 11,700 | 78 | 4,000 | CCT Selectable |
| | \$90 | | HL3-078UF-CSCR+NN-RDMSW | 767627031175+767627011979 | 11,700 | 78 | 4,000 | CCT Selectable |
| | \$90 | | HL3-105WUF-CSCR+CN-RDMSW | 767627031182+767627007873 | 15,750 | 105 | 4,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$90 | | HL3-105WUF-CSCR+NN-RDMSW | 767627031182+767627011979 | 15,750 | 105 | 4,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$90 | | HL3-115UF-CSCR+CN-RDMSW | 767627031199+767627007873 | 17,250 | 115 | 4,000 | CCT Selectable |
| | \$90 | | HL3-115UF-CSCR+NN-RDMSW | 767627031199+767627011979 | 17,250 | 115 | 4,000 | CCT Selectable |
| | \$90 | | BPHE2-U090WCS+CNA-RDMSW | 767627033247+767627033780 | 20,250 | 150 | 3,500 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$90 | | BPHE2-U090WCS+NNA-RDMSW | 767627033247+767627033773 | 20,250 | 150 | 3,500 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$90 | NICOR Inc. | HBG116U408AR | | 16,000 | 100 | 4,000 | |
| | \$90 | | HBG116U408DR | | 15,400 | 100 | 4,000 | |
| | \$90 | | HBG116U508AR | | 16,100 | 100 | 5,000 | |
| | \$90 | | HBG116U508DR | | 15,500 | 100 | 5,000 | |
| | \$90 | | HML1100H35AS+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 14,000 | 100 | 3,500 | |
| | \$90 | | HML1100H40AS+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 14,100 | 100 | 4,000 | |
| | \$90 | | HML1100H50AS+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 14,200 | 100 | 5,000 | |
| | \$90 | | HML1100H57AS+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 14,200 | 100 | 5,700 | |
| | \$90 | | HML1100U35AS+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 14,000 | 100 | 3,500 | |
| | \$90 | | HML1100U57AS+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 14,200 | 100 | 5,700 | |
| | \$90 | | HML1130H35AS+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 18,200 | 130 | 3,500 | |
| | \$90 | | HML1130H40AS+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 18,330 | 130 | 4,000 | |
| | \$90 | | HML1130H50AS+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 18,460 | 130 | 5,000 | |
| | \$90 | | HML1130H57AS+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 18,460 | 130 | 5,700 | |
| | \$90 | | HML1130U35AS+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 18,200 | 130 | 3,500 | |
| | \$90 | | HML1130U57AS+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 18,460 | 130 | 5,700 | |
| | \$90 | | HBC4100U408BK+HBC4SENSORPIR | 767706192582 | 14,947 | 102 | 4,000 | |
| | \$90 | | HBC4100U408WH+HBC4SENSORPIR | 767706192599 | 14,947 | 102 | 4,000 | |
| | \$90 | | HBC4100U508BK+HBC4SENSORPIR | 767706192605 | 15,098 | 103 | 5,000 | |
| | \$90 | | HBC4100U508WH+HBC4SENSORPIR | 767706192612 | 15,098 | 103 | 5,000 | |
| | \$90 | | HBC4100U408BK+HBC4SENSORMW | 767706192582 | 14,947 | 102 | 4,000 | |
| | \$90 | | HBC4100U408WH+HBC4SENSORMW | 767706192599 | 14,947 | 102 | 4,000 | |
| | \$90 | | HBC4100U508BK+HBC4SENSORMW | 767706192605 | 15,098 | 103 | 5,000 | |
| | \$90 | | HBC4100U508WH+HBC4SENSORMW | 767706192612 | 15,098 | 103 | 5,000 | |
| | \$90 | | | | | | | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$90 | | HBC5150SUS8+HBC4SENSORPIR | | 19,790 | 150 | 3,500 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$90 | | HBC5150SUS8+HBC4SENSORMW | | 19,790 | 150 | 3,500 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|---------------------------|---|---------------------------|-----------------------|------------------------|--------------|--|
| 86UBPC | \$90 | NICOR Inc. | HBC5150SUS8+HBCSOCKETADAPT1+NLCSPJ1WH-LHW | | 19,790 | 150 | 3,500 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$90 | | HML1100U40AS+H12VSENSORPIR | 767706194333+sensor | 14,100 | 100 | 4,000 | Must include one of the motion sensor options installed in field to receive incentive |
| | \$90 | | HML1100U40AS+H12VSENSORMW | 767706194333+sensor | 14,100 | 100 | 4,000 | Must include one of the motion sensor options installed in field to receive incentive |
| | \$90 | | HML1100U40AS+NLCIND3.5 | 767706194333+sensor | 14,100 | 100 | 4,000 | Must include one of the motion sensor options installed in field to receive incentive |
| | \$90 | | HML1100U50AS+H12VSENSORPIR | 767706194357+sensor | 14,200 | 100 | 5,000 | Must include one of the motion sensor options installed in field to receive incentive |
| | \$90 | | HML1100U50AS+H12VSENSORMW | 767706194357+sensor | 14,200 | 100 | 5,000 | Must include one of the motion sensor options installed in field to receive incentive |
| | \$90 | | HML1100U50AS+NLCIND3.5 | 767706194357+sensor | 14,200 | 100 | 5,000 | Must include one of the motion sensor options installed in field to receive incentive |
| | \$90 | | HML1130U40AS+H12VSENSORPIR | 767706194371+sensor | 18,330 | 130 | 4,000 | Must include one of the motion sensor options installed in field to receive incentive |
| | \$90 | | HML1130U40AS+H12VSENSORMW | 767706194371+sensor | 18,330 | 130 | 4,000 | Must include one of the motion sensor options installed in field to receive incentive |
| | \$90 | | HML1130U40AS+NLCIND3.5 | 767706194371+sensor | 18,330 | 130 | 4,000 | Must include one of the motion sensor options installed in field to receive incentive |
| | \$90 | | HML1130U50AS+H12VSENSORPIR | 767706194395+sensor | 18,460 | 130 | 5,000 | Must include one of the motion sensor options installed in field to receive incentive |
| | \$90 | | HML1130U50AS+H12VSENSORMW | 767706194395+sensor | 18,460 | 130 | 5,000 | Must include one of the motion sensor options installed in field to receive incentive |
| | \$90 | | HML1130U50AS+NLCIND3.5 | 767706194395+sensor | 18,460 | 130 | 5,000 | Must include one of the motion sensor options installed in field to receive incentive |
| | \$90 | Orion Energy Systems, Inc | MLHB1112LHMVFD8CSLPND15W+EFS07-AUX-HB40 | | 12,143 | 88 | 4,000 | CCT Selectable |
| | \$90 | | MLHB1112LUNVFD8CSLPND15W+EFS07-AUX-HB40 | | 12,089 | 88 | 4,000 | CCT Selectable |
| | \$90 | | MLHB1115LHMVFD8CSLPND15W+EFS07-AUX-HB40 | | 14,900 | 108 | 4,000 | CCT Selectable |
| | \$90 | | MLHB1115LUNVFD8CSLPND15W+EFS07-AUX-HB40 | | 15,107 | 110 | 4,000 | CCT Selectable |
| | \$90 | | MLHB1118LUNVFD8CSLPND15W+EFS07-AUX-HB40 | | 17,166 | 126 | 4,000 | CCT Selectable |
| | \$90 | | MLHB1118LHMVFD8CSLPND15W+EFS07-AUX-HB40 | | 17,194 | 127 | 4,000 | CCT Selectable |
| | \$90 | | MLHB1112LUNVFD8CSLPGR15W+EFS07-AUX-HB40 | | 12,231 | 88 | 4,000 | CCT Selectable |
| | \$90 | | MLHB1112LHMVFD8CSLPGR15W+EFS07-AUX-HB40 | | 12,349 | 88 | 4,000 | CCT Selectable |
| | \$90 | | MLHB1115LUNVFD8CSLPGR15W+EFS07-AUX-HB40 | | 15,456 | 112 | 4,000 | CCT Selectable |
| | \$90 | | MLHB1115LHMVFD8CSLPGR15W+EFS07-AUX-HB40 | | 15,153 | 108 | 4,000 | CCT Selectable |
| | \$90 | | MLHB1118LUNVFD8CSLPGR15W+EFS07-AUX-HB40 | | 17,430 | 126 | 4,000 | CCT Selectable |
| | \$90 | | MLHB1118LHMVFD8CSLPGR15W+EFS07-AUX-HB40 | | 17,403 | 127 | 4,000 | CCT Selectable |
| | \$90 | | MLHB1112LHMVFD8CSLPND15W+EFS106-AUX-HB40 | | 12,143 | 88 | 4,000 | CCT Selectable |
| | \$90 | | MLHB1112LUNVFD8CSLPND15W+EFS106-AUX-HB40 | | 12,089 | 88 | 4,000 | CCT Selectable |
| | \$90 | | MLHB1115LHMVFD8CSLPND15W+EFS106-AUX-HB40 | | 14,900 | 108 | 4,000 | CCT Selectable |
| | \$90 | | MLHB1115LUNVFD8CSLPND15W+EFS106-AUX-HB40 | | 15,107 | 110 | 4,000 | CCT Selectable |
| | \$90 | | MLHB1118LUNVFD8CSLPND15W+EFS106-AUX-HB40 | | 17,166 | 126 | 4,000 | CCT Selectable |
| | \$90 | | MLHB1118LHMVFD8CSLPND15W+EFS106-AUX-HB40 | | 17,194 | 127 | 4,000 | CCT Selectable |
| | \$90 | | MLHB1112LUNVFD8CSLPGR15W+EFS106-AUX-HB40 | | 12,231 | 88 | 4,000 | CCT Selectable |
| | \$90 | | MLHB1112LHMVFD8CSLPGR15W+EFS106-AUX-HB40 | | 12,349 | 88 | 4,000 | CCT Selectable |
| | \$90 | | MLHB1115LUNVFD8CSLPGR15W+EFS106-AUX-HB40 | | 15,456 | 112 | 4,000 | CCT Selectable |
| | \$90 | | MLHB1115LHMVFD8CSLPGR15W+EFS106-AUX-HB40 | | 15,153 | 108 | 4,000 | CCT Selectable |
| | \$90 | | MLHB1118LUNVFD8CSLPGR15W+EFS106-AUX-HB40 | | 17,430 | 126 | 4,000 | CCT Selectable |
| | \$90 | | MLHB1118LHMVFD8CSLPGR15W+EFS106-AUX-HB40 | | 17,403 | 127 | 4,000 | CCT Selectable |
| | \$90 | RAB Lighting | ARBAY2-145/PIR | | 19,939 | 147 | 5,030 | |
| | \$90 | | ARBAY2-95/PIR | 019813509969 | 13,360 | 98 | 5,030 | |
| | \$90 | | ARBAY2-95N/PIR | | 13,301 | 97 | 3,925 | |
| | \$90 | | RAIL150W/D10/WS2 | 019813299051 | 17,907 | 134 | 5,000 | |
| | \$90 | | RAIL95W/D10/WS2 | 019813298900 | 12,252 | 91 | 5,000 | |
| | \$90 | | RBAY17S+PIR40 | 192552025423+192552026000 | 18,200 | 130 | 3,500 | Wattage & CCT selectable, Measure/incentive based on min. wattage/lumen level |
| | \$90 | | RBAY17S+PIR40/LCB | 192552025423+192552014151 | 18,200 | 130 | 3,500 | Wattage & CCT selectable, Measure/incentive based on min. wattage/lumen level |
| | \$90 | | H17+PIR40 | 192552022026+192552022156 | 21,750 | 150 | 3,000 | Wattage & CCT selectable, Measure/incentive based on min. lumen level |
| | \$90 | | | | | | | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$90 | | H17+PIR40/LCB | | 21,750 | 150 | 3,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|--------------|------------------------------------|---------------------------|-----------------------|------------------------|--------------|---|
| 86UBPC | \$90 | SATCO | 65/781 (With Add-on Sensor 86/218) | 045923665691+045923666353 | 14,385 | 103 | 4,000 | Sale must include LED UPC: 045923665691 & sensor UPC: 045923666353 to receive Tier 2 incentive. Sensor can be programmed using remote item #86/219. |
| | \$90 | | 65/782 (With Add-on Sensor 86/218) | 045923665707+045923666353 | 14,196 | 103 | 5,000 | Sale must include LED UPC: 045923665707 & sensor UPC: 045923666353 to receive Tier 2 incentive. Sensor can be programmed using remote item #86/219. |
| | \$90 | | 65/770+86/218 | 045923665677+045923666353 | 17,668 | 124 | 3,000 | Wattage & CCT selectable. Sale of LED must include sensor item #86/218 to receive Tier 2 incentive. Sensor can be programmed using remote item #86/219. |
| | \$90 | | 65/781R1+86/218 | 045923661914+045923666353 | 15,536 | 104 | 4,000 | Sale of LED must include sensor item #86/218 to receive Tier 2 incentive. Sensor can be programmed using remote item #86/219. |
| | \$90 | | 65/782R1+86/218 | 045923661921+045923666353 | 15,484 | 105 | 5,000 | Sale of LED must include sensor item #86/218 to receive Tier 2 incentive. Sensor can be programmed using remote item #86/219. |
| | \$90 | | 65/791R1+86/218 | 045923661990+045923666353 | 15,536 | 104 | 4,000 | Sale of LED must include sensor item #86/218 to receive Tier 2 incentive. Sensor can be programmed using remote item #86/219. |
| | \$90 | | 65/792R1+86/218 | 045923662003+045923666353 | 15,484 | 105 | 5,000 | Sale of LED must include sensor item #86/218 to receive Tier 2 incentive. Sensor can be programmed using remote item #86/219. |
| | \$90 | | 65/781R2+86/218 | 045923648052+045923666353 | 13,838 | 99 | 4,000 | |
| | \$90 | | 65/782R2+86/218 | 045923648069+045923666353 | 13,838 | 99 | 5,000 | |
| | \$90 | | 65/791R2+86/218 | 045923648212+045923666353 | 13,838 | 99 | 4,000 | |
| | \$90 | | 65/792R2+86/218 | 045923648229+045923666353 | 13,838 | 99 | 5,000 | |
| | \$90 | | 65/781R2+86/217 | 045923648052+045923862175 | 13,838 | 99 | 4,000 | |
| | \$90 | | 65/782R2+86/217 | 045923648069+045923862175 | 13,838 | 99 | 5,000 | |
| | \$90 | | 65/791R2+86/217 | 045923648212+045923862175 | 13,838 | 99 | 4,000 | |
| | \$90 | | 65/792R2+86/217 | 045923648229+045923862175 | 13,838 | 99 | 5,000 | |
| | \$90 | Signify | FBZ18L840-UNV-MD360 | 784197708009 | 17,503 | 101 | 4,000 | |
| | \$90 | | HCY1421L8CST-UN3-DIM+HCY-SENSOR | 190096131648+190096131662 | 21,386 | 146 | 4,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$90 | SLG | HE 120 G2 4K HBP-117-L7-OEM | 728943426502 | 12,600 | 90 | 4,000 | |
| | \$90 | | HE 120 G2 5K HBP-117-L7-OEM | 728943426519 | 12,600 | 90 | 5,000 | |
| | \$90 | | HE 170 G2 4K HBP-117-L7-OEM | 728943424584 | 18,500 | 130 | 4,000 | |
| | \$90 | | HE 170 G2 5K HBP-117-L7-OEM | 728943424676 | 18,500 | 130 | 5,000 | |
| | \$90 | | HR 190 WD G3 4K FSP-212 | | 19,400 | 135 | 4,000 | |
| | \$90 | | HR 190 WD G3 5K FSP-212 | | 19,400 | 135 | 5,000 | |
| | \$90 | | HR 190 WD G3 HVU 4K FSP-212 | | 19,400 | 135 | 4,000 | |
| | \$90 | | HR 190 WD G3 HVU 5K FSP-212 | | 19,400 | 135 | 5,000 | |
| | \$90 | | HCL 120 G1 4K MS-BRI619 | | 12,200 | 90 | 4,000 | |
| | \$90 | | HCL 120 G1 5K MS-BRI619 | | 12,200 | 90 | 5,000 | |
| | \$90 | | HCL 140 G1 4K MS-BRI619 | | 14,000 | 100 | 4,000 | |
| | \$90 | | HCL 140 G1 5K MS-BRI619 | | 14,000 | 100 | 5,000 | |
| | \$90 | TCP | HB10500140LS1 | 762148107286 | 14,175 | 105 | 4,000 | |
| | \$90 | | HB10500150LS1 | | 14,175 | 105 | 5,000 | |
| | \$90 | | HB10500140BLS1 | | 14,175 | 105 | 4,000 | |
| | \$90 | | HB10500150BLS1 | | 14,175 | 105 | 5,000 | |
| | \$90 | | UFOUZDSW3CCTHM1 | | 23,898 | 153 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$90 | | UFOUZDSW3CCTHP1 | | 23,898 | 153 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$90 | | EUFOUZDSW4CCT+EUFOMS1 | | 30,000 | 200 | 4,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$90 | Topaz | HBC-30L-50K-PS+OS-PIR-UNV | 032886309045+032886309656 | 30,000 | 200 | 5,000 | Wattage/Power Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$90 | | HBC-24L-50K-PS+OS-PIR-12V | 032886309038+032886309663 | 24,000 | 150 | 5,000 | Wattage/Power Selectable, measure/incentive based on lowest wattage/lumen setting |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|--------------------------|---|---------------------------|-----------------------|------------------------|--------------|---|
| | | | | | | | | Wattage/Power Selectable, measure/incentive based on lowest wattage/lumen setting |
| 86UBPC | \$90 | Topaz | HBC-30L-50K-PS+OS-PIR-12V | 032886309045+032886309663 | 30,000 | 200 | 5,000 | |
| 86UCC | \$90 | Acuity Brands Lighting | IBE L24 22000LM ATC MD MVOLT GZ10 40K 80CRI LAOZU DWH | | 22,892 | 164 | 4,000 | |
| | \$90 | | IBE L24 22000LM ATC MD MVOLT GZ10 50K 80CRI LAOZU DWH | | 21,712 | 165 | 5,000 | |
| | \$90 | | CPRB ALO14 UVOLT SWW9 80CRI MSOD30 0V DBL | | 24,653 | 195 | 4,000 | |
| | \$90 | | | | | | | |
| | \$90 | Back To Earth Energy Inc | BE-CHB-150W-D120-B-LV-4000K-MS | | 22,139 | 151 | 4,000 | Must be installed with Motion Sensor to receive incentive |
| | \$90 | | BE-CHB-150W-D120-B-LV-5000K-MS | | 22,693 | 151 | 5,000 | Must be installed with Motion Sensor to receive incentive |
| | \$90 | | BE-CHB-200W-D120-B-LV-4000K-MS | | 29,546 | 203 | 4,000 | Must be installed with Motion Sensor to receive incentive |
| | \$90 | | | | | | | |
| | \$90 | Barron Lighting Group | RQHL-190-VS-4K-BL-SC | | 24,000 | 190 | 4,000 | |
| | \$90 | | RQHL-190-VS-4K-BL-BB-SC | | 24,000 | 190 | 4,000 | |
| | \$90 | | RQHL-190-VS-5K-BL-SC | 190622009557 | 24,000 | 190 | 5,000 | |
| | \$90 | | RQHL-190-VS-5K-BL-BB-SC | 190622009564 | 24,000 | 190 | 5,000 | |
| | \$90 | | RQHL-215-VS-4K-BL-SC | | 30,000 | 215 | 4,000 | |
| | \$90 | | RQHL-215-VS-5K-BL-SC | 190622016692 | 30,000 | 215 | 5,000 | |
| | \$90 | Current | ABC1024471DQASTKQW1PK | | 22,841 | 175 | 4,000 | |
| | \$90 | | ABC1024471QQASTAQW1PK | | 22,841 | 175 | 4,000 | |
| | \$90 | | ABC1024481DQASTKQW1PK | | 21,242 | 175 | 4,000 | |
| | \$90 | | ABC1024571DQASTKQW1PK | | 22,891 | 175 | 5,000 | |
| | \$90 | | ABC1024571QQASTAQW1PK | | 22,891 | 175 | 5,000 | |
| | \$90 | | ABC1024581DQASTKQW1PK | | 21,837 | 173 | 5,000 | |
| | \$90 | LSI Industries | MHB 1 LED 24L DPW UNV 40 IMSBT2L | | 21,506 | 162 | 4,000 | |
| | \$90 | | MHB 1 LED 24L DPW UNV 50 IMSBT2L | | 21,404 | 162 | 5,000 | |
| | \$90 | | MHB 1 LED 24L CPN UNV 40 IMSBT2L | | 21,363 | 162 | 4,000 | |
| | \$90 | | MHB 1 LED 24L CPN UNV 50 IMSBT2L | | 21,491 | 162 | 5,000 | |
| | \$90 | | MHB 1 LED 24L CPW UNV 40 IMSBT2L | | 23,910 | 162 | 4,000 | |
| | \$90 | | MHB 1 LED 24L CPW UNV 50 IMSBT2L | | 23,899 | 162 | 5,000 | |
| | \$90 | | MHB 1 LED 30L DPW UNV 40 IMSBT2L | | 26,470 | 185 | 4,000 | |
| | \$90 | | MHB 1 LED 30L DPW UNV 50 IMSBT2L | | 27,343 | 184 | 5,000 | |
| | \$90 | | MHB 1 LED 30L CPN UNV 40 IMSBT2L | | 26,488 | 185 | 4,000 | |
| | \$90 | | MHB 1 LED 30L CPN UNV 50 IMSBT2L | | 27,097 | 183 | 5,000 | |
| | \$90 | | MHB 1 LED 30L CPW UNV 40 IMSBT2L | | 29,550 | 186 | 4,000 | |
| | \$90 | | MHB 2 LED 30L DPW UNV 40 IMSBT2L | | 25,537 | 177 | 4,000 | |
| | \$90 | | MHB 2 LED 30L DPW UNV 50 IMSBT2L | | 26,379 | 177 | 5,000 | |
| | \$90 | | MHB 2 LED 30L CPN UNV 40 IMSBT2L | | 25,400 | 177 | 4,000 | |
| | \$90 | | MHB 2 LED 30L CPN UNV 50 IMSBT2L | | 25,552 | 177 | 5,000 | |
| | \$90 | | MHB 2 LED 30L CPW UNV 40 IMSBT2L | | 28,347 | 177 | 4,000 | |
| | \$90 | | MHB 2 LED 30L CPW UNV 50 IMSBT2L | | 29,134 | 177 | 5,000 | |
| | \$90 | | MHB 1 LED 24L DPW HV 40 IMSBT2L | | 21,506 | 162 | 4,000 | |
| | \$90 | | MHB 1 LED 24L DPW HV 50 IMSBT2L | | 21,404 | 162 | 5,000 | |
| | \$90 | | MHB 1 LED 24L CPN HV 40 IMSBT2L | | 21,363 | 162 | 4,000 | |
| | \$90 | | MHB 1 LED 24L CPN HV 50 IMSBT2L | | 21,491 | 162 | 5,000 | |
| | \$90 | | MHB 1 LED 24L CPW HV 40 IMSBT2L | | 23,910 | 162 | 4,000 | |
| | \$90 | | MHB 1 LED 24L CPW HV 50 IMSBT2L | | 23,899 | 162 | 5,000 | |
| | \$90 | | MHB 1 LED 30L DPW HV 40 IMSBT2L | | 26,470 | 185 | 4,000 | |
| | \$90 | | MHB 1 LED 30L DPW HV 50 IMSBT2L | | 27,343 | 184 | 5,000 | |
| | \$90 | | MHB 1 LED 30L CPN HV 40 IMSBT2L | | 26,488 | 185 | 4,000 | |
| | \$90 | | MHB 1 LED 30L CPN HV 50 IMSBT2L | | 27,097 | 183 | 5,000 | |
| | \$90 | | MHB 1 LED 30L CPW HV 40 IMSBT2L | | 29,550 | 186 | 4,000 | |
| | \$90 | | MHB 2 LED 30L DPW HV 40 IMSBT2L | | 25,537 | 177 | 4,000 | |
| | \$90 | | MHB 2 LED 30L DPW HV 50 IMSBT2L | | 26,379 | 177 | 5,000 | |
| | \$90 | | MHB 2 LED 30L CPN HV 40 IMSBT2L | | 25,400 | 177 | 4,000 | |

1/6/2025 On the Spot Light Program Qualified Products Listed by Primary Use/Measure 88 of 214

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|--------------------------------|--|--------------|-----------------------|------------------------|--------------|---|
| 86UCP | \$90 | Acuity Brands Lighting | CPHB 30000LM HEF GCL MD 480 GZ10 40K 80CRI DWH | | 29,644 | 196 | 4,000 | |
| | | | | | | | | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$90 | Allstar Lighting Supplies Inc. | CPHB ALO16 MVOLT SWW9 80CRI DWH | 196183428578 | 30,149 | 215 | 4,000 | |
| | | | LEDASLHB1X2/3WO/4CCT/WT/D | 793888408043 | 30,000 | 220 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$90 | ASD Lighting Corp | ASD-UHB2-150D40W-PRM | 810050733304 | 22,050 | 150 | 4,000 | |
| | \$90 | | ASD-UHB2-150D50-PRM | 819201023493 | 22,200 | 150 | 5,000 | |
| | \$90 | | ASD-UHB2-150D50W-PRM | 810050733311 | 22,200 | 150 | 5,000 | |
| | \$90 | | ASD-UHB2-200D40W-PRM | 810050733328 | 29,400 | 200 | 4,000 | |
| | \$90 | | ASD-UHB2-200D50-PRM | 819201023509 | 29,600 | 200 | 5,000 | |
| | \$90 | | ASD-UHB2-200D50W-PRM | 810050733335 | 29,600 | 200 | 5,000 | |
| | \$90 | | ASD-UHB2-FS-150D50 | 810050734424 | 21,900 | 150 | 5,000 | |
| | \$90 | | ASD-UHB2-FS-200D50 | 810050734431 | 29,200 | 200 | 5,000 | |
| | \$90 | | ASD-WHB5M-2D16540 | 810050734905 | 22,440 | 165 | 4,000 | |
| | \$90 | | ASD-WHB5M-2D16550 | 810050734929 | 22,605 | 165 | 5,000 | |
| | | | | | | | | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$90 | | ASD-UHB2-240A40-BK | | 36,881 | 243 | 4,000 | |
| | | | | | | | | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$90 | | ASD-UHB2-240A50-BK | 810128114950 | 37,441 | 243 | 5,000 | |
| | \$90 | | ASD-UHB2HV-FS-150D50 | 81005073738 | 21,900 | 150 | 5,000 | |
| | | | | | | | | CCT & Wattage/lumen selectable. Measure/incentive based on minimum lumen output |
| | \$90 | | ASD-UHB5-PRO-240BK | 81012811359 | 40,800 | 240 | 3,000 | |
| | | | | | | | | CCT & Wattage/lumen selectable. Measure/incentive based on minimum lumen output |
| | \$90 | | ASD-UHB5-HV-PRO-240BK | 81012811353 | 40,800 | 240 | 3,000 | |
| | \$90 | | ASD-WHB5A-160D50 | 810050738712 | 21,657 | 159 | 5,000 | |
| | \$90 | | ASD-WHB5A-160D50-20EM | 819201020799 | 21,657 | 159 | 5,000 | |
| | \$90 | | ASD-WHB5A-220D50 | 810050738729 | 29,434 | 218 | 5,000 | |
| | | | | | | | | CCT & Wattage/lumen Selectable, measure/incentive based on minimum lumen setting |
| | \$90 | | ASD-WHB5A-PRO-220 | 810128110648 | 35,200 | 220 | 3,500 | |
| | | | | | | | | CCT & Wattage/lumen Selectable, measure/incentive based on minimum lumen setting |
| | \$90 | | ASD-WHB5A-PRO-220-EM | 810128113212 | 35,200 | 220 | 3,500 | |
| | | | | | | | | CCT & Wattage/lumen Selectable, measure/incentive based on minimum lumen setting |
| | \$90 | | ASD-WHB5A-HV-PRO-220 | 810128113625 | 35,200 | 220 | 3,500 | |
| | \$90 | | ASD-UHB2HV-150D50-PRM | 819201023523 | 22,500 | 150 | 5,000 | |
| | \$90 | | ASD-UHB2-150D35-PRM | 810050734530 | 21,900 | 150 | 3,500 | |
| | \$90 | | ASD-UHB2-200D35-PRM | 810050734547 | 29,200 | 200 | 3,500 | |
| | \$90 | | ASD-WHB7-2D22050 | 810050735360 | 29,920 | 220 | 5,000 | |
| | \$90 | | ASD-UHB2HV-FS-200D50 | 819201023530 | 29,200 | 200 | 5,000 | |
| | \$90 | | ASD-UHB3HV-200D50-BK | 810050739917 | 29,600 | 200 | 5,000 | |
| | \$90 | | ASD-UHB3HV-150D50-BK | 810050739900 | 22,200 | 150 | 5,000 | |
| | \$90 | | ASD-WHB7-2D16550 | 810050735353 | 22,440 | 165 | 5,000 | |
| | \$90 | | ASD-UHB3-150DAC-BK | 810050738453 | 21,750 | 150 | 3,000 | CCT Selectable |
| | \$90 | Atlas Lighting Products | ILW76LED2WD4K | 765364940286 | 10,380 | 70 | 4,000 | |
| | \$90 | | ILW76LED2WD | 765364927447 | 10,221 | 70 | 4,500 | |
| | \$90 | | ILW76LED2WD5K | 765364938832 | 10,221 | 70 | 5,000 | |
| | \$90 | | ILW98LED2WD4K | 765364943928 | 13,570 | 95 | 4,000 | |
| | \$90 | | ILW98LED2WD | 765364927454 | 13,362 | 95 | 4,500 | |
| | \$90 | | ILW98LED2WD5K | 765364017827 | 13,362 | 95 | 5,000 | |
| | \$90 | | ILW130LED2WD4K | 765364935251 | 16,930 | 129 | 4,000 | |
| | \$90 | | ILW98LED4WD4K | 765364014536 | 14,033 | 95 | 4,000 | |
| | \$90 | | ILW98LED4WD | 765364012167 | 14,033 | 95 | 4,500 | |
| | \$90 | | ILW98LED4WD5K | 765364935510 | 14,130 | 96 | 5,300 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|--------------------------|-----------------------------|--------------|-----------------------|------------------------|--------------|--|
| 86UCP | \$90 | Atlas Lighting Products | ILW130LED4WD4K | 765364938245 | 17,821 | 126 | 4,000 | |
| | \$90 | | ILW130LED4WD | 765364012174 | 17,621 | 126 | 4,500 | |
| | \$90 | | ILW130LED4WD5K | 765364935114 | 17,621 | 126 | 5,300 | |
| | \$90 | | ILW190LED4WD4K | 765364935503 | 26,424 | 188 | 4,000 | |
| | \$90 | | ILW190LED4WD | 765364925696 | 26,424 | 188 | 4,500 | |
| | \$90 | | ILW190LED4WD5K | 765364937996 | 26,754 | 189 | 5,000 | |
| | | | | | | | | Lumen/Wattage Selectable. Measure/incentive based on lowest wattage/lumen setting. |
| | \$90 | | ORHBS22-30L | 765364050565 | 29,065 | 211 | 4,000 | |
| | \$90 | | ORHB24L4K | 765364027253 | 22,000 | 165 | 4,000 | |
| | \$90 | | ORHB24L5K | 765364028274 | 22,000 | 165 | 5,000 | |
| | \$90 | | ORHB30L4K | 765364027260 | 28,000 | 215 | 4,000 | |
| | \$90 | | ORHB30L5K | 765364028281 | 28,000 | 215 | 5,000 | |
| | \$90 | | ILW190LED4WD4KCL | 765364047039 | 26,650 | 187 | 4,000 | |
| | \$90 | | ILW190LED4WD5KCL | 765364047534 | 26,804 | 188 | 5,000 | |
| | \$90 | | ILW190LED4WDCL | 765364936227 | 26,650 | 187 | 4,500 | |
| | \$90 | Back To Earth Energy Inc | BE-CHB-150W-D90-B-LV-4000K | | 23,235 | 151 | 4,000 | |
| | \$90 | | BE-CHB-150W-D90-B-LV-5000K | | 23,815 | 151 | 5,000 | |
| | \$90 | | BE-CHB-150W-D90-B-HV-4000K | | 24,073 | 150 | 4,000 | |
| | \$90 | | BE-CHB-150W-D90-B-HV-5000K | | 24,675 | 150 | 5,000 | |
| | \$90 | | BE-HCP06-150W-D120-LV-4000K | | 19,976 | 150 | 4,000 | |
| | \$90 | | BE-HCP06-150W-D120-LV-5000K | | 20,361 | 150 | 5,000 | |
| | \$90 | | BE-HCP06-200W-D120-LV-4000K | | 26,682 | 201 | 4,000 | |
| | \$90 | | BE-HCP06-200W-D120-LV-5000K | | 27,193 | 201 | 5,000 | |
| | \$90 | | BE-HCP06-150W-D120-HV-4000K | | 20,360 | 150 | 4,000 | |
| | \$90 | | BE-HCP06-150W-D120-HV-5000K | | 20,747 | 150 | 5,000 | |
| | \$90 | | BE-HCP06-200W-D120-HV-4000K | | 27,071 | 200 | 4,000 | |
| | \$90 | | BE-HCP06-200W-D120-HV-5000K | | 27,585 | 200 | 5,000 | |
| | \$90 | Barron Lighting Group | EQHB-180-D-VS-4K | 190622145859 | 25,200 | 180 | 4,000 | |
| | \$90 | | EQHB-180-D-VS-5K | 190622145866 | 25,200 | 180 | 5,000 | |
| | \$90 | | EQHB-210-D-VS-4K | 190622145569 | 29,000 | 210 | 4,000 | |
| | \$90 | | EQHB-210-D-VS-5K | 190622145781 | 29,000 | 210 | 5,000 | |
| | \$90 | | RHL-175-VS-4K-WH | 190622140340 | 25,600 | 175 | 4,000 | |
| | \$90 | | RHL-175-VS-5K-WH | 190622140350 | 25,600 | 175 | 5,000 | |
| | \$90 | | RHL-200-VS-4K-WH | 190622140360 | 29,800 | 200 | 4,000 | |
| | \$90 | | RHL-200-VS-5K-WH | 190622140370 | 29,800 | 200 | 5,000 | |
| | \$90 | | RHL-175-VS-4K-BL | 190622141769 | 25,600 | 175 | 4,000 | |
| | \$90 | | RHL-175-VS-4K-BL-BB | 190622015770 | 25,600 | 175 | 4,000 | |
| | \$90 | | RHL-175-VS-4K-WH-BB | 190622142742 | 25,600 | 175 | 4,000 | |
| | \$90 | | RHL-175-VS-5K-BL | 190622145514 | 25,600 | 175 | 5,000 | |
| | \$90 | | RHL-175-VS-5K-BL-BB | 190622145521 | 25,600 | 175 | 5,000 | |
| | \$90 | | RHL-175-VS-5K-WH-BB | 190622141707 | 25,600 | 175 | 5,000 | |
| | \$90 | | RHL-175-HVS-4K-BL | | 25,000 | 175 | 4,000 | |
| | \$90 | | RHL-175-HVS-4K-WH | 190622142377 | 25,000 | 175 | 4,000 | |
| | \$90 | | RHL-175-HVS-4K-BL-BB | | 25,000 | 175 | 4,000 | |
| | \$90 | | RHL-175-HVS-4K-WH-BB | | 25,000 | 175 | 4,000 | |
| | \$90 | | RHL-175-HVS-5K-BL | | 25,000 | 175 | 5,000 | |
| | \$90 | | RHL-175-HVS-5K-WH | 190622145422 | 25,000 | 175 | 5,000 | |
| | \$90 | | RHL-175-HVS-5K-BL-BB | | 25,000 | 175 | 5,000 | |
| | \$90 | | RHL-175-HVS-5K-WH-BB | | 25,000 | 175 | 5,000 | |
| | \$90 | | RHL-200-VS-4K-BL | | 29,800 | 200 | 4,000 | |
| | \$90 | | RHL-200-VS-4K-BL-BB | | 29,800 | 200 | 4,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|---------------------------|---------------------------------------|---------------|-----------------------|------------------------|--------------|---|
| 86UCP | \$90 | Barron Lighting Group | RHL-200-VS-4K-WH-BB | | 29,800 | 200 | 4,000 | |
| | \$90 | | RHL-200-VS-5K-BL | | 29,800 | 200 | 5,000 | |
| | \$90 | | RHL-200-VS-5K-BL-BB | | 29,800 | 200 | 5,000 | |
| | \$90 | | RHL-200-VS-5K-WH-BB | | 29,800 | 200 | 5,000 | |
| | \$90 | | EQHB-180-D-VS-4K-BB | 190622015008 | 25,200 | 180 | 4,000 | |
| | \$90 | | EQHB-180-D-HVS-4K | | 25,200 | 180 | 4,000 | |
| | \$90 | | EQHB-180-D-VS-5K-BB | 190622009519 | 25,200 | 180 | 5,000 | |
| | \$90 | | EQHB-180-D-HVS-5K | | 25,200 | 180 | 5,000 | |
| | \$90 | | EQHB-210-D-VS-4K-BB | 190622009472 | 29,000 | 210 | 4,000 | |
| | \$90 | | EQHB-210-D-HVS-4K | | 29,000 | 210 | 4,000 | |
| | \$90 | | EQHB-210-D-VS-5K-BB | 190622004378 | 29,000 | 210 | 5,000 | |
| | \$90 | | EQHB-210-D-HVS-5K | 190622004361 | 29,000 | 210 | 5,000 | |
| | \$90 | | MQHB-M-155-D-VS-4K | 190622065102 | 23,250 | 155 | 4,000 | |
| | \$90 | | MQHB-M-155-D-VS-4K-BB1 | | 23,250 | 155 | 4,000 | |
| | \$90 | | MQHB-M-155-D-VS-4K-BB2 | | 23,250 | 155 | 4,000 | |
| | \$90 | | MQHB-M-155-D-VS-5K | 190622065119 | 23,405 | 155 | 5,000 | |
| | \$90 | | MQHB-M-155-D-VS-5K-BB1 | 190622075613 | 23,405 | 155 | 5,000 | |
| | \$90 | | MQHB-M-155-D-VS-5K-BB2 | | 23,405 | 155 | 5,000 | |
| | \$90 | | MQHB-M-200-D-VS-CP | 190622065171 | 30,200 | 200 | 4,000 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$90 | | MQHB-M-200-D-VS-CP-BB1 | 190622075545 | 30,200 | 200 | 4,000 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$90 | | MQHB-M-200-D-VS-CP-BB2 | | 30,200 | 200 | 4,000 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$90 | | MQHB-M-155-D-VS-4K+LE-MS3-AUX-HB1 | 190622065102+ | 23,250 | 155 | 4,000 | LiteLogic Sensor must be installed in field and programmed to dim or turn off with no occupancy. |
| | \$90 | | MQHB-M-155-D-VS-4K-BB1+LE-MS3-AUX-HB1 | | 23,250 | 155 | 4,000 | LiteLogic Sensor must be installed in field and programmed to dim or turn off with no occupancy. |
| | \$90 | | MQHB-M-155-D-VS-4K-BB2+LE-MS3-AUX-HB1 | | 23,250 | 155 | 4,000 | LiteLogic Sensor must be installed in field and programmed to dim or turn off with no occupancy. |
| | \$90 | | MQHB-M-155-D-VS-5K+LE-MS3-AUX-HB1 | 190622065119+ | 23,405 | 155 | 5,000 | LiteLogic Sensor must be installed in field and programmed to dim or turn off with no occupancy. |
| | \$90 | | MQHB-M-155-D-VS-5K-BB1+LE-MS3-AUX-HB1 | 190622075613+ | 23,405 | 155 | 5,000 | LiteLogic Sensor must be installed in field and programmed to dim or turn off with no occupancy. |
| | \$90 | | MQHB-M-155-D-VS-5K-BB2+LE-MS3-AUX-HB1 | | 23,405 | 155 | 5,000 | LiteLogic Sensor must be installed in field and programmed to dim or turn off with no occupancy. |
| | \$90 | | MQHB-M-200-D-VS-CP+LE-MS3-AUX-HB1 | 190622065171+ | 30,200 | 200 | 4,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. LiteLogic Sensor must be installed in field and programmed to dim or turn off with no occupancy. |
| | \$90 | | MQHB-M-200-D-VS-CP-BB1+LE-MS3-AUX-HB1 | 190622075545+ | 30,200 | 200 | 4,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. LiteLogic Sensor must be installed in field and programmed to dim or turn off with no occupancy. |
| | \$90 | | MQHB-M-200-D-VS-CP-BB2+LE-MS3-AUX-HB1 | | 30,200 | 200 | 4,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. LiteLogic Sensor must be installed in field and programmed to dim or turn off with no occupancy. |
| | \$90 | Cooper Lighting Solutions | OHBS-2436-UNV-L84050-U | 080083276141 | 35,153 | 245 | 5,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$90 | | UHBS-2436-MV-L84050-U | 080083256488 | 34,800 | 240 | 4,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$90 | | UHBS-2436-MV-L84050-BLK | 080083272365 | 34,800 | 240 | 4,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$90 | | OHBS-24SE-W-UNV-L840-CD-U | 080083902972 | 23,680 | 150 | 4,000 | |
| | \$90 | | UHB-18-UNV-L840-CD-U | 080083885909 | 21,648 | 150 | 4,000 | |
| | \$90 | | UHB-24-UNV-L840-CD-U | 080083885947 | 28,403 | 199 | 4,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 | |
|--------------|-----------|------------------------------|--------------------------------------|------------------------|-----------------------|------------------------|--------------|--|---|
| 86UCP | \$90 | Cooper Lighting Solutions | OHBL-24SE-W-UNV-L840-CD-U | | 23,608 | 141 | 4,000 | | |
| | \$90 | | OHBL-24SE-W-UNV-L850-CD-U | | 23,950 | 141 | 5,000 | | |
| | \$90 | | Current | | ARC021488LQVSTAQB | 20,048 | 142 | 4,000 | |
| | \$90 | | | | ARC021588LQVSTAQB | 20,287 | 142 | 5,000 | |
| | \$90 | | | | ARC028488LQVSTAQB | 28,236 | 200 | 4,000 | |
| | \$90 | | | | ARC028588LQVSTAQB | 28,573 | 200 | 5,000 | |
| | \$90 | EarthTronics Inc. | HBL515550WH1 | 840791114551 | 21,080 | 155 | 5,000 | | |
| | \$90 | | HBL521050WH1 | 840791114599 | 28,560 | 210 | 5,000 | | |
| | \$90 | | HBU15050B1 | 840791114759 | 22,389 | 152 | 5,000 | | |
| | \$90 | | HBU20050B1 | 840791114773 | 29,971 | 202 | 5,000 | | |
| | \$90 | | HBL13550WH1 | 840791116876 | 20,385 | 135 | 5,000 | | |
| | \$90 | | HBU240WSCCTB5 | 840791117880 | 32,293 | 238 | 3,500 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting | |
| | \$90 | | HBU240WSCCTB1 (11777) | 840791117767 | 36,000 | 240 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting | |
| | \$90 | | | HBU240WSCCTB1S (11888) | 840791118887 | 38,400 | 240 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output | |
| | | | | | | | | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output | |
| | | | | | | | | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output | |
| | \$90 | | | HBU240WSCCTW1S (11890) | 840791118887 | 38,400 | 240 | 4,000 | |
| | \$90 | | | HBLWS185CCTWH1 (11856) | | 27,750 | 185 | 4,000 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output |
| | \$90 | Eiko | BAYE2/150W/840/UD/BK | 031293112927 | 24,000 | 150 | 4,000 | | |
| | \$90 | | BAYE2/150W/850/UD/BK | 031293112934 | 24,000 | 150 | 5,000 | | |
| | \$90 | | BAYE2/150W/850/UD/W | 031293112941 | 24,000 | 150 | 5,000 | | |
| | \$90 | | BAYE2/150W/840/VD/BK | 031293113009 | 24,000 | 150 | 4,000 | | |
| | \$90 | | BAYE2/150W/850/VD/BK | 031293113030 | 24,000 | 150 | 5,000 | | |
| | \$90 | Elite Lighting Co. | CB2-LED-26000L-DIM10-MVOLT-WD-40K-85 | 848070048672 | 22,950 | 170 | 4,000 | | |
| | \$90 | | CB2-LED-26000L-DIM10-MVOLT-WD-50K-85 | | 23,120 | 170 | 5,000 | | |
| | \$90 | | CB2-LED-30000L-DIM10-MVOLT-WD-50K-85 | 194672007587 | 28,560 | 210 | 5,000 | | |
| | \$90 | | CB2-LED-30000L-DIM10-MVOLT-WD-40K-85 | | 28,350 | 210 | 4,000 | | |
| | \$90 | ETi Solid State Lighting | ERHB-30L-LB3-8-CP3-MV-LVD-BL | | 26,991 | 203 | 3,500 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. | |
| | | | ERHB-36L-LB3-8-CP3-MV-LVD-BL | | 32,825 | 247 | 3,500 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. | |
| | \$90 | | CLHB-3-LB3-CP2-MV-LVD | | 30,396 | 217 | 5,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. | |
| | \$90 | Gingko Lighting Corporation | GKOMLHG4L180W27V40KCD | | 24,000 | 180 | 4,000 | | |
| | \$90 | | GKOMLHG4L180W27V40KCDB | | 24,000 | 180 | 4,000 | | |
| | \$90 | | GKOMLHG4L180W27V50KCD | | 24,000 | 180 | 5,000 | | |
| | \$90 | | GKOMLHG4L180W27V50KCDB | | 24,000 | 180 | 5,000 | | |
| | \$90 | Green Ignite | GI-22SLHB-C750-UL4CDYYY | | 30,000 | 210 | 5,000 | | |
| | \$90 | Halco Lighting Technologies | HRHB-150-CS-U-BL | 807154302536 | 22,164 | 155 | 4,000 | CCT Selectable | |
| | \$90 | | HRHB-150-CS-U-WH | 807154302529 | 22,164 | 155 | 4,000 | CCT Selectable | |
| | \$90 | | HRHB-200-CS-U-BL | 807154302550 | 27,271 | 198 | 4,000 | CCT Selectable | |
| | \$90 | | HRHB-200-CS-U-WH | 807154302543 | 27,271 | 198 | 4,000 | CCT Selectable | |
| | \$90 | | LHB-3-WS-40-U | 807154302840 | 29,634 | 220 | 4,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. | |
| | \$90 | | LHB-3-WS-50-U | 807154302857 | 29,920 | 220 | 5,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. | |
| | \$90 | | | CLHB-2-WS-CS-U (36101) | 807154361014 | 22,642 | 165 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output | |
| | | | | | | | | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output | |
| | \$90 | | | CLHB-3-WS-CS-U (36102) | 807154361021 | 30,843 | 222 | 4,000 | |
| | \$90 | Industrial Lighting Products | RB4-28L-U-CCTS-WHT-AD | | 27,216 | 195 | 3,500 | CCT Selectable. Must be installed w/Acrylic Diffuser (AD) to receive incentive. | |
| | \$90 | | EVT-24L-U-40-FRL | | 24,955 | 181 | 4,000 | | |
| | \$90 | | EVT-24L-U-50-FRL | | 24,835 | 180 | 5,000 | | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|------------------------------|--|--------------|-----------------------|------------------------|--------------|---|
| 86UCP | \$90 | Industrial Lighting Products | DSC8-20LHE-U-35-FCLGR | | 20,208 | 144 | 3,500 | |
| | \$90 | | DSC8-20LHE-U-40-FCLGR | | 20,548 | 144 | 4,000 | |
| | \$90 | | DSC8-20LHE-U-50-FCLGR | | 21,228 | 144 | 5,000 | |
| | \$90 | | DSC8-20LHE-U-40-FFLGR | | 20,307 | 144 | 4,000 | |
| | \$90 | | DSC8-20LHE-U-50-FFLGR | | 20,979 | 144 | 5,000 | |
| | \$90 | | EVT2-24L/30L/36L-U-40-FRL | 790492378885 | 37,023 | 240 | 4,000 | Lumen/Wattage Selectable, measure based on minimum lumen output |
| | \$90 | | EVT2-24L/30L/36L-U-50-FRL | 790492378922 | 37,082 | 239 | 5,000 | Lumen/Wattage Selectable, measure based on minimum lumen output |
| | \$90 | Keystone Technologies | KT-RHLED150-12C-840-VDIM-P /G2 | 843654133201 | 23,400 | 150 | 4,000 | |
| | \$90 | | KT-RHLED150-12C-850-VDIM-P /G2 | 843654133218 | 23,600 | 150 | 5,000 | |
| | \$90 | | KT-HBLED155-2F-840-VDIM-P /G2 | 843654136745 | 23,250 | 155 | 4,000 | |
| | \$90 | | KT-HBLED155-2F-850-VDIM-P /G2 | 843654136752 | 23,405 | 155 | 5,000 | |
| | \$90 | | KT-HBLED185-2F-840-VDIM-P /G2 | 843654136769 | 27,750 | 185 | 4,000 | |
| | \$90 | | KT-HBLED185-2F-850-VDIM-P /G2 | 843654136776 | 27,935 | 185 | 5,000 | |
| | \$90 | | KT-RHLED150-11CB-840-VDIM | 843654152097 | 21,675 | 150 | 4,000 | |
| | \$90 | | KT-RHLED150-11CB-850-VDIM | 843654152103 | 23,375 | 150 | 5,000 | |
| | \$90 | | KT-RHLED200-12CB-840-VDIM | 843654152110 | 28,360 | 200 | 4,000 | |
| | \$90 | | KT-RHLED200-12CB-850-VDIM | 843654152127 | 29,520 | 200 | 5,000 | |
| | \$90 | | KT-RHLED240PS-13C-8CSB-VDIM /G2 | 843654160856 | 34,445 | 240 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$90 | | KT-RHLED240PS-13C-8CSB-VDIM-W /G2 | 843654160894 | 34,445 | 240 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$90 | | KT-RHLED240PS-14CD-0SE-8CSB-VDIM-P | 843654160771 | 31,872 | 240 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$90 | LEDVANCE, LLC | LNHIBA3A/155UNVD840/12W/WH (61986) | 046135619861 | 20,925 | 155 | 4,000 | |
| | \$90 | | LNHIBA3A/155UNVD850/12W/WH (61987) | 046135619878 | 21,080 | 155 | 5,000 | |
| | \$90 | | LNHIBA3A/210UNVD840/22W/WH (61988) | 046135619885 | 28,350 | 210 | 4,000 | |
| | \$90 | | LNHIBA3A/210UNVD850/22W/WH (61989) | 046135619892 | 28,560 | 210 | 5,000 | |
| | \$90 | | UFOHIBA2A/150HUVVD840/WH (62084) | 046135620843 | 21,008 | 150 | 4,000 | |
| | \$90 | | UFOHIBA2A/150HUVVD850/WH (62085) | 046135620850 | 20,920 | 149 | 5,000 | |
| | \$90 | | UFOHIBA2A/150UNVD840/WH (62072) | 046135620720 | 20,798 | 150 | 4,000 | |
| | \$90 | | UFOHIBA2A/150UNVD850/WH (62073) | 046135620737 | 20,748 | 151 | 5,000 | |
| | \$90 | | UFOHIBA2A/200HUVVD840/WH (62087) | | 28,832 | 203 | 4,000 | |
| | \$90 | | UFOHIBA2A/200HUVVD850/WH (62088) | 046135620881 | 28,730 | 203 | 5,000 | |
| | \$90 | | UFOHIBA2A/200UNVD840/WH (62075) | 046135620751 | 28,173 | 202 | 4,000 | |
| | \$90 | | UFOHIBA2A/200UNVD850/WH (62076) | 046135620768 | 28,108 | 202 | 5,000 | |
| | \$90 | | LNHIBA4A/165UNVD840/12W/WH (62284) | 046135622847 | 21,575 | 157 | 4,000 | |
| | \$90 | | LNHIBA4A/165UNVD850/12W/WH (62285) | 046135622854 | 21,668 | 158 | 5,000 | |
| | \$90 | | LNHIBA4A/220UNVD840/12W/WH (62286) | 046135622861 | 28,935 | 214 | 4,000 | |
| | \$90 | | LNHIBA4A/220UNVD850/12W/WH (62287) | 046135622878 | 28,786 | 213 | 5,000 | |
| | \$90 | | LNHIBA4A/165HUVVD840/12W/WH (62292) | 046135622922 | 22,083 | 161 | 4,000 | |
| | \$90 | | LNHIBA4A/165HUVVD850/12W/WH (62293) | 046135622939 | 22,166 | 160 | 5,000 | |
| | \$90 | | LNHIBA4A/165UNVD840/12W/WH/E (65726) | 046135657269 | 21,575 | 157 | 4,000 | |
| | \$90 | | LNHIBA4A/165UNVD850/12W/WH/E (65727) | 046135657276 | 21,668 | 158 | 5,000 | |
| | \$90 | | LNHIBA4A/220UNVD840/12W/WH/E (65728) | | 28,935 | 214 | 4,000 | |
| | \$90 | | LNHIBA4A/220UNVD850/12W/WH/E (65729) | 046135657290 | 28,786 | 213 | 5,000 | |
| | \$90 | | UFOHIBA3A/S240UNVD8SC7/WH (62694) | 046135626944 | 35,404 | 248 | 3,500 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$90 | | UFOHIBA3A/S240UNVD8SC7/BL (62696) | 046135626965 | 35,404 | 248 | 3,500 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$90 | | LNHIBA5A/S220UNVD8SC14/12/WH (62876) | 046135628764 | 30,396 | 217 | 5,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$90 | | LNHIBA5A/S220UNVD8SC14/12/WH/E (63062) | 046135630627 | 30,396 | 217 | 5,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$90 | | LNHIBA6A/155UNHD840/12W/WH (63116) | 046135631160 | 21,798 | 154 | 4,000 | |
| | \$90 | | LNHIBA6A/155UNHD850/12W/WH (63117) | 046135631177 | 21,802 | 154 | 5,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|--------------------------|---------------------------|--|--------------|-----------------------|------------------------|--------------|---|
| 86UCP | \$90 | LEDVANCE, LLC | LNHIBA6A/210UNHD840/12W/WH (63118) | 046135631184 | 29,552 | 210 | 4,000 | |
| | \$90 | | LNHIBA6A/210UNHD850/12W/WH (63119) | 046135631191 | 29,599 | 209 | 5,000 | |
| | \$90 | | LNHIBA6A/155UNHD840/12W/WH/E (63130) | 046135631160 | 21,798 | 154 | 4,000 | |
| | \$90 | | LNHIBA6A/155UNHD850/12W/WH/E (63131) | 046135631177 | 21,802 | 154 | 5,000 | |
| | \$90 | | LNHIBA6A/210UNHD840/12W/WH/E (63132) | 046135631184 | 29,552 | 210 | 4,000 | |
| | \$90 | | LNHIBA6A/210UNHD850/12W/WH/E (63133) | 046135631191 | 29,599 | 209 | 5,000 | |
| | \$90 | | UFOHIBA4A/150UNHD840/WH (63036) | 046135630439 | 20,559 | 148 | 4,000 | |
| | \$90 | | UFOHIBA4A/150UNHD850/WH (63037) | 046135630378 | 20,686 | 147 | 5,000 | |
| | \$90 | | UFOHIBA4A/150UNHD840/BL (63044) | 046135630446 | 20,559 | 148 | 4,000 | |
| | \$90 | | UFOHIBA4A/150UNHD850/WH (63045) | 046135630453 | 20,686 | 147 | 5,000 | |
| | \$90 | | UFOHIBA4A/200UNHD840/WH (63038) | 046135630385 | 28,233 | 189 | 4,000 | |
| | \$90 | | UFOHIBA4A/200UNHD850/WH (63039) | 046135630392 | 28,374 | 189 | 5,000 | |
| | \$90 | | UFOHIBA4A/200UNHD840/BL (63046) | 046135630460 | 28,233 | 189 | 4,000 | |
| | \$90 | | UFOHIBA4A/200UNHD850/BL (63047) | 046135630477 | 28,374 | 189 | 5,000 | |
| | \$90 | | UFOHIBA2A/150UNVD840/BL (62322) | 046135623226 | 20,798 | 150 | 4,000 | |
| | \$90 | | UFOHIBA2A/150UNVD850/BL (62323) | 046135623233 | 20,748 | 151 | 5,000 | |
| | \$90 | | UFOHIBA2A/200UNVD840/BL (62324) | 046135623240 | 28,173 | 202 | 4,000 | |
| | \$90 | | UFOHIBA2A/200UNVD850/BL (62325) | 046135623257 | 28,108 | 202 | 5,000 | |
| | \$90 | | UFOHIBA2A/150HUV D840/BL (62330) | 046135623301 | 21,008 | 150 | 4,000 | |
| | \$90 | | UFOHIBA2A/150HUV D850/BL (62331) | 046135623318 | 20,920 | 149 | 5,000 | |
| | \$90 | | UFOHIBA2A/200HUV D840/BL (62332) | 046135623325 | 28,832 | 203 | 4,000 | |
| | \$90 | | UFOHIBA2A/200HUV D850/BL (62333) | 046135623332 | 28,730 | 203 | 5,000 | |
| | \$90 | | LNHIBA3A/170HUV D840/12W/WH (65680) | | 22,950 | 170 | 4,000 | |
| | \$90 | | LNHIBA3A/170HUV D850/12W/WH (65681) | | 23,120 | 170 | 5,000 | |
| | \$90 | | LNHIBA3A/210HUV D840/22W/WH (65631) | | 28,350 | 210 | 4,000 | |
| | \$90 | | LNHIBA3A/210HUV D850/22W/WH (65632) | | 28,560 | 210 | 5,000 | |
| | \$90 | Linmore LED Labs | AH10S-A2-30K-MD-40-80-FR-LV-CRM-10CW-S-10V | | 29,618 | 217 | 4,000 | |
| | \$90 | | AH10S-A2-30K-MD-50-80-FR-LV-CRM-10CW-S-10V | | 29,963 | 217 | 5,000 | |
| | \$90 | | AH10S-A2-24K-MD-40-80-FR-HV-CRM-10CW-S-EMB-10V | | 24,373 | 161 | 4,000 | |
| | \$90 | | AH10S-A2-24K-MD-50-80-FR-HV-CRM-10CW-S-EMB-10V | | 24,485 | 161 | 5,000 | |
| | \$90 | Litetronics International | LHB15550 | | 23,405 | 155 | 5,000 | |
| | \$90 | LSI Industries | ALI2 2LEDSE 24L DA W UNV 40 | | 20,688 | 166 | 4,000 | |
| | \$90 | | ALI2 2LEDSE 24L DA W UNV 50 | | 20,688 | 166 | 5,000 | |
| | \$90 | | AHB 24L 840 | | 22,000 | 165 | 4,000 | |
| | \$90 | | AHB 24L 850 | | 22,000 | 165 | 5,000 | |
| | \$90 | | AHB 30L 840 | | 28,000 | 215 | 4,000 | |
| | \$90 | | AHB 30L 850 | | 28,000 | 215 | 5,000 | |
| | \$90 | MaxLite Inc. | BLHE3-170UF-40 | 767627005978 | 22,950 | 170 | 4,000 | |
| | \$90 | | BLHE3-170UF-50 | 767627005985 | 23,120 | 170 | 5,000 | |
| | \$90 | | BLHE3-210UF-40 | 767627006012 | 28,350 | 210 | 4,000 | |
| | \$90 | | BLHE3-210UF-50 | 767627006029 | 28,560 | 210 | 5,000 | |
| | \$90 | | HL3-135UF-CSCR | 767627031205 | 20,250 | 135 | 4,000 | CCT Selectable |
| | \$90 | | HL3-155UF-CSCR | 767627031212 | 23,250 | 155 | 4,000 | CCT Selectable |
| | \$90 | | HL3-185UF-CSCR | | 27,750 | 185 | 4,000 | CCT Selectable |
| | \$90 | | HL3-135HF-CSCR | | 20,250 | 135 | 4,000 | CCT Selectable |
| | \$90 | | HL3-155HF-CSCR | | 23,250 | 155 | 4,000 | CCT Selectable |
| | \$90 | | BPHE2-U180WCS | 767627033254 | 32,400 | 240 | 3,500 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | | | | | | | | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen |
| | \$90 | | HLE-135WUF-CS (110859) | | 27,935 | 185 | 5,000 | output |
| | | | | | | | | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen |
| \$90 | HLE-135WUF-CSEM (110871) | | 27,935 | 185 | 5,000 | output | | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|----------------------|------------------|--------------|-----------------------|------------------------|--------------|---|
| 86UCP | \$90 | Morris Products Inc. | 74102B | | 20,893 | 151 | 5,000 | |
| | \$90 | | 71711A | | 22,976 | 168 | 4,000 | |
| | \$90 | | 71709A | | 22,664 | 167 | 5,000 | |
| | \$90 | | 74095B | | 20,881 | 151 | 4,000 | |
| | \$90 | | 74104B | | 29,080 | 202 | 5,000 | |
| | \$90 | | 74094B | | 29,113 | 201 | 4,000 | |
| | \$90 | | 74199 | | 32,778 | 245 | 3,000 | |
| | \$90 | | 71710A | | 21,910 | 162 | 5,000 | |
| | \$90 | | 74103B | | 33,139 | 239 | 5,000 | |
| | \$90 | | 71709B | 601986717090 | 23,212 | 164 | 5,000 | |
| | \$90 | | 74198C | | 20,619 | 147 | 3,000 | Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$90 | | 74103C | | 34,108 | 239 | 5,000 | Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$90 | | 74094C | | 27,981 | 202 | 4,000 | |
| | \$90 | NICOR Inc. | HBG123U408A | 767706182002 | 23,200 | 145 | 4,000 | |
| | \$90 | | HBG123U408D | 767706185256 | 22,330 | 145 | 4,000 | |
| | \$90 | | HBG123U508A | 767706182019 | 23,345 | 145 | 5,000 | |
| | \$90 | | HBG123U508D | 767706185263 | 22,475 | 145 | 5,000 | |
| | \$90 | | HBC4150U408BK | 767706192629 | 21,549 | 152 | 4,000 | |
| | \$90 | | HBC4150U408WH | 767706192636 | 21,549 | 152 | 4,000 | |
| | \$90 | | HBC4150U508BK | 767706192643 | 21,407 | 151 | 5,000 | |
| | \$90 | | HBC4150U508WH | 767706192650 | 21,407 | 151 | 5,000 | |
| | \$90 | | HBC4200U408BK | 767706192667 | 27,999 | 200 | 4,000 | |
| | \$90 | | HBC4200U408WH | 767706192810 | 27,999 | 200 | 4,000 | |
| | \$90 | | HBC4200U508BK | 767706192674 | 28,492 | 200 | 5,000 | |
| | \$90 | | HBC4200U508WH | 767706192681 | 28,492 | 200 | 5,000 | |
| | \$90 | | HML1150U40A | 767706194418 | 21,150 | 150 | 4,000 | |
| | \$90 | | HML1150U40AS | 767706194432 | 21,150 | 150 | 4,000 | |
| | \$90 | | HML1150U50A | 767706194456 | 21,300 | 150 | 5,000 | |
| | \$90 | | HML1150U50AS | 767706194470 | 21,300 | 150 | 5,000 | |
| | \$90 | | HML1150H35A | | 21,000 | 150 | 3,500 | |
| | \$90 | | HML1150H35AS | | 21,000 | 150 | 3,500 | |
| | \$90 | | HML1150H40AS | | 21,150 | 150 | 4,000 | |
| | \$90 | | MHL1150H50AS | | 21,300 | 150 | 5,000 | |
| | \$90 | | HML1150H57A | | 21,300 | 150 | 5,700 | |
| | \$90 | | HML1150H57AS | | 21,300 | 150 | 5,700 | |
| | \$90 | | HML1150U35A | | 21,000 | 150 | 3,500 | |
| | \$90 | | HML1150U35AS | | 21,000 | 150 | 3,500 | |
| | \$90 | | HML1150U57A | | 21,300 | 150 | 5,700 | |
| | \$90 | | HML1150U57AS | | 21,300 | 150 | 5,700 | |
| | \$90 | | HML1210U35A | | 29,400 | 210 | 3,500 | |
| | \$90 | | HML1210U35AC | | 29,400 | 210 | 3,500 | |
| | \$90 | | HML1210U35AC4 | | 29,400 | 210 | 3,500 | |
| | \$90 | | HML1210U35AF | | 29,400 | 210 | 3,500 | |
| | \$90 | | HML1210U35AE25 | | 29,400 | 210 | 3,500 | |
| | \$90 | | HML1210U35AE25C | | 29,400 | 210 | 3,500 | |
| | \$90 | | HML1210U35AE25C4 | | 29,400 | 210 | 3,500 | |
| | \$90 | | HML1210U35AE25F | | 29,400 | 210 | 3,500 | |
| | \$90 | | HML1210U35AS | | 29,400 | 210 | 3,500 | |
| | \$90 | | HML1210U35ASC | | 29,400 | 210 | 3,500 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|--------------|-------------------|-----|-----------------------|------------------------|--------------|--------|
| 86UCP | \$90 | NICOR Inc. | HML1210U35ASC4 | | 29,400 | 210 | 3,500 | |
| | \$90 | | HML1210U35ASF | | 29,400 | 210 | 3,500 | |
| | \$90 | | HML1210U35ASE25 | | 29,400 | 210 | 3,500 | |
| | \$90 | | HML1210U35ASE25C | | 29,400 | 210 | 3,500 | |
| | \$90 | | HML1210U35ASE25C4 | | 29,400 | 210 | 3,500 | |
| | \$90 | | HML1210U35ASE25F | | 29,400 | 210 | 3,500 | |
| | \$90 | | HML1210H35A | | 29,400 | 210 | 3,500 | |
| | \$90 | | HML1210H35AC | | 29,400 | 210 | 3,500 | |
| | \$90 | | HML1210H35AC4 | | 29,400 | 210 | 3,500 | |
| | \$90 | | HML1210H35AF | | 29,400 | 210 | 3,500 | |
| | \$90 | | HML1210H35AE25 | | 29,400 | 210 | 3,500 | |
| | \$90 | | HML1210H35AE25C | | 29,400 | 210 | 3,500 | |
| | \$90 | | HML1210H35AE25C4 | | 29,400 | 210 | 3,500 | |
| | \$90 | | HML1210H35AE25F | | 29,400 | 210 | 3,500 | |
| | \$90 | | HML1210H35AS | | 29,400 | 210 | 3,500 | |
| | \$90 | | HML1210H35ASC | | 29,400 | 210 | 3,500 | |
| | \$90 | | HML1210H35ASC4 | | 29,400 | 210 | 3,500 | |
| | \$90 | | HML1210H35ASF | | 29,400 | 210 | 3,500 | |
| | \$90 | | HML1210H35ASE25 | | 29,400 | 210 | 3,500 | |
| | \$90 | | HML1210H35ASE25C | | 29,400 | 210 | 3,500 | |
| | \$90 | | HML1210H35ASE25C4 | | 29,400 | 210 | 3,500 | |
| | \$90 | | HML1210H35ASE25F | | 29,400 | 210 | 3,500 | |
| | \$90 | | HML1210U40A | | 29,400 | 210 | 4,000 | |
| | \$90 | | HML1210U40AC | | 29,400 | 210 | 4,000 | |
| | \$90 | | HML1210U40AC4 | | 29,400 | 210 | 4,000 | |
| | \$90 | | HML1210U40AF | | 29,400 | 210 | 4,000 | |
| | \$90 | | HML1210U40AE25 | | 29,400 | 210 | 4,000 | |
| | \$90 | | HML1210U40AE25C | | 29,400 | 210 | 4,000 | |
| | \$90 | | HML1210U40AE25C4 | | 29,400 | 210 | 4,000 | |
| | \$90 | | HML1210U40AE25F | | 29,400 | 210 | 4,000 | |
| | \$90 | | HML1210U40AS | | 29,400 | 210 | 4,000 | |
| | \$90 | | HML1210U40ASC | | 29,400 | 210 | 4,000 | |
| | \$90 | | HML1210U40ASC4 | | 29,400 | 210 | 4,000 | |
| | \$90 | | HML1210U40ASF | | 29,400 | 210 | 4,000 | |
| | \$90 | | HML1210U40ASE25 | | 29,400 | 210 | 4,000 | |
| | \$90 | | HML1210U40ASE25C | | 29,400 | 210 | 4,000 | |
| | \$90 | | HML1210U40ASE25C4 | | 29,400 | 210 | 4,000 | |
| | \$90 | | HML1210U40ASE25F | | 29,400 | 210 | 4,000 | |
| | \$90 | | HML1210H40A | | 29,400 | 210 | 4,000 | |
| | \$90 | | HML1210H40AC | | 29,400 | 210 | 4,000 | |
| | \$90 | | HML1210H40AC4 | | 29,400 | 210 | 4,000 | |
| | \$90 | | HML1210H40AF | | 29,400 | 210 | 4,000 | |
| | \$90 | | HML1210H40AE25 | | 29,400 | 210 | 4,000 | |
| | \$90 | | HML1210H40AE25C | | 29,400 | 210 | 4,000 | |
| | \$90 | | HML1210H40AE25C4 | | 29,400 | 210 | 4,000 | |
| | \$90 | | HML1210H40AE25F | | 29,400 | 210 | 4,000 | |
| | \$90 | | HML1210H40AS | | 29,400 | 210 | 4,000 | |
| | \$90 | | HML1210H40ASC | | 29,400 | 210 | 4,000 | |
| | \$90 | | HML1210H40ASC4 | | 29,400 | 210 | 4,000 | |
| | \$90 | | HML1210H40ASF | | 29,400 | 210 | 4,000 | |
| | \$90 | | HML1210H40ASE25 | | 29,400 | 210 | 4,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|---------------------------|---------------------------|--------------|-----------------------|------------------------|--------------|--|
| 86UCP | \$90 | NICOR Inc. | HML1210H40ASE25C | | 29,400 | 210 | 4,000 | |
| | \$90 | | HML1210H40ASE25C4 | | 29,400 | 210 | 4,000 | |
| | \$90 | | HML1210H40ASE25F | | 29,400 | 210 | 4,000 | |
| | \$90 | | HML1210U50A | | 29,400 | 210 | 5,000 | |
| | \$90 | | HML1210U50AC | | 29,400 | 210 | 5,000 | |
| | \$90 | | HML1210U50AC4 | | 29,400 | 210 | 5,000 | |
| | \$90 | | HML1210U50AF | | 29,400 | 210 | 5,000 | |
| | \$90 | | HML1210U50AE25 | | 29,400 | 210 | 5,000 | |
| | \$90 | | HML1210U50AE25C | | 29,400 | 210 | 5,000 | |
| | \$90 | | HML1210U50AE25C4 | | 29,400 | 210 | 5,000 | |
| | \$90 | | HML1210U50AE25F | | 29,400 | 210 | 5,000 | |
| | \$90 | | HML1210U50AS | | 29,400 | 210 | 5,000 | |
| | \$90 | | HML1210U50ASC | | 29,400 | 210 | 5,000 | |
| | \$90 | | HML1210U50ASC4 | | 29,400 | 210 | 5,000 | |
| | \$90 | | HML1210U50ASF | | 29,400 | 210 | 5,000 | |
| | \$90 | | HML1210U50ASE25 | | 29,400 | 210 | 5,000 | |
| | \$90 | | HML1210U50ASE25C | | 29,400 | 210 | 5,000 | |
| | \$90 | | HML1210U50ASE25C4 | | 29,400 | 210 | 5,000 | |
| | \$90 | | HML1210U50ASE25F | | 29,400 | 210 | 5,000 | |
| | \$90 | | HML1210H50A | | 29,400 | 210 | 5,000 | |
| | \$90 | | HML1210H50AC | | 29,400 | 210 | 5,000 | |
| | \$90 | | HML1210H50AC4 | | 29,400 | 210 | 5,000 | |
| | \$90 | | HML1210H50AF | | 29,400 | 210 | 5,000 | |
| | \$90 | | HML1210H50AE25 | | 29,400 | 210 | 5,000 | |
| | \$90 | | HML1210H50AE25C | | 29,400 | 210 | 5,000 | |
| | \$90 | | HML1210H50AE25C4 | | 29,400 | 210 | 5,000 | |
| | \$90 | | HML1210H50AE25F | | 29,400 | 210 | 5,000 | |
| | \$90 | | HML1210H50AS | 767706196269 | 29,400 | 210 | 5,000 | |
| | \$90 | | HML1210H50ASC | | 29,400 | 210 | 5,000 | |
| | \$90 | | HML1210H50ASC4 | | 29,400 | 210 | 5,000 | |
| | \$90 | | HML1210H50ASF | | 29,400 | 210 | 5,000 | |
| | \$90 | | HML1210H50ASE25 | | 29,400 | 210 | 5,000 | |
| | \$90 | | HML1210H50ASE25C | | 29,400 | 210 | 5,000 | |
| | \$90 | | HML1210H50ASE25C4 | | 29,400 | 210 | 5,000 | |
| | \$90 | | HML1210H50ASE25F | | 29,400 | 210 | 5,000 | |
| | \$90 | | HML1210H50ASE25C | | 29,400 | 210 | 5,000 | |
| | \$90 | | HML1210H50ASE25C4 | | 29,400 | 210 | 5,000 | |
| | \$90 | | HML1210H50ASE25F | | 29,400 | 210 | 5,000 | |
| | \$90 | | HBC5240SUS8 | | 32,825 | 247 | 3,500 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$90 | Orion Energy Systems, Inc | MLHB1224LUNVFD8CSLPND15W | | 23,429 | 169 | 4,000 | CCT Selectable |
| | \$90 | | MLHB1224LHMVFD8CSLPND15W | | 23,465 | 171 | 4,000 | CCT Selectable |
| | \$90 | | MLHB1230LUNVFD8CSLPND15W | | 29,165 | 211 | 4,000 | |
| | \$90 | | MLHB1330LHMVFD8CSLPND15W | | 29,692 | 213 | 4,000 | CCT Selectable |
| | \$90 | | MLHB1224LHMVFD8CSLPGR15W | | 23,964 | 170 | 4,000 | CCT Selectable |
| | \$90 | | MLHB1224LUNVFD8CSLPGR15W | | 23,964 | 169 | 4,000 | CCT Selectable |
| | \$90 | | MLHB1230LUNVFD8CSLPGR15W | | 29,319 | 212 | 4,000 | CCT Selectable |
| | \$90 | | CHB3-150-D-MV-50K (90302) | 811768022483 | 22,319 | 150 | 5,000 | |
| | \$90 | P.Q.L. Inc. | CHB3-200-D-MV-50K (90304) | 811768020779 | 28,841 | 200 | 5,000 | |
| | \$90 | RAB Lighting | ARBAY2-160 | 019813507545 | 21,922 | 159 | 5,030 | |
| | \$90 | | ARBAY2-160N | 019813507576 | 21,826 | 158 | 3,938 | |
| | \$90 | | ARBAY3-215 | 019813507583 | 29,100 | 214 | 5,060 | |
| | \$90 | | ARBAY3-215N | 019813507590 | 29,178 | 216 | 3,934 | |
| | \$90 | | HAYBAY150/D10 | | 21,705 | 156 | 5,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|--------------|--------------------|--------------|-----------------------|------------------------|--------------|---|
| 86UCP | \$90 | RAB Lighting | HAYBAY150N/D10 | | 22,088 | 155 | 4,000 | |
| | \$90 | | HAYBAY180/D10 | | 25,313 | 180 | 5,000 | |
| | \$90 | | HAYBAY180N/D10 | | 25,450 | 179 | 4,000 | |
| | \$90 | | H17XL | 192552022033 | 34,800 | 240 | 3,000 | Wattage & CCT selectable, Measure/incentive based on min. lumen level |
| | \$90 | | RBAY17M | 192552025447 | 36,400 | 260 | 3,500 | Wattage & CCT selectable, Measure/incentive based on min. wattage/lumen level |
| | \$90 | | RBAY17M/480 | 192552025454 | 36,400 | 260 | 3,500 | Wattage & CCT selectable, Measure/incentive based on min. wattage/lumen level |
| | \$90 | | H17/480 | | 22,200 | 150 | 5,000 | |
| | \$90 | | ARM | | 37,788 | 271 | 5,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$90 | | ARM/480 | | 37,554 | 268 | 5,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$90 | | ARL | | 48,830 | 356 | 5,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$90 | | ARL/480 | | 52,070 | 379 | 5,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$90 | SATCO | 65/505 | 045923535055 | 20,741 | 154 | 4,000 | |
| | \$90 | | 65/506 | 045923682414 | 23,215 | 154 | 5,000 | |
| | \$90 | | 65/771 | 045923665684 | 29,337 | 204 | 3,000 | Wattage & CCT selectable |
| | \$90 | | 65/783 | 045923666186 | 20,881 | 151 | 4,000 | |
| | \$90 | | 65/784 | 045923666193 | 20,893 | 151 | 5,000 | |
| | \$90 | | 65/785 | 045923662850 | 28,173 | 202 | 4,000 | |
| | \$90 | | 65/786 | 045923662867 | 28,108 | 202 | 5,000 | |
| | \$90 | | 65/793 | 045923662911 | 20,881 | 151 | 4,000 | |
| | \$90 | | 65/794 | 045923665806 | 20,893 | 151 | 5,000 | |
| | \$90 | | 65/795 | 045923666261 | 28,173 | 202 | 4,000 | |
| | \$90 | | 65/796 | 045923666278 | 28,108 | 202 | 5,000 | |
| | \$90 | | 65/803 | 045923665875 | 21,008 | 150 | 4,000 | |
| | \$90 | | 65/804 | 045923665882 | 20,920 | 149 | 5,000 | |
| | \$90 | | 65/805 | 045923665899 | 28,832 | 203 | 4,000 | |
| | \$90 | | 65/806 | 045923665905 | 28,730 | 203 | 5,000 | |
| | \$90 | | 65/783R1 | 045923661938 | 22,699 | 157 | 4,000 | |
| | \$90 | | 65/784R1 | 045923661945 | 22,674 | 157 | 5,000 | |
| | \$90 | | 65/793R1 | 045923662096 | 22,699 | 157 | 4,000 | |
| | \$90 | | 65/794R1 | 045923662102 | 22,674 | 157 | 5,000 | |
| | \$90 | | 65/771R1 | | 29,690 | 207 | 3,000 | Wattage & CCT selectable, Measure/incentive based on min. wattage/lumen level. If not installed with time clock, a separate photo sensor is needed. |
| | \$90 | | 65/783R2 | 045923648076 | 20,421 | 150 | 4,000 | |
| | \$90 | | 65/784R2 | 045923648083 | 20,421 | 150 | 5,000 | |
| | \$90 | | 65/785R2 | 045923648090 | 28,487 | 205 | 4,000 | |
| | \$90 | | 65/786R2 | 045923648106 | 28,487 | 205 | 5,000 | |
| | \$90 | | 65/793R2 | 045923648236 | 20,421 | 150 | 4,000 | |
| | \$90 | | 65/794R2 | 045923648243 | 20,421 | 150 | 5,000 | |
| | \$90 | | 65/795R2 | 045923648250 | 28,487 | 205 | 4,000 | |
| | \$90 | | 65/796R2 | 045923648267 | 28,487 | 205 | 5,000 | |
| | \$90 | | 65/646R1 | 045923656286 | 22,740 | 164 | 5,000 | |
| | \$90 | Signify | FBY24L840-UNV | 784197653101 | 24,740 | 176 | 4,000 | |
| | \$90 | | FBY24L850-UNV | 784197655914 | 24,740 | 176 | 5,000 | |
| | \$90 | | FBZ24L840-UNV | 784197707972 | 24,714 | 151 | 4,000 | |
| | \$90 | | FBZ24L850-UNV | 784197707989 | 25,018 | 151 | 5,000 | |
| | \$90 | | FCY22L8CST-UNV-DIM | 190096180660 | 22,250 | 164 | 4,000 | CCT Selectable |
| | \$90 | | FCY29L8CST-UNV-DIM | 190096180677 | 29,010 | 213 | 4,000 | CCT Selectable |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-----------------|--------------------------|--------------|-----------------------|------------------------|--------------|---|
| 86UCP | \$90 | Signify | FCY29L8CST-347-DIM | | 28,490 | 215 | 4,000 | CCT Selectable |
| | \$90 | | HCY2833L8CST-UN3-DIM | 190096131655 | 34,250 | 236 | 4,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$90 | SLG | HE 240 G2 4K | 728943425383 | 25,200 | 180 | 4,000 | |
| | \$90 | | HE 240 G2 5K | 728943425390 | 25,200 | 180 | 5,000 | |
| | \$90 | | HE 290 G2 4K | 728943428728 | 29,000 | 210 | 4,000 | |
| | \$90 | | HE 290 G2 5K | 728943426526 | 29,000 | 210 | 5,000 | |
| | \$90 | | HR 250 WD G3 4K | 728943426366 | 25,600 | 175 | 4,000 | |
| | \$90 | | HR 250 WD G3 5K | 728943426366 | 25,600 | 175 | 5,000 | |
| | \$90 | | HR 250 WD G3 HVU 4K | 728943426380 | 25,000 | 175 | 4,000 | |
| | \$90 | | HR 250 WD G3 HVU 5K | 728943426380 | 25,000 | 175 | 5,000 | |
| | \$90 | | HR 290 WD G3 4K | | 29,800 | 200 | 4,000 | |
| | \$90 | | HR 290 WD G3 5K | | 29,800 | 200 | 5,000 | |
| | \$90 | | HR 290 WD G3 HVU 4K | | 30,000 | 200 | 4,000 | |
| | \$90 | | HR 290 WD G3 HVU 5K | | 30,000 | 200 | 5,000 | |
| | \$90 | | HCL 240 G1 4K | | 24,300 | 180 | 4,000 | |
| | \$90 | | HCL 240 G1 5K | | 24,300 | 180 | 5,000 | |
| | \$90 | | HCL 240 G1 HVU 4K | | 24,300 | 180 | 4,000 | |
| | \$90 | | HCL 240 G1 HVU 5K | | 24,300 | 180 | 5,000 | |
| | \$90 | Starco Lighting | SLHB-150R1D30-DOC | | 20,250 | 150 | 3,000 | |
| | \$90 | | SLHB-150R1D35-DOC | | 21,750 | 150 | 3,500 | |
| | \$90 | | SLHB-150R1D40-DOC | | 24,000 | 150 | 4,000 | |
| | \$90 | | SLHB-150R1D50-DOC | | 24,000 | 150 | 5,000 | |
| | \$90 | | SLHB-150R1D30-DOH | | 20,250 | 150 | 3,000 | |
| | \$90 | | SLHB-150R1D35-DOH | | 21,750 | 150 | 3,500 | |
| | \$90 | | SLHB-150R1D40-DOH | | 24,000 | 150 | 4,000 | |
| | \$90 | | SLHB-150R1D50-DOH | | 24,000 | 150 | 5,000 | |
| | \$90 | TCP | HB15000140 | 819816021921 | 20,250 | 150 | 4,000 | |
| | \$90 | | HB15000140B | 762148152286 | 20,250 | 150 | 4,000 | |
| | \$90 | | HB15000150 | 819816021945 | 20,250 | 150 | 5,000 | |
| | \$90 | | HB15000150B | 762148153788 | 20,250 | 150 | 5,000 | |
| | \$90 | | HB21000140 | 819816020146 | 30,500 | 210 | 4,000 | |
| | \$90 | | HB21000150 | 819816020153 | 30,500 | 210 | 5,000 | |
| | \$90 | | HB21000140B | | 30,500 | 210 | 4,000 | |
| | \$90 | | HB21000150B | | 30,500 | 210 | 5,000 | |
| | \$90 | | UFOUZDA240K | 762148314455 | 20,250 | 150 | 4,000 | |
| | \$90 | | UFOUZDA250K | 762148314462 | 20,250 | 150 | 5,000 | |
| | \$90 | | UFOUZDA340K | 762148314486 | 27,000 | 200 | 4,000 | |
| | \$90 | | UFOUZDA350K | 762148314493 | 27,000 | 200 | 5,000 | |
| | \$90 | | | | | | | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$90 | Topaz | UFOUZDSW6CCT | 762148333531 | 36,159 | 235 | 3,000 | |
| | \$90 | | F-LUHBE/150W/4K-86 | | 20,250 | 150 | 4,000 | |
| | \$90 | | F-LUHBE/150W/5K-86 | 751338038608 | 20,250 | 150 | 5,000 | |
| | \$90 | | HBC/150W/50K/BL (72987) | 751338039421 | 23,555 | 153 | 5,000 | |
| | \$90 | | HBC-200W-PCTS-BL (73569) | 751338044272 | 31,634 | 198 | 4,000 | Wattage & CCT selectable, Measure/incentive based on min. lumen level |
| | \$90 | | HBC-200W-PCTS-WH (73570) | 751338044289 | 31,634 | 198 | 4,000 | Wattage & CCT selectable, Measure/incentive based on min. lumen level |
| | \$90 | | F-LUHB/150/5K/G3 | 751338038431 | 21,307 | 149 | 5,000 | |
| | \$90 | | F-LUHB/150/5K/HV/G3 | 751338038462 | 20,978 | 149 | 5,000 | |
| | \$90 | | LHB-24L-W-40K-U | 032886308796 | 23,839 | 165 | 4,000 | |
| | \$90 | | LHB-24L-W-50K-U | 032886308802 | 24,142 | 165 | 5,000 | |
| | \$90 | | | | | | | Wattage/Power Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$90 | | HBC-40L-50K-PS | 032886309052 | 40,800 | 240 | 5,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|--------------------------------|---|---------------------------|-----------------------|------------------------|--------------|---|
| 86UCP | \$90 | Venture Lighting International | HBRSA-240/200/180WS1BT2A1-WH40/50KWR | | 33,681 | 239 | 4,000 | Wattage & CCT selectable, Measure/incentive based on min. lumen level |
| | \$90 | WESTGATE MFG | UHX-300W-MP-40K | | 40,031 | 295 | 4,000 | |
| | \$90 | | UHX-300W-MP-50K | | 41,502 | 301 | 5,000 | |
| | \$90 | | LLHB4-300W-MP-40K-D | 845060073782 | 42,168 | 316 | 4,000 | Wattage selectable, measure/inentive based on min. lumen level |
| | \$90 | | LLHB4-300W-MP-50K-D | 845060073799 | 43,819 | 316 | 4,000 | Wattage selectable, measure/inentive based on min. lumen level |
| | \$90 | | LLHB4-410W-MP-40K-D | 845060084016 | 55,893 | 416 | 4,000 | Wattage selectable, measure/inentive based on min. lumen level |
| | \$90 | | LLHB4-410W-MP-50K-D | 845060083859 | 58,077 | 416 | 4,000 | Wattage selectable, measure/inentive based on min. lumen level |
| | \$90 | | LLHC-165-220W-MCTP | 845060017595 | 30,000 | 220 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$90 | | UHXE-165-220W-MCTP4-SR | | 30,000 | 220 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| 86UCPC | \$120 | Acuity Brands Lighting | CPHB 24000LM SEF GCL MD MVOLT GZ10 40K 80CRI LSXR6 DWH | 194995155958 | 24,873 | 174 | 4,000 | |
| | \$120 | | CPHB 24000LM SEF GCL MD MVOLT GZ10 40K 80CRI NLTAIR2 RLSXR6 DWH | 194995160167 | 24,873 | 174 | 4,000 | |
| | \$120 | | CPHB 24000LM SEF GCL MD MVOLT GZ10 50K 80CRI LSXR6 DWH | 194995160044 | 25,037 | 174 | 5,000 | |
| | \$120 | | CPHB 24000LM SEF GCL MD MVOLT GZ10 50K 80CRI NLTAIR2 RLSXR6 DWH | 194995156788 | 25,037 | 174 | 5,000 | |
| | \$120 | | CPHB 30000LM SEF GCL MD MVOLT GZ10 40K 80CRI LSXR6 DWH | 194995163687 | 29,825 | 210 | 4,000 | |
| | \$120 | | CPHB 30000LM SEF GCL MD MVOLT GZ10 40K 80CRI NLTAIR2 RLSXR6 DWH | 194995163762 | 29,825 | 210 | 4,000 | |
| | \$120 | | CPHB 24LM MVOLT 40K+LSXR610 | 194994429685+820476095115 | 24,873 | 174 | 4,000 | |
| | \$120 | | CPHB 24LM MVOLT 50K+LSXR610 | 194994429753+820476095115 | 25,037 | 174 | 5,000 | |
| | \$120 | | CPHB 30LM MVOLT 40K+LSXR610 | 194994429746+820476095115 | 29,825 | 210 | 4,000 | |
| | \$120 | | CPRB 24LM MVOLT 40K 80CRI MSOD30 0V DWH | 196182615498 | 23,909 | 174 | 4,000 | |
| | \$120 | | CPRB 24LM MVOLT 40K 80CRI DWH + CPRBSNSR-MSOD30-0V-DWH | 196182615498+ | 23,909 | 174 | 4,000 | |
| | \$120 | ASD Lighting Corp | CPRB ALO14 UVOLT SWW9 80CRI MSOD30 0V DWH | 196182615061 | 26,342 | 195 | 4,000 | Wattage & CCT selectable, Measure/incentive based on min. wattage/lumen level. If not installed with time clock, a separate photo sensor is needed. |
| | \$120 | | ASD-WHB5M-2D16550-MSR | 810050734950 | 22,605 | 165 | 5,000 | |
| | \$120 | | ASD-UHB2HV-FS-150D50-BK+UHB-MSK1 | 81005073738+819201021994 | 21,900 | 150 | 5,000 | |
| | \$120 | | ASD-UHB5-PRO-240BK+ASD-09IR-BK | 81012811359+810128114349 | 40,800 | 240 | 3,000 | CCT & Wattage/lumen selectable. Measure/incentive based on minimum lumen output |
| | \$120 | | ASD-UHB5-HV-PRO-240BK+ASD-09IR-BK | 81012811353+810128114349 | 40,800 | 240 | 3,000 | CCT & Wattage/lumen selectable. Measure/incentive based on minimum lumen output |
| | \$120 | Atlas Lighting Products | ILW76LED2WDM | | 10,221 | 70 | 4,500 | |
| | \$120 | | ILW98LED2WDM | | 13,362 | 95 | 4,500 | |
| | \$120 | | ILW98LED4WDM | | 14,033 | 95 | 4,500 | |
| | \$120 | | ILW130LED4WDM | | 17,621 | 126 | 4,500 | |
| | \$120 | | ILW190LED4WDM | | 26,424 | 188 | 4,500 | |
| | \$120 | Back To Earth Energy Inc | BE-HCP06-150W-D120-LV-4000K-MS | | 19,976 | 150 | 4,000 | |
| | \$120 | | BE-HCP06-150W-D120-LV-5000K-MS | | 20,361 | 150 | 5,000 | |
| | \$120 | | BE-HCP06-200W-D120-LV-4000K-MS | | 26,682 | 201 | 4,000 | |
| | \$120 | | BE-HCP06-200W-D120-LV-5000K-MS | | 27,193 | 201 | 5,000 | |
| | \$120 | Barron Lighting Group | EQHB-180-D-VS-4K-SC | | 25,200 | 180 | 4,000 | |
| | \$120 | | EQHB-180-D-VS-5K-SC | 190622145729 | 25,200 | 180 | 5,000 | |
| | \$120 | | EQHB-210-D-VS-4K-SC | | 29,000 | 210 | 4,000 | |
| | \$120 | | EQHB-210-D-VS-5K-SC | | 29,000 | 210 | 5,000 | |
| | \$120 | | RHL-175-VS-4K-WH-SC | 190622144190 | 25,600 | 175 | 4,000 | |
| | \$120 | | RHL-175-VS-5K-WH-SC | 190622144590 | 25,600 | 175 | 5,000 | |
| | \$120 | | RHL-200-VS-4K-WH-SC | 190622142360 | 29,800 | 200 | 4,000 | |
| | \$120 | | RHL-200-VS-5K-WH-SC | 190622144600 | 29,800 | 200 | 5,000 | |
| | \$120 | | RHL-175-VS-4K-BL-BB-SC | | 25,600 | 175 | 4,000 | |
| | \$120 | | RHL-175-VS-4K-WH-BB-SC | | 25,600 | 175 | 4,000 | |
| | \$120 | | RHL-175-VS-4K-BL-SC | | 25,600 | 175 | 4,000 | |
| | \$120 | | RHL-175-VS-5K-BL-BB-SC | | 25,600 | 175 | 5,000 | |
| | \$120 | | RHL-175-VS-5K-WH-BB-SC | | 25,600 | 175 | 5,000 | |
| | \$120 | | RHL-175-VS-5K-BL-SC | | 25,600 | 175 | 5,000 | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-----------------------------|---|---------------------------|-----------------------|------------------------|--|--|
| 86UCPC | \$120 | Barron Lighting Group | RHL-200-VS-4K-BL-BB-SC | | 29,800 | 200 | 4,000 | |
| | \$120 | | RHL-200-VS-4K-WH-BB-SC | | 29,800 | 200 | 4,000 | |
| | \$120 | | RHL-200-VS-4K-BL-SC | 190622144067 | 29,800 | 200 | 4,000 | |
| | \$120 | | RHL-200-VS-5K-BL-BB-SC | | 29,800 | 200 | 5,000 | |
| | \$120 | | RHL-200-VS-5K-WH-BB-SC | | 29,800 | 200 | 5,000 | |
| | \$120 | | RHL-200-VS-5K-BL-SC | 190622144609 | 29,800 | 200 | 5,000 | |
| | \$120 | | EQHB-180-D-VS-4K-BB-SC | 190622005429 | 25,200 | 180 | 4,000 | |
| | \$120 | | EQHB-180-D-VS-5K-BB-SC | 190622015343 | 25,200 | 180 | 5,000 | |
| | \$120 | | EQHB-210-D-VS-4K-BB-SC | 190622008260 | 29,000 | 210 | 4,000 | |
| | \$120 | | EQHB-210-D-VS-5K-BB-SC | 190622009755 | 29,000 | 210 | 5,000 | |
| | \$120 | Cooper Lighting Solutions | OHBL-24SE-W-UNV-L840-CD-MS-U | | 23,608 | 141 | 4,000 | |
| | \$120 | | OHBL-24SE-W-UNV-L850-CD-MS-U | | 23,950 | 141 | 5,000 | |
| | \$120 | Current | ARC021488LQVSTAQB (w/sensor 93142316) | | 20,048 | 142 | 4,000 | Must be sold and installed with sensor option - 93142316 to receive incentive |
| | \$120 | | ARC021588LQVSTAQB (w/sensor 93142316) | | 20,287 | 142 | 5,000 | Must be sold and installed with sensor option - 93142316 to receive incentive |
| | \$120 | | ARC028488LQVSTAQB (w/sensor 93142316) | | 28,236 | 200 | 4,000 | Must be sold and installed with sensor option - 93142316 to receive incentive |
| | \$120 | | ARC028588LQVSTAQB (w/sensor 93142316) | | 28,573 | 200 | 5,000 | Must be sold and installed with sensor option - 93142316 to receive incentive |
| | \$120 | EarthTronics Inc. | HBU15050B1+11480 | 840791114759+11480 | 22,389 | 152 | 5,000 | |
| | \$120 | | HBU240WSCCTB1 (11777) w/ 11806 ECUFOPIRLV | 840791117767+840791118061 | 36,000 | 240 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$120 | | | | | | CCT & Wattage Selectable. Measure code/incentive based on lowest wattage/lumen | |
| | \$120 | | HBU240WSCCTW1S (11890)+11806 | 840791118887+840791118061 | 38,400 | 240 | 4,000 | output |
| | \$120 | | HBU240WSCCTB1S (11888)+ECUFOPIRLV(11806) | 840791118887+840791118061 | 38,400 | 240 | 4,000 | CCT & Wattage Selectable. Measure code/incentive based on lowest wattage/lumen outp |
| | \$120 | Elite Lighting Co. | CB2-LED-26000L-DIM10-MVOLT-WD-40K-85-MS | | 22,950 | 170 | 4,000 | |
| | \$120 | | CB2-LED-26000L-DIM10-MVOLT-WD-50K-85-MS | | 23,120 | 170 | 5,000 | |
| | \$120 | | CB2-LED-30000L-DIM10-MVOLT-WD-50K-85-MS | | 28,560 | 210 | 5,000 | |
| | \$120 | | CB2-LED-30000L-DIM10-MVOLT-WD-40K-85-MS | | 28,350 | 210 | 4,000 | |
| | \$120 | ETi Solid State Lighting | ERHB-30L-LB3-8-CP3-MV-LVD-BL+ERHB-QI-OCC-MS | | 26,991 | 203 | 3,500 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with ERHB-QI-OCC-MS Quick Install Occupancy Sensor and dim or turn off with no motion detected. |
| | \$120 | | ERHB-36L-LB3-8-CP3-MV-LVD-BL+ERHB-QI-OCC-MS | | 32,825 | 247 | 3,500 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with ERHB-QI-OCC-MS Quick Install Occupancy Sensor and dim or turn off with no motion detected. |
| | \$120 | | CLHB-3-LB3-CP2-MV-LVD+QI-PIR-OCC | | 30,396 | 217 | 5,000 | CCT & Wattage Selectable. Measure code/incentive based on lowest wattage/lumen output. |
| | \$120 | | CLHB-3-LB3-CP2-MV-LVD+QI-MW-OCC | | 30,396 | 217 | 5,000 | CCT & Wattage Selectable. Measure code/incentive based on lowest wattage/lumen output. |
| | \$120 | | GKOMLHG4L180W27V40KCDM | | 24,000 | 180 | 4,000 | |
| | \$120 | Gingko Lighting Corporation | GKOMLHG4L180W27V40KCDMB | | 24,000 | 180 | 4,000 | |
| | \$120 | | GKOMLHG4L180W27V50KCDM | | 24,000 | 180 | 5,000 | |
| | \$120 | | GKOMLHG4L180W27V50KCDMB | | 24,000 | 180 | 5,000 | |
| | \$120 | | LHB-3-WS-40-U-LVMS | | 29,634 | 220 | 4,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$120 | Halco Lighting Technologies | LHB-3-WS-50-U-LVMS | | 29,920 | 220 | 5,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$120 | | CLHB-2-WS-CS-U-PIRMS (36113) | | 22,642 | 165 | 4,000 | CCT & Wattage Selectable. Measure code/incentive based on lowest wattage/lumen output |
| | \$120 | | CLHB-3-WS-CS-U-PIRMS (36120) | | 30,843 | 222 | 4,000 | CCT & Wattage Selectable. Measure code/incentive based on lowest wattage/lumen output |
| | \$120 | | HRHB-150-CS-U-BL+DCMS | 807154302536+807154248759 | 22,164 | 155 | 4,000 | CCT Selectable |
| | \$120 | | HRHB-150-CS-U-WH+DCMS | 807154302529+807154248759 | 22,164 | 155 | 4,000 | CCT Selectable |
| | \$120 | | HRHB-200-CS-U-BL+DCMS | 807154302550+807154248759 | 27,271 | 198 | 4,000 | CCT Selectable |
| | \$120 | | HRHB-200-CS-U-WH+DCMS | 807154302543+807154248759 | 27,271 | 198 | 4,000 | CCT Selectable |
| | \$120 | | LHB-3-WVS-40-U-PIRMS | | 29,634 | 220 | 4,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$120 | | LHB-3-WS-50-U-PIRMS | | 29,920 | 220 | 5,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-----------------------|--|---------------------------|-----------------------|------------------------|--------------|---|
| 86UCPC | \$120 | Keystone Technologies | KT-HBLED155-2F-840-VDIM-P /G2/HBFC1 | 843654136745+843654129266 | 23,250 | 155 | 4,000 | |
| | \$120 | | KT-HBLED155-2F-850-VDIM-P /G2/HBFC1 | 843654136752+843654129266 | 23,405 | 155 | 5,000 | |
| | \$120 | | KT-HBLED185-2F-840-VDIM-P /G2/HBFC1 | 843654136769+843654129266 | 27,750 | 185 | 4,000 | |
| | \$120 | | KT-HBLED185-2F-850-VDIM-P /G2/HBFC1 | 843654136776+843654129266 | 27,935 | 185 | 5,000 | |
| | \$120 | | KT-HBLED155-2F-840-VDIM-P /G2/FC3 | 843654136745+843654138862 | 23,250 | 155 | 4,000 | |
| | \$120 | | KT-HBLED155-2F-850-VDIM-P /G2/FC3 | 843654136752+843654138862 | 23,405 | 155 | 5,000 | |
| | \$120 | | KT-HBLED185-2F-840-VDIM-P /G2/FC3 | 843654136769+843654138862 | 27,750 | 185 | 4,000 | |
| | \$120 | | KT-HBLED185-2F-850-VDIM-P /G2/FC3 | 843654136776+843654138862 | 27,935 | 185 | 5,000 | |
| | \$120 | | KT-HBLED155-2F-840-VDIM-P /G2/PIR | 843654136745+843654123288 | 23,250 | 155 | 4,000 | |
| | \$120 | | KT-HBLED155-2F-850-VDIM-P /G2/PIR | 843654136752+843654123288 | 23,405 | 155 | 5,000 | |
| | \$120 | | KT-HBLED185-2F-840-VDIM-P /G2/PIR | 843654136769+843654123288 | 27,750 | 185 | 4,000 | |
| | \$120 | | KT-HBLED185-2F-850-VDIM-P /G2/PIR | 843654136776+843654123288 | 27,935 | 185 | 5,000 | |
| | \$120 | | KT-HBLED155-2F-840-VDIM-P /G2/PIR-A | 843654136745+843654133638 | 23,250 | 155 | 4,000 | |
| | \$120 | | KT-HBLED155-2F-850-VDIM-P /G2/PIR-A | 843654136752+843654133638 | 23,405 | 155 | 5,000 | |
| | \$120 | | KT-HBLED185-2F-840-VDIM-P /G2/PIR-A | 843654136769+843654133638 | 27,750 | 185 | 4,000 | |
| | \$120 | | KT-HBLED185-2F-850-VDIM-P /G2/PIR-A | 843654136776+843654133638 | 27,935 | 185 | 5,000 | |
| | \$120 | | KT-HBLED155-2F-840-VDIM-P /G2/PIR-B | 843654136745+843654133645 | 23,250 | 155 | 4,000 | |
| | \$120 | | KT-HBLED155-2F-850-VDIM-P /G2/PIR-B | 843654136752+843654133645 | 23,405 | 155 | 5,000 | |
| | \$120 | | KT-HBLED185-2F-840-VDIM-P /G2/PIR-B | 843654136769+843654133645 | 27,750 | 185 | 4,000 | |
| | \$120 | | KT-HBLED185-2F-850-VDIM-P /G2/PIR-B | 843654136776+843654133645 | 27,935 | 185 | 5,000 | |
| | \$120 | | KT-HBLED155-2F-840-VDIM-P /G2/MW3-A | 843654136745+843654133317 | 23,250 | 155 | 4,000 | |
| | \$120 | | KT-HBLED155-2F-850-VDIM-P /G2/MW3-A | 843654136752+843654133317 | 23,405 | 155 | 5,000 | |
| | \$120 | | KT-HBLED185-2F-840-VDIM-P /G2/MW3-A | 843654136769+843654133317 | 27,750 | 185 | 4,000 | |
| | \$120 | | KT-HBLED185-2F-850-VDIM-P /G2/MW3-A | 843654136776+843654133317 | 27,935 | 185 | 5,000 | |
| | \$120 | | KT-HBLED155-2F-840-VDIM-P /G2/MW3-B | 843654136745+843654133324 | 23,250 | 155 | 4,000 | |
| | \$120 | | KT-HBLED155-2F-850-VDIM-P /G2/MW3-B | 843654136752+843654133324 | 23,405 | 155 | 5,000 | |
| | \$120 | | KT-HBLED185-2F-840-VDIM-P /G2/MW3-B | 843654136769+843654133324 | 27,750 | 185 | 4,000 | |
| | \$120 | | KT-HBLED185-2F-850-VDIM-P /G2/MW3-B | 843654136776+843654133324 | 27,935 | 185 | 5,000 | |
| | \$120 | | KT-RHLED150-12C-840-VDIM-P /G2/PIR3 | 843654133201+843654146447 | 23,400 | 150 | 4,000 | |
| | \$120 | | KT-RHLED150-12C-850-VDIM-P /G2/PIR3 | 843654133218+843654146447 | 23,600 | 150 | 5,000 | |
| | \$120 | | KT-RHLED150-12C-840-VDIM-P /G2/FC3 | 843654133201+843654138862 | 23,400 | 150 | 4,000 | |
| | \$120 | | KT-RHLED150-12C-850-VDIM-P /G2/FC3 | 843654133218+843654138862 | 23,600 | 150 | 5,000 | |
| | \$120 | | KT-RHLED150-12C-840-VDIM-P /G2/FC4 | 843654133201+843654149066 | 23,400 | 150 | 4,000 | Must be installed and linked to another fixture with the KTSL-FC3-12V-PKO-PIR sensor |
| | \$120 | | KT-RHLED150-12C-850-VDIM-P /G2/FC4 | 843654133218+843654149066 | 23,600 | 150 | 5,000 | Must be installed and linked to another fixture with the KTSL-FC3-12V-PKO-PIR sensor |
| | \$120 | | KT-RHLED150-11CB-840-VDIM/PIR3 | 843654152097+843654146447 | 21,675 | 150 | 4,000 | |
| | \$120 | | KT-RHLED150-11CB-850-VDIM/PIR3 | 843654152103+843654146447 | 23,375 | 150 | 5,000 | |
| | \$120 | | KT-RHLED200-12CB-840-VDIM/PIR3 | 843654152110+843654146447 | 28,360 | 200 | 4,000 | |
| | \$120 | | KT-RHLED200-12CB-850-VDIM/PIR3 | 843654152127+843654146447 | 29,520 | 200 | 5,000 | |
| | \$120 | | KT-RHLED150-12C-840-VDIM-P /G2/MW3-A | 843654133201+843654133317 | 23,400 | 150 | 4,000 | Must be installed and linked to another fixture with the KTSL-FC3-12V-PKO-PIR sensor |
| | \$120 | | KT-RHLED150-12C-850-VDIM-P /G2/MW3-A | 843654133218+843654133317 | 23,600 | 150 | 5,000 | Must be installed and linked to another fixture with the KTSL-FC3-12V-PKO-PIR sensor |
| | \$120 | | KT-RHLED240PS-13C-8CSB-VDIM /G2/FC3 | | 34,445 | 240 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$120 | | KT-RHLED240PS-13C-8CSB-VDIM-W /G2/FC3 | | 34,445 | 240 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$120 | | KT-RHLED240PS-14CD-0SE-8CSB-VDIM-P/FC3 | | 31,872 | 240 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-----------------------|---|---------------------------|-----------------------|------------------------|--------------|---|
| 86UCPC | \$120 | Keystone Technologies | KT-RHLED240PS-14CD-0SE-8CSB-VDIM-P/PIR-A | | 31,872 | 240 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$120 | LEDVANCE, LLC | LNHIBA3A/155UNVD840/12W/WH/D (62000) | 046135620003 | 20,925 | 155 | 4,000 | |
| | \$120 | | LNHIBA3A/155UNVD850/12W/WH/D (62001) | 046135620010 | 21,080 | 155 | 5,000 | |
| | \$120 | | LNHIBA3A/210UNVD840/22W/WH/D (62002) | 046135620027 | 28,350 | 210 | 4,000 | |
| | \$120 | | LNHIBA3A/210UNVD850/22W/WH/D (62003) | 046135620034 | 28,560 | 210 | 5,000 | |
| | \$120 | | UFOHIBA2A/150UNVD840/WH with control (62072+65622) | 046135620720+046135656224 | 20,798 | 150 | 4,000 | Must be sold with accessory 65622 - Field Installed occ/daylight sensor |
| | \$120 | | UFOHIBA2A/150UNVD850/WH with control (62073+65622) | 046135620737+046135656224 | 20,748 | 151 | 5,000 | Must be sold with accessory 65622 - Field Installed occ/daylight sensor |
| | \$120 | | UFOHIBA2A/200UNVD840/WH with control (62075+65622) | 046135620751+046135656224 | 28,173 | 202 | 4,000 | Must be sold with accessory 65622 - Field Installed occ/daylight sensor |
| | \$120 | | UFOHIBA2A/200UNVD850/WH with control (62076+65622) | 046135620768+046135656224 | 28,108 | 202 | 5,000 | Must be sold with accessory 65622 - Field Installed occ/daylight sensor |
| | \$120 | | UFOHIBA2A/150HUV840/WH with control (62084+65622) | 046135620843+046135656224 | 21,008 | 150 | 4,000 | Must be sold with accessory 65622 - Field Installed occ/daylight sensor |
| | \$120 | | UFOHIBA2A/150HUV850/WH with control (62085+65622) | 046135620850+046135656224 | 20,920 | 149 | 5,000 | Must be sold with accessory 65622 - Field Installed occ/daylight sensor |
| | \$120 | | UFOHIBA2A/200HUV840/WH with control (62087+65622) | | 28,832 | 203 | 4,000 | Must be sold with accessory 65622 - Field Installed occ/daylight sensor |
| | \$120 | | UFOHIBA2A/200HUV850/WH with control (62088+65622) | 046135620881+046135656224 | 28,730 | 203 | 5,000 | Must be sold with accessory 65622 - Field Installed occ/daylight sensor |
| | \$120 | | UFOHIBA3A/S240UNVD85C7/WH with control (62694+65622) | 046135626944+046135656224 | 35,404 | 248 | 3,500 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$120 | | UFOHIBA3A/S240UNVD85C7/BL with control (62696+65622) | 046135626965+046135656224 | 35,404 | 248 | 3,500 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$120 | | LNHIBA5A/S220UNVD85C14/12/WH with control (62876+65622) | 046135628764+046135656224 | 30,396 | 217 | 5,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$120 | | LNHIBA5A/S220UNVD85C14/12/WH/E with control (63062+65622) | 046135630627+046135656224 | 30,396 | 217 | 5,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$120 | | LNHIBA6A/155UNHD840/12W/WH (63116)+MS 65622 | 046135631160+046135656224 | 21,798 | 154 | 4,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$120 | | LNHIBA6A/155UNHD850/12W/WH (63117)+MS 65622 | 046135631177+046135656224 | 21,802 | 154 | 5,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$120 | | LNHIBA6A/210UNHD840/12W/WH (63118)+MS 65622 | 046135631184+046135656224 | 29,552 | 210 | 4,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$120 | | LNHIBA6A/210UNHD850/12W/WH (63119)+MS 65622 | 046135631191+046135656224 | 29,599 | 209 | 5,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$120 | | LNHIBA6A/155UNHD840/12W/WH (63116)+MS 62664 | 046135631160+046135626647 | 21,798 | 154 | 4,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$120 | | LNHIBA6A/155UNHD850/12W/WH (63117)+MS 62664 | 046135631177+046135626647 | 21,802 | 154 | 5,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$120 | | LNHIBA6A/210UNHD840/12W/WH (63118)+MS 62664 | 046135631184+046135626647 | 29,552 | 210 | 4,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$120 | | LNHIBA6A/210UNHD850/12W/WH (63119)+MS 62664 | 046135631191+046135626647 | 29,599 | 209 | 5,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$120 | | LNHIBA6A/155UNHD840/12W/WH/E (63130)+MS 65622 | 046135631160+046135656224 | 21,798 | 154 | 4,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$120 | | LNHIBA6A/155UNHD850/12W/WH/E (63131)+MS 65622 | 046135631177+046135656224 | 21,802 | 154 | 5,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$120 | | LNHIBA6A/210UNHD840/12W/WH/E (63132)+MS 65622 | 046135631184+046135656224 | 29,552 | 210 | 4,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$120 | | LNHIBA6A/210UNHD850/12W/WH/E (63133)+MS 65622 | 046135631191+046135656224 | 29,599 | 209 | 5,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$120 | | LNHIBA6A/155UNHD840/12W/WH/E (63130)+MS 62664 | 046135631160+046135626647 | 21,798 | 154 | 4,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$120 | | LNHIBA6A/155UNHD850/12W/WH/E (63131)+MS 62664 | 046135631177+046135626647 | 21,802 | 154 | 5,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$120 | | LNHIBA6A/210UNHD840/12W/WH/E (63132)+MS 62664 | 046135631184+046135626647 | 29,552 | 210 | 4,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$120 | | LNHIBA6A/210UNHD850/12W/WH/E (63133)+MS 62664 | 046135631191+046135626647 | 29,599 | 209 | 5,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$120 | | UFOHIBA4A/150UNHD840/WH (63036)+MS 65622 | 046135630439+046135656224 | 20,559 | 148 | 4,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$120 | | UFOHIBA4A/150UNHD850/WH (63037)+MS 65622 | 046135630378+046135656224 | 20,686 | 147 | 5,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$120 | | UFOHIBA4A/150UNHD840/BL (63044)+MS 65622 | 046135630446+046135656224 | 20,559 | 148 | 4,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$120 | | UFOHIBA4A/150UNHD850/WH (63045)+MS 65622 | 046135630453+046135656224 | 20,686 | 147 | 5,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$120 | | UFOHIBA4A/200UNHD840/WH (63038)+MS 65622 | 046135630385+046135656224 | 28,233 | 189 | 4,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$120 | | UFOHIBA4A/200UNHD850/WH (63039)+MS 65622 | 046135630392+046135656224 | 28,374 | 189 | 5,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$120 | | UFOHIBA4A/200UNHD840/BL (63046)+MS 65622 | 046135630460+046135656224 | 28,233 | 189 | 4,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$120 | | UFOHIBA4A/200UNHD850/BL (63047)+MS 65622 | 046135630477+046135656224 | 28,374 | 189 | 5,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$120 | | UFOHIBA4A/150UNHD840/WH (63036)+MS 62664 | 046135630439+046135626647 | 20,559 | 148 | 4,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$120 | | UFOHIBA4A/150UNHD850/WH (63037)+MS 62664 | 046135630378+046135626647 | 20,686 | 147 | 5,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$120 | | UFOHIBA4A/150UNHD840/BL (63044)+MS 62664 | 046135630446+046135626647 | 20,559 | 148 | 4,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$120 | | UFOHIBA4A/150UNHD850/WH (63045)+MS 62664 | 046135630453+046135626647 | 20,686 | 147 | 5,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$120 | | UFOHIBA4A/200UNHD840/WH (63038)+MS 62664 | 046135630385+046135626647 | 28,233 | 189 | 4,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$120 | | UFOHIBA4A/200UNHD850/WH (63039)+MS 62664 | 046135630392+046135626647 | 28,374 | 189 | 5,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$120 | | UFOHIBA4A/200UNHD840/BL (63046)+MS 62664 | 046135630460+046135626647 | 28,233 | 189 | 4,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$120 | | UFOHIBA4A/200UNHD850/BL (63047)+MS 62664 | 046135630477+046135626647 | 28,374 | 189 | 5,000 | Must be sold & installed with Motion Sensor to receive incentive |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|---------------|--|------------------------------|-----------------------|------------------------|--------------|---|
| 86UCPC | \$120 | LEDVANCE, LLC | LNHIBA5A/S220UNVD8SC14/12/WH (62876)+SENSORADAPTOR1A (63652)+ADAPTER/AUX1 | 046135628764+046135636523+04 | 30,396 | 217 | 5,000 | Must be connected to a LEDVANCE LINK Sensor to turn on/off light to receive incentive. CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | | | | | | | | |
| | \$120 | | LNHIBA5A/S220UNVD8SC14/12/WH/E (63062)+SENSORADAPTOR1A (63652)+ADAPTER/AU | 046135630627+046135636523+04 | 30,396 | 217 | 5,000 | Must be connected to a LEDVANCE LINK Sensor to turn on/off light to receive incentive. CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$120 | | LNHIBA5A/S220UNVD8SC14/12/WH (62876)+SENSORADAPTOR1A (63652)+SENSORHB/PIRA | 046135628764+046135636523+04 | 30,396 | 217 | 5,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$120 | | LNHIBA5A/S220UNVD8SC14/12/WH/E (63062)+SENSORADAPTOR1A (63652)+SENSORHB/PI | 046135630627+046135636523+04 | 30,396 | 217 | 5,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | | | | | | | | Must be connected to a LEDVANCE LINK Sensor to turn on/off light to receive incentive. |
| | \$120 | | LNHIBA6A/155UNHD840/12W/WH (63116)+SENSORADAPTOR1A (63652)+ADAPTER/AUX12 | 046135631160+046135636523+04 | 21,798 | 154 | 4,000 | |
| | | | | | | | | Must be connected to a LEDVANCE LINK Sensor to turn on/off light to receive incentive. |
| | \$120 | | LNHIBA6A/155UNHD850/12W/WH (63117)+SENSORADAPTOR1A (63652)+ADAPTER/AUX12 | 046135631177+046135636523+04 | 21,802 | 154 | 5,000 | |
| | | | | | | | | Must be connected to a LEDVANCE LINK Sensor to turn on/off light to receive incentive. |
| | \$120 | | LNHIBA6A/210UNHD840/12W/WH (63118)+SENSORADAPTOR1A (63652)+ADAPTER/AUX12 | 046135631184+046135636523+04 | 29,552 | 210 | 4,000 | |
| | | | | | | | | Must be connected to a LEDVANCE LINK Sensor to turn on/off light to receive incentive. |
| | \$120 | | LNHIBA6A/210UNHD850/12W/WH (63119)+SENSORADAPTOR1A (63652)+ADAPTER/AUX12 | 046135631191+046135636523+04 | 29,599 | 209 | 5,000 | |
| | | | | | | | | Must be connected to a LEDVANCE LINK Sensor to turn on/off light to receive incentive. |
| | \$120 | | LNHIBA6A/155UNHD840/12W/WH/E (63130)+SENSORADAPTOR1A (63652)+ADAPTER/AUX1 | 046135631160+046135636523+04 | 21,798 | 154 | 4,000 | |
| | | | | | | | | Must be connected to a LEDVANCE LINK Sensor to turn on/off light to receive incentive. |
| | \$120 | | LNHIBA6A/155UNHD850/12W/WH/E (63131)+SENSORADAPTOR1A (63652)+ADAPTER/AUX1 | 046135631177+046135636523+04 | 21,802 | 154 | 5,000 | |
| | | | | | | | | Must be connected to a LEDVANCE LINK Sensor to turn on/off light to receive incentive. |
| | \$120 | | LNHIBA6A/210UNHD840/12W/WH/E (63132)+SENSORADAPTOR1A (63652)+ADAPTER/AUX1 | 046135631184+046135636523+04 | 29,552 | 210 | 4,000 | |
| | | | | | | | | Must be connected to a LEDVANCE LINK Sensor to turn on/off light to receive incentive. |
| | \$120 | | LNHIBA6A/210UNHD850/12W/WH/E (63133)+SENSORADAPTOR1A (63652)+ADAPTER/AUX1 | 046135631191+046135636523+04 | 29,599 | 209 | 5,000 | |
| | | | | | | | | Must be connected to a LEDVANCE LINK Sensor to turn on/off light to receive incentive. |
| | \$120 | | LNHIBA6A/155UNHD840/12W/WH (63116)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAL | 046135631160+046135636523+04 | 21,798 | 154 | 4,000 | |
| | \$120 | | LNHIBA6A/155UNHD850/12W/WH (63117)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAL | 046135631177+046135636523+04 | 21,802 | 154 | 5,000 | |
| | \$120 | | LNHIBA6A/210UNHD840/12W/WH (63118)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAL | 046135631184+046135636523+04 | 29,552 | 210 | 4,000 | |
| | \$120 | | LNHIBA6A/210UNHD850/12W/WH (63119)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAL | 046135631191+046135636523+04 | 29,599 | 209 | 5,000 | |
| | \$120 | | LNHIBA6A/155UNHD840/12W/WH/E (63130)+SENSORADAPTOR1A (63652)+SENSORHB/PIR | 046135631160+046135636523+04 | 21,798 | 154 | 4,000 | |
| | \$120 | | LNHIBA6A/155UNHD850/12W/WH/E (63131)+SENSORADAPTOR1A (63652)+SENSORHB/PIR | 046135631177+046135636523+04 | 21,802 | 154 | 5,000 | |
| | \$120 | | LNHIBA6A/210UNHD840/12W/WH/E (63132)+SENSORADAPTOR1A (63652)+SENSORHB/PIR | 046135631184+046135636523+04 | 29,552 | 210 | 4,000 | |
| | \$120 | | LNHIBA6A/210UNHD850/12W/WH/E (63133)+SENSORADAPTOR1A (63652)+SENSORHB/PIR | 046135631191+046135636523+04 | 29,599 | 209 | 5,000 | |
| | | | | | | | | Must be connected to a LEDVANCE LINK Sensor to turn on/off light to receive incentive. CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$120 | | UFOHIBA3A/S240UNVD8SC7/WH (62694)+SENSORADAPTOR1A (63652)+ADAPTER/AUX12V | 046135626944+046135636523+04 | 35,404 | 248 | 3,500 | |
| | | | | | | | | Must be connected to a LEDVANCE LINK Sensor to turn on/off light to receive incentive. CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$120 | | UFOHIBA3A/S240UNVD8SC7/BL (62696)+SENSORADAPTOR1A (63652)+ADAPTER/AUX12V/E | 046135626965+046135636523+04 | 35,404 | 248 | 3,500 | |
| | | | | | | | | Must be connected to a LEDVANCE LINK Sensor to turn on/off light to receive incentive. |
| | \$120 | | UFOHIBA4A/150UNHD840/WH (63036)+SENSORADAPTOR1A (63652)+ADAPTER/AUX12V/BI | 046135630439+046135636523+04 | 20,559 | 148 | 4,000 | |
| | | | | | | | | Must be connected to a LEDVANCE LINK Sensor to turn on/off light to receive incentive. |
| | \$120 | | UFOHIBA4A/150UNHD850/WH (63037)+SENSORADAPTOR1A (63652)+ADAPTER/AUX12V/BI | 046135630378+046135636523+04 | 20,686 | 147 | 5,000 | |
| | | | | | | | | Must be connected to a LEDVANCE LINK Sensor to turn on/off light to receive incentive. |
| | \$120 | | UFOHIBA4A/150UNHD840/BL (63044)+SENSORADAPTOR1A (63652)+ADAPTER/AUX12V/BL | 046135630446+046135636523+04 | 20,559 | 148 | 4,000 | |
| | | | | | | | | Must be connected to a LEDVANCE LINK Sensor to turn on/off light to receive incentive. |
| | \$120 | | UFOHIBA4A/150UNHD850/WH (63045)+SENSORADAPTOR1A (63652)+ADAPTER/AUX12V/BI | 046135630453+046135636523+04 | 20,686 | 147 | 5,000 | |
| | | | | | | | | Must be connected to a LEDVANCE LINK Sensor to turn on/off light to receive incentive. |
| | \$120 | | UFOHIBA4A/200UNHD840/WH (63038)+SENSORADAPTOR1A (63652)+ADAPTER/AUX12V/BI | 046135630385+046135636523+04 | 28,233 | 189 | 4,000 | |
| | | | | | | | | Must be connected to a LEDVANCE LINK Sensor to turn on/off light to receive incentive. |
| | \$120 | | UFOHIBA4A/200UNHD850/WH (63039)+SENSORADAPTOR1A (63652)+ADAPTER/AUX12V/BI | 046135630392+046135636523+04 | 28,374 | 189 | 5,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|------------------|--|------------------------------|-----------------------|------------------------|--------------|--|
| 86UCPC | \$120 | LEDVANCE, LLC | UFOHIBA4A/200UNHD840/BL (63046)+SENSORADAPTOR1A (63652)+ADAPTER/AUX12V/BL | 046135630460+046135636523+04 | 28,233 | 189 | 4,000 | Must be connected to a LEDVANCE LINK Sensor to turn on/off light to receive incentive. |
| | \$120 | | UFOHIBA4A/200UNHD850/BL (63047)+SENSORADAPTOR1A (63652)+ADAPTER/AUX12V/BL | 046135630477+046135636523+04 | 28,374 | 189 | 5,000 | Must be connected to a LEDVANCE LINK Sensor to turn on/off light to receive incentive. |
| | \$120 | | UFOHIBA3A/S240UNVD85C7/WH (62694)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAUX1 | 046135626944+046135636523+04 | 35,404 | 248 | 3,500 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$120 | | UFOHIBA3A/S240UNVD85C7/BL (62696)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAUX1 | 046135626965+046135636523+04 | 35,404 | 248 | 3,500 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$120 | | UFOHIBA4A/150UNHD840/WH (63036)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAUX1 | 046135630439+046135636523+04 | 20,559 | 148 | 4,000 | |
| | \$120 | | UFOHIBA4A/150UNHD850/WH (63037)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAUX1 | 046135630378+046135636523+04 | 20,686 | 147 | 5,000 | |
| | \$120 | | UFOHIBA4A/150UNHD840/BL (63044)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAUX12\ | 046135630446+046135636523+04 | 20,559 | 148 | 4,000 | |
| | \$120 | | UFOHIBA4A/150UNHD850/WH (63045)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAUX1 | 046135630453+046135636523+04 | 20,686 | 147 | 5,000 | |
| | \$120 | | UFOHIBA4A/200UNHD840/WH (63038)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAUX1 | 046135630385+046135636523+04 | 28,233 | 189 | 4,000 | |
| | \$120 | | UFOHIBA4A/200UNHD850/WH (63039)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAUX1 | 046135630392+046135636523+04 | 28,374 | 189 | 5,000 | |
| | \$120 | | UFOHIBA4A/200UNHD840/BL (63046)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAUX12\ | 046135630460+046135636523+04 | 28,233 | 189 | 4,000 | |
| | \$120 | | UFOHIBA4A/200UNHD850/BL (63047)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAUX12\ | 046135630477+046135636523+04 | 28,374 | 189 | 5,000 | |
| | \$120 | | LNHIBA3A/170HUV840/12W/WH/D (62578) | | 22,950 | 170 | 4,000 | |
| | \$120 | | LNHIBA3A/170HUV850/12W/WH/D (62579) | | 23,120 | 170 | 5,000 | |
| | \$120 | | LNHIBA3A/210HUV840/22W/WH/D (62580) | | 28,350 | 210 | 4,000 | |
| | \$120 | | LNHIBA3A/210HUV850/22W/WH/D (62581) | | 28,560 | 210 | 5,000 | |
| | \$120 | | UFOHIBA2A/150UNVD840/BL (62322)+HIGHBAY/MOTIONDAYSENSOR (65622) | 046135623226+046135656224 | 20,798 | 150 | 4,000 | Must be sold with accessory 65622 - Field Installed occ/daylight sensor |
| | \$120 | | UFOHIBA2A/150UNVD850/BL (62323)+HIGHBAY/MOTIONDAYSENSOR (65622) | 046135623233+046135656224 | 20,748 | 151 | 5,000 | Must be sold with accessory 65622 - Field Installed occ/daylight sensor |
| | \$120 | | UFOHIBA2A/200UNVD840/BL (62324)+HIGHBAY/MOTIONDAYSENSOR (65622) | 046135623240+046135656224 | 28,173 | 202 | 4,000 | Must be sold with accessory 65622 - Field Installed occ/daylight sensor |
| | \$120 | | UFOHIBA2A/200UNVD850/BL (62325)+HIGHBAY/MOTIONDAYSENSOR (65622) | 046135623257+046135656224 | 28,108 | 202 | 5,000 | Must be sold with accessory 65622 - Field Installed occ/daylight sensor |
| | \$120 | | UFOHIBA2A/150HUV840/BL (62330)+HIGHBAY/MOTIONDAYSENSOR (65622) | 046135623301+046135656224 | 21,008 | 150 | 4,000 | Must be sold with accessory 65622 - Field Installed occ/daylight sensor |
| | \$120 | | UFOHIBA2A/150HUV850/BL (62331)+HIGHBAY/MOTIONDAYSENSOR (65622) | 046135623318+046135656224 | 20,920 | 149 | 5,000 | Must be sold with accessory 65622 - Field Installed occ/daylight sensor |
| | \$120 | | UFOHIBA2A/200HUV840/BL (62332)+HIGHBAY/MOTIONDAYSENSOR (65622) | 046135623325+046135656224 | 28,832 | 203 | 4,000 | Must be sold with accessory 65622 - Field Installed occ/daylight sensor |
| | \$120 | | UFOHIBA2A/200HUV850/BL (62333)+HIGHBAY/MOTIONDAYSENSOR (65622) | 046135623332+046135656224 | 28,730 | 203 | 5,000 | Must be sold with accessory 65622 - Field Installed occ/daylight sensor |
| | \$120 | | UFOHIBA2A/150UNVD840/BL (62322)+HIGHBAY/PIR/MOTIONDAYSENSOR2 (62664) | 046135623226+046135626647 | 20,798 | 150 | 4,000 | Must be sold with accessory 62664 - Field Installed PIR occ/daylight sensor |
| | \$120 | | UFOHIBA2A/150UNVD850/BL (62323)+HIGHBAY/PIR/MOTIONDAYSENSOR2 (62664) | 046135623233+046135626647 | 20,748 | 151 | 5,000 | Must be sold with accessory 62664 - Field Installed PIR occ/daylight sensor |
| | \$120 | | UFOHIBA2A/200UNVD840/BL (62324)+HIGHBAY/PIR/MOTIONDAYSENSOR2 (62664) | 046135623240+046135626647 | 28,173 | 202 | 4,000 | Must be sold with accessory 62664 - Field Installed PIR occ/daylight sensor |
| | \$120 | | UFOHIBA2A/200UNVD850/BL (62325)+HIGHBAY/PIR/MOTIONDAYSENSOR2 (62664) | 046135623257+046135626647 | 28,108 | 202 | 5,000 | Must be sold with accessory 62664 - Field Installed PIR occ/daylight sensor |
| | \$120 | | UFOHIBA2A/150HUV840/BL (62330)+HIGHBAY/PIR/MOTIONDAYSENSOR2 (62664) | 046135623301+046135626647 | 21,008 | 150 | 4,000 | Must be sold with accessory 62664 - Field Installed PIR occ/daylight sensor |
| | \$120 | | UFOHIBA2A/150HUV850/BL (62331)+HIGHBAY/PIR/MOTIONDAYSENSOR2 (62664) | 046135623318+046135626647 | 20,920 | 149 | 5,000 | Must be sold with accessory 62664 - Field Installed PIR occ/daylight sensor |
| | \$120 | | UFOHIBA2A/200HUV840/BL (62332)+HIGHBAY/PIR/MOTIONDAYSENSOR2 (62664) | 046135623325+046135626647 | 28,832 | 203 | 4,000 | Must be sold with accessory 62664 - Field Installed PIR occ/daylight sensor |
| | \$120 | | UFOHIBA2A/200HUV850/BL (62333)+HIGHBAY/PIR/MOTIONDAYSENSOR2 (62664) | 046135623332+046135626647 | 28,730 | 203 | 5,000 | Must be sold with accessory 62664 - Field Installed PIR occ/daylight sensor |
| | \$120 | Linmore LED Labs | AH10S-A2-30K-MD-40-80-FR-LV-CRM-10CW-S-10V+AH1-SEN-PIR-SK | | 29,618 | 217 | 4,000 | |
| | \$120 | | AH10S-A2-30K-MD-50-80-FR-LV-CRM-10CW-S-10V+AH1-SEN-PIR-SK | | 29,963 | 217 | 5,000 | |
| | \$120 | | AH10S-A2-24K-MD-40-80-FR-HV-CRM-10CW-S-EMB-10V+AH1-SEN-PIR-SK | | 24,373 | 161 | 4,000 | |
| | \$120 | | AH10S-A2-24K-MD-50-80-FR-HV-CRM-10CW-S-EMB-10V+AH1-SEN-PIR-SK | | 24,485 | 161 | 5,000 | |
| | \$120 | LSI Industries | AHB 24L 840 IMSBT2L | | 22,000 | 165 | 4,000 | |
| | \$120 | | AHB 24L 850 IMSBT2L | | 22,000 | 165 | 5,000 | |
| | \$120 | | AHB 30L 840 IMSBT2L | | 28,000 | 215 | 4,000 | |
| | \$120 | | AHB 30L 850 IMSBT2L | | 28,000 | 215 | 5,000 | |
| | \$120 | MaxLite Inc. | BLHE3-170UF-40MS | 767627006470 | 22,950 | 170 | 4,000 | |
| | \$120 | | BLHE3-170UF-50MS | 767627006487 | 23,120 | 170 | 5,000 | |
| | \$120 | | BLHE3-210UF-40MS | 767627006531 | 28,350 | 210 | 4,000 | |
| | \$120 | | BLHE3-210UF-50MS | 767627006548 | 28,560 | 210 | 5,000 | |
| | \$120 | | HL3-135UF-CSCR+CN-RDMSW | 767627031205+767627007873 | 20,250 | 135 | 4,000 | CCT Selectable |
| | \$120 | | HL3-155UF-CSCR+CN-RDMSW | 767627031212+767627007873 | 23,250 | 155 | 4,000 | CCT Selectable |
| | \$120 | | HL3-185UF-CSCR+CN-RDMSW | +767627007873 | 27,750 | 185 | 4,000 | CCT Selectable |
| | \$120 | | HL3-135UF-CSCR+NN-RDMSW | 767627031205+767627011979 | 20,250 | 135 | 4,000 | CCT Selectable |
| | \$120 | | HL3-155UF-CSCR+NN-RDMSW | 767627031212+767627011979 | 23,250 | 155 | 4,000 | CCT Selectable |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|--------------|--|---------------------------|-----------------------|------------------------|--------------|---|
| 86UCPC | \$120 | MaxLite Inc. | HL3-185UF-CSCR+NN-RDMSW | +767627011979 | 27,750 | 185 | 4,000 | CCT Selectable |
| | \$120 | | BPHE2-U180WCS+CNA-RDMSW | 767627033254+767627033780 | 32,400 | 240 | 3,500 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$120 | | BPHE2-U180WCS+NNA-RDMSW | 767627033254+767627033773 | 32,400 | 240 | 3,500 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$120 | NICOR Inc. | HBG123U408AR | | 23,200 | 145 | 4,000 | |
| | \$120 | | HBG123U408DR | | 22,330 | 145 | 4,000 | |
| | \$120 | | HBG123U508AR | | 23,345 | 145 | 5,000 | |
| | \$120 | | HBG123U508DR | | 22,475 | 145 | 5,000 | |
| | \$120 | | HML1150H35AS+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 21,000 | 150 | 3,500 | |
| | \$120 | | HML1150H40AS+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 21,150 | 150 | 4,000 | |
| | \$120 | | MHL1150H50AS+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 21,300 | 150 | 5,000 | |
| | \$120 | | HML1150H57AS+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 21,300 | 150 | 5,700 | |
| | \$120 | | HML1150U35AS+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 21,000 | 150 | 3,500 | |
| | \$120 | | HML1210U35AS+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 29,400 | 210 | 3,500 | |
| | \$120 | | HML1210U35ASC+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 29,400 | 210 | 3,500 | |
| | \$120 | | HML1210U35ASC4+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 29,400 | 210 | 3,500 | |
| | \$120 | | HML1210U35ASF+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 29,400 | 210 | 3,500 | |
| | \$120 | | HML1210U35ASE25+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 29,400 | 210 | 3,500 | |
| | \$120 | | HML1210U35ASE25C+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 29,400 | 210 | 3,500 | |
| | \$120 | | HML1210U35ASE25C4+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 29,400 | 210 | 3,500 | |
| | \$120 | | HML1210U35ASE25F+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 29,400 | 210 | 3,500 | |
| | \$120 | | HML1210H35AS+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 29,400 | 210 | 3,500 | |
| | \$120 | | HML1210H35ASC+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 29,400 | 210 | 3,500 | |
| | \$120 | | HML1210H35ASC4+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 29,400 | 210 | 3,500 | |
| | \$120 | | HML1210H35ASF+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 29,400 | 210 | 3,500 | |
| | \$120 | | HML1210H35ASE25+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 29,400 | 210 | 3,500 | |
| | \$120 | | HML1210H35ASE25C+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 29,400 | 210 | 3,500 | |
| | \$120 | | HML1210H35ASE25C4+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 29,400 | 210 | 3,500 | |
| | \$120 | | HML1210H35ASE25F+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 29,400 | 210 | 3,500 | |
| | \$120 | | HML1210U40AS+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 29,400 | 210 | 4,000 | |
| | \$120 | | HML1210U40ASC+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 29,400 | 210 | 4,000 | |
| | \$120 | | HML1210U40ASC4+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 29,400 | 210 | 4,000 | |
| | \$120 | | HML1210U40ASF+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 29,400 | 210 | 4,000 | |
| | \$120 | | HML1210U40ASE25+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 29,400 | 210 | 4,000 | |
| | \$120 | | HML1210U40ASE25C+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 29,400 | 210 | 4,000 | |
| | \$120 | | HML1210U40ASE25C4+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 29,400 | 210 | 4,000 | |
| | \$120 | | HML1210U40ASE25F+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 29,400 | 210 | 4,000 | |
| | \$120 | | HML1210H40AS+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 29,400 | 210 | 4,000 | |
| | \$120 | | HML1210H40ASC+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 29,400 | 210 | 4,000 | |
| | \$120 | | HML1210H40ASC4+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 29,400 | 210 | 4,000 | |
| | \$120 | | HML1210H40ASF+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 29,400 | 210 | 4,000 | |
| | \$120 | | HML1210H40ASE25+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 29,400 | 210 | 4,000 | |
| | \$120 | | HML1210H40ASE25C+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 29,400 | 210 | 4,000 | |
| | \$120 | | HML1210H40ASE25C4+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 29,400 | 210 | 4,000 | |
| | \$120 | | HML1210H40ASE25F+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 29,400 | 210 | 4,000 | |
| | \$120 | | HML1210U50AS+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 29,400 | 210 | 5,000 | |
| | \$120 | | HML1210U50ASC+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 29,400 | 210 | 5,000 | |
| | \$120 | | HML1210U50ASC4+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 29,400 | 210 | 5,000 | |
| | \$120 | | HML1210U50ASF+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 29,400 | 210 | 5,000 | |
| | \$120 | | HML1210U50ASE25+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 29,400 | 210 | 5,000 | |
| | \$120 | | HML1210U50ASE25C+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 29,400 | 210 | 5,000 | |
| | \$120 | | HML1210U50ASE25C4+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 29,400 | 210 | 5,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|---------------------------|--|---------------------|-----------------------|------------------------|--------------|--|
| 86UCPC | \$120 | NICOR Inc. | HML1210U50ASE25F+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 29,400 | 210 | 5,000 | |
| | \$120 | | HML1210H50AS+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 29,400 | 210 | 5,000 | |
| | \$120 | | HML1210H50ASC+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 29,400 | 210 | 5,000 | |
| | \$120 | | HML1210H50ASC4+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 29,400 | 210 | 5,000 | |
| | \$120 | | HML1210H50ASF+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 29,400 | 210 | 5,000 | |
| | \$120 | | HML1210H50ASE25+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 29,400 | 210 | 5,000 | |
| | \$120 | | HML1210H50ASE25C+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 29,400 | 210 | 5,000 | |
| | \$120 | | HML1210H50ASE25C4+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 29,400 | 210 | 5,000 | |
| | \$120 | | HML1210H50ASE25F+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 29,400 | 210 | 5,000 | |
| | \$120 | | HBC4150U408BK+HBC4SENSORPIR | 767706192629 | 21,549 | 152 | 4,000 | |
| | \$120 | | HBC4150U408WH+HBC4SENSORPIR | 767706192636 | 21,549 | 152 | 4,000 | |
| | \$120 | | HBC4150U508BK+HBC4SENSORPIR | 767706192643+ | 21,407 | 151 | 5,000 | |
| | \$120 | | HBC4150U508WH+HBC4SENSORPIR | 767706192650 | 21,407 | 151 | 5,000 | |
| | \$120 | | HBC4200U408BK+HBC4SENSORPIR | 767706192667 | 27,999 | 200 | 4,000 | |
| | \$120 | | HBC4200U408WH+HBC4SENSORPIR | 767706192810 | 27,999 | 200 | 4,000 | |
| | \$120 | | HBC4200U508BK+HBC4SENSORPIR | 767706192674 | 28,492 | 200 | 5,000 | |
| | \$120 | | HBC4200U508WH+HBC4SENSORPIR | 767706192681 | 28,492 | 200 | 5,000 | |
| | \$120 | | HBC4150U408BK+HBC4SENSORMW | 767706192629 | 21,549 | 152 | 4,000 | |
| | \$120 | | HBC4150U408WH+HBC4SENSORMW | 767706192636 | 21,549 | 152 | 4,000 | |
| | \$120 | | HBC4150U508BK+HBC4SENSORMW | 767706192643 | 21,407 | 151 | 5,000 | |
| | \$120 | | HBC4150U508WH+HBC4SENSORMW | 767706192650 | 21,407 | 151 | 5,000 | |
| | \$120 | | HBC4200U408BK+HBC4SENSORMW | 767706192667 | 27,999 | 200 | 4,000 | |
| | \$120 | | HBC4200U408WH+HBC4SENSORMW | 767706192810 | 27,999 | 200 | 4,000 | |
| | \$120 | | HBC4200U508BK+HBC4SENSORMW | 767706192674 | 28,492 | 200 | 5,000 | |
| | \$120 | | HBC4200U508WH+HBC4SENSORMW | 767706192681 | 28,492 | 200 | 5,000 | |
| | \$120 | Orion Energy Systems, Inc | HBC5240SUS8+HBC4SENSORPIR | | 32,825 | 247 | 3,500 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$120 | | HBC5240SUS8+HBC4SENSORMW | | 32,825 | 247 | 3,500 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$120 | | HBC5240SUS8+HBCSOCKETADAPT1+NLCSPJ1WH-LHW | | 32,825 | 247 | 3,500 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$120 | | HML1150U40AS+H12VSENSORPIR | 767706194432+sensor | 21,150 | 150 | 4,000 | Must include one of the motion sensor options installed in field to receive incentive |
| | \$120 | | HML1150U40AS+H12VSENSORMW | 767706194432+sensor | 21,150 | 150 | 4,000 | Must include one of the motion sensor options installed in field to receive incentive |
| | \$120 | | HML1150U40AS+NLCIND3.5 | 767706194432+sensor | 21,150 | 150 | 4,000 | Must include one of the motion sensor options installed in field to receive incentive |
| | \$120 | | HML1150U50AS+H12VSENSORPIR | 767706194470+sensor | 21,300 | 150 | 5,000 | Must include one of the motion sensor options installed in field to receive incentive |
| | \$120 | | HML1150U50AS+H12VSENSORMW | 767706194470+sensor | 21,300 | 150 | 5,000 | Must include one of the motion sensor options installed in field to receive incentive |
| | \$120 | | HML1150U50AS+NLCIND3.5 | 767706194470+sensor | 21,300 | 150 | 5,000 | Must include one of the motion sensor options installed in field to receive incentive |
| | \$120 | | MLHB1224LUNVFD8CSLPND15W+EFS07-AUX-HB40 | | 23,429 | 169 | 4,000 | CCT Selectable |
| | \$120 | | MLHB1224LHMVFD8CSLPND15W+EFS07-AUX-HB40 | | 23,465 | 171 | 4,000 | CCT Selectable |
| | \$120 | | MLHB1230LUNVFD8CSLPND15W+EFS07-AUX-HB40 | | 29,165 | 211 | 4,000 | |
| | \$120 | | MLHB1330LHMVFD8CSLPND15W+EFS07-AUX-HB40 | | 29,692 | 213 | 4,000 | CCT Selectable |
| | \$120 | | MLHB1224LHMVFD8CSLPGR15W+EFS07-AUX-HB40 | | 23,964 | 170 | 4,000 | CCT Selectable |
| | \$120 | | MLHB1224LUNVFD8CSLPGR15W+EFS07-AUX-HB40 | | 23,964 | 169 | 4,000 | CCT Selectable |
| | \$120 | | MLHB1230LUNVFD8CSLPGR15W+EFS07-AUX-HB40 | | 29,319 | 212 | 4,000 | CCT Selectable |
| | \$120 | | MLHB1224LUNVFD8CSLPND15W+EFS106-AUX-HB40 | | 23,429 | 169 | 4,000 | CCT Selectable |
| | \$120 | | MLHB1224LHMVFD8CSLPND15W+EFS106-AUX-HB40 | | 23,465 | 171 | 4,000 | CCT Selectable |
| | \$120 | | MLHB1230LUNVFD8CSLPND15W+EFS106-AUX-HB40 | | 29,165 | 211 | 4,000 | |
| | \$120 | | MLHB1330LHMVFD8CSLPND15W+EFS106-AUX-HB40 | | 29,692 | 213 | 4,000 | CCT Selectable |
| | \$120 | | MLHB1224LHMVFD8CSLPGR15W+EFS106-AUX-HB40 | | 23,964 | 170 | 4,000 | CCT Selectable |
| | \$120 | | MLHB1224LUNVFD8CSLPGR15W+EFS106-AUX-HB40 | | 23,964 | 169 | 4,000 | CCT Selectable |
| | \$120 | | MLHB1230LUNVFD8CSLPGR15W+EFS106-AUX-HB40 | | 29,319 | 212 | 4,000 | CCT Selectable |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|--------------|------------------------------------|---------------------------|-----------------------|------------------------|--------------|---|
| 86UCPC | \$120 | RAB Lighting | ARBAY2-160/PIR | 019813509976 | 21,922 | 159 | 5,030 | |
| | \$120 | | ARBAY2-160N/PIR | 01981383603 | 21,826 | 158 | 3,938 | |
| | \$120 | | ARBAY3-215/PIR | 019813509983 | 29,100 | 214 | 5,060 | |
| | \$120 | | ARBAY3-215N/PIR | | 29,178 | 216 | 3,934 | |
| | \$120 | | RAIL185W/D10/WS2 | 019813638003 | 21,806 | 164 | 5,000 | |
| | \$120 | | RAIL225W/D10/WS2 | 019813638034 | 26,731 | 196 | 5,000 | |
| | \$120 | | RBAY17M+PIR40 | 192552025447+192552026000 | 36,400 | 260 | 3,500 | Wattage & CCT selectable, Measure/incentive based on min. wattage/lumen level |
| | \$120 | | RBAY17M+PIR40/LCB | 192552025447+192552014151 | 36,400 | 260 | 3,500 | Wattage & CCT selectable, Measure/incentive based on min. wattage/lumen level |
| | \$120 | | H17XL+PIR40 | 192552022033+192552022156 | 34,800 | 240 | 3,000 | Wattage & CCT selectable, Measure/incentive based on min. lumen level |
| | \$120 | | H17/480+PIR40 | | 22,200 | 150 | 5,000 | |
| | \$120 | | H17XL+PIR40/LCB | | 34,800 | 240 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$120 | SATCO | 65/783 (With Add-on Sensor 86/218) | 045923666186+045923666353 | 20,881 | 151 | 4,000 | Sale must include LED UPC: 045923666186 & sensor UPC: 045923666353 to receive Tier 2 incentive. Sensor can be programmed using remote item #86/219. |
| | \$120 | | 65/784 (With Add-on Sensor 86/218) | 045923666193+045923666353 | 20,893 | 151 | 5,000 | Sale must include LED UPC: 045923666193 & sensor UPC: 045923666353 to receive Tier 2 incentive. Sensor can be programmed using remote item #86/219. |
| | \$120 | | 65/785 (With Add-on Sensor 86/218) | 045923662850+045923666353 | 28,173 | 202 | 4,000 | Sale must include LED UPC: 045923662850 & sensor UPC: 045923666353 to receive Tier 2 incentive. Sensor can be programmed using remote item #86/219. |
| | \$120 | | 65/786 (With Add-on Sensor 86/218) | 045923662867+045923666353 | 28,108 | 202 | 5,000 | Sale must include LED UPC: 045923662867 & sensor UPC: 045923666353 to receive Tier 2 incentive. Sensor can be programmed using remote item #86/219. |
| | \$120 | | 65/771+86/218 | 045923665684+045923666353 | 29,337 | 204 | 3,000 | Wattage & CCT selectable. Sale of LED must include sensor item #86/218 to receive Tier 2 incentive. Sensor can be programmed using remote item #86/219. |
| | \$120 | | 65/783R1+86/218 | 045923661938+045923666353 | 22,699 | 157 | 4,000 | Sale of LED must include sensor item #86/218 to receive Tier 2 incentive. Sensor can be programmed using remote item #86/219. |
| | \$120 | | 65/784R1+86/218 | 045923661945+045923666353 | 22,674 | 157 | 5,000 | Sale of LED must include sensor item #86/218 to receive Tier 2 incentive. Sensor can be programmed using remote item #86/219. |
| | \$120 | | 65/793R1+86/218 | 045923662096+045923666353 | 22,699 | 157 | 4,000 | Sale of LED must include sensor item #86/218 to receive Tier 2 incentive. Sensor can be programmed using remote item #86/219. |
| | \$120 | | 65/794R1+86/218 | 045923662102+045923666353 | 22,674 | 157 | 5,000 | Sale of LED must include sensor item #86/218 to receive Tier 2 incentive. Sensor can be programmed using remote item #86/219. |
| | \$120 | | 65/783R2+86/218 | 045923648076+045923666353 | 20,421 | 150 | 4,000 | |
| | \$120 | | 65/784R2+86/218 | 045923648083+045923666353 | 20,421 | 150 | 5,000 | |
| | \$120 | | 65/785R2+86/218 | 045923648090+045923666353 | 28,487 | 205 | 4,000 | |
| | \$120 | | 65/786R2+86/218 | 045923648106+045923666353 | 28,487 | 205 | 5,000 | |
| | \$120 | | 65/793R2+86/218 | 045923648236+045923666353 | 20,421 | 150 | 4,000 | |
| | \$120 | | 65/794R2+86/218 | 045923648243+045923666353 | 20,421 | 150 | 5,000 | |
| | \$120 | | 65/795R2+86/218 | 045923648250+045923666353 | 28,487 | 205 | 4,000 | |
| | \$120 | | 65/796R2+86/218 | 045923648267+045923666353 | 28,487 | 205 | 5,000 | |
| | \$120 | | 65/783R2+86/217 | 045923648076+045923862175 | 20,421 | 150 | 4,000 | |
| | \$120 | | 65/784R2+86/217 | 045923648083+045923862175 | 20,421 | 150 | 5,000 | |
| | \$120 | | 65/785R2+86/217 | 045923648090+045923862175 | 28,487 | 205 | 4,000 | |
| | \$120 | | 65/786R2+86/217 | 045923648106+045923862175 | 28,487 | 205 | 5,000 | |
| | \$120 | | 65/793R2+86/217 | 045923648236+045923862175 | 20,421 | 150 | 4,000 | |
| | \$120 | | 65/794R2+86/217 | 045923648243+045923862175 | 20,421 | 150 | 5,000 | |
| | \$120 | | 65/795R2+86/217 | 045923648250+045923862175 | 28,487 | 205 | 4,000 | |
| | \$120 | | 65/796R2+86/217 | 045923648267+045923862175 | 28,487 | 205 | 5,000 | |
| | \$120 | | 65/646R1+86/218 | 045923656286+045923666353 | 22,740 | 164 | 5,000 | |
| | \$120 | Signify | FBZ24L840-UNV-MD360 | 784197708016 | 24,714 | 151 | 4,000 | |
| | \$120 | | FBZ24L850-UNV-MD360 | 784197708023 | 25,018 | 151 | 5,000 | |
| | \$120 | | HCY2833L8CST-UN3-DIM+HCY-SENSOR | 190096131655+190096131662 | 34,250 | 236 | 4,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|---------------------------|----------------------------------|---------------------------|-----------------------|------------------------|--------------|---|
| 86UCPC | \$120 | SLG | HE 240 G2 4K HBP-117-L7-OEM | | 25,200 | 180 | 4,000 | |
| | \$120 | | HE 240 G2 5K HBP-117-L7-OEM | | 25,200 | 180 | 5,000 | |
| | \$120 | | HE 290 G2 4K HBP-117-L7-OEM | | 29,000 | 210 | 4,000 | |
| | \$120 | | HE 290 G2 5K HBP-117-L7-OEM | | 29,000 | 210 | 5,000 | |
| | \$120 | | HR 250 WD G3 4K FSP-212 | | 25,600 | 175 | 4,000 | |
| | \$120 | | HR 250 WD G3 5K FSP-212 | | 25,600 | 175 | 5,000 | |
| | \$120 | | HR 250 WD G3 HVU 4K FSP-212 | | 25,000 | 175 | 4,000 | |
| | \$120 | | HR 250 WD G3 HVU 5K FSP-212 | | 25,000 | 175 | 5,000 | |
| | \$120 | | HR 290 WD G3 4K FSP-212 | | 29,800 | 200 | 4,000 | |
| | \$120 | | HR 290 WD G3 5K FSP-212 | | 29,800 | 200 | 5,000 | |
| | \$120 | | HR 290 WD G3 HVU 4K FSP-212 | | 30,000 | 200 | 4,000 | |
| | \$120 | | HR 290 WD G3 HVU 5K FSP-212 | | 30,000 | 200 | 5,000 | |
| | \$120 | | HCL 240 G1 4K MS-BRI619 | | 24,300 | 180 | 4,000 | |
| | \$120 | | HCL 240 G1 5K MS-BRI619 | | 24,300 | 180 | 5,000 | |
| | \$120 | Starco Lighting | SLHB-150R1D30-DMC | | 20,250 | 150 | 3,000 | |
| | \$120 | | SLHB-150R1D35-DMC | | 21,750 | 150 | 3,500 | |
| | \$120 | | SLHB-150R1D40-DMC | | 24,000 | 150 | 4,000 | |
| | \$120 | | SLHB-150R1D30-DMH | | 20,250 | 150 | 3,000 | |
| | \$120 | | SLHB-150R1D35-DMH | | 21,750 | 150 | 3,500 | |
| | \$120 | | SLHB-150R1D40-DMH | | 24,000 | 150 | 4,000 | |
| | \$120 | | SLHB-150R1D50-DMH | | 24,000 | 150 | 5,000 | |
| | \$120 | TCP | HB15000140LS1 | | 20,250 | 150 | 4,000 | |
| | \$120 | | HB15000140BLS1 | | 20,250 | 150 | 4,000 | |
| | \$120 | | HB15000150LS1 | | 20,250 | 150 | 5,000 | |
| | \$120 | | HB15000150BLS1 | | 20,250 | 150 | 5,000 | |
| | \$120 | | | | | | | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$120 | | UFOUZDSW6CCTHM1 | | 36,159 | 235 | 3,000 | setting |
| | \$120 | | UFOUZDSW6CCTHP1 | | 36,159 | 235 | 3,000 | setting |
| | \$120 | Topaz | HBC-40L-50K-PS+OS-PIR-UNV | 032886309052+032886309656 | 40,800 | 240 | 5,000 | Wattage/Power Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$120 | | HBC-40L-50K-PS+OS-PIR-12V | 032886309052+032886309663 | 40,800 | 240 | 5,000 | Wattage/Power Selectable, measure/incentive based on lowest wattage/lumen setting |
| 86UDC | \$110 | Back To Earth Energy Inc | BE-CHB-200W-D120-B-LV-5000K-MS | | 30,285 | 203 | 5,000 | Must be installed with Motion Sensor to receive incentive |
| | \$110 | | BE-CHB-240W-D120-B-LV-4000K-MS | | 37,757 | 244 | 4,000 | Must be installed with Motion Sensor to receive incentive |
| | \$110 | | BE-CHB-240W-D120-B-LV-5000K-MS | | 38,701 | 244 | 5,000 | Must be installed with Motion Sensor to receive incentive |
| | \$110 | | BE-CHB-300W-D120-B-LV-4000K-MS | | 43,223 | 299 | 4,000 | Must be installed with Motion Sensor to receive incentive |
| | \$110 | | BE-CHB-300W-D120-B-LV-5000K-MS | | 44,312 | 299 | 5,000 | Must be installed with Motion Sensor to receive incentive |
| | \$110 | Cooper Lighting Solutions | OHBL-72SE-W-UNV-L840-CD-MS-U | | 73,101 | 417 | 4,000 | |
| | \$110 | | OHBL-72SE-W-UNV-L850-CD-MS-U | | 74,160 | 417 | 5,000 | |
| | \$110 | | OHBL-90SE-W-UNV-L840-CD-MS-U | | 90,131 | 530 | 4,000 | |
| | \$110 | | OHBL-90SE-W-UNV-L850-CD-MS-U | | 91,438 | 530 | 5,000 | |
| | \$110 | LSI Industries | MHB 1 LED 30L CPW UNV 50 IMSBT2L | | 30,370 | 183 | 5,000 | |
| | \$110 | | MHB 2 LED 36L DPW UNV 40 IMSBT2L | | 33,534 | 244 | 4,000 | |
| | \$110 | | MHB 2 LED 36L DPW UNV 50 IMSBT2L | | 34,414 | 244 | 5,000 | |
| | \$110 | | MHB 2 LED 36L CPN UNV 40 IMSBT2L | | 33,532 | 243 | 4,000 | |
| | \$110 | | MHB 2 LED 36L CPN UNV 50 IMSBT2L | | 34,778 | 243 | 5,000 | |
| | \$110 | | MHB 2 LED 36L CPW UNV 40 IMSBT2L | | 37,194 | 244 | 4,000 | |
| | \$110 | | MHB 2 LED 36L CPW UNV 50 IMSBT2L | | 38,044 | 244 | 5,000 | |
| | \$110 | | MHB 2 LED 48L DPW UNV 40 IMSBT2L | | 43,012 | 324 | 4,000 | |
| | \$110 | | MHB 2 LED 48L DPW UNV 50 IMSBT2L | | 42,808 | 323 | 5,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|----------------|----------------------------------|-----|-----------------------|------------------------|--------------|--------|
| 86UDC | \$110 | LSI Industries | MHB 2 LED 48L CPN UNV 40 IMSBT2L | | 42,726 | 323 | 4,000 | |
| | \$110 | | MHB 2 LED 48L CPN UNV 50 IMSBT2L | | 42,982 | 324 | 5,000 | |
| | \$110 | | MHB 2 LED 48L CPW UNV 40 IMSBT2L | | 47,820 | 324 | 4,000 | |
| | \$110 | | MHB 2 LED 48L CPW UNV 50 IMSBT2L | | 47,798 | 324 | 5,000 | |
| | \$110 | | MHB 2 LED 60L DPW UNV 40 IMSBT2L | | 52,940 | 371 | 4,000 | |
| | \$110 | | MHB 2 LED 60L DPW UNV 50 IMSBT2L | | 54,686 | 367 | 5,000 | |
| | \$110 | | MHB 2 LED 60L CPN UNV 40 IMSBT2L | | 52,976 | 371 | 4,000 | |
| | \$110 | | MHB 2 LED 60L CPN UNV 50 IMSBT2L | | 54,194 | 367 | 5,000 | |
| | \$110 | | MHB 2 LED 60L CPW UNV 40 IMSBT2L | | 59,100 | 371 | 4,000 | |
| | \$110 | | MHB 2 LED 60L CPW UNV 50 IMSBT2L | | 60,740 | 367 | 5,000 | |
| | \$110 | | MHB 3 LED 72L DPW UNV 40 IMSBT2L | | 64,518 | 486 | 4,000 | |
| | \$110 | | MHB 3 LED 72L DPW UNV 50 IMSBT2L | | 64,212 | 485 | 5,000 | |
| | \$110 | | MHB 3 LED 72L CPN UNV 40 IMSBT2L | | 64,089 | 485 | 4,000 | |
| | \$110 | | MHB 3 LED 72L CPN UNV 50 IMSBT2L | | 64,473 | 486 | 5,000 | |
| | \$110 | | MHB 3 LED 72L CPW UNV 40 IMSBT2L | | 71,730 | 485 | 4,000 | |
| | \$110 | | MHB 3 LED 72L CPW UNV 50 IMSBT2L | | 71,697 | 485 | 5,000 | |
| | \$110 | | MHB 3 LED 90L DPW UNV 40 IMSBT2L | | 79,410 | 556 | 4,000 | |
| | \$110 | | MHB 3 LED 90L DPW UNV 50 IMSBT2L | | 82,029 | 551 | 5,000 | |
| | \$110 | | MHB 3 LED 90L CPN UNV 40 IMSBT2L | | 79,464 | 556 | 4,000 | |
| | \$110 | | MHB 3 LED 90L CPN UNV 50 IMSBT2L | | 81,291 | 550 | 5,000 | |
| | \$110 | | MHB 3 LED 90L CPW UNV 40 IMSBT2L | | 88,650 | 557 | 4,000 | |
| | \$110 | | MHB 3 LED 90L CPW UNV 50 IMSBT2L | | 91,110 | 550 | 5,000 | |
| | \$110 | | MHB 1 LED 30L CPW HV 50 IMSBT2L | | 30,370 | 183 | 5,000 | |
| | \$110 | | MHB 2 LED 36L DPW HV 40 IMSBT2L | | 33,534 | 244 | 4,000 | |
| | \$110 | | MHB 2 LED 36L DPW HV 50 IMSBT2L | | 34,414 | 244 | 5,000 | |
| | \$110 | | MHB 2 LED 36L CPN HV 40 IMSBT2L | | 33,532 | 243 | 4,000 | |
| | \$110 | | MHB 2 LED 36L CPN HV 50 IMSBT2L | | 34,778 | 243 | 5,000 | |
| | \$110 | | MHB 2 LED 36L CPW HV 40 IMSBT2L | | 37,194 | 244 | 4,000 | |
| | \$110 | | MHB 2 LED 36L CPW HV 50 IMSBT2L | | 38,044 | 244 | 5,000 | |
| | \$110 | | MHB 2 LED 48L DPW HV 40 IMSBT2L | | 43,012 | 324 | 4,000 | |
| | \$110 | | MHB 2 LED 48L DPW HV 50 IMSBT2L | | 42,808 | 323 | 5,000 | |
| | \$110 | | MHB 2 LED 48L CPN HV 40 IMSBT2L | | 42,726 | 323 | 4,000 | |
| | \$110 | | MHB 2 LED 48L CPN HV 50 IMSBT2L | | 42,982 | 324 | 5,000 | |
| | \$110 | | MHB 2 LED 48L CPW HV 40 IMSBT2L | | 47,820 | 324 | 4,000 | |
| | \$110 | | MHB 2 LED 48L CPW HV 50 IMSBT2L | | 47,798 | 324 | 5,000 | |
| | \$110 | | MHB 2 LED 60L DPW HV 40 IMSBT2L | | 52,940 | 371 | 4,000 | |
| | \$110 | | MHB 2 LED 60L DPW HV 50 IMSBT2L | | 54,686 | 367 | 5,000 | |
| | \$110 | | MHB 2 LED 60L CPN HV 40 IMSBT2L | | 52,976 | 371 | 4,000 | |
| | \$110 | | MHB 2 LED 60L CPN HV 50 IMSBT2L | | 54,194 | 367 | 5,000 | |
| | \$110 | | MHB 2 LED 60L CPW HV 40 IMSBT2L | | 59,100 | 371 | 4,000 | |
| | \$110 | | MHB 2 LED 60L CPW HV 50 IMSBT2L | | 60,740 | 367 | 5,000 | |
| | \$110 | | MHB 3 LED 72L DPW HV 40 IMSBT2L | | 64,518 | 486 | 4,000 | |
| | \$110 | | MHB 3 LED 72L DPW HV 50 IMSBT2L | | 64,212 | 485 | 5,000 | |
| | \$110 | | MHB 3 LED 72L CPN HV 40 IMSBT2L | | 64,089 | 485 | 4,000 | |
| | \$110 | | MHB 3 LED 72L CPN HV 50 IMSBT2L | | 64,473 | 486 | 5,000 | |
| | \$110 | | MHB 3 LED 72L CPW HV 40 IMSBT2L | | 71,730 | 485 | 4,000 | |
| | \$110 | | MHB 3 LED 72L CPW HV 50 IMSBT2L | | 71,697 | 485 | 5,000 | |
| | \$110 | | MHB 3 LED 90L DPW HV 40 IMSBT2L | | 79,410 | 556 | 4,000 | |
| | \$110 | | MHB 3 LED 90L DPW HV 50 IMSBT2L | | 82,029 | 551 | 5,000 | |
| | \$110 | | MHB 3 LED 90L CPN HV 40 IMSBT2L | | 79,464 | 556 | 4,000 | |
| | \$110 | | MHB 3 LED 90L CPN HV 50 IMSBT2L | | 81,291 | 550 | 5,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|----------------|--|-----|-----------------------|------------------------|--------------|--------|
| 86UDC | \$110 | LSI Industries | MHB 3 LED 90L CPW HV 40 IMSBT2L | | 88,650 | 557 | 4,000 | |
| | \$110 | | MHB 3 LED 90L CPW HV 50 IMSBT2L | | 91,110 | 550 | 5,000 | |
| | \$110 | NICOR Inc. | HML1450U35CS+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 3,500 | |
| | \$110 | | HML1450U35CSC+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 3,500 | |
| | \$110 | | HML1450U35CSC4+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 3,500 | |
| | \$110 | | HML1450U35CSF+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 3,500 | |
| | \$110 | | HML1450U35CSE40+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 3,500 | |
| | \$110 | | HML1450U35CSE40C+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 3,500 | |
| | \$110 | | HML1450U35CSE40C4+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 3,500 | |
| | \$110 | | HML1450U35CSE40F+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 3,500 | |
| | \$110 | | HML1450H35CS+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 3,500 | |
| | \$110 | | HML1450H35CSC+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 3,500 | |
| | \$110 | | HML1450H35CSC4+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 3,500 | |
| | \$110 | | HML1450H35CSF+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 3,500 | |
| | \$110 | | HML1450H35CSE40+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 3,500 | |
| | \$110 | | HML1450H35CSE40C+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 3,500 | |
| | \$110 | | HML1450H35CSE40C4+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 3,500 | |
| | \$110 | | HML1450H35CSE40F+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 3,500 | |
| | \$110 | | HML1450U40CS+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 4,000 | |
| | \$110 | | HML1450U40CSC+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 4,000 | |
| | \$110 | | HML1450U40CSC4+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 4,000 | |
| | \$110 | | HML1450U40CSF+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 4,000 | |
| | \$110 | | HML1450U40CSE40+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 4,000 | |
| | \$110 | | HML1450U40CSE40C+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 4,000 | |
| | \$110 | | HML1450U40CSE40C4+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 4,000 | |
| | \$110 | | HML1450U40CSE40F+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 4,000 | |
| | \$110 | | HML1450H40CS+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 4,000 | |
| | \$110 | | HML1450H40CSC+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 4,000 | |
| | \$110 | | HML1450H40CSC4+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 4,000 | |
| | \$110 | | HML1450H40CSF+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 4,000 | |
| | \$110 | | HML1450H40CSE40+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 4,000 | |
| | \$110 | | HML1450H40CSE40C+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 4,000 | |
| | \$110 | | HML1450H40CSE40C4+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 4,000 | |
| | \$110 | | HML1450H40CSE40F+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 4,000 | |
| | \$110 | | HML1450U50CS+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 5,000 | |
| | \$110 | | HML1450U50CSC+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 5,000 | |
| | \$110 | | HML1450U50CSC4+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 5,000 | |
| | \$110 | | HML1450U50CSF+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 5,000 | |
| | \$110 | | HML1450U50CSE40+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 5,000 | |
| | \$110 | | HML1450U50CSE40C+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 5,000 | |
| | \$110 | | HML1450U50CSE40C4+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 5,000 | |
| | \$110 | | HML1450U50CSE40F+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 5,000 | |
| | \$110 | | HML1450H50CS+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 5,000 | |
| | \$110 | | HML1450H50CSC+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 5,000 | |
| | \$110 | | HML1450H50CSC4+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 5,000 | |
| | \$110 | | HML1450H50CSF+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 5,000 | |
| | \$110 | | HML1450H50CSE40+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 5,000 | |
| | \$110 | | HML1450H50CSE40C+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 5,000 | |
| | \$110 | | HML1450H50CSE40C4+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 5,000 | |
| | \$110 | | HML1450H50CSE40F+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 5,000 | |
| | \$110 | | HML1450U57CS+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 5,700 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|---------------------------|--|--------------|-----------------------|------------------------|--------------|----------------|
| 86UDC | \$110 | NICOR Inc. | HML1450U57CSC+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 5,700 | |
| | \$110 | | HML1450U57CSC4+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 5,700 | |
| | \$110 | | HML1450U57CSF+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 5,700 | |
| | \$110 | | HML1450U57CSE40+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 5,700 | |
| | \$110 | | HML1450U57CSE40C+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 5,700 | |
| | \$110 | | HML1450U57CSE40C4+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 5,700 | |
| | \$110 | | HML1450U57CSE40F+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 5,700 | |
| | \$110 | | HML1450H57CS+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 5,700 | |
| | \$110 | | HML1450H57CSC+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 5,700 | |
| | \$110 | | HML1450H57CSC4+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 5,700 | |
| | \$110 | | HML1450H57CSF+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 5,700 | |
| | \$110 | | HML1450H57CSE40+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 5,700 | |
| | \$110 | | HML1450H57CSE40C+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 5,700 | |
| | \$110 | | HML1450H57CSE40C4+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 5,700 | |
| | \$110 | | HML1450H57CSE40F+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 60,750 | 450 | 5,700 | |
| | \$110 | Orion Energy Systems, Inc | MLHB1330LHMVFD8CSLPWD15W+EFS07-AUX-HB40 | | 30,430 | 212 | 4,000 | CCT Selectable |
| | \$110 | | MLHB1330LHMVFD8CSLPWD15W+EFS106-AUX-HB40 | | 30,430 | 212 | 4,000 | CCT Selectable |
| | \$110 | | MLHB1336LUNVFD8CSLPWD15W+EFS07-AUX-HB40 | | 36,519 | 259 | 4,000 | CCT Selectable |
| | \$110 | | MLHB1336LUNVFD8CSLPWD15W+EFS106-AUX-HB40 | | 36,519 | 259 | 4,000 | CCT Selectable |
| | \$110 | | MLHB1460LUNVFD8CSLPWD15W+EFS07-AUX-HB40 | | 59,500 | 419 | 4,000 | CCT Selectable |
| | \$110 | | MLHB1460LUNVFD8CSLPWD15W+EFS106-AUX-HB40 | | 59,500 | 419 | 4,000 | CCT Selectable |
| | \$110 | | MLHB1460LHMVFD8CSLPWD15W+EFS07-AUX-HB40 | | 59,722 | 430 | 4,000 | CCT Selectable |
| | \$110 | | MLHB1460LHMVFD8CSLPWD15W+EFS106-AUX-HB40 | | 59,722 | 430 | 4,000 | CCT Selectable |
| | \$110 | | MLHB1448LUNVFD8CSLPWD15W+EFS07-AUX-HB40 | | 48,190 | 340 | 4,000 | CCT Selectable |
| | \$110 | | MLHB1448LUNVFD8CSLPWD15W+EFS106-AUX-HB40 | | 48,190 | 340 | 4,000 | CCT Selectable |
| | \$110 | | MLHB1448LHMVFD8CSLPWD15W+EFS07-AUX-HB40 | | 48,271 | 338 | 4,000 | CCT Selectable |
| | \$110 | | MLHB1448LHMVFD8CSLPWD15W+EFS106-AUX-HB40 | | 48,271 | 338 | 4,000 | CCT Selectable |
| | \$110 | RAB Lighting | RAIL400W/D10/WS2 | 019813667973 | 53,141 | 394 | 5,000 | |
| | \$110 | SLG | HX 320 WD G1 4K FSP-212 | | 32,300 | 200 | 4,000 | |
| | \$110 | | HX 320 WD G1 HVU 5K FSP-212 | | 33,000 | 200 | 5,000 | |
| | \$110 | | HX 390 WD G1 4K FSP-212 | | 40,000 | 250 | 4,000 | |
| | \$110 | | HX 390 WD G1 HVU 4K FSP-212 | | 40,300 | 250 | 4,000 | |
| | \$110 | | HX 480 WD G1 5K FSP-212 | | 49,500 | 300 | 5,000 | |
| | \$110 | | HX 480 WD G1 HVU 4K FSP-212 | | 54,300 | 340 | 4,000 | |
| | \$110 | | HX 480 WD G1 HVU 5K FSP-212 | | 49,500 | 300 | 5,000 | |
| | \$110 | | HX 540 WD G1 4K FSP-212 | | 54,300 | 340 | 4,000 | |
| | \$110 | | HX 540 WD G1 5K FSP-212 | | 55,500 | 340 | 5,000 | |
| | \$110 | | HX 540 WD G1 HVU 4K FSP-212 | | 54,300 | 340 | 4,000 | |
| | \$110 | | HX 540 WD G1 HVU 5K FSP-212 | | 55,500 | 340 | 5,000 | |
| | \$110 | TCP | QHB2UZDA440KMS1 | | 30,500 | 220 | 4,000 | |
| | \$110 | | QHB2UZDA450KMS1 | | 30,500 | 220 | 5,000 | |
| 86UDP | \$110 | Acuity Brands Lighting | IBG 36000LM HEF PCL GND MVOLT GZ10 50K 80CRI DWH | | 36,124 | 214 | 5,000 | |
| | \$110 | | CPHB 30000LM SEF GCL MD MVOLT GZ10 50K 80CRI DWH | | 30,081 | 210 | 5,000 | |
| | \$110 | | CPHB 30000LM SEF GCL MD 480 GZ10 50K 80CRI DWH | | 30,081 | 210 | 5,000 | |
| | \$110 | | CPHB 30000LM HEF GCL MD MVOLT GZ10 50K 80CRI DWH | | 30,115 | 196 | 5,000 | |
| | \$110 | | CPHB 30000LM HEF GCL MD 480 GZ10 50K 80CRI DWH | | 30,115 | 196 | 5,000 | |
| | \$110 | ASD Lighting Corp | ASD-UHB2-240D50-PRM | 819201024018 | 35,520 | 240 | 5,000 | |
| | \$110 | | ASD-WHB5M-2D22040 | 810050736152 | 30,360 | 220 | 4,000 | |
| | \$110 | | ASD-WHB5M-2D22050 | 810050734936 | 30,580 | 220 | 5,000 | |
| | \$110 | | ASD-WHB5M-4D22050 | 810050735087 | 30,580 | 220 | 5,000 | |
| | \$110 | | ASD-WHB5M-4D32050 | 810050735094 | 43,520 | 320 | 5,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|--------------------------|----------------------------|--------------|-----------------------|------------------------|--------------|--|
| 86UDP | \$110 | ASD Lighting Corp | ASD-UFS-PRO-300 | 81012811430 | 45,000 | 300 | 3,000 | CCT & Wattage/lumen selectable. Measure/incentive based on minimum lumen output |
| | \$110 | | ASD-UHB5-HV-PRO-500BK | 81012811355 | 85,000 | 500 | 3,000 | CCT & Wattage/lumen selectable. Measure/incentive based on minimum lumen output |
| | \$110 | | ASD-UHB2-HE-500D50-BK | 81012811221 | 82,740 | 500 | 5,000 | |
| | \$110 | | ASD-UHB2-HE-240D50-BK | 81012811219 | 39,594 | 238 | 5,000 | |
| | \$110 | | ASD-UHB5-PRO-300BK | 81012811360 | 51,000 | 300 | 3,000 | CCT & Wattage/lumen selectable. Measure/incentive based on minimum lumen output |
| | \$110 | | ASD-UHB5-HV-PRO-300BK | 81012811354 | 51,000 | 300 | 3,000 | CCT & Wattage/lumen selectable. Measure/incentive based on minimum lumen output |
| | \$110 | | ASD-UHB5-PRO-500BK | 81012811361 | 85,000 | 500 | 3,000 | CCT & Wattage/lumen selectable. Measure/incentive based on minimum lumen output |
| | \$110 | | ASD-WHB5A-320D50 | 810050738736 | 43,160 | 314 | 5,000 | |
| | \$110 | | ASD-WHB5A-400D50 | 810050738743 | 53,082 | 387 | 5,000 | |
| | \$110 | | ASD-WHB5A-PRO-320 | 810128113663 | 51,200 | 320 | 3,500 | CCT & Wattage/lumen Selectable, measure/incentive based on minimum lumen setting |
| | \$110 | | ASD-WHB5A-PRO-500 | 810128113670 | 80,000 | 500 | 3,500 | CCT & Wattage/lumen Selectable, measure/incentive based on minimum lumen setting |
| | \$110 | | ASD-WHB5A-HV-PRO-320 | 810128113632 | 51,200 | 320 | 3,500 | CCT & Wattage/lumen Selectable, measure/incentive based on minimum lumen setting |
| | \$110 | | ASD-WHB5A-HV-PRO-500 | 810128113649 | 80,000 | 500 | 3,500 | CCT & Wattage/lumen Selectable, measure/incentive based on minimum lumen setting |
| | \$110 | | ASD-UHB2-500D50-PRM | 810050735209 | 75,000 | 500 | 5,000 | |
| | \$110 | | ASD-UHB2-300D50-PRM | 819201025855 | 45,000 | 300 | 5,000 | |
| | \$110 | | ASD-UHB3-500ADAC-BK | 810128111096 | 69,357 | 497 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on minimum lumen setting |
| | \$110 | | ASD-UHB3-300DAC-BK | 810128110204 | 41,429 | 295 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on minimum lumen setting |
| | \$110 | | ASD-WHB5A-A500DAC | 810128111089 | 67,079 | 483 | 3,500 | CCT & Wattage/lumen Selectable, measure/incentive based on minimum lumen setting |
| | \$110 | | ASD-UHB3HV-400D50-BK | 810050739948 | 58,651 | 392 | 5,000 | |
| | \$110 | | ASD-UHB3HV-500ADAC-BK | 810128111102 | 69,734 | 495 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on minimum lumen setting |
| | \$110 | | ASD-UHB3HV-500D50-BK | 810050739955 | 70,425 | 476 | 5,000 | |
| | \$110 | | ASD-WHB5A-A320DAC | 810128111072 | 44,761 | 319 | 3,500 | CCT & Wattage/lumen Selectable, measure/incentive based on minimum lumen setting |
| | \$110 | | ASD-UHB2HV-500D50-PRM | 810050736312 | 70,000 | 500 | 5,000 | |
| | \$110 | | ASD-UHB3-500D50-BK | 810050739931 | 72,413 | 487 | 5,000 | |
| | \$110 | | ASD-WHB5A-500D50 | 810050739863 | 68,006 | 486 | 5,000 | |
| | \$110 | | ASD-UHB3-400D50-BK | 810050739924 | 58,725 | 400 | 5,000 | |
| | \$110 | | ASD-UHB3-240DAC-BK | 810050738477 | 34,800 | 240 | 3,000 | CCT Selectable |
| | \$110 | Back To Earth Energy Inc | BE-CHB-300W-D60-B-5000K | | 46,628 | 300 | 5,000 | |
| | \$110 | | BE-CHB-200W-D90-B-LV-4000K | | 31,007 | 203 | 4,000 | |
| | \$110 | | BE-CHB-200W-D90-B-LV-5000K | | 31,783 | 203 | 5,000 | |
| | \$110 | | BE-CHB-200W-D90-B-HV-4000K | | 31,863 | 200 | 4,000 | |
| | \$110 | | BE-CHB-200W-D90-B-HV-5000K | | 32,659 | 200 | 5,000 | |
| | \$110 | | BE-CHB-240W-D90-B-LV-4000K | | 39,625 | 244 | 4,000 | |
| | \$110 | | BE-CHB-240W-D90-B-LV-5000K | | 40,615 | 244 | 5,000 | |
| | \$110 | | BE-CHB-240W-D90-B-HV-4000K | | 40,668 | 240 | 4,000 | |
| | \$110 | | BE-CHB-240W-D90-B-HV-5000K | | 41,684 | 240 | 5,000 | |
| | \$110 | | BE-CHB-300W-D90-B-LV-4000K | | 45,486 | 300 | 4,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|--------------------------|---------------------------------------|---------------|-----------------------|------------------------|--------------|--|
| 86UDP | \$110 | Back To Earth Energy Inc | BE-CHB-300W-D90-B-LV-5000K | | 45,000 | 300 | 5,000 | |
| | \$110 | | BE-CHB-300W-D90-B-HV-4000K | | 43,491 | 275 | 4,000 | |
| | \$110 | | BE-CHB-300W-D90-B-HV-5000K | | 44,579 | 275 | 5,000 | |
| | \$110 | | BE-HB17-01-600W-DH31203-B-50 | | 98,520 | 600 | 5,000 | |
| | \$110 | | BE-HB17-02-600W-DH31203-B-50 | | 98,520 | 600 | 5,000 | |
| | \$110 | | BE-SL2-450W-D30-LV-5000K | | 71,956 | 449 | 5,000 | |
| | \$110 | | BE-SL2-450W-D60-LV-5000K | | 70,606 | 449 | 5,000 | |
| | \$110 | | BE-SL2-450W-D90-LV-5000K | | 74,725 | 451 | 5,000 | |
| | \$110 | | BE-SL2-450W-D30-HV-5000K | | 73,748 | 453 | 5,000 | |
| | \$110 | | BE-SL2-450W-D60-HV-5000K | | 72,358 | 453 | 5,000 | |
| | \$110 | | BE-SL2-450W-D90-HV-5000K | | 76,275 | 453 | 5,000 | |
| | \$110 | | BE-HCP06-240W-D120-LV-4000K | | 33,547 | 243 | 4,000 | |
| | \$110 | | BE-HCP06-240W-D120-LV-5000K | | 34,183 | 243 | 5,000 | |
| | \$110 | | BE-HCP06-240W-D120-HV-4000K | | 33,896 | 240 | 4,000 | |
| | \$110 | | BE-HCP06-240W-D120-HV-5000K | | 34,540 | 240 | 5,000 | |
| | \$110 | Barron Lighting Group | EQHB-270-D-VS-4K | 190622145873 | 37,000 | 270 | 4,000 | |
| | \$110 | | EQHB-270-D-VS-5K | 190622145880 | 37,000 | 270 | 5,000 | |
| | \$110 | | EQHB-300-D-VS-4K | 190622145897 | 41,500 | 300 | 4,000 | |
| | \$110 | | EQHB-300-D-VS-5K | 190622145903 | 41,500 | 300 | 5,000 | |
| | \$110 | | EQHB-270-D-VS-4K-BB | 190622015053 | 37,000 | 270 | 4,000 | |
| | \$110 | | EQHB-270-D-HVS-4K | | 37,000 | 270 | 4,000 | |
| | \$110 | | EQHB-270-D-VS-5K-BB | 190622015831 | 37,000 | 270 | 5,000 | |
| | \$110 | | EQHB-270-D-HVS-5K | | 37,000 | 270 | 5,000 | |
| | \$110 | | EQHB-300-D-VS-4K-BB | | 41,500 | 300 | 4,000 | |
| | \$110 | | EQHB-300-D-HVS-4K | | 41,500 | 300 | 4,000 | |
| | \$110 | | EQHB-300-D-VS-5K-BB | 190622005320 | 41,500 | 300 | 5,000 | |
| | \$110 | | EQHB-300-D-HVS-5K | 190622018245 | 41,500 | 300 | 5,000 | |
| | \$110 | | EQHB-370-D-VS-4K | 190622007553 | 50,500 | 370 | 4,000 | |
| | \$110 | | EQHB-370-D-VS-4K-BB | 190622007560 | 50,500 | 370 | 4,000 | |
| | \$110 | | EQHB-370-D-HVS-4K | | 50,500 | 370 | 4,000 | |
| | \$110 | | EQHB-370-D-VS-5K | 190622010102 | 50,500 | 370 | 5,000 | |
| | \$110 | | EQHB-370-D-VS-5K-BB | | 50,500 | 370 | 5,000 | |
| | \$110 | | EQHB-370-D-HVS-5K | | 50,500 | 370 | 5,000 | |
| | \$110 | | MQHB-L-270-D-VS-4K | 190622065126 | 40,500 | 270 | 4,000 | |
| | \$110 | | MQHB-L-270-D-VS-4K-BB1 | | 40,500 | 270 | 4,000 | |
| | \$110 | | MQHB-L-270-D-VS-4K-BB2 | | 40,500 | 270 | 4,000 | |
| | \$110 | | MQHB-L-270-D-VS-5K | 190622065133 | 40,770 | 270 | 5,000 | |
| | \$110 | | MQHB-L-270-D-VS-5K-BB1 | | 40,770 | 270 | 5,000 | |
| | \$110 | | MQHB-L-270-D-VS-5K-BB2 | | 40,770 | 270 | 5,000 | |
| | \$110 | | MQHB-XL-400-D-VS-4K | 190622065140 | 60,000 | 400 | 4,000 | |
| | \$110 | | MQHB-XL-400-D-VS-4K-BB1 | | 60,000 | 400 | 4,000 | |
| | \$110 | | MQHB-XL-400-D-VS-4K-BB2 | | 60,000 | 400 | 4,000 | |
| | \$110 | | MQHB-XL-400-D-VS-5K | 190622065157 | 60,400 | 400 | 5,000 | |
| | \$110 | | MQHB-XL-400-D-VS-5K-BB1 | | 60,400 | 400 | 5,000 | |
| | \$110 | | MQHB-XL-400-D-VS-5K-BB2 | | 60,400 | 400 | 5,000 | |
| | \$110 | | MQHB-L-270-D-VS-4K+LE-MS3-AUX-HB1 | 190622065126+ | 40,500 | 270 | 4,000 | LiteLogic Sensor must be installed in field and programmed to dim or turn off with no occupancy. |
| | \$110 | | MQHB-L-270-D-VS-4K-BB1+LE-MS3-AUX-HB1 | | 40,500 | 270 | 4,000 | LiteLogic Sensor must be installed in field and programmed to dim or turn off with no occupancy. |
| | \$110 | | MQHB-L-270-D-VS-4K-BB2+LE-MS3-AUX-HB1 | | 40,500 | 270 | 4,000 | LiteLogic Sensor must be installed in field and programmed to dim or turn off with no occupancy. |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-----------------------------|--|---------------|-----------------------|------------------------|--------------|--|
| 86UDP | \$110 | Barron Lighting Group | MQHB-L-270-D-VS-5K+LE-MS3-AUX-HB1 | 190622065133+ | 40,770 | 270 | 5,000 | LiteLogic Sensor must be installed in field and programmed to dim or turn off with no occupancy. |
| | \$110 | | MQHB-L-270-D-VS-5K-BB1+LE-MS3-AUX-HB1 | | 40,770 | 270 | 5,000 | LiteLogic Sensor must be installed in field and programmed to dim or turn off with no occupancy. |
| | \$110 | | MQHB-L-270-D-VS-5K-BB2+LE-MS3-AUX-HB1 | | 40,770 | 270 | 5,000 | LiteLogic Sensor must be installed in field and programmed to dim or turn off with no occupancy. |
| | \$110 | | MQHB-XL-400-D-VS-4K+LE-MS3-AUX-HB1 | 190622065140+ | 60,000 | 400 | 4,000 | LiteLogic Sensor must be installed in field and programmed to dim or turn off with no occupancy. |
| | \$110 | | MQHB-XL-400-D-VS-4K-BB1+LE-MS3-AUX-HB1 | | 60,000 | 400 | 4,000 | LiteLogic Sensor must be installed in field and programmed to dim or turn off with no occupancy. |
| | \$110 | | MQHB-XL-400-D-VS-4K-BB2+LE-MS3-AUX-HB1 | | 60,000 | 400 | 4,000 | LiteLogic Sensor must be installed in field and programmed to dim or turn off with no occupancy. |
| | \$110 | | MQHB-XL-400-D-VS-5K+LE-MS3-AUX-HB1 | 190622065157+ | 60,400 | 400 | 5,000 | LiteLogic Sensor must be installed in field and programmed to dim or turn off with no occupancy. |
| | \$110 | | MQHB-XL-400-D-VS-5K-BB1+LE-MS3-AUX-HB1 | | 60,400 | 400 | 5,000 | LiteLogic Sensor must be installed in field and programmed to dim or turn off with no occupancy. |
| | \$110 | | MQHB-XL-400-D-VS-5K-BB2+LE-MS3-AUX-HB1 | | 60,400 | 400 | 5,000 | LiteLogic Sensor must be installed in field and programmed to dim or turn off with no occupancy. |
| | \$110 | Cooper Lighting Solutions | UHB-30-UNV-L840-CD-U | 080083885985 | 34,653 | 242 | 4,000 | |
| | \$110 | | OHBL-36SE-W-UNV-L840-CD-U | | 36,383 | 218 | 4,000 | |
| | \$110 | | OHBL-36SE-W-UNV-L850-CD-U | | 36,910 | 218 | 5,000 | |
| | \$110 | | OHBL-48SE-W-UNV-L840-CD-U | | 48,509 | 299 | 4,000 | |
| | \$110 | | OHBL-48SE-W-UNV-L850-CD-U | | 49,212 | 299 | 5,000 | |
| | \$110 | | OHBL-60SE-W-UNV-L840-CD-U | | 59,734 | 362 | 4,000 | |
| | \$110 | | OHBL-60SE-W-UNV-L850-CD-U | | 60,599 | 362 | 5,000 | |
| | \$110 | | OHB-30SE-W-UNV-L840-CD-U | | 30,109 | 183 | 4,000 | |
| | \$110 | Current | ARC033488LQVSTAQB | | 33,761 | 242 | 4,000 | |
| | \$110 | | ARC033588LQVSTAQB | | 34,163 | 242 | 5,000 | |
| | \$110 | EarthTronics Inc. | HBL530050WH1 | 840791114636 | 40,800 | 300 | 5,000 | |
| | \$110 | | HBU24050B1 | 840791114797 | 35,947 | 243 | 5,000 | |
| | \$110 | | HBU24050B5 | 840791115183 | 35,680 | 247 | 5,000 | |
| | \$110 | Eiko | BAYE2/200W/840/UD/BK | 031293112958 | 32,000 | 200 | 4,000 | |
| | \$110 | | BAYE2/200W/850/UD/BK | 031293112965 | 32,000 | 200 | 5,000 | |
| | \$110 | | BAYE2/200W/850/UD/W | 031293112972 | 32,000 | 200 | 5,000 | |
| | \$110 | | BAYE2/200W/840/VD/BK | 031293113047 | 32,000 | 200 | 4,000 | |
| | \$110 | | BAYE2/200W/850/VD/BK | 031293113054 | 32,000 | 200 | 5,000 | |
| | \$110 | | BAYE2/240W/840/UD/BK | 031293112989 | 38,400 | 240 | 4,000 | |
| | \$110 | | BAYE2/240W/850/UD/BK | 031293112996 | 38,400 | 240 | 5,000 | |
| | \$110 | | BAYE2/240W/840/VD/BK | 031293113061 | 38,400 | 240 | 4,000 | |
| | \$110 | | BAYE2/240W/850/VD/BK | 031293113078 | 38,400 | 240 | 5,000 | |
| | \$110 | Elite Lighting Co. | CB2-LED-38000L-DIM10-MVOLT-WD-40K-85 | 848070083949 | 34,425 | 255 | 4,000 | |
| | \$110 | | CB2-LED-38000L-DIM10-MVOLT-WD-50K-85 | | 34,680 | 255 | 5,000 | |
| | \$110 | | CB2-LED-45000L-DIM10-MVOLT-WD-40K-85 | 194672007600 | 40,500 | 300 | 4,000 | |
| | \$110 | | CB2-LED-45000L-DIM10-MVOLT-WD-50K-85 | | 40,800 | 300 | 5,000 | |
| | \$110 | | CB2-LED-58000L-DIM10-MVOLT-WD-40K-85 | 194672007624 | 54,000 | 400 | 4,000 | |
| | \$110 | | CB2-LED-58000L-DIM10-MVOLT-WD-50K-85 | | 54,400 | 400 | 5,000 | |
| | \$110 | ETi Solid State Lighting | CLHB-4-LB3-CP2-MV-LVD | | 41,744 | 299 | 5,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. |
| | \$110 | Gingko Lighting Corporation | GKOMLHG4270W27V40KCD | | 37,000 | 270 | 4,000 | |
| | \$110 | | GKOMLHG4270W27V40KCDB | | 37,000 | 270 | 4,000 | |
| | \$110 | | GKOMLHG4270W27V50KCD | | 37,000 | 270 | 5,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|------------------------------|--|--------------|-----------------------|------------------------|--------------|---|
| 86UDP | \$110 | Gingko Lighting Corporation | GKOMLHG4270W27V50KCDB | | 37,000 | 270 | 5,000 | |
| | \$110 | | GKOMLHG4300W27V40KCD | | 41,500 | 300 | 4,000 | |
| | \$110 | | GKOMLHG4300W27V40KCDB | | 41,500 | 300 | 4,000 | |
| | \$110 | | GKOMLHG4300W27V50KCD | | 41,500 | 300 | 5,000 | |
| | \$110 | | GKOMLHG4300W27V50KCDB | | 41,500 | 300 | 5,000 | |
| | \$110 | Green Ignite | GI-24LHB-C1000EC-UL4CDYY | | 37,000 | 270 | 5,000 | |
| | \$110 | | GI-24LHB-C1000-UL4CDYY | | 41,500 | 300 | 5,000 | |
| | \$110 | Halco Lighting Technologies | HRHB-240-CS-U-BL | 807154302574 | 34,267 | 241 | 4,000 | CCT Selectable |
| | \$110 | | HRHB-240-CS-U-WH | 807154302567 | 34,267 | 241 | 4,000 | CCT Selectable |
| | \$110 | | LHB-4-WS-40-U | 807154302864 | 42,848 | 320 | 4,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$110 | | LHB-4-WS-50-U | 807154302871 | 43,200 | 320 | 5,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$110 | | | | | | | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen |
| | \$110 | Industrial Lighting Products | CLHB-4-WS-CS-U (36103) | 807154361038 | 44,751 | 321 | 4,000 | output |
| | \$110 | | RB4-34L-U-CCTS-WHT-AD | | 31,690 | 231 | 3,500 | CCT Selectable. Must be installed w/Acrylic Diffuser (AD) to receive incentive. |
| | \$110 | | EVT3-36L/42L/48L-U-40-FRL | 790492378939 | 48,112 | 318 | 4,000 | Lumen/Wattage Selectable, measure based on minimum lumen output |
| | \$110 | | EVT3-36L/42L/48L-U-50-FRL | 790492378892 | 49,488 | 318 | 5,000 | Lumen/Wattage Selectable, measure based on minimum lumen output |
| | \$110 | Keystone Technologies | EVT3-36L/42L/48L-U-50-FRL-ESMC/HB | | 49,488 | 318 | 5,000 | Lumen/Wattage Selectable, measure based on minimum lumen output |
| | \$110 | | KT-RHLED200-14C-840-VDIM-P /G2 | 843654133225 | 31,800 | 200 | 4,000 | |
| | \$110 | | KT-RHLED200-14C-850-VDIM-P /G2 | 843654133232 | 32,000 | 200 | 5,000 | |
| | \$110 | | KT-RHLED200-14C-857-VDIM-P /G2 | 843654133232 | 32,200 | 200 | 5,700 | |
| | \$110 | | KT-HBLED230-4F-840-VDIM-P /G2 | 843654136783 | 34,500 | 230 | 4,000 | |
| | \$110 | | KT-HBLED230-4F-850-VDIM-P /G2 | 843654136790 | 34,730 | 230 | 5,000 | |
| | \$110 | | KT-HBLED270-4F-840-VDIM-P /G2 | 843654136806 | 40,500 | 270 | 4,000 | |
| | \$110 | | KT-HBLED270-4F-850-VDIM-P /G2 | 843654136813 | 40,770 | 270 | 5,000 | |
| | \$110 | | KT-RHLED400PS-18C-8CSD-VDIM-P | 843654151731 | 58,800 | 400 | 4,000 | |
| | \$110 | | KT-RHLED400PSHV-18C-8CSD-VDIM-P | 843654156361 | 60,000 | 400 | 4,000 | Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | KT-RHLED240-13CB-840-VDIM | 843654160900 | 35,971 | 240 | 4,000 | |
| | \$110 | | KT-RHLED240-13CB-850-VDIM | 843654160917 | 36,206 | 240 | 5,000 | |
| | \$110 | LEDVANCE, LLC | LNHIBA3A/255UNVD840/24W/WH (61990) | 046135619908 | 34,425 | 255 | 4,000 | |
| | \$110 | | LNHIBA3A/255UNVD850/24W/WH (61991) | 046135619915 | 34,680 | 255 | 5,000 | |
| | \$110 | | LNHIBA3A/300UNVD840/24W/WH (61992) | 046135619922 | 40,500 | 300 | 4,000 | |
| | \$110 | | LNHIBA3A/300UNVD850/24W/WH (61993) | 046135619939 | 40,800 | 300 | 5,000 | |
| | \$110 | | UFOHIBA2A/240HUV840/WH (62090) | 046135620904 | 34,052 | 241 | 4,000 | |
| | \$110 | | UFOHIBA2A/240HUV850/WH (62091) | 046135620911 | 33,999 | 242 | 5,000 | |
| | \$110 | | UFOHIBA2A/240UNVD840/WH (62078) | 046135620782 | 33,778 | 241 | 4,000 | |
| | \$110 | | UFOHIBA2A/240UNVD850/WH (62079) | 046135620799 | 33,459 | 241 | 5,000 | |
| | \$110 | | LNHIBA4A/220HUV840/12W/WH (62294) | 046135622946 | 30,584 | 216 | 4,000 | |
| | \$110 | | LNHIBA4A/300UNVD840/13W/WH (62288) | 046135622885 | 39,999 | 300 | 4,000 | |
| | \$110 | | LNHIBA4A/300UNVD850/13W/WH (62289) | 046135622892 | 40,138 | 301 | 5,000 | |
| | \$110 | | LNHIBA4A/220HUV850/12W/WH (62295) | 046135622953 | 30,599 | 216 | 5,000 | |
| | \$110 | | LNHIBA4A/320HUV840/13W/WH (62296) | 046135622960 | 44,200 | 316 | 4,000 | |
| | \$110 | | LNHIBA4A/320HUV850/13W/WH (62297) | 046135622977 | 44,333 | 315 | 5,000 | |
| | \$110 | | LNHIBA4A/300UNVD840/13W/WH/E (65730) | | 39,999 | 300 | 4,000 | |
| | \$110 | | LNHIBA4A/300UNVD850/13W/WH/E (65731) | | 40,138 | 301 | 5,000 | |
| | \$110 | | LNHIBA5A/S300UNVD85C14/12/WH (62877) | 046135628771 | 41,744 | 299 | 5,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | LNHIBA5A/S300UNVD85C14/12/WH/E (63063) | 046135630634 | 41,744 | 299 | 5,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | LNHIBA6A/255UNHD840/12W/WH (63120) | 046135631207 | 36,081 | 253 | 4,000 | |
| | \$110 | | LNHIBA6A/255UNHD850/12W/WH (63121) | 046135631214 | 36,120 | 253 | 5,000 | |
| | \$110 | | LNHIBA6A/300UNHD840/12W/WH (63122) | 046135631221 | 41,536 | 299 | 4,000 | |
| | \$110 | | LNHIBA6A/300UNHD850/12W/WH (63123) | 046135631238 | 41,529 | 298 | 5,000 | |
| | \$110 | | LNHIBA6A/255UNHD840/12W/WH/E (63134) | 046135631207 | 36,081 | 253 | 4,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|---------------------------|--|--------------|-----------------------|------------------------|--------------|---|
| 86UDP | \$110 | LEDVANCE, LLC | LNHIBA6A/255UNHD850/12W/WH/E (63135) | 046135631214 | 36,120 | 253 | 5,000 | |
| | \$110 | | LNHIBA6A/300UNHD840/12W/WH/E (63136) | 046135631221 | 41,536 | 299 | 4,000 | |
| | \$110 | | LNHIBA6A/300UNHD850/12W/WH/E (63137) | 046135631238 | 41,529 | 298 | 5,000 | |
| | \$110 | | UFOHIBA4A/200HEUNHD840/WH (63040) | 046135630408 | 33,159 | 197 | 4,000 | |
| | \$110 | | UFOHIBA4A/200HEUNHD850/WH (63041) | 046135630415 | 33,328 | 197 | 5,000 | |
| | \$110 | | UFOHIBA4A/200HEUNHD840/BL (63048) | 046135630484 | 33,159 | 197 | 4,000 | |
| | \$110 | | UFOHIBA4A/200HEUNHD850/BL (63049) | 046135630491 | 33,328 | 197 | 5,000 | |
| | \$110 | | UFOHIBA2A/240UNVD840/BL (62326) | 046135623264 | 33,778 | 241 | 4,000 | |
| | \$110 | | UFOHIBA2A/240UNVD850/BL (62327) | 046135623271 | 33,459 | 241 | 5,000 | |
| | \$110 | | UFOHIBA2A/240HUV840/BL (62334) | 046135623349 | 34,052 | 241 | 4,000 | |
| | \$110 | | UFOHIBA2A/240HUV850/BL (62335) | 046135623356 | 33,999 | 242 | 5,000 | |
| | \$110 | | LNHIBA3A/300HUV840/24W/WH (65633) | | 40,500 | 300 | 4,000 | |
| | \$110 | | LNHIBA3A/300HUV850/24W/WH (65634) | | 40,800 | 300 | 5,000 | |
| | \$110 | | UFO5A/S320UNHD8SC7/WH (62300) | 046135623004 | 43,200 | 320 | 3,500 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output |
| | \$110 | | UFO5A/S320UNHD8SC7/BL (62302) | 046135623028 | 43,200 | 320 | 3,500 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output |
| | \$110 | Linmore LED Labs | AH10S-A2-40K-LG-40-80-FR-LV-CRM-10CW-S-10V | | 40,546 | 294 | 4,000 | |
| | \$110 | | AH10S-A2-40K-LG-50-80-FR-LV-CRM-10CW-S-10V | | 40,859 | 295 | 5,000 | |
| | \$110 | | AH10S-A2-30K-MD-40-80-FR-HV-CRM-10CW-S-EMB-10V | | 31,894 | 217 | 4,000 | |
| | \$110 | | AH10S-A2-30K-MD-50-80-FR-HV-CRM-10CW-S-EMB-10V | | 31,961 | 217 | 5,000 | |
| | \$110 | | AH10S-A2-36K-LG-40-80-FR-HV-CRM-10CW-S-EMB-10V | | 36,495 | 242 | 4,000 | |
| | \$110 | | AH10S-A2-36K-LG-50-80-FR-HV-CRM-10CW-S-EMB-10V | | 36,613 | 242 | 5,000 | |
| | \$110 | | AH10S-A2-40K-LG-40-80-FR-HV-CRM-10CW-S-EMB-10V | | 42,476 | 292 | 4,000 | |
| | \$110 | | AH10S-A2-40K-LG-50-80-FR-HV-CRM-10CW-S-EMB-10V | | 42,656 | 292 | 5,000 | |
| | \$110 | | AH10S-A2-48K-LG-40-80-FR-HV-CRM-10CW-S-EMB-10V | | 48,324 | 320 | 4,000 | |
| | \$110 | | AH10S-A2-48K-LG-50-80-FR-HV-CRM-10CW-S-EMB-10V | | 48,342 | 319 | 5,000 | |
| | \$110 | | AH10S-A2-71K-XL-40-80-FR-HV-CRM-10CW-S-EMB-10V | | 72,523 | 493 | 4,000 | |
| | \$110 | | AH10S-A2-71K-XL-50-80-FR-HV-CRM-10CW-S-EMB-10V | | 72,803 | 493 | 5,000 | |
| | \$110 | Litetronics International | LHB20050 | | 30,200 | 200 | 5,000 | |
| | \$110 | | LHB27050 | | 40,770 | 270 | 5,000 | |
| | \$110 | | LHB40050 | | 60,400 | 400 | 5,000 | |
| | \$110 | | HOPT2 | | 30,869 | 215 | 5,000 | |
| | \$110 | | HOPT4 | | 46,570 | 313 | 5,000 | |
| | \$110 | LSI Industries | AHB 48L 840 | | 49,717 | 363 | 5,000 | |
| | \$110 | | AHB 48L 850 | | 49,695 | 362 | 4,000 | |
| | \$110 | | AHB 60L 840 | | 60,468 | 442 | 4,000 | |
| | \$110 | | AHB 60L 850 | | 60,384 | 443 | 5,000 | |
| | \$110 | MaxLite Inc. | BLHE3-255UF-40 | 767627006050 | 34,425 | 255 | 4,000 | |
| | \$110 | | BLHE3-255UF-50 | 767627006067 | 34,680 | 255 | 5,000 | |
| | \$110 | | BLHE3-300UF-40 | 767627006098 | 40,500 | 300 | 4,000 | |
| | \$110 | | BLHE3-300UF-50 | 767627006104 | 40,800 | 300 | 5,000 | |
| | \$110 | | BLHE3-400UF-40 | 767627006135 | 54,000 | 400 | 4,000 | |
| | \$110 | | BLHE3-400UF-50 | 767627006142 | 54,400 | 400 | 5,000 | |
| | \$110 | | HL3-230UF-CSCR | 767627031229 | 34,500 | 230 | 4,000 | CCT Selectable |
| | \$110 | | HL3-270UF-CSCR | 767627031236 | 40,500 | 270 | 4,000 | CCT Selectable |
| | \$110 | | HL3-230HF-CSCR | | 34,500 | 230 | 4,000 | CCT Selectable |
| | \$110 | | HL3-270HF-CSCR | | 40,500 | 270 | 4,000 | CCT Selectable |
| | | | | | | | | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$110 | | HLE-200WUF-CS (110860) | | 40,770 | 270 | 5,000 | output |
| | | | | | | | | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$110 | | HLE-270WUF-CS (110861) | | 60,400 | 400 | 5,000 | output |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|----------------------|--------------------------|--------------|-----------------------|------------------------|--------------|---|
| 86UDP | \$110 | MaxLite Inc. | HLE-200WUF-CSEM (110872) | | 40,770 | 270 | 5,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$110 | | HLE-270WUF-CSEM (110873) | | 60,400 | 400 | 5,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$110 | Morris Products Inc. | 71718A | | 40,917 | 304 | 5,000 | |
| | \$110 | | 71713A | | 30,173 | 219 | 5,000 | |
| | \$110 | | 74106B | | 33,748 | 241 | 5,000 | |
| | \$110 | | 74093B | | 34,016 | 241 | 4,000 | |
| | \$110 | | 71715A | | 30,246 | 218 | 4,000 | |
| | \$110 | | 74106C | | 32,532 | 242 | 5,000 | |
| | \$110 | NICOR Inc. | HBG133U408A | 767706182033 | 32,800 | 205 | 4,000 | |
| | \$110 | | HBG133U408D | 767706185294 | 31,570 | 205 | 4,000 | |
| | \$110 | | HBG133U508A | 767706185300 | 33,005 | 205 | 5,000 | |
| | \$110 | | HBG133U508D | 767706185263 | 31,775 | 205 | 5,000 | |
| | \$110 | | HBC4240U408BK | 767706192698 | 34,016 | 241 | 4,000 | |
| | \$110 | | HBC4240U408WH | 767706192704 | 34,016 | 241 | 4,000 | |
| | \$110 | | HBC4240U508BK | 767706192711 | 33,748 | 241 | 5,000 | |
| | \$110 | | HBC4240U508WH | 767706196849 | 33,748 | 241 | 5,000 | |
| | \$110 | | HBC4300U408BK | 767706192735 | 40,263 | 297 | 4,000 | |
| | \$110 | | HBC4300U408WH | 767706192742 | 40,263 | 297 | 4,000 | |
| | \$110 | | HBC4300U508BK | 767706192759 | 40,685 | 297 | 5,000 | |
| | \$110 | | HBC4300U508WH | 767706192766 | 40,685 | 297 | 5,000 | |
| | \$110 | | HBC4400U408BK | 767706192773 | 53,400 | 393 | 4,000 | |
| | \$110 | | HBC4400U408WH | 767706192780 | 53,400 | 393 | 4,000 | |
| | \$110 | | HBC4400U508BK | 767706192797 | 54,044 | 393 | 5,000 | |
| | \$110 | | HBC4400U508WH | 767706192803 | 54,044 | 393 | 5,000 | |
| | \$110 | | HBC4300U578BK | | 42,433 | 302 | 5,700 | |
| | \$110 | | HBC4300U578WH | | 42,433 | 302 | 5,700 | |
| | \$110 | | HML1300U35A | | 42,000 | 300 | 3,500 | |
| | \$110 | | HML130U35AS | | 42,000 | 300 | 3,500 | |
| | \$110 | | HML1300H35A | | 42,000 | 300 | 3,500 | |
| | \$110 | | HML1300H35AS | | 42,000 | 300 | 3,500 | |
| | \$110 | | HML1300U40A | | 42,000 | 300 | 4,000 | |
| | \$110 | | HML1300U40AS | | 42,000 | 300 | 4,000 | |
| | \$110 | | HML1300H40A | | 42,000 | 300 | 4,000 | |
| | \$110 | | HML1300H40AS | | 42,000 | 300 | 4,000 | |
| | \$110 | | HML1300U50A | | 42,000 | 300 | 5,000 | |
| | \$110 | | HML1300U50AS | | 42,000 | 300 | 5,000 | |
| | \$110 | | HML1300H50A | | 42,000 | 300 | 5,000 | |
| | \$110 | | HML1300H50AS | | 42,000 | 300 | 5,000 | |
| | \$110 | | HML1300U57A | | 42,000 | 300 | 5,700 | |
| | \$110 | | HML1300U57AS | | 42,000 | 300 | 5,700 | |
| | \$110 | | HML1300H57A | | 42,000 | 300 | 5,700 | |
| | \$110 | | HML1300H57AS | | 42,000 | 300 | 5,700 | |
| | \$110 | | HML2320WSU35A | | 44,576 | 320 | 3,500 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | HML2320WSU35AC3 | | 44,576 | 320 | 3,500 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | HML2320WSU35AC4 | | 44,576 | 320 | 3,500 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | HML2320WSU35AF | | 44,576 | 320 | 3,500 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | HML2320WSU35AE40 | | 44,576 | 320 | 3,500 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | HML2320WSU35AE40C3 | | 44,576 | 320 | 3,500 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | HML2320WSU35AE40C4 | | 44,576 | 320 | 3,500 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |

[illegible]

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|---------------------------|---------------------------|--------------|-----------------------|------------------------|--------------|---|
| 86UDP | \$110 | NICOR Inc. | HML2320WSU57ASC4 | | 45,952 | 320 | 5,700 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | HML2320WSU57ASF | | 45,952 | 320 | 5,700 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | HML2320WSU57ASE40 | | 45,952 | 320 | 5,700 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | HML2320WSU57ASE40C3 | | 45,952 | 320 | 5,700 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | HML2320WSU57ASE40C4 | | 45,952 | 320 | 5,700 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | HML2320WSU57ASE40F | | 45,952 | 320 | 5,700 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | Orion Energy Systems, Inc | MLHB1336LUNVFD8CSLPND15W | | 35,943 | 259 | 4,000 | |
| | \$110 | | MLHB1336LHMVFD8CSLPND15W | | 36,024 | 256 | 4,000 | |
| | \$110 | | MLHB1448LUNVFD8CSLPND15W | | 47,141 | 340 | 4,000 | |
| | \$110 | | MLHB1448LHMVFD8CSLPND15W | | 47,148 | 340 | 4,000 | |
| | \$110 | | MLHB1460LUNVFD8CSLPND15W | | 59,065 | 420 | 4,000 | |
| | \$110 | | MLHB1460LHMVFD8CSLPND15W | | 59,086 | 431 | 4,000 | |
| | \$110 | | MLHB1330LHMVFD8CSLPGR15W | | 30,179 | 213 | 4,000 | CCT Selectable |
| | \$110 | | MLHB1336LHMVFD8CSLPGR15W | | 36,409 | 256 | 4,000 | CCT Selectable |
| | \$110 | | MLHB1336LUNVFD8CSLPGR15W | | 36,257 | 260 | 4,000 | CCT Selectable |
| | \$110 | | MLHB1448LHMVFD8CSLPGR15W | | 47,744 | 339 | 4,000 | CCT Selectable |
| | \$110 | | MLHB1448LUNVFD8CSLPGR15W | | 47,759 | 339 | 4,000 | CCT Selectable |
| | \$110 | | MLHB1460LUNVFD8CSLPGR15W | | 59,296 | 420 | 4,000 | CCT Selectable |
| | \$110 | | MLHB1460LHMVFD8CSLPGR15W | | 59,384 | 430 | 4,000 | CCT Selectable |
| | \$110 | P.Q.L. Inc. | CHB3-240-D-MV-50K (90306) | 811768021325 | 35,856 | 248 | 5,000 | |
| | \$110 | RAB Lighting | ARBAY3-275 | 019813507606 | 36,747 | 268 | 5,060 | |
| | \$110 | | ARBAY3-275N | 019813507620 | 36,846 | 269 | 3,940 | |
| | \$110 | | ARBAY4-315 | 019813507637 | 43,148 | 311 | 5,058 | |
| | \$110 | | ARBAY4-315N | 019813507644 | 42,406 | 307 | 3,917 | |
| | \$110 | | ARBAY4-360 | 019813507651 | 48,678 | 359 | 5,058 | |
| | \$110 | | ARBAY4-360N | 019813507675 | 47,841 | 355 | 3,944 | |
| | \$110 | | ARBAY3-275/480 | | 38,391 | 259 | 5,000 | |
| | \$110 | | ARBAY3-275N/480 | | 38,013 | 258 | 4,000 | |
| | \$110 | | RBAY17L | 192552025461 | 56,000 | 400 | 3,500 | Wattage & CCT selectable, Measure/incentive based on min. wattage/lumen level |
| | \$110 | | RBAY17L/480 | 192552025478 | 56,000 | 400 | 3,500 | Wattage & CCT selectable, Measure/incentive based on min. wattage/lumen level |
| | \$110 | SATCO | H17XL/480 | | 35,520 | 240 | 5,000 | |
| | \$110 | | 65/507 | 045923535079 | 31,433 | 213 | 4,000 | |
| | \$110 | | 65/508 | 045923682421 | 32,042 | 214 | 5,000 | |
| | \$110 | | 65/787 | 045923662874 | 33,778 | 241 | 4,000 | |
| | \$110 | | 65/788 | 045923662881 | 33,459 | 241 | 5,000 | |
| | \$110 | | 65/797 | 045923666285 | 33,778 | 241 | 4,000 | |
| | \$110 | | 65/798 | 045923666292 | 33,459 | 241 | 5,000 | |
| | \$110 | | 65/807 | 045923666315 | 34,052 | 241 | 4,000 | |
| | \$110 | | 65/808 | 045923666322 | 33,999 | 242 | 5,000 | |
| | \$110 | | 65/786R1 | 045923661969 | 30,537 | 211 | 5,000 | |
| | \$110 | | 65/787R1 | 045923661976 | 34,583 | 241 | 4,000 | |
| | \$110 | | 65/788R1 | 045923661983 | 34,716 | 241 | 5,000 | |
| | \$110 | | 65/795R1 | 045923662119 | 30,540 | 211 | 4,000 | |
| | \$110 | | 65/796R1 | 045923662126 | 30,537 | 211 | 5,000 | |
| | \$110 | | 65/797R1 | 045923662133 | 34,583 | 241 | 4,000 | |
| | \$110 | | 65/798R1 | 045923662140 | 34,716 | 241 | 5,000 | |
| | \$110 | | 65/785R1 | 045923661952 | 30,540 | 211 | 4,000 | |
| | \$110 | | 65/787R2 | 045923648113 | 32,796 | 235 | 4,000 | |
| | \$110 | | 65/788R2 | 045923648120 | 32,796 | 235 | 5,000 | |
| | \$110 | | 65/797R2 | 045923648274 | 32,796 | 235 | 4,000 | |
| | \$110 | | 65/798R2 | 045923648281 | 32,796 | 235 | 5,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|--------------------------|--|---------------------------|-----------------------|------------------------|--------------|---|
| 86UDP | \$110 | Signify | FBY30L840-UNV | | 30,425 | 208 | 4,000 | |
| | \$110 | | FBY30L850-UNV | | 30,425 | 208 | 5,000 | |
| | \$110 | SLG | HE 360 G2 4K | 728943426533 | 37,000 | 270 | 4,000 | |
| | \$110 | | HE 360 G2 5K | 728943426533 | 37,000 | 270 | 5,000 | |
| | \$110 | | HE 400 G2 4K | 728943426540 | 41,500 | 300 | 4,000 | |
| | \$110 | | HE 400 G2 5K | 728943426540 | 41,500 | 300 | 5,000 | |
| | \$110 | | HE 500 G2 4K | | 50,500 | 370 | 4,000 | |
| | \$110 | | HE 500 G2 5K | | 50,500 | 370 | 5,000 | |
| | \$110 | TCP | HB21000140B | | 30,500 | 210 | 4,000 | |
| | \$110 | | HB21000150B | | 30,500 | 210 | 5,000 | |
| | \$110 | | UFOUZDA440K | | 32,400 | 240 | 4,000 | |
| | \$110 | | UFOUZDA450K | | 32,400 | 240 | 5,000 | |
| | \$110 | Topaz | HBC/200W/50K/BL (72988) | 751338039438 | 31,622 | 204 | 5,000 | |
| | \$110 | | F-LUHB/240/5K/G3 | 751338038448 | 33,129 | 227 | 5,000 | |
| | \$110 | | F-LUHB/240/5K/HV/G3 | 751338038486 | 33,854 | 236 | 5,000 | |
| | \$110 | | LHB-30L-W-40K-U | 032886308819 | 30,537 | 204 | 4,000 | |
| | \$110 | | LHB-30L-W-50K-U | 032886308826 | 30,869 | 204 | 5,000 | |
| | \$110 | | LHB-36L-W-40K-U | 032886308833 | 34,833 | 243 | 4,000 | |
| | \$110 | | LHB-36L-W-50K-U | 032886308840 | 35,159 | 243 | 5,000 | |
| | \$110 | | LHB-48L-W-40K-U | 032886308857 | 47,790 | 308 | 4,000 | |
| | \$110 | | LHB-48L-W-50K-U | 032886308864 | 48,161 | 307 | 5,000 | |
| | \$110 | | LHB-63L-W-40K-U | 032886308871 | 64,073 | 416 | 4,000 | |
| | \$110 | | LHB-63L-W-50K-U | 032886308888 | 64,541 | 416 | 5,000 | |
| | \$110 | WESTGATE MFG | LLHB4-500W-MP-40K-D | 845060085174 | 72,065 | 528 | 4,000 | Wattage selectable, measure/inentive based on min. lumen level |
| | \$110 | | LLHB4-500W-MP-50K-D | 845060085167 | 74,879 | 528 | 4,000 | Wattage selectable, measure/inentive based on min. lumen level |
| 86UDPC | \$135 | Acuity Brands Lighting | CPHB 30000LM SEF GCL MD MVOLT GZ10 50K 80CRI LSXR6 DWH | 194995163915 | 30,081 | 210 | 5,000 | |
| | \$135 | | CPHB 30000LM SEF GCL MD MVOLT GZ10 50K 80CRI NLTAIR2 RLSXR6 DWH | 194995164189 | 30,081 | 210 | 5,000 | |
| | \$135 | | IBG 30000LM SEF ATL ND MVOLT GZ10 50K 80CRI CNPW LSXR6 DWH | | 30,007 | 182 | 5,000 | |
| | \$135 | | IBG 30000LM SEF ATL ND MVOLT GZ10 50K 80CRI IE20WCPHE CNPW LSXR6 | | 30,007 | 182 | 5,000 | |
| | \$135 | | IBG 36000LM SEF ATL ND MVOLT GZ10 50K 80CRI CNPW LSXR6 DWH | | 35,955 | 223 | 5,000 | |
| | \$135 | | IBG 36000LM SEF ATL ND MVOLT GZ10 50K 80CRI IE20WCPHE CNPW LSXR6 DWH | | 35,955 | 223 | 5,000 | |
| | \$135 | | IBG 36000LM HEF AFL GND MVOLT GZ10 50K 80CRI LSXR6 DWH | | 36,716 | 214 | 5,000 | |
| | \$135 | | IBG 36000LM SEF AFL GND MVOLT GZ10 50K 80CRI LSXR6 DWH | | 36,018 | 223 | 5,000 | |
| | \$135 | | CPHB 30LM MVOLT 50K+LSXR610 | 194994429784+820476095115 | 30,081 | 210 | 5,000 | |
| | \$135 | ASD Lighting Corp | ASD-WHB5M-2D22050-MSR | 810050734967 | 30,580 | 220 | 5,000 | |
| | \$135 | | ASD-WHB5M-4D22050-MSR | 810050735070 | 30,580 | 220 | 5,000 | |
| | \$135 | | ASD-WHB5M-4D32050-MSR | 810050736916 | 43,520 | 320 | 5,000 | |
| | | | | | | | | CCT & Wattage/lumen selectable. Measure/incentive based on minimum lumen output |
| | \$135 | | ASD-UHB5-HV-PRO-500BK+ASD-09IR-BK | 81012811355+810128114349 | 85,000 | 500 | 3,000 | |
| | \$135 | | ASD-UHB2-HE-500D50-BK+UHB-MSK1 | 81012811221+819201021994 | 82,740 | 500 | 5,000 | |
| | \$135 | | ASD-UHB2-HE-240D50-BK+UHB-MSK1 | 81012811219+819201021994 | 39,594 | 238 | 5,000 | |
| | | | | | | | | CCT & Wattage/lumen selectable. Measure/incentive based on minimum lumen output |
| | \$135 | | ASD-UHB5-PRO-300BK+ASD-09IR-BK | 81012811360+810128114349 | 51,000 | 300 | 3,000 | |
| | | | | | | | | CCT & Wattage/lumen selectable. Measure/incentive based on minimum lumen output |
| | \$135 | | ASD-UHB5-HV-PRO-300BK+ASD-09IR-BK | 81012811354+810128114349 | 51,000 | 300 | 3,000 | |
| | | | | | | | | CCT & Wattage/lumen selectable. Measure/incentive based on minimum lumen output |
| | \$135 | | ASD-UHB5-PRO-500BK+ASD-09IR-BK | 81012811361+810128114349 | 85,000 | 500 | 3,000 | |
| | \$135 | Back To Earth Energy Inc | BE-HCP06-240W-D120-LV-4000K-MS | | 33,547 | 243 | 4,000 | |
| | \$135 | | BE-HCP06-240W-D120-LV-5000K-MS | | 34,183 | 243 | 5,000 | |
| | \$135 | Barron Lighting Group | EQHB-270-D-VS-4K-SC | | 37,000 | 270 | 4,000 | |
| | \$135 | | EQHB-270-D-VS-5K-SC | | 37,000 | 270 | 5,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|------------------------------|--|---------------------------|-----------------------|------------------------|--------------|--|
| 86UDPC | \$135 | Barron Lighting Group | EQHB-300-D-VS-4K-SC | | 41,500 | 300 | 4,000 | |
| | \$135 | | EQHB-300-D-VS-5K-SC | | 41,500 | 300 | 5,000 | |
| | \$135 | | EQHB-270-D-VS-4K-BB-SC | 190622027179 | 37,000 | 270 | 4,000 | |
| | \$135 | | EQHB-270-D-VS-5K-BB-SC | | 37,000 | 270 | 5,000 | |
| | \$135 | | EQHB-300-D-VS-4K-BB-SC | | 41,500 | 300 | 4,000 | |
| | \$135 | | EQHB-300-D-VS-5K-BB-SC | 190622010362 | 41,500 | 300 | 5,000 | |
| | \$135 | | EQHB-370-D-VS-4K-SC | | 50,500 | 370 | 4,000 | |
| | \$135 | | EQHB-370-D-VS-4K-BB-SC | | 50,500 | 370 | 4,000 | |
| | \$135 | | EQHB-370-D-VS-5K-SC | 190622015329 | 50,500 | 370 | 5,000 | |
| | \$135 | | EQHB-370-D-VS-5K-BB-SC | | 50,500 | 370 | 5,000 | |
| | \$135 | Cooper Lighting Solutions | OHBL-36SE-W-UNV-L840-CD-MS-U | | 36,383 | 218 | 4,000 | |
| | \$135 | | OHBL-36SE-W-UNV-L850-CD-MS-U | | 36,910 | 218 | 5,000 | |
| | \$135 | | OHBL-48SE-W-UNV-L840-CD-MS-U | | 48,509 | 299 | 4,000 | |
| | \$135 | | OHBL-48SE-W-UNV-L850-CD-MS-U | | 49,212 | 299 | 5,000 | |
| | \$135 | | OHBL-60SE-W-UNV-L840-CD-MS-U | | 59,734 | 362 | 4,000 | |
| | \$135 | | OHBL-60SE-W-UNV-L850-CD-MS-U | | 60,599 | 362 | 5,000 | |
| | \$135 | | OHB-30SE-W-UNV-L840-CD-MS-U | | 30,109 | 183 | 4,000 | |
| | \$135 | Current | ARC033488LQVSTAQB (w/sensor 93142316) | | 33,761 | 242 | 4,000 | Must be sold and installed with sensor option - 93142316 to receive incentive |
| | \$135 | | ARC033588LQVSTAQB (w/sensor 93142316) | | 34,163 | 242 | 5,000 | Must be sold and installed with sensor option - 93142316 to receive incentive |
| | \$135 | EarthTronics Inc. | HBU24050B1+11480 | | 35,947 | 243 | 5,000 | |
| | \$135 | Elite Lighting Co. | CB2-LED-38000L-DIM10-MVOLT-WD-40K-85-MS | | 34,425 | 255 | 4,000 | |
| | \$135 | | CB2-LED-38000L-DIM10-MVOLT-WD-50K-85-MS | | 34,680 | 255 | 5,000 | |
| | \$135 | | CB2-LED-45000L-DIM10-MVOLT-WD-40K-85-MS | | 40,500 | 300 | 4,000 | |
| | \$135 | | CB2-LED-45000L-DIM10-MVOLT-WD-50K-85-MS | | 40,800 | 300 | 5,000 | |
| | \$135 | | CB2-LED-58000L-DIM10-MVOLT-WD-40K-85-MS | | 54,000 | 400 | 4,000 | |
| | \$135 | | CB2-LED-58000L-DIM10-MVOLT-WD-50K-85-MS | | 54,400 | 400 | 5,000 | |
| | \$135 | ETi Solid State Lighting | CLHB-4-LB3-CP2-MV-LVD+QI-PIR-OCC | | 41,744 | 299 | 5,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. |
| | \$135 | | CLHB-4-LB3-CP2-MV-LVD+QI-MW-OCC | | 41,744 | 299 | 5,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. |
| | \$135 | Gingko Lighting Corporation | GKOMLHG4270W27V40KCDM | | 37,000 | 270 | 4,000 | |
| | \$135 | | GKOMLHG4270W27V40KCDMB | | 37,000 | 270 | 4,000 | |
| | \$135 | | GKOMLHG4270W27V50KCDM | | 37,000 | 270 | 5,000 | |
| | \$135 | | GKOMLHG4270W27V50KCDMB | | 37,000 | 270 | 5,000 | |
| | \$135 | | GKOMLHG4300W27V40KCDM | | 41,500 | 300 | 4,000 | |
| | \$135 | | GKOMLHG4300W27V40KCDMB | | 41,500 | 300 | 4,000 | |
| | \$135 | | GKOMLHG4300W27V50KCDM | | 41,500 | 300 | 5,000 | |
| | \$135 | | GKOMLHG4300W27V50KCDMB | | 41,500 | 300 | 5,000 | |
| | \$135 | Halco Lighting Technologies | LHB-4-WS-40-U-LVMS | | 42,848 | 320 | 4,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$135 | | LHB-4-WS-50-U-LVMS | | 43,200 | 320 | 5,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$135 | | CLHB-4-WS-CS-U-PIRMS (36127) | | 44,751 | 321 | 4,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$135 | | HRHB-240-CS-U-BL+DCMS | 807154302574+807154248759 | 34,267 | 241 | 4,000 | CCT Selectable |
| | \$135 | | HRHB-240-CS-U-WH+DCMS | 807154302567+807154248759 | 34,267 | 241 | 4,000 | CCT Selectable |
| | \$135 | | LHB-4-WS-40-U-PIRMS | | 42,848 | 320 | 4,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$135 | | LHB-4-WS-50-U-PIRMS | | 43,200 | 320 | 5,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$135 | Industrial Lighting Products | EVT3-36L/42L/48L-U-40-FRL-ESMC/HB | | 48,112 | 318 | 4,000 | Lumen/Wattage Selectable, measure based on minimum lumen output |
| | | | | | | | | Select one occ. sensor option to qual. for incent. (UPCs: 843654135212-MW, 843654133317-MW-A, 843654133324-MA-B, 843654136196-PIR, 843654133638-PIR-A, 843654133645-PIR-B) |
| | \$135 | Keystone Technologies | KT-RHLED200-14C-850-VDIM-P /G2 [/MW, /MW-A, /MW-B, /PIR, /PIR-A, /PIR-B] | 843654133232 | 32,000 | 200 | 5,000 | |
| | \$135 | | KT-HBLEDD230-4F-840-VDIM-P /G2/HBFC1 | 843654136783+843654129266 | 34,500 | 230 | 4,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-----------------------|--|---------------------------|-----------------------|------------------------|--------------|--|
| 86UDPC | \$135 | Keystone Technologies | KT-HBLED230-4F-850-VDIM-P /G2/HBFC1 | 843654136790+843654129266 | 34,730 | 230 | 5,000 | |
| | \$135 | | KT-HBLED270-4F-840-VDIM-P /G2/HBFC1 | 843654136806+843654129266 | 40,500 | 270 | 4,000 | |
| | \$135 | | KT-HBLED270-4F-850-VDIM-P /G2/HBFC1 | 843654136813+843654129266 | 40,770 | 270 | 5,000 | |
| | \$135 | | KT-HBLED230-4F-840-VDIM-P /G2/FC3 | 843654136783+843654138862 | 34,500 | 230 | 4,000 | |
| | \$135 | | KT-HBLED230-4F-850-VDIM-P /G2/FC3 | 843654136790+843654138862 | 34,730 | 230 | 5,000 | |
| | \$135 | | KT-HBLED270-4F-840-VDIM-P /G2/FC3 | 843654136806+843654138862 | 40,500 | 270 | 4,000 | |
| | \$135 | | KT-HBLED270-4F-850-VDIM-P /G2/FC3 | 843654136813+843654138862 | 40,770 | 270 | 5,000 | |
| | \$135 | | KT-HBLED230-4F-840-VDIM-P /G2/PIR | 843654136783+843654123288 | 34,500 | 230 | 4,000 | |
| | \$135 | | KT-HBLED230-4F-850-VDIM-P /G2/PIR | 843654136790+843654123288 | 34,730 | 230 | 5,000 | |
| | \$135 | | KT-HBLED270-4F-840-VDIM-P /G2/PIR | 843654136806+843654123288 | 40,500 | 270 | 4,000 | |
| | \$135 | | KT-HBLED270-4F-850-VDIM-P /G2/PIR | 843654136813+843654123288 | 40,770 | 270 | 5,000 | |
| | \$135 | | KT-HBLED230-4F-840-VDIM-P /G2/PIR-A | 843654136783+843654133638 | 34,500 | 230 | 4,000 | |
| | \$135 | | KT-HBLED230-4F-850-VDIM-P /G2/PIR-A | 843654136790+843654133638 | 34,730 | 230 | 5,000 | |
| | \$135 | | KT-HBLED270-4F-840-VDIM-P /G2/PIR-A | 843654136806+843654133638 | 40,500 | 270 | 4,000 | |
| | \$135 | | KT-HBLED270-4F-850-VDIM-P /G2/PIR-A | 843654136813+843654133638 | 40,770 | 270 | 5,000 | |
| | \$135 | | KT-HBLED230-4F-840-VDIM-P /G2/PIR-B | 843654136783+843654133645 | 34,500 | 230 | 4,000 | |
| | \$135 | | KT-HBLED230-4F-850-VDIM-P /G2/PIR-B | 843654136790+843654133645 | 34,730 | 230 | 5,000 | |
| | \$135 | | KT-HBLED270-4F-840-VDIM-P /G2/PIR-B | 843654136806+843654133645 | 40,500 | 270 | 4,000 | |
| | \$135 | | KT-HBLED270-4F-850-VDIM-P /G2/PIR-B | 843654136813+843654133645 | 40,770 | 270 | 5,000 | |
| | \$135 | | KT-HBLED230-4F-840-VDIM-P /G2/MW3-A | 843654136783+843654133317 | 34,500 | 230 | 4,000 | |
| | \$135 | | KT-HBLED230-4F-850-VDIM-P /G2/MW3-A | 843654136790+843654133317 | 34,730 | 230 | 5,000 | |
| | \$135 | | KT-HBLED270-4F-840-VDIM-P /G2/MW3-A | 843654136806+843654133317 | 40,500 | 270 | 4,000 | |
| | \$135 | | KT-HBLED270-4F-850-VDIM-P /G2/MW3-A | 843654136813+843654133317 | 40,770 | 270 | 5,000 | |
| | \$135 | | KT-HBLED230-4F-840-VDIM-P /G2/MW3-B | 843654136783+843654133324 | 34,500 | 230 | 4,000 | |
| | \$135 | | KT-HBLED230-4F-850-VDIM-P /G2/MW3-B | 843654136790+843654133324 | 34,730 | 230 | 5,000 | |
| | \$135 | | KT-HBLED270-4F-840-VDIM-P /G2/MW3-B | 843654136806+843654133324 | 40,500 | 270 | 4,000 | |
| | \$135 | | KT-HBLED270-4F-850-VDIM-P /G2/MW3-B | 843654136813+843654133324 | 40,770 | 270 | 5,000 | |
| | \$135 | | KT-RHLED400PSHV-18C-8CSD-VDIM-P/FC3 | 843654156361+843654138862 | 60,000 | 400 | 4,000 | Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$135 | | KT-RHLED400PSHV-18C-8CSD-VDIM-P/MW3 | 843654156361+843654135212 | 60,000 | 400 | 4,000 | Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$135 | | KT-RHLED400PSHV-18C-8CSD-VDIM-P/PIR3 | 843654156361+843654146447 | 60,000 | 400 | 4,000 | Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$135 | | KT-RHLED200-14C-840-VDIM-P /G2/PIR3 | 843654133225+843654146447 | 31,800 | 200 | 4,000 | |
| | \$135 | | KT-RHLED200-14C-857-VDIM-P /G2/PIR3 | 843654133232+843654146447 | 32,200 | 200 | 5,700 | |
| | \$135 | | KT-RHLED200-14C-840-VDIM-P /G2/FC3 | 843654133225+843654138862 | 31,800 | 200 | 4,000 | |
| | \$135 | | KT-RHLED200-14C-857-VDIM-P /G2/FC3 | 843654133232+843654138862 | 32,200 | 200 | 5,700 | |
| | \$135 | | KT-RHLED200-14C-840-VDIM-P /G2/FC4 | 843654133225+843654149066 | 31,800 | 200 | 4,000 | Must be installed and linked to another fixture with the KTSL-FC3-12V-PKO-PIR sensor |
| | \$135 | | KT-RHLED200-14C-857-VDIM-P /G2/FC4 | 843654133232+843654149066 | 32,200 | 200 | 5,700 | Must be installed and linked to another fixture with the KTSL-FC3-12V-PKO-PIR sensor |
| | \$135 | | KT-RHLED240-13CB-840-VDIM/PIR3 | 843654160900+843654146447 | 35,971 | 240 | 4,000 | |
| | \$135 | | KT-RHLED240-13CB-850-VDIM/PIR3 | 843654160917+843654146447 | 36,206 | 240 | 5,000 | |
| | \$135 | | KT-RHLED240-13CB-850-VDIM/MW3-A | 843654160917+843654133317 | 36,206 | 240 | 5,000 | |
| | \$135 | | KT-RHLED200-14C-840-VDIM-P /G2/MW3-A | 843654133225+843654133317 | 31,800 | 200 | 4,000 | Must be installed and linked to another fixture with the KTSL-FC3-12V-PKO-PIR sensor |
| | \$135 | | KT-RHLED200-14C-857-VDIM-P /G2/MW3-A | 843654133232+843654133317 | 32,200 | 200 | 5,700 | Must be installed and linked to another fixture with the KTSL-FC3-12V-PKO-PIR sensor |
| | \$135 | LEDVANCE, LLC | LNHIBA3A/255UNVD840/24W/WH/D (62004) | 046135620041 | 34,425 | 255 | 4,000 | |
| | \$135 | | LNHIBA3A/255UNVD850/24W/WH/D (62005) | 046135620058 | 34,680 | 255 | 5,000 | |
| | \$135 | | LNHIBA3A/300UNVD840/24W/WH/D (62006) | 046135620065 | 40,500 | 300 | 4,000 | |
| | \$135 | | LNHIBA3A/300UNVD850/24W/WH/D (62007) | 046135620072 | 40,800 | 300 | 5,000 | |
| | \$135 | | UFOHIBA2A/240UNVD840/WH with control (62078+65622) | 046135620782+046135656224 | 33,778 | 241 | 4,000 | Must be sold with accessory 65622 - Field Installed occ/daylight sensor |
| | \$135 | | UFOHIBA2A/240UNVD850/WH with control (62079+65622) | 046135620799+046135656224 | 33,459 | 241 | 5,000 | Must be sold with accessory 65622 - Field Installed occ/daylight sensor |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|---------------|---|------------------------------|-----------------------|------------------------|--------------|---|
| 86UDPC | \$135 | LEDVANCE, LLC | UFOHIBA2A/240HUV840/WH with control (62090+65622) | 046135620904+046135656224 | 34,052 | 241 | 4,000 | Must be sold with accessory 65622 - Field Installed occ/daylight sensor |
| | \$135 | | UFOHIBA2A/240HUV850/WH with control (62091+65622) | 046135620911+046135656224 | 33,999 | 242 | 5,000 | Must be sold with accessory 65622 - Field Installed occ/daylight sensor |
| | \$135 | | LNHIBA5A/S300UNVD85C14/12/WH with control (62877+65622) | 046135628771+046135656224 | 41,744 | 299 | 5,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$135 | | LNHIBA5A/S300UNVD85C14/12/WH/E with control (63063+65622) | 046135630634+046135656224 | 41,744 | 299 | 5,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$135 | | LNHIBA6A/255UNHD840/12W/WH (63120)+MS 65622 | 046135631207+046135656224 | 36,081 | 253 | 4,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$135 | | LNHIBA6A/255UNHD850/12W/WH (63121)+MS 65622 | 046135631214+046135656224 | 36,120 | 253 | 5,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$135 | | LNHIBA6A/300UNHD840/12W/WH (63122)+MS 65622 | 046135631221+046135656224 | 41,536 | 299 | 4,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$135 | | LNHIBA6A/300UNHD850/12W/WH (63123)+MS 65622 | 046135631238+046135656224 | 41,529 | 298 | 5,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$135 | | LNHIBA6A/255UNHD840/12W/WH (63120)+MS 62664 | 046135631207+046135626647 | 36,081 | 253 | 4,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$135 | | LNHIBA6A/255UNHD850/12W/WH (63121)+MS 62664 | 046135631214+046135626647 | 36,120 | 253 | 5,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$135 | | LNHIBA6A/300UNHD840/12W/WH (63122)+MS 62664 | 046135631221+046135626647 | 41,536 | 299 | 4,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$135 | | LNHIBA6A/300UNHD850/12W/WH (63123)+MS 62664 | 046135631238+046135626647 | 41,529 | 298 | 5,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$135 | | LNHIBA6A/255UNHD840/12W/WH/E (63134)+MS 65622 | 046135631207+046135656224 | 36,081 | 253 | 4,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$135 | | LNHIBA6A/255UNHD850/12W/WH/E (63135)+MS 65622 | 046135631214+046135656224 | 36,120 | 253 | 5,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$135 | | LNHIBA6A/300UNHD840/12W/WH/E (63136)+MS 65622 | 046135631221+046135656224 | 41,536 | 299 | 4,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$135 | | LNHIBA6A/300UNHD850/12W/WH/E (63137)+MS 65622 | 046135631238+046135656224 | 41,529 | 298 | 5,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$135 | | LNHIBA6A/255UNHD840/12W/WH/E (63134)+MS 62664 | 046135631207+046135626647 | 36,081 | 253 | 4,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$135 | | LNHIBA6A/255UNHD850/12W/WH/E (63135)+MS 62664 | 046135631214+046135626647 | 36,120 | 253 | 5,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$135 | | LNHIBA6A/300UNHD840/12W/WH/E (63136)+MS 62664 | 046135631221+046135626647 | 41,536 | 299 | 4,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$135 | | LNHIBA6A/300UNHD850/12W/WH/E (63137)+MS 62664 | 046135631238+046135626647 | 41,529 | 298 | 5,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$135 | | UFOHIBA4A/200HEUNHD840/WH (63040)+MS 65622 | 046135630408+046135656224 | 33,159 | 197 | 4,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$135 | | UFOHIBA4A/200HEUNHD850/WH (63041)+MS 65622 | 046135630415+046135656224 | 33,328 | 197 | 5,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$135 | | UFOHIBA4A/200HEUNHD840/BL (63048)+MS 65622 | 046135630484+046135656224 | 33,159 | 197 | 4,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$135 | | UFOHIBA4A/200HEUNHD850/BL (63049)+MS 65622 | 046135630491+046135656224 | 33,328 | 197 | 5,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$135 | | UFOHIBA4A/200HEUNHD840/WH (63040)+MS 62664 | 046135630408+046135626647 | 33,159 | 197 | 4,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$135 | | UFOHIBA4A/200HEUNHD850/WH (63041)+MS 62664 | 046135630415+046135626647 | 33,328 | 197 | 5,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$135 | | UFOHIBA4A/200HEUNHD840/BL (63048)+MS 62664 | 046135630484+046135626647 | 33,159 | 197 | 4,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | \$135 | | UFOHIBA4A/200HEUNHD850/BL (63049)+MS 62664 | 046135630491+046135626647 | 33,328 | 197 | 5,000 | Must be sold & installed with Motion Sensor to receive incentive |
| | | | | | | | | Must be connected to a LEDVANCE LINK Sensor to turn on/off light to receive incentive. CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$135 | | LNHIBA5A/S300UNVD85C14/12/WH (62877)+SENSORADAPTOR1A (63652)+ADAPTER/AUX1 | 046135628771+046135636523+04 | 41,744 | 299 | 5,000 | |
| | | | | | | | | Must be connected to a LEDVANCE LINK Sensor to turn on/off light to receive incentive. CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$135 | | LNHIBA5A/S300UNVD85C14/12/WH/E (63063)+SENSORADAPTOR1A (63652)+ADAPTER/AUX1 | 046135630634+046135636523+04 | 41,744 | 299 | 5,000 | |
| | \$135 | | LNHIBA5A/S300UNVD85C14/12/WH (62877)+SENSORADAPTOR1A (63652)+SENSORHB/PIRA | 046135628771+046135636523+04 | 41,744 | 299 | 5,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$135 | | LNHIBA5A/S300UNVD85C14/12/WH/E (63063)+SENSORADAPTOR1A (63652)+SENSORHB/PI | 046135630634+046135636523+04 | 41,744 | 299 | 5,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | | | | | | | | Must be connected to a LEDVANCE LINK Sensor to turn on/off light to receive incentive. |
| | \$135 | | LNHIBA6A/255UNHD840/12W/WH (63120)+SENSORADAPTOR1A (63652)+ADAPTER/AUX12 | 046135631207+046135636523+04 | 36,081 | 253 | 4,000 | |
| | | | | | | | | Must be connected to a LEDVANCE LINK Sensor to turn on/off light to receive incentive. |
| | \$135 | | LNHIBA6A/255UNHD850/12W/WH (63121)+SENSORADAPTOR1A (63652)+ADAPTER/AUX12 | 046135631214+046135636523+04 | 36,120 | 253 | 5,000 | |
| | | | | | | | | Must be connected to a LEDVANCE LINK Sensor to turn on/off light to receive incentive. |
| | \$135 | | LNHIBA6A/300UNHD840/12W/WH (63122)+SENSORADAPTOR1A (63652)+ADAPTER/AUX12 | 046135631221+046135636523+04 | 41,536 | 299 | 4,000 | |
| | | | | | | | | Must be connected to a LEDVANCE LINK Sensor to turn on/off light to receive incentive. |
| | \$135 | | LNHIBA6A/300UNHD850/12W/WH (63123)+SENSORADAPTOR1A (63652)+ADAPTER/AUX12 | 046135631238+046135636523+04 | 41,529 | 298 | 5,000 | |
| | | | | | | | | Must be connected to a LEDVANCE LINK Sensor to turn on/off light to receive incentive. |
| | \$135 | | LNHIBA6A/255UNHD840/12W/WH/E (63134)+SENSORADAPTOR1A (63652)+ADAPTER/AUX1 | 046135631207+046135636523+04 | 36,081 | 253 | 4,000 | |
| | | | | | | | | Must be connected to a LEDVANCE LINK Sensor to turn on/off light to receive incentive. |
| | \$135 | | LNHIBA6A/255UNHD850/12W/WH/E (63135)+SENSORADAPTOR1A (63652)+ADAPTER/AUX1 | 046135631214+046135636523+04 | 36,120 | 253 | 5,000 | |
| | | | | | | | | Must be connected to a LEDVANCE LINK Sensor to turn on/off light to receive incentive. |
| | \$135 | | LNHIBA6A/300UNHD840/12W/WH/E (63136)+SENSORADAPTOR1A (63652)+ADAPTER/AUX1 | 046135631221+046135636523+04 | 41,536 | 299 | 4,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|------------------|--|------------------------------|-----------------------|------------------------|--------------|--|
| 86UDPC | \$135 | LEDVANCE, LLC | LNHIBA6A/300UNHD850/12W/WH/E (63137)+SENSORADAPTOR1A (63652)+ADAPTER/AUX1 | 046135631238+046135636523+04 | 41,529 | 298 | 5,000 | Must be connected to a LEDVANCE LINK Sensor to turn on/off light to receive incentive. |
| | \$135 | | LNHIBA6A/255UNHD840/12W/WH (63120)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAL | 046135631207+046135636523+04 | 36,081 | 253 | 4,000 | |
| | \$135 | | LNHIBA6A/255UNHD850/12W/WH (63121)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAL | 046135631214+046135636523+04 | 36,120 | 253 | 5,000 | |
| | \$135 | | LNHIBA6A/300UNHD840/12W/WH (63122)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAL | 046135631221+046135636523+04 | 41,536 | 299 | 4,000 | |
| | \$135 | | LNHIBA6A/300UNHD850/12W/WH (63123)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAL | 046135631238+046135636523+04 | 41,529 | 298 | 5,000 | |
| | \$135 | | LNHIBA6A/255UNHD840/12W/WH/E (63134)+SENSORADAPTOR1A (63652)+SENSORHB/PIR | 046135631207+046135636523+04 | 36,081 | 253 | 4,000 | |
| | \$135 | | LNHIBA6A/255UNHD850/12W/WH/E (63135)+SENSORADAPTOR1A (63652)+SENSORHB/PIR | 046135631214+046135636523+04 | 36,120 | 253 | 5,000 | |
| | \$135 | | LNHIBA6A/300UNHD840/12W/WH/E (63136)+SENSORADAPTOR1A (63652)+SENSORHB/PIR | 046135631221+046135636523+04 | 41,536 | 299 | 4,000 | |
| | \$135 | | LNHIBA6A/300UNHD850/12W/WH/E (63137)+SENSORADAPTOR1A (63652)+SENSORHB/PIR | 046135631238+046135636523+04 | 41,529 | 298 | 5,000 | |
| | \$135 | | UFOHIBA4A/200HEUNHD840/WH (63040)+SENSORADAPTOR1A (63652)+ADAPTER/AUX12V | 046135630408+046135636523+04 | 33,159 | 197 | 4,000 | Must be connected to a LEDVANCE LINK Sensor to turn on/off light to receive incentive. |
| | \$135 | | UFOHIBA4A/200HEUNHD850/WH (63041)+SENSORADAPTOR1A (63652)+ADAPTER/AUX12V | 046135630415+046135636523+04 | 33,328 | 197 | 5,000 | Must be connected to a LEDVANCE LINK Sensor to turn on/off light to receive incentive. |
| | \$135 | | UFOHIBA4A/200HEUNHD840/BL (63048)+SENSORADAPTOR1A (63652)+ADAPTER/AUX12V/I | 046135630484+046135636523+04 | 33,159 | 197 | 4,000 | Must be connected to a LEDVANCE LINK Sensor to turn on/off light to receive incentive. |
| | \$135 | | UFOHIBA4A/200HEUNHD850/BL (63049)+SENSORADAPTOR1A (63652)+ADAPTER/AUX12V/I | 046135630491+046135636523+04 | 33,328 | 197 | 5,000 | Must be connected to a LEDVANCE LINK Sensor to turn on/off light to receive incentive. |
| | \$135 | | UFOHIBA4A/200HEUNHD840/WH (63040)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAU: | 046135630408+046135636523+04 | 33,159 | 197 | 4,000 | |
| | \$135 | | UFOHIBA4A/200HEUNHD850/WH (63041)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAU: | 046135630415+046135636523+04 | 33,328 | 197 | 5,000 | |
| | \$135 | | UFOHIBA4A/200HEUNHD840/BL (63048)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAUX: | 046135630484+046135636523+04 | 33,159 | 197 | 4,000 | |
| | \$135 | | UFOHIBA4A/200HEUNHD850/BL (63049)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAUX: | 046135630491+046135636523+04 | 33,328 | 197 | 5,000 | |
| | \$135 | | LNHIBA3A/300HUV840/24W/WH/D (62582) | | 40,500 | 300 | 4,000 | |
| | \$135 | | LNHIBA3A/300HUV850/24W/WH/D (62583) | | 40,800 | 300 | 5,000 | |
| | \$135 | | UFOHIBA2A/240UNVD840/BL (62326)+HIGHBAY/MOTIONDAYSENSOR (65622) | 046135623264+046135656224 | 33,778 | 241 | 4,000 | Must be sold with accessory 65622 - Field Installed occ/daylight sensor |
| | \$135 | | UFOHIBA2A/240UNVD850/BL (62327)+HIGHBAY/MOTIONDAYSENSOR (65622) | 046135623271+046135656224 | 33,459 | 241 | 5,000 | Must be sold with accessory 65622 - Field Installed occ/daylight sensor |
| | \$135 | | UFOHIBA2A/240HUV840/BL (62334)+HIGHBAY/MOTIONDAYSENSOR (65622) | 046135623349+046135656224 | 34,052 | 241 | 4,000 | Must be sold with accessory 65622 - Field Installed occ/daylight sensor |
| | \$135 | | UFOHIBA2A/240HUV850/BL (62335)+HIGHBAY/MOTIONDAYSENSOR (65622) | 046135623356+046135656224 | 33,999 | 242 | 5,000 | Must be sold with accessory 65622 - Field Installed occ/daylight sensor |
| | \$135 | | UFOHIBA2A/240UNVD840/BL (62326)+HIGHBAY/PIR/MOTIONDAYSENSOR2 (62664) | 046135623264+046135626647 | 33,778 | 241 | 4,000 | Must be sold with accessory 62664 - Field Installed PIR occ/daylight sensor |
| | \$135 | | UFOHIBA2A/240UNVD850/BL (62327)+HIGHBAY/PIR/MOTIONDAYSENSOR2 (62664) | 046135623271+046135626647 | 33,459 | 241 | 5,000 | Must be sold with accessory 62664 - Field Installed PIR occ/daylight sensor |
| | \$135 | | UFOHIBA2A/240HUV840/BL (62334)+HIGHBAY/PIR/MOTIONDAYSENSOR2 (62664) | 046135623349+046135626647 | 34,052 | 241 | 4,000 | Must be sold with accessory 62664 - Field Installed PIR occ/daylight sensor |
| | \$135 | | UFOHIBA2A/240HUV850/BL (62335)+HIGHBAY/PIR/MOTIONDAYSENSOR2 (62664) | 046135623356+046135626647 | 33,999 | 242 | 5,000 | Must be sold with accessory 62664 - Field Installed PIR occ/daylight sensor |
| | \$135 | | UFO5A/S320UNHD8SC7/WH (62300)+HIGHBAY/MOTIONDAYSENSOR (65622) | 046135623004+046135656224 | 43,200 | 320 | 3,500 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output |
| | \$135 | | UFO5A/S320UNHD8SC7/WH (62300)+HIGHBAY/PIR/MOTIONDAYSENSOR2 (62664) | 046135623004+046135626647 | 43,200 | 320 | 3,500 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output |
| | \$135 | | UFO5A/S320UNHD8SC7/BL (62302)+HIGHBAY/MOTIONDAYSENSOR (65622) | 046135623028+046135656224 | 43,200 | 320 | 3,500 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output |
| | \$135 | | UFO5A/S320UNHD8SC7/BL (62302)+HIGHBAY/PIR/MOTIONDAYSENSOR2 (62664) | 046135623028+046135626647 | 43,200 | 320 | 3,500 | CCT & Lumen/Wattage Selectable |
| | \$135 | Linmore LED Labs | AH10S-A2-40K-LG-40-80-FR-LV-CRM-10CW-S-10V+AH1-SEN-PIR-SK | | 40,546 | 294 | 4,000 | |
| | \$135 | | AH10S-A2-40K-LG-50-80-FR-LV-CRM-10CW-S-10V+AH1-SEN-PIR-SK | | 40,859 | 295 | 5,000 | |
| | \$135 | | AH10S-A2-30K-MD-40-80-FR-HV-CRM-10CW-S-EMB-10V+AH1-SEN-PIR-SK | | 31,894 | 217 | 4,000 | |
| | \$135 | | AH10S-A2-30K-MD-50-80-FR-HV-CRM-10CW-S-EMB-10V+AH1-SEN-PIR-SK | | 31,961 | 217 | 5,000 | |
| | \$135 | | AH10S-A2-36K-LG-40-80-FR-HV-CRM-10CW-S-EMB-10V+AH1-SEN-PIR-SK | | 36,495 | 242 | 4,000 | |
| | \$135 | | AH10S-A2-36K-LG-50-80-FR-HV-CRM-10CW-S-EMB-10V+AH1-SEN-PIR-SK | | 36,613 | 242 | 5,000 | |
| | \$135 | | AH10S-A2-40K-LG-40-80-FR-HV-CRM-10CW-S-EMB-10V+AH1-SEN-PIR-SK | | 42,476 | 292 | 4,000 | |
| | \$135 | | AH10S-A2-40K-LG-50-80-FR-HV-CRM-10CW-S-EMB-10V+AH1-SEN-PIR-SK | | 42,656 | 292 | 5,000 | |
| | \$135 | | AH10S-A2-48K-LG-40-80-FR-HV-CRM-10CW-S-EMB-10V+AH1-SEN-PIR-SK | | 48,324 | 320 | 4,000 | |
| | \$135 | | AH10S-A2-48K-LG-50-80-FR-HV-CRM-10CW-S-EMB-10V+AH1-SEN-PIR-SK | | 48,342 | 319 | 5,000 | |
| | \$135 | | AH10S-A2-71K-XL-40-80-FR-HV-CRM-10CW-S-EMB-10V+AH1-SEN-PIR-SK | | 72,523 | 493 | 4,000 | |
| | \$135 | | AH10S-A2-71K-XL-50-80-FR-HV-CRM-10CW-S-EMB-10V+AH1-SEN-PIR-SK | | 72,803 | 493 | 5,000 | |
| | \$135 | LSI Industries | AHB 48L 840 IMSBT2L | | 49,717 | 363 | 5,000 | |
| | \$135 | | AHB 48L 850 IMSBT2L | | 49,695 | 362 | 4,000 | |
| | \$135 | | AHB 60L 840 IMSBT2L | | 60,468 | 442 | 4,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|----------------|--|---------------------------|-----------------------|------------------------|--------------|---|
| 86UDPC | \$135 | LSI Industries | AHB 60L 850 IMSBT2L | | 60,384 | 443 | 5,000 | |
| | \$135 | MaxLite Inc. | BLHE3-255UF-40MS | 767627006593 | 34,425 | 255 | 4,000 | |
| | \$135 | | BLHE3-255UF-50MS | 767627006609 | 34,680 | 255 | 5,000 | |
| | \$135 | | BLHE3-300UF-40MS | 767627006654 | 40,500 | 300 | 4,000 | |
| | \$135 | | BLHE3-300UF-50MS | 767627006661 | 40,800 | 300 | 5,000 | |
| | \$135 | | BLHE3-400UF-40MS | 767627006715 | 54,000 | 400 | 4,000 | |
| | \$135 | | BLHE3-400UF-50MS | 767627006722 | 54,400 | 400 | 5,000 | |
| | \$135 | | HL3-230UF-CSCR+CN-RDMSW | 767627031229+767627007873 | 34,500 | 230 | 4,000 | CCT Selectable |
| | \$135 | | HL3-270UF-CSCR+CN-RDMSW | 767627031236+767627007873 | 40,500 | 270 | 4,000 | CCT Selectable |
| | \$135 | | HL3-230UF-CSCR+NN-RDMSW | 767627031229+767627011979 | 34,500 | 230 | 4,000 | CCT Selectable |
| | \$135 | | HL3-270UF-CSCR+NN-RDMSW | 767627031236+767627011979 | 40,500 | 270 | 4,000 | CCT Selectable |
| | \$135 | NICOR Inc. | HBG133U408AR | | 32,800 | 205 | 4,000 | |
| | \$135 | | HBG133U408DR | | 31,570 | 205 | 4,000 | |
| | \$135 | | HBG133U508AR | | 33,005 | 205 | 5,000 | |
| | \$135 | | HBG133U508DR | | 31,775 | 205 | 5,000 | |
| | \$135 | | HML1300U35AS+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 42,000 | 300 | 3,500 | |
| | \$135 | | HML1300H35AS+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 42,000 | 300 | 3,500 | |
| | \$135 | | HML1300U40AS+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 42,000 | 300 | 4,000 | |
| | \$135 | | HML1300H40AS+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 42,000 | 300 | 4,000 | |
| | \$135 | | HML1300U50AS+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 42,000 | 300 | 5,000 | |
| | \$135 | | HML1300H50AS+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 42,000 | 300 | 5,000 | |
| | \$135 | | HML1300U57AS+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 42,000 | 300 | 5,700 | |
| | \$135 | | HML1300H57AS+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 42,000 | 300 | 5,700 | |
| | \$135 | | HML2320WSU35AS+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 44,576 | 320 | 3,500 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$135 | | HML2320WSU35ASC3+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 44,576 | 320 | 3,500 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$135 | | HML2320WSU35ASC4+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 44,576 | 320 | 3,500 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$135 | | HML2320WSU35ASF+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 44,576 | 320 | 3,500 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$135 | | HML2320WSU35ASE40+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 44,576 | 320 | 3,500 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$135 | | HML2320WSU35ASE40C3+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 44,576 | 320 | 3,500 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$135 | | HML2320WSU35ASE40C4+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 44,576 | 320 | 3,500 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$135 | | HML2320WSU35ASE40F+H12VSENSORPIR or H12VSENSORMW or NLCIND3.5 | | 44,576 | 320 | 3,500 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$135 | | HBC4240U408BK+HBC4SENSORPIR | 767706192698 | 34,016 | 241 | 4,000 | |
| | \$135 | | HBC4240U408WH+HBC4SENSORPIR | 767706192704 | 34,016 | 241 | 4,000 | |
| | \$135 | | HBC4240U508BK+HBC4SENSORPIR | 767706192711 | 33,748 | 241 | 5,000 | |
| | \$135 | | HBC4240U508WH+HBC4SENSORPIR | 767706196849 | 33,748 | 241 | 5,000 | |
| | \$135 | | HBC4300U408BK+HBC4SENSORPIR | 767706192735 | 40,263 | 297 | 4,000 | |
| | \$135 | | HBC4300U408WH+HBC4SENSORPIR | 767706192742 | 40,263 | 297 | 4,000 | |
| | \$135 | | HBC4300U508BK+HBC4SENSORPIR | 767706192759 | 40,685 | 297 | 5,000 | |
| | \$135 | | HBC4300U508WH+HBC4SENSORPIR | 767706192766 | 40,685 | 297 | 5,000 | |
| | \$135 | | HBC4400U408BK+HBC4SENSORPIR | 767706192773 | 53,400 | 393 | 4,000 | |
| | \$135 | | HBC4400U408WH+HBC4SENSORPIR | 767706192780 | 53,400 | 393 | 4,000 | |
| | \$135 | | HBC4400U508BK+HBC4SENSORPIR | 767706192797 | 54,044 | 393 | 5,000 | |
| | \$135 | | HBC4400U508WH+HBC4SENSORPIR | 767706192803 | 54,044 | 393 | 5,000 | |
| | \$135 | | HBC4240U408BK+HBC4SENSORMW | 767706192698 | 34,016 | 241 | 4,000 | |
| | \$135 | | HBC4240U408WH+HBC4SENSORMW | 767706192704 | 34,016 | 241 | 4,000 | |
| | \$135 | | HBC4240U508BK+HBC4SENSORMW | 767706192711 | 33,748 | 241 | 5,000 | |
| | \$135 | | HBC4240U508WH+HBC4SENSORMW | 767706196849 | 33,748 | 241 | 5,000 | |
| | \$135 | | HBC4300U408BK+HBC4SENSORMW | 767706192735 | 40,263 | 297 | 4,000 | |
| | \$135 | | HBC4300U408WH+HBC4SENSORMW | 767706192742 | 40,263 | 297 | 4,000 | |
| | \$135 | | HBC4300U508BK+HBC4SENSORMW | 767706192759 | 40,685 | 297 | 5,000 | |
| | \$135 | | HBC4300U508WH+HBC4SENSORMW | 767706192766 | 40,685 | 297 | 5,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|---------------------------|--|---------------------------|-----------------------|------------------------|--------------|---|
| 86UDPC | \$135 | NICOR Inc. | HBC4400U408BK+HBC4SENSORMW | 767706192773 | 53,400 | 393 | 4,000 | |
| | \$135 | | HBC4400U408WH+HBC4SENSORMW | 767706192780 | 53,400 | 393 | 4,000 | |
| | \$135 | | HBC4400U508BK+HBC4SENSORMW | 767706192797 | 54,044 | 393 | 5,000 | |
| | \$135 | | HBC4400U508WH+HBC4SENSORMW | 767706192803 | 54,044 | 393 | 5,000 | |
| | \$135 | Orion Energy Systems, Inc | MLHB1336LUNVFD8CSLPND15W+EFS07-AUX-HB40 | | 35,943 | 259 | 4,000 | |
| | \$135 | | MLHB1336LHMVFD8CSLPND15W+EFS07-AUX-HB40 | | 36,024 | 256 | 4,000 | |
| | \$135 | | MLHB1448LUNVFD8CSLPND15W+EFS07-AUX-HB40 | | 47,141 | 340 | 4,000 | |
| | \$135 | | MLHB1448LHMVFD8CSLPND15W+EFS07-AUX-HB40 | | 47,148 | 340 | 4,000 | |
| | \$135 | | MLHB1460LUNVFD8CSLPND15W+EFS07-AUX-HB40 | | 59,065 | 420 | 4,000 | |
| | \$135 | | MLHB1460LHMVFD8CSLPND15W+EFS07-AUX-HB40 | | 59,086 | 431 | 4,000 | |
| | \$135 | | MLHB1330LHMVFD8CSLPGR15W+EFS07-AUX-HB40 | | 30,179 | 213 | 4,000 | CCT Selectable |
| | \$135 | | MLHB1336LHMVFD8CSLPGR15W+EFS07-AUX-HB40 | | 36,409 | 256 | 4,000 | CCT Selectable |
| | \$135 | | MLHB1336LUNVFD8CSLPGR15W+EFS07-AUX-HB40 | | 36,257 | 260 | 4,000 | CCT Selectable |
| | \$135 | | MLHB1448LHMVFD8CSLPGR15W+EFS07-AUX-HB40 | | 47,744 | 339 | 4,000 | CCT Selectable |
| | \$135 | | MLHB1448LUNVFD8CSLPGR15W+EFS07-AUX-HB40 | | 47,759 | 339 | 4,000 | CCT Selectable |
| | \$135 | | MLHB1460LUNVFD8CSLPGR15W+EFS07-AUX-HB40 | | 59,296 | 420 | 4,000 | CCT Selectable |
| | \$135 | | MLHB1460LHMVFD8CSLPGR15W+EFS07-AUX-HB40 | | 59,384 | 430 | 4,000 | CCT Selectable |
| | \$135 | | MLHB1336LUNVFD8CSLPND15W+EFS106-AUX-HB40 | | 35,943 | 259 | 4,000 | |
| | \$135 | | MLHB1336LHMVFD8CSLPND15W+EFS106-AUX-HB40 | | 36,024 | 256 | 4,000 | |
| | \$135 | | MLHB1448LUNVFD8CSLPND15W+EFS106-AUX-HB40 | | 47,141 | 340 | 4,000 | |
| | \$135 | | MLHB1448LHMVFD8CSLPND15W+EFS106-AUX-HB40 | | 47,148 | 340 | 4,000 | |
| | \$135 | | MLHB1460LUNVFD8CSLPND15W+EFS106-AUX-HB40 | | 59,065 | 420 | 4,000 | |
| | \$135 | | MLHB1460LHMVFD8CSLPND15W+EFS106-AUX-HB40 | | 59,086 | 431 | 4,000 | |
| | \$135 | | MLHB1330LHMVFD8CSLPGR15W+EFS106-AUX-HB40 | | 30,179 | 213 | 4,000 | CCT Selectable |
| | \$135 | | MLHB1336LHMVFD8CSLPGR15W+EFS106-AUX-HB40 | | 36,409 | 256 | 4,000 | CCT Selectable |
| | \$135 | | MLHB1336LUNVFD8CSLPGR15W+EFS106-AUX-HB40 | | 36,257 | 260 | 4,000 | CCT Selectable |
| | \$135 | | MLHB1448LHMVFD8CSLPGR15W+EFS106-AUX-HB40 | | 47,744 | 339 | 4,000 | CCT Selectable |
| | \$135 | | MLHB1448LUNVFD8CSLPGR15W+EFS106-AUX-HB40 | | 47,759 | 339 | 4,000 | CCT Selectable |
| | \$135 | | MLHB1460LUNVFD8CSLPGR15W+EFS106-AUX-HB40 | | 59,296 | 420 | 4,000 | CCT Selectable |
| | \$135 | | MLHB1460LHMVFD8CSLPGR15W+EFS106-AUX-HB40 | | 59,384 | 430 | 4,000 | CCT Selectable |
| | \$135 | RAB Lighting | RBAY17L+PIR40 | 192552025461+192552026000 | 56,000 | 400 | 3,500 | Wattage & CCT selectable, Measure/incentive based on min. wattage/lumen level |
| | \$135 | | RBAY17L+PIR40/LCB | 192552025461+192552014151 | 56,000 | 400 | 3,500 | Wattage & CCT selectable, Measure/incentive based on min. wattage/lumen level |
| | \$135 | SATCO | 65/787 (With Add-on Sensor 86/218) | 045923662874+045923666353 | 33,778 | 241 | 4,000 | Sale must include LED UPC: 045923662874 & sensor UPC: 045923666353 to receive Tier 2 incentive. Sensor can be programmed using remote item #86/219. |
| | \$135 | | 65/788 (With Add-on Sensor 86/218) | 045923662881+045923666353 | 33,459 | 241 | 5,000 | Sale must include LED UPC: 045923662881 & sensor UPC: 045923666353 to receive Tier 2 incentive. Sensor can be programmed using remote item #86/219. |
| | \$135 | | 65/785R1+86/218 | 045923661952+045923666353 | 30,540 | 211 | 4,000 | Sale of LED must include sensor item #86/218 to receive Tier 2 incentive. Sensor can be programmed using remote item #86/219. |
| | \$135 | | 65/786R1+86/218 | 045923661969+045923666353 | 30,537 | 211 | 5,000 | Sale of LED must include sensor item #86/218 to receive Tier 2 incentive. Sensor can be programmed using remote item #86/219. |
| | \$135 | | 65/787R1+86/218 | 045923661976+045923666353 | 34,583 | 241 | 4,000 | Sale of LED must include sensor item #86/218 to receive Tier 2 incentive. Sensor can be programmed using remote item #86/219. |
| | \$135 | | 65/788R1+86/218 | 045923661983+045923666353 | 34,716 | 241 | 5,000 | Sale of LED must include sensor item #86/218 to receive Tier 2 incentive. Sensor can be programmed using remote item #86/219. |
| | \$135 | | 65/795R1+86/218 | 045923662119+045923666353 | 30,540 | 211 | 4,000 | Sale of LED must include sensor item #86/218 to receive Tier 2 incentive. Sensor can be programmed using remote item #86/219. |
| | \$135 | | 65/796R1+86/218 | 045923662126+045923666353 | 30,537 | 211 | 5,000 | Sale of LED must include sensor item #86/218 to receive Tier 2 incentive. Sensor can be programmed using remote item #86/219. |
| | \$135 | | 65/797R1+86/218 | 045923662133+045923666353 | 34,583 | 241 | 4,000 | Sale of LED must include sensor item #86/218 to receive Tier 2 incentive. Sensor can be programmed using remote item #86/219. |
| | \$135 | | | | | | | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 | |
|---|-----------|---------------------------|--|---------------------------|-----------------------|------------------------|---------------------------------|---|-------|
| 86UDPC | \$135 | SATCO | 65/798R1+86/218 | 045923662140+045923666353 | 34,716 | 241 | 5,000 | Sale of LED must include sensor item #86/218 to receive Tier 2 incentive. Sensor can be programmed using remote item #86/219. | |
| | \$135 | | 65/787R2+86/218 | 045923648113+045923666353 | 32,796 | 235 | 4,000 | | |
| | \$135 | | 65/788R2+86/218 | 045923648120+045923666353 | 32,796 | 235 | 5,000 | | |
| | \$135 | | 65/797R2+86/218 | 045923648274+045923666353 | 32,796 | 235 | 4,000 | | |
| | \$135 | | 65/798R2+86/218 | 045923648281+045923666353 | 32,796 | 235 | 5,000 | | |
| | \$135 | | 65/787R2+86/217 | 045923648113+045923862175 | 32,796 | 235 | 4,000 | | |
| | \$135 | | 65/788R2+86/217 | 045923648120+045923862175 | 32,796 | 235 | 5,000 | | |
| | \$135 | | 65/797R2+86/217 | 045923648274+045923862175 | 32,796 | 235 | 4,000 | | |
| | \$135 | | 65/798R2+86/217 | 045923648281+045923862175 | 32,796 | 235 | 5,000 | | |
| | \$135 | Signify | FBY30L840-UNV-MD360 | | 30,425 | 220 | 4,000 | | |
| | \$135 | | FBY30L850-UNV-MD360 | | 30,425 | 208 | 5,000 | | |
| | \$135 | SLG | HE 360 G2 4K HBP-117-L7-OEM | | 37,000 | 270 | 4,000 | | |
| | \$135 | | HE 360 G2 5K HBP-117-L7-OEM | | 37,000 | 270 | 5,000 | | |
| | \$135 | | HE 400 G2 4K HBP-117-L7-OEM | | 41,500 | 300 | 4,000 | | |
| | \$135 | | HE 400 G2 5K HBP-117-L7-OEM | | 41,500 | 300 | 5,000 | | |
| | \$135 | | HE 500 G2 4K HBP-117-L7-OEM | | 50,500 | 370 | 4,000 | | |
| | \$135 | | HE 500 G2 5K HBP-117-L7-OEM | | 50,500 | 370 | 5,000 | | |
| | \$135 | | TCP | | HB21000140LS1 | 30,500 | 210 | | 4,000 |
| | \$135 | HB21000150LS1 | | | 30,500 | 210 | 5,000 | | |
| | \$135 | HB21000140BLS1 | | | 30,500 | 210 | 4,000 | | |
| | \$135 | HB21000150BLS1 | | | 30,500 | 210 | 5,000 | | |
| Integrated Retrofit Kits for 1x4 Luminaires | | | | | | | | | |
| 88UBC | \$20 | Orion Energy Systems, Inc | LDRE31403LUNVFD840MSTVL | | 3,238 | 21 | 4,000 | | |
| | \$20 | | LDRE31404LUNVFD840MSTVL | | 4,152 | 27 | 4,000 | | |
| 88UBP | \$20 | LEDVANCE, LLC | RDORKIT7A/S030UNVD8SC8/14/BLE (62571) | 046135625718 | 3,750 | 30 | 3,000 Wattage & CCT selectable | | |
| | \$20 | | RDORKIT7A/S030UNVD8SC8/14/BLE/E (62838) | | 3,750 | 30 | 3,000 Wattage & CCT selectable | | |
| | \$20 | Litetronics International | PRCT1 | | 3,125 | 25 | 3,500 CCT & Wattage Selectable | | |
| | \$20 | | PRT135 | | 4,814 | 39 | 3,500 Wattage selectable | | |
| | \$20 | | PRT140 | | 4,814 | 39 | 4,000 Wattage selectable | | |
| | \$20 | | PRT150 | | 4,814 | 39 | 5,000 Wattage selectable | | |
| | \$20 | | PRT1AN | | 4,814 | 39 | 3,000 CCT & Wattage Selectable | | |
| | \$20 | | PRT1N | | 4,814 | 39 | 3,000 CCT Selectable | | |
| | \$20 | | PRT1 | | 4,814 | 39 | 3,000 CCT Selectable | | |
| | \$20 | LSI Industries | TRK14 FS1 UNV | | 4,436 | 31 | 3,500 | | |
| | \$20 | MaxLite Inc. | TRK14D20WCSCR | | 767627007217 | 3,750 | 30 | | 3,500 |
| | \$20 | RAB Lighting | RTLED1X4 | | 3,780 | 30 | 3,500 CCT & Wattage Selectable | | |
| | \$20 | | RPLED1X4 | | 3,722 | 29 | 3,500 CCT & Wattage Selectable | | |
| | \$20 | Signify | 520239 EvoKit CLKE 1x4 32L 24W 840 UNV 0-10 P1 | | 3,200 | 24 | 4,000 | | |
| | \$20 | | 521286 EvoKit CLKE 1x4 32L 24W 835 UNV 0-10 P1 | | 3,200 | 24 | 3,500 | | |
| 88UBPC | \$30 | LSI Industries | TRK14 FS1 UNV IMS1 | | 4,436 | 31 | 3,500 | | |
| | \$30 | MaxLite Inc. | TRK14D20WCSCR+CN-RTPSW | 767627007217+767627011900 | 3,750 | 30 | 3,500 CCT & Wattage Selectable. | | |
| | \$30 | | TRK14D20WCSCR+NN-RTPSW | 767627007217+767627011330 | 3,750 | 30 | 3,500 CCT & Wattage Selectable. | | |
| Integrated Retrofit Kits for 2x2 Luminaires | | | | | | | | | |
| 88UBC | \$20 | LSI Industries | TRK22 FS1 UNV IMS1 | | 4,314 | 30 | 3,500 | | |
| | \$20 | Orion Energy Systems, Inc | LDRE32202LUNVFD840MSTVL | | 2,290 | 16 | 4,000 | | |
| | \$20 | | LDRE32203LUNVFD840MSTVL | | 3,111 | 21 | 4,000 | | |
| | \$20 | | LDRE32204LUNVFD840MSTVL | | 3,960 | 27 | 4,000 | | |
| 88UBP | \$20 | LEDVANCE, LLC | RDORKIT7A/S030UNVD8SC8/22/BLE (62572) | 046135625725 | 3,750 | 30 | 3,000 Wattage & CCT selectable | | |
| | \$20 | | RDORKIT7A/S030UNVD8SC8/22/BLE/E (62839) | | 3,750 | 30 | 3,000 Wattage & CCT selectable | | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|---|-----------|---------------------------|--|---------------------------|-----------------------|------------------------|--------------|--------------------------------|
| 88UBP | \$20 | Litetronics International | PRCT2 | | 3,125 | 25 | 3,500 | CCT & Wattage Selectable |
| | \$20 | | PRT235 | | 4,825 | 39 | 3,500 | Wattage selectable |
| | \$20 | | PRT240 | | 4,825 | 39 | 4,000 | Wattage selectable |
| | \$20 | | PRT250 | | 4,825 | 39 | 5,000 | Wattage selectable |
| | \$20 | | PRT2AN | | 4,825 | 39 | 3,000 | CCT & Wattage Selectable |
| | \$20 | | PRT2N | | 4,825 | 39 | 3,000 | CCT Selectable |
| | \$20 | | PRT2 | | 4,825 | 39 | 3,000 | CCT Selectable |
| | \$20 | MaxLite Inc. | TRK22D1840CR | 767627007972 | 2,250 | 18 | 4,000 | |
| | \$20 | | TRK22D20WCSCR | 767627007934 | 3,750 | 30 | 3,500 | |
| | \$20 | RAB Lighting | RTLED2X2 | | 3,750 | 30 | 3,500 | CCT & Wattage Selectable |
| | \$20 | | RPLED2X2 | | 3,697 | 29 | 3,500 | CCT & Wattage Selectable |
| | \$20 | Signify | 520247(EvoKit CLKE 2X2 32L 24W 840 UNV 0-10) | 781087157985 | 3,200 | 24 | 4,000 | |
| | \$20 | | 520254 EvoKit CLKE 2x2 32L 25W 840 UNV SR P1 | | 3,200 | 25 | 4,000 | |
| | \$20 | | 521336(EvoKit CLKE 2X2 23L 16W 835 UNV 0-10) | 781087159132 | 2,300 | 16 | 3,500 | |
| | \$20 | | 521344(EvoKit CLKE 2X2 23L 16W 840 UNV 0-10) | 781087159149 | 2,300 | 16 | 4,000 | |
| | \$20 | | 521385(EvoKit CLKE 2X2 32L 25W 835 UNV SR P1) | | 3,200 | 25 | 3,500 | |
| | \$20 | | 523464(EvoKit CLKE 2X2 32L 24W 835 UNV SWZ) | 781087161906 | 3,200 | 24 | 3,500 | |
| | \$20 | | 523472(EvoKit CLKE 2X2 32L 24W 840 UNV SWZ) | 781087161913 | 3,200 | 24 | 4,000 | |
| | \$20 | | 521377 EvoKit CLKE 2X2 32L 24W 835 UNV 0-10 P1 | 781087159170 | 3,200 | 24 | 3,500 | |
| 88UBPC | \$30 | MaxLite Inc. | TRK22D20WCSCR+CN-RTPSW | 767627007934+767627011900 | 3,750 | 30 | 3,500 | CCT & Wattage Selectable. |
| | \$30 | | TRK22D20WCSCR+NN-RTPSW | 767627007934+767627011330 | 3,750 | 30 | 3,500 | CCT & Wattage Selectable. |
| Integrated Retrofit Kits for 2x4 Luminaires | | | | | | | | |
| 88UCC | \$30 | Orion Energy Systems, Inc | LDRE32403LUNVFD840MSTVL | | 3,295 | 21 | 4,000 | |
| | \$30 | | LDRE32404LUNVFD840MSTVL | | 4,131 | 27 | 4,000 | |
| | \$30 | | LDRE32406LUNVFD840MSTVL | | 6,130 | 40 | 4,000 | |
| | \$30 | | LDRE32408LUNVFD840MSTVL | | 8,262 | 53 | 4,000 | |
| 88UCP | \$30 | LEDVANCE, LLC | RDORKIT7A/S045UNVD8SC8/24/BLE (62573) | 046135625732 | 5,625 | 45 | 3,000 | Wattage & CCT selectable |
| | \$30 | | RDORKIT7A/S045UNVD8SC8/24/BLE/E (62840) | | 5,625 | 45 | 3,000 | Wattage & CCT selectable |
| | \$30 | Litetronics International | PRCT4 | | 4,500 | 36 | 3,500 | CCT & Wattage Selectable |
| | \$30 | | PRT435 | | 6,256 | 50 | 3,000 | Wattage selectable |
| | \$30 | | PRT440 | | 6,256 | 50 | 3,000 | Wattage selectable |
| | \$30 | | PRT450 | | 6,256 | 50 | 3,000 | Wattage selectable |
| | \$30 | | PRT4AN | | 6,256 | 50 | 3,000 | CCT & Wattage Selectable |
| | \$30 | | PRT4N | | 6,256 | 50 | 3,000 | CCT Selectable |
| | \$30 | | PRT4 | | 6,256 | 50 | 3,000 | CCT Selectable |
| | \$30 | LSI Industries | TRK24 FS1 UNV | | 4,859 | 33 | 3,500 | |
| | \$30 | MaxLite Inc. | TRK24D25WCSCR | 767627007958 | 4,250 | 34 | 3,500 | |
| | \$30 | | TRK24D2840CR | 767627007996 | 3,500 | 28 | 4,000 | |
| | \$30 | Orion Energy Systems, Inc | LDRES324B1UNVFD8CSLAFGST | | 5,510 | 39 | 5,000 | CCT & Lumen/Wattage Selectable |
| | \$30 | RAB Lighting | RTLED2X4 | | 4,550 | 35 | 3,500 | CCT & Wattage Selectable |
| | \$30 | | RPLED2X4 | | 4,554 | 34 | 3,500 | CCT & Wattage Selectable |
| | \$30 | Signify | 520288(EvoKit CLKE 2X4 42L 30W 835 UNV 0-10) | 781087158029 | 4,200 | 30 | 3,500 | |
| | \$30 | | 520296(EvoKit CLKE 2X4 42L 30W 840 UNV 0-10) | 781087158036 | 4,200 | 30 | 4,000 | |
| | \$30 | | 520304(EvoKit CLKE 2X4 42L 32W 840 UNV SR P1) | | 4,200 | 32 | 4,000 | |
| | \$30 | | 521534 EvoKit CLKE 2X4 42L 32W 835 UNV SR P1 | | 4,200 | 32 | 3,500 | |
| | \$30 | | 523498(EvoKit CLKE 2X4 42L 29W 835 UNV SWZ) | 781087161937 | 4,200 | 29 | 3,500 | |
| | \$30 | | 523506(EvoKit CLKE 2X4 42L 29W 840 UNV SWZ) | 781087161937 | 4,200 | 29 | 4,000 | |
| 88UCPC | \$40 | LSI Industries | TRK24 FS1 UNV IMS1 | | 4,859 | 33 | 3,500 | |
| | \$40 | MaxLite Inc. | TRK24D25WCSCR+CN-RTPSW | 767627007958+767627011900 | 4,250 | 34 | 3,500 | |
| | \$40 | | TRK24D25WCSCR+NN-RTPSW | 767627007958+767627011330 | 4,250 | 34 | 3,500 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 | |
|--|-----------|-----------------------------|---|---------------------------|-----------------------|------------------------|--------------|---|--------------------------|
| Linear Ambient Luminaires w/ Indirect component | | | | | | | | | |
| 89UAP | \$15 | Elite Lighting Co. | 2-OC1-LED-3000L-DIM10-MVOLT-30K-85 | | 3,096 | 21 | 3,000 | | |
| | \$15 | | 2-OC1-LED-3000L-DIM10-MVOLT-35K-85 | | 3,101 | 21 | 3,500 | | |
| | \$15 | | 2-OC1-LED-3000L-DIM10-MVOLT-40K-85 | 848070063637 | 3,107 | 21 | 4,000 | | |
| | \$15 | | 2-OC1-LED-3000L-DIM10-MVOLT-50K-85 | | 3,117 | 21 | 5,000 | | |
| Linear Strip | | | | | | | | | |
| 89UA | \$8 | LEDVANCE, LLC | LNSLOT1A/18UNVD8SC2/24C/WH (62449) | 046135624490 | 1,800 | 18 | 4000/4100K, | | |
| | \$8 | | LNSLOT1A/18UNHD8SC2/24P/WH (62450) | 046135624506 | 1,800 | 18 | 4000/4100K, | | |
| | \$8 | | LNSLOT1A/24UNHD8SC2/24DI/WWH (62451) | 046135624513 | 2,400 | 24 | 4000/4100K, | | |
| | \$8 | | LNSLOT1A/24UNHD8SC2/24DI/PWH (62452) | 046135624520 | 2,400 | 24 | 4000/4100K, | | |
| | \$8 | | LNSLOT1A/34UNHD8SC2/48C/WH (62453) | 046135624537 | 3,400 | 34 | 4000/4100K, | | |
| | \$8 | | LNSLOT1A/48UNHD8SC2/48DI/W/WH (62454) | 046135624544 | 4,800 | 48 | 4000/4100K, | | |
| | \$8 | | LNSLOT1A/48UNHD8SC2/48DI/P/WH (62455) | 046135624551 | 4,800 | 48 | 4000/4100K, | | |
| 89UB | \$20 | LEDVANCE, LLC | LNSLOT1A/68UNHD8SC/296C/WH (62456) | 046135624568 | 6,800 | 68 | 4000/4100K, | | |
| | \$20 | | LNSLOT1A/98UNHD8SC2/96DI/P/WH (62457) | 046135624575 | 9,800 | 98 | 4000/4100K, | | |
| Low-Bay Luminaires for Commercial and Industrial Buildings | | | | | | | | | |
| 86UAC | \$30 | Acuity Brands Lighting | CSS L48 ALO3 MVOLT SWW3 80CRI SFR7CSS | | 5,255 | 45 | 3,500 | | |
| | \$30 | | CSS L96 ALO4 MVOLT SWW3 80CRI SFR7CSS | | 10,510 | 91 | 3,500 | | |
| | \$30 | Current | MPS8-35ML-CN-ED-U-NXS | | 8,740 | 63 | 3,500 | | |
| | \$30 | | MPS8-35ML-CW-ED-U-NXS | | 8,838 | 63 | 3,400 | | |
| | \$30 | | MPS8-35ML-NL-ED-U-NXS | | 9,568 | 63 | 3,400 | | |
| | \$30 | Elite Lighting Co. | 8-OEC-LED-6000L/8000L/10000L-DIM10-MVOLT-35K/40K/50K-85/HB011-PDX | | 9,675 | 75 | 3,500 | | |
| | \$30 | | 8-OEC-LED-6000L/8000L/10000L-DIM10-MVOLT-35K/40K/50K-85/FSP-311-B-D | | 9,675 | 75 | 3,500 | | |
| | \$30 | Halco Lighting Technologies | LS8-WS-CS-U-PIR (90303) | | 9,343 | 68 | 3,500 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output | |
| | \$30 | | Industrial Lighting Products | FZ8-40W-U-35-FRAL-FIOS | | 6,007 | 44 | 3,500 | |
| | \$30 | | FZ8-40W-U-40-FRAL-FIOS | | 6,125 | 44 | 4,000 | | |
| | \$30 | | FZ8-40W-U-50-FRAL-FIOS | | 6,113 | 44 | 5,000 | | |
| | \$30 | | FZ8-64W-U-35-FRAL-FIOS | | 8,641 | 64 | 3,500 | | |
| | \$30 | | FZ8-64W-U-40-FRAL-FIOS | | 9,016 | 65 | 4,000 | | |
| | \$30 | | FZ8-64W-U-50-FRAL-FIOS | | 9,004 | 65 | 5,000 | | |
| | \$30 | LEDVANCE, LLC | STRIP2A/044UNVD835/96U/WH/D (65137) | 046135651373 | 6,169 | 44 | 3,500 | | |
| | \$30 | | STRIP2A/044UNVD835/96U/WH/DE (65194) | 046135651946 | 6,169 | 44 | 3,500 | | |
| | \$30 | | STRIP2A/044UNVD840/96U/WH/D (65138) | 046135651380 | 6,204 | 44 | 4,000 | | |
| | \$30 | | STRIP2A/044UNVD840/96U/WH/DE (65195) | 046135651953 | 6,204 | 44 | 4,000 | | |
| | \$30 | | STRIP2A/044UNVD850/96U/WH/D (65139) | 046135651397 | 6,292 | 44 | 5,000 | | |
| | \$30 | | STRIP2A/044UNVD850/96U/WH/DE (65196) | 046135651960 | 6,292 | 44 | 5,000 | | |
| | \$30 | | STRIP2A/068UNHD835/96U/WH/D (65143) | 046135651434 | 9,160 | 68 | 3,500 | | |
| | \$30 | | STRIP2A/068UNHD840/96U/WH/D (65144) | 046135651441 | 9,180 | 68 | 4,000 | | |
| | \$30 | | STRIP2A/068UNHD850/96U/WH/D (65145) | 046135651458 | 9,316 | 68 | 5,000 | | |
| | \$30 | | STRIP2A/068UNVD835/96U/WH/DE (65200) | 046135652004 | 9,160 | 68 | 3,500 | | |
| | \$30 | | STRIP2A/068UNVD840/96U/WH/DE (65201) | 046135652011 | 9,180 | 68 | 4,000 | | |
| | \$30 | | STRIP2A/068UNVD850/96U/WH/DE (65202) | 046135652028 | 9,316 | 68 | 5,000 | | |
| | \$30 | | STRIP1B/S080UNVD8SC7/96S/WH/D (62424) | 046135624247 | 9,376 | 80 | 3,500 | CCT & Wattage Selectable | |
| | \$30 | | RAB Lighting | SR8/MVS | | 8,518 | 61 | 3,500 | CCT & Wattage Selectable |
| | \$30 | | | SR8/PIR | | 8,518 | 61 | 3,500 | CCT & Wattage Selectable |
| | \$30 | | TCP | DTF4UZDA1CCT-LS1 | | 5,300 | 46 | 3,500 | |
| | \$30 | VTF8UZDSW2CCTIS | | | 6,000 | 46 | 5,000 | CCT & Wattage Selectable | |
| | \$30 | Topaz | LS8-64-40K-D+WD-OS | 032886308253+751338004931 | 9,232 | 63 | 4,000 | | |
| | \$30 | | LS8-64-50K-D+WD-OS | 032886308260+751338004931 | 9,378 | 63 | 5,000 | | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|------------------------------|---|--------------|-----------------------|------------------------|--------------|---|
| 86UAP | \$30 | Acuity Brands Lighting | CLX L96 6000LM SEF RDL MVOLT GZ10 LUGR 40K 80CRI WH | | 5,631 | 36 | 4,000 | |
| | \$30 | | CLX L96 6000LM SEF RDL MVOLT GZ10 LUGR 50K 80CRI WH | | 5,615 | | 5,000 | |
| | \$30 | | CLX L96 6000LM SEF FDL MVOLT GZ10 LUGR 40K 80CRI WH | | 5,535 | | 4,000 | |
| | \$30 | | CLX L96 6000LM SEF FDL MVOLT GZ10 LUGR 50K 80CRI WH | | 5,520 | | 5,000 | |
| | \$30 | | CLX L96 8000LM SEF RDL MVOLT GZ10 LUGR 40K 80CRI WH | | 7,573 | | 4,000 | |
| | \$30 | | CLX L96 8000LM SEF RDL MVOLT GZ10 LUGR 50K 80CRI WH | | 7,552 | | 5,000 | |
| | \$30 | | CLX L96 8000LM SEF FDL MVOLT GZ10 LUGR 40K 80CRI WH | | 7,445 | | 4,000 | |
| | \$30 | | CLX L96 8000LM SEF FDL MVOLT GZ10 LUGR 50K 80CRI WH | | 7,424 | | 5,000 | |
| | \$30 | | CLX L96 10000LM SEF RDL MVOLT GZ10 LUGR 40K 80CRI WH | | 9,282 | | 4,000 | |
| | \$30 | | CLX L96 10000LM SEF RDL MVOLT GZ10 LUGR 50K 80CRI WH | | 9,256 | | 5,000 | |
| | \$30 | | CLX L96 10000LM SEF FDL MVOLT GZ10 LUGR 40K 80CRI WH | | 9,125 | | 4,000 | |
| | \$30 | | CLX L96 10000LM SEF FDL MVOLT GZ10 LUGR 50K 80CRI WH | | 9,099 | | 5,000 | |
| | \$30 | Back To Earth Energy Inc | BE-CHB-50W-D90-B-LV-4000K | | 7,223 | 51 | 4,000 | |
| | \$30 | | BE-CHB-50W-D90-B-LV-5000K | | 7,452 | | 5,000 | |
| | \$30 | Barron Lighting Group | SLS-8-64-C | 190622144784 | 8,558 | 65 | 3,500 | CCT & Wattage Selectable |
| | \$30 | Industrial Lighting Products | DSC8-5LHE-U-30-FCLGR | | 4,949 | 31 | 3,000 | |
| | \$30 | | DSC8-5LHE-U-35-FCLGR | | 5,034 | | 3,500 | |
| | \$30 | | DSC8-5LHE-U-40-FCLGR | | 5,118 | | 4,000 | |
| | \$30 | | DSC8-5LHE-U-50-FCLGR | | 5,288 | | 5,000 | |
| | \$30 | | DSC8-5LHE-U-30-FFLGR | | 4,891 | | 3,000 | |
| | \$30 | | DSC8-5LHE-U-35-FFLGR | | 4,975 | | 3,500 | |
| | \$30 | | DSC8-5LHE-U-40-FFLGR | | 5,058 | | 4,000 | |
| | \$30 | | DSC8-5LHE-U-50-FFLGR | | 5,226 | | 5,000 | |
| | \$30 | | DSC8-6LHE-U-30-FCLGR | | 6,224 | 40 | 3,000 | |
| | \$30 | | DSC8-6LHE-U-35-FCLGR | | 6,331 | | 3,500 | |
| | \$30 | | DSC8-6LHE-U-40-FCLGR | | 6,437 | | 4,000 | |
| | \$30 | | DSC8-6LHE-U-50-FCLGR | | 6,650 | | 5,000 | |
| | \$30 | | DSC8-6LHE-U-30-FFLGR | | 6,151 | | 3,000 | |
| | \$30 | | DSC8-6LHE-U-35-FFLGR | | 6,257 | | 3,500 | |
| | \$30 | | DSC8-6LHE-U-40-FFLGR | | 6,362 | | 4,000 | |
| | \$30 | | DSC8-6LHE-U-50-FFLGR | | 6,572 | | 5,000 | |
| | \$30 | LEDVANCE, LLC | LNHIBA3A/065UNVD840/12W/WH (61980) | 046135619809 | 8,450 | 65 | 4,000 | |
| | \$30 | | LNHIBA3A/065UNVD850/12W/WH (61981) | 046135619816 | 8,515 | | 5,000 | |
| | \$30 | MaxLite Inc. | BLHE3-065UF-40 | 767627005855 | 8,450 | 65 | 4,000 | |
| | \$30 | | BLHE3-065UF-50 | 767627005862 | 8,515 | | 5,000 | |
| | \$30 | | BLHE3-065UF-40EM | | 8,450 | | 4,000 | |
| | \$30 | | BLHE3-065UF-50EM | | 8,515 | | 5,000 | |
| | \$30 | Topaz | PL24-50WPCTS-D | 751338040304 | 6,494 | 51 | 3,500 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$30 | | PL24-40WPCTS-D | 032886300066 | 5,359 | | 3,500 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| 86UAPC | \$60 | Acuity Brands Lighting | CLX L96 6000LM SEF RDL MVOLT GZ10 LUGR 40K 80CRI MSD7 WH | | 5,631 | 36 | 4,000 | |
| | \$60 | | CLX L96 6000LM SEF RDL MVOLT GZ10 LUGR 50K 80CRI MSD7 WH | | 5,615 | | 5,000 | |
| | \$60 | | CLX L96 6000LM SEF FDL MVOLT GZ10 LUGR 40K 80CRI MSD7 WH | | 5,535 | | 4,000 | |
| | \$60 | | CLX L96 6000LM SEF FDL MVOLT GZ10 LUGR 50K 80CRI MSD7 WH | | 5,520 | | 5,000 | |
| | \$60 | | CLX L96 8000LM SEF RDL MVOLT GZ10 LUGR 40K 80CRI MSD7 WH | | 7,573 | | 4,000 | |
| | \$60 | | CLX L96 8000LM SEF RDL MVOLT GZ10 LUGR 50K 80CRI MSD7 WH | | 7,552 | | 5,000 | |
| | \$60 | | CLX L96 8000LM SEF FDL MVOLT GZ10 LUGR 40K 80CRI MSD7 WH | | 7,445 | | 4,000 | |
| | \$60 | | CLX L96 8000LM SEF FDL MVOLT GZ10 LUGR 50K 80CRI MSD7 WH | | 7,424 | | 5,000 | |
| | \$60 | | CLX L96 10000LM SEF RDL MVOLT GZ10 LUGR 40K 80CRI MSD7 WH | | 9,282 | | 4,000 | |
| | \$60 | | CLX L96 10000LM SEF RDL MVOLT GZ10 LUGR 50K 80CRI MSD7 WH | | 9,256 | | 5,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 | |
|--|-----------|---------------------------|---|--------------|-----------------------|------------------------|--------------|--|---|
| 86UAPC | \$60 | Acuity Brands Lighting | CLX L96 10000LM SEF FDL MVOLT GZ10 LUGR 40K 80CRI MSD7 WH | | 9,125 | | 61 | 4,000 | |
| | \$60 | | CLX L96 10000LM SEF FDL MVOLT GZ10 LUGR 50K 80CRI MSD7 WH | | 9,099 | | 61 | 5,000 | |
| | \$60 | Barron Lighting Group | SLS-8-64-C-SC | 190622144814 | 8,558 | | 65 | 3,500 CCT & Wattage Selectable | |
| | \$60 | LEDVANCE, LLC | LNHIBA3A/065UNVD840/12W/WH/D (61994) | 046135619946 | 8,450 | | 65 | 4,000 | |
| | \$60 | | LNHIBA3A/065UNVD850/12W/WH/D (61995) | 046135619953 | 8,515 | | 65 | 5,000 | |
| | \$60 | MaxLite Inc. | BLHE3-065UF-40MS | 767627006296 | 8,450 | | 65 | 4,000 | |
| | \$60 | | BLHE3-065UF-50MS | 767627006302 | 8,515 | | 65 | 5,000 | |
| | \$60 | | BLHE3-065UF-40EMMS | | 8,450 | | 65 | 4,000 | |
| | \$60 | | BLHE3-065UF-50EMMS | | 8,515 | | 65 | 5,000 | |
| Outdoor Full-Cutoff Wall-Mounted Area Luminaires | | | | | | | | | |
| 87UAC | \$50 | RAB Lighting | SLIM26W | | 3,882 | | 29 | 5,000 Must be installed with a photocell or timeclock to receive incentive | |
| | \$50 | | SLIM26W/PC | | 3,882 | | 29 | | 5,000 |
| 87UAP | \$50 | Acuity Brands Lighting | WPX1 LED P1 30K MVOLT PE DDBXD | 194994730217 | 1,537 | | 12 | 3,000 | |
| | \$50 | | WPX1 LED P1 40K MVOLT PE DDBXD | 194994407430 | 1,568 | | 12 | 4,000 | |
| | \$50 | | WPX1 LED P1 50K MVOLT PE DDBXD | 194994618652 | 1,602 | | 11 | 5,000 | |
| | \$50 | | WPX1 LED P2 30K MVOLT PE DDBXD | 194994724797 | 2,748 | | 23 | 3,000 | |
| | \$50 | | WPX1 LED P2 40K MVOLT PE DDBXD | 194994408000 | 2,912 | | 24 | 4,000 | |
| | \$50 | | WPX1 LED P2 50K MVOLT PE DDBXD | 194994618744 | 2,954 | | 24 | 5,000 | |
| | \$50 | | WPX0 LED ALO SWW2 MVOLT PE DDBXD | | 1,650 | | 13 | 3,000 CCT & Wattage Selectable | |
| | | | | | | | | | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen |
| | \$50 | ASD Lighting Corp | WPX0 LED ALO SWW2 MVOLT PE DDBXD M2 | 196182511806 | 1,650 | | 13 | 3,000 setting. Must be installed with a timeclock or photocell to receive incentive. | |
| | \$50 | | WPX1 LED P2 40K MVOLT DDBXD M4 | 193048870589 | 2,912 | | 24 | 4,000 Must be installed with a timeclock or photocell to receive incentive. | |
| | \$50 | | ASD-LBL1-35D40-PC-BZ | 810050734042 | 4,340 | | 35 | 4,000 | |
| | \$50 | | ASD-LBL1-35D50-PC-BZ | 810050734059 | 4,410 | | 35 | 5,000 | |
| | \$50 | | ASD-WLP02A-12DAC-PC-BK | 810128110563 | 1,500 | | 12 | 3,000 | |
| | \$50 | | ASD-WLP02A-30DAC-PC-BK | 810128110273 | 3,750 | | 30 | 3,000 | |
| | | | | | | | | | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen |
| | \$50 | | ASD-WLP03-A50DAC-BR | 810128111133 | 6,500 | | 50 | 3,000 setting. Must be installed with a timeclock or photocell to receive incentive. | |
| | \$50 | ATG Electronics Corp. | WPGP-28-40 | | 3,862 | | 29 | 4,000 Must be installed with a timeclock or with photocell to receive incentive. | |
| | \$50 | | WPGP-28-40-P3 | | 3,862 | | 29 | 4,000 | |
| | \$50 | | WPGP-28-50 | | 3,930 | | 29 | 5,000 Must be installed with a timeclock or with photocell to receive incentive. | |
| | \$50 | | WPGP-28-50-P3 | | 3,930 | | 29 | 5,000 | |
| | \$50 | | | | | | | | |
| | \$50 | Atlas Lighting Products | WPS13LEDPC | 765364011542 | 1,629 | | 14 | 4,500 | |
| | \$50 | | WPS13LED3KPC | 765364929908 | 1,629 | | 14 | 3,000 | |
| | \$50 | | WPS13LED4KPC | 765364017490 | 1,629 | | 14 | 4,000 | |
| | \$50 | | WPS13LED5KPC | 765364034923 | 1,682 | | 14 | 5,000 | |
| | \$50 | | WPS27LED5KPC | 765364026379 | 3,261 | | 28 | 5,000 | |
| | \$50 | | WPS13LEDPM | 765364011726 | 1,629 | | 14 | 4,500 | |
| | \$50 | | WPS13LED3KPM | | 1,629 | | 14 | 3,000 | |
| | \$50 | | WPS13LED4KPM | | 1,629 | | 14 | 4,000 | |
| | \$50 | | WPS13LED5KPM | | 1,682 | | 14 | 5,000 | |
| | \$50 | | WPS27LED5KPM | | 3,261 | | 28 | 5,000 | |
| | \$50 | Barron Lighting Group | WTA-27-VS-3K-BR | 190622142520 | 3,500 | | 27 | 3,000 Must be installed with photocell or timeclock | |
| | \$50 | | WTA-27-VS-4K-BR | 190622142530 | 3,600 | | 27 | 4,000 Must be installed with photocell or timeclock | |
| | \$50 | | WTA-27-VS-5K-BR | 190622142540 | 3,600 | | 27 | 5,000 Must be installed with photocell or timeclock | |
| | \$50 | | WTA-27-VS-3K-BR-PC | 190622004415 | 3,500 | | 27 | 3,000 Must be installed with photocell or timeclock | |
| | \$50 | | WTA-27-VS-4K-BR-PC | 190622005405 | 3,600 | | 27 | 4,000 Must be installed with photocell or timeclock | |
| | \$50 | | WTA-27-VS-5K-BR-PC | 190622039288 | 3,600 | | 27 | 5,000 Must be installed with photocell or timeclock | |
| | \$50 | Cooper Lighting Solutions | AXCS1A-PC | | 1,806 | | 14 | 4,000 | |
| | \$50 | | AXCS2A-PC | | 2,561 | | 21 | 4,000 | |
| \$50 | AXCS3A-PC | | | 3,537 | | 27 | 4,000 | | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-----------------------------|------------------------------------|--------------|-----------------------|------------------------|--------------|---|
| 87UAP | \$50 | Cooper Lighting Solutions | CTKRV1B | 080083865390 | 4,515 | 29 | 4,000 | |
| | \$50 | | NFFLD-S-C70-D-UNV-33-KNC-BZ-PER7 | | 3,691 | 30 | 4,000 | |
| | \$50 | | AXCS3A-PC-KKIT | | 3,537 | 27 | 4,000 | |
| | \$50 | Halco Lighting Technologies | AWP-1-15-CS-U-PC | 807154398744 | 1,761 | 14 | 3,000 | CCT Selectable |
| | \$50 | | AWP-2-WS-CS-U-PC | 807154398751 | 3,540 | 29 | 3,000 | Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$50 | | AWP-3-WS-CS-U-PC | 807154398768 | 6,329 | 51 | 3,000 | Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |
| | | | | | | | | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$50 | Keystone Technologies | KT-WPLED35PS-S3-8CSB-VDIM | | 4,430 | 35 | 3,000 | setting |
| | \$50 | LEDVANCE, LLC | SLMWPKC3A/030UNVD8SC2/BZP (62880) | 046135628801 | 4,021 | 30 | 3,000 | |
| | \$50 | | SLMWPKC3A/S030UNHD8SC2/BZP (62878) | 046135628788 | 3,979 | 30 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$50 | | SLMWPKC3A/S060UNHD8SC2/BZP (62879) | 046135628795 | 7,784 | 60 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$50 | | WALPAKC9AS035UNHD8SC2BZP (65856) | 046135658563 | 5,316 | 36 | 3,000 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output |
| | | | | | | | | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$50 | Litetronics International | WPC060 | | 8,049 | 60 | 3,000 | output |
| | \$50 | MaxLite Inc. | WPC15UT4-CSBPCCR | 767627030932 | 2,137 | 16 | 3,000 | CCT Selectable |
| | \$50 | | WPC20UT4-CSBPCCR | 767627030949 | 2,843 | 21 | 3,000 | CCT Selectable |
| | \$50 | | WPC28UT4-WCSBPCCR | 767627030956 | 3,556 | 28 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$50 | | WP-ADS15U-CSBPC | 767627002335 | 1,800 | 15 | 3,000 | CCT Selectable |
| | \$50 | | WP-ADS20U-CSBPC | 767627972119 | 2,400 | 20 | 3,000 | CCT Selectable |
| | \$50 | | WP-ADS29U-CSBPC | 767627972126 | 3,480 | 29 | 3,000 | CCT Selectable |
| | \$50 | | DBL40UT5-CSGPN | 767627018459 | 4,882 | 38 | 3,000 | CCT Selectable |
| | \$50 | | DBL60UT5-WCSGPN | 767627032547 | 7,131 | 56 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$50 | | | | 2,044 | 15 | 5,000 | Must be installed with a timeclock or with the PC option to receive incentive. |
| | \$50 | | | | 2,044 | 15 | 5,000 | Must be installed with a timeclock or with the PC option to receive incentive. |
| | \$50 | Morris Products Inc. | 71152A | | 4,008 | 30 | 5,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$50 | | 71153A | | 4,008 | 30 | 5,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$50 | | 71333C | 601986713337 | 7,037 | 56 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$50 | NICOR Inc. | ODL4060SUNVSBZ | | 7,037 | 56 | 3,000 | Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$50 | | ODL4060SUNVSGR | | 7,037 | 56 | 3,000 | Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$50 | P.Q.L. Inc. | STLWP-30-347-D-50K (83900) | 811768029352 | 4,110 | 30 | 5,000 | Must be installed with a timeclock to receive incentive or with photocell option |
| | \$50 | | SPSTLWP-50HV-PC-TK (83910) | 811768021233 | 6,343 | 50 | 3,000 | Wattage & CCT selectable, Measure/incentive based on min. lumen level |
| | \$50 | | SPSTLWP-50LV-PC-TK (83913) | 811768025873 | 6,343 | 50 | 3,000 | Wattage & CCT selectable, Measure/incentive based on min. lumen level |
| | \$50 | PACLIGHTS, LLC | FWPR/2-025-40 | | 3,283 | 25 | 4,000 | Must be installed with photo cell or timeclock |
| | \$50 | | FWPR/2-025-50 | | 3,283 | 25 | 5,000 | Must be installed with photo cell or timeclock |
| | \$50 | | FWPR/2-025-40-PC | | 3,283 | 25 | 4,000 | |
| | \$50 | | FWPR/2-025-50-PC | | 3,283 | 25 | 5,000 | |
| | \$50 | RAB Lighting | SLIM17FA15ADJ | | 1,761 | 14 | 3,000 | CCT Selectable |
| | \$50 | | SLIM17FA30ADJ | | 3,540 | 29 | 3,000 | CCT Selectable |
| | \$50 | | SLIM12 | | 2,070 | 15 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$50 | | SLIM12/PC | | 2,070 | 15 | 5,000 | |
| | \$50 | | SLIM12N | | 2,039 | 15 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$50 | | SLIM12N/PC | | 2,039 | 15 | 4,000 | |
| | \$50 | | SLIM12Y | | 2,006 | 15 | 3,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$50 | | SLIM12Y/PC | | 2,006 | 15 | 3,000 | |
| | \$50 | | SLIM18 | | 2,781 | 21 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$50 | | SLIM18/PC | | 2,781 | 21 | 5,000 | |
| | \$50 | | SLIM18N | | 2,739 | 21 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$50 | | SLIM18N/PC | | 2,739 | 21 | 4,000 | |
| | \$50 | | SLIM18Y | | 2,695 | 21 | 3,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$50 | | SLIM18Y/PC | | 2,695 | 21 | 3,000 | |
| | \$50 | | SLIM26 | | 3,882 | 29 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|------------------------|---|---------------------------|-----------------------|------------------------|--------------|---|
| 87UAP | \$50 | RAB Lighting | SLIM26/PC | | 3,882 | 29 | 5,000 | |
| | \$50 | | SLIM26N/PC | | 3,824 | 29 | 4,000 | |
| | \$50 | | SLIM26Y | | 3,762 | 29 | 3,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$50 | | SLIM26Y/PC | | 3,762 | 29 | 3,000 | |
| | \$50 | | WPLED18 | | 2,859 | 21 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$50 | | WPLED18 PC | | 2,859 | 21 | 5,000 | |
| | \$50 | | SLIM26N | | 3,824 | 29 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$50 | Signify | WPLED26/PC | 190096182039 | 3,851 | 29 | 5,000 | |
| | \$50 | | ASW25-SCT-G1-8-PCB-BW | | 2,949 | 24 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | | | | | | | | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$50 | Topaz | WPA-40W-PCTS-BZ-PC | 751338039995 | 4,856 | 39 | 3,000 | |
| | \$50 | | ARL-BL-60WPCTS-GR | | 8,361 | 59 | 3,000 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output |
| | \$50 | WESTGATE MFG | ARL-BL-60WPCTS-BZ | | 8,361 | 59 | 3,000 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output |
| | \$50 | | LRX-20-50W-MCTP | | 5,989 | 50 | 3,000 | Lumen & CCT selectable - measure code based on lowest wattage/lumen rating |
| | \$50 | | LW360-25W-50K-G2-SA1-aP | | 3,283 | 25 | 5,000 | |
| | \$50 | | LW360-25W-MCT-G2-DA1-aP | | 3,140 | 24 | 3,000 | CCT Selectable |
| | \$50 | | LWAX-MD-20-50W-MCTP | | 6,072 | 50 | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | \$50 | | LWPX-30-80W-MCTP | | 9,891 | 83 | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | \$50 | | LW360-25W-40K-G2-SA1 | | 3,283 | 25 | 4,000 | |
| | \$50 | | LW360-25W-50K-G2-SA1 | | 3,283 | 25 | 5,000 | |
| | \$50 | | LW360-25W-MCT-G2-DA1 | | 3,140 | 24 | 3,000 | CCT Selectable |
| | \$50 | | LWAX-MD-30W-30K | | 3,631 | 30 | 3,000 | |
| | \$50 | | LWAX-MD-30W-40K | | 3,616 | 30 | 4,000 | |
| | \$50 | | LWAX-MD-30W-50K | | 3,600 | 30 | 5,000 | |
| | \$50 | | LWAX-SM-12W-30K | | 1,452 | 11 | 3,000 | Must be installed with PC option or with a time clock to receive incentive. |
| | \$50 | | LWAX-SM-12W-40K | | 1,482 | 12 | 4,000 | Must be installed with PC option or with a time clock to receive incentive. |
| | \$50 | | LWAX-SM-12W-50K | | 1,513 | 12 | 5,000 | Must be installed with PC option or with a time clock to receive incentive. |
| | \$50 | | WAX-20-40W-MCTP | 845060091533 | 5,464 | 40 | 3,000 | CCT & Wattage Selectable, measure/incentive based on minimum light output. Must be installed with a photocell or timeclock to receive incentive |
| | | | | | | | | CCT & Wattage Selectable, measure/incentive based on minimum light output. Must be installed with a photocell or timeclock to receive incentive |
| | \$50 | | WAX-50-80W-MCTP | 845060091540 | 10,736 | 83 | 3,000 | CCT & Wattage Selectable, measure/incentive based on minimum light output. Must be installed with a photocell or timeclock to receive incentive |
| | \$50 | | WAX-90-120W-MCTP | 845060091557 | 15,592 | 125 | 3,000 | CCT & Wattage Selectable, measure/incentive based on minimum light output. Must be installed with a photocell or timeclock to receive incentive |
| 87UAPC | \$80 | LEDVANCE, LLC | SLMWPKC3A/030UNVD8SC2/BZD (63073) | 046135628801 | 4,021 | 30 | 3,000 | |
| | \$80 | | SLMWPKC3A/S030UNHD8SC2/BZD (63071) | 046135628788 | 3,979 | 30 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | | SLMWPKC3A/S060UNHD8SC2/BZD (63072) | 046135628795 | 7,784 | 60 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | MaxLite Inc. | WPC15UT4-CSBPCCR+CN-RTMST | 767627030932+767627007866 | 2,137 | 16 | 3,000 | CCT Selectable |
| | \$80 | | WPC20UT4-CSBPCCR+CN-RTMST | 767627030949+767627007866 | 2,843 | 21 | 3,000 | CCT Selectable |
| | \$80 | | WPC28UT4-WCSBPCCR+CN-RTMST | 767627030956+767627007866 | 3,556 | 28 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | | WP-ADS15U-CSBPCMS | 767627043840 | 1,800 | 15 | 3,000 | CCT Selectable |
| | \$80 | | WP-ADS20U-CSBPCMS | 767627043918 | 2,400 | 20 | 3,000 | CCT Selectable |
| | \$80 | | WP-ADS29U-CSBPCMS | 767627043963 | 3,480 | 29 | 3,000 | CCT Selectable |
| | \$80 | | DBL40UT5-CSGPN+CN-RTMST | 767627018459+767627007866 | 4,882 | 38 | 3,000 | CCT Selectable |
| | \$80 | | DBL60UT5-WCSGPN+CN-RTMST | 767627032547+767627007866 | 7,131 | 56 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | PACLIGHTS, LLC | FWPR/2-025-40-MC | | 3,283 | 25 | 4,000 | |
| | \$80 | | FWPR/2-025-50-MC | | 3,283 | 25 | 5,000 | |
| 87UBP | \$80 | Acuity Brands Lighting | WPX2 LED 40K MVOLT PE DDBXD | 194994409762 | 5,896 | 48 | 4,000 | |
| | \$80 | | WPX2 LED 50K MVOLT PE DDBXD | 194994618799 | 6,201 | 47 | 5,000 | |
| | \$80 | | WPX3 LED 40K MVOLT PE DDBXD | 194994409656 | 9,269 | 72 | 4,000 | |
| | \$80 | | WPX3 LED 50K MVOLT PE DDBXD | 194994618638 | 9,393 | 71 | 5,000 | |
| | \$80 | | WDGE3 LED P3 40K 80CRI R4 MVOLT SRM PBBW PE DDBXD | | 9,556 | 74 | 4,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-----------------------------|---------------------------------------|--------------|-----------------------|------------------------|--------------|--|
| 87UBP | \$80 | Acuity Brands Lighting | WPX2 LED 40K MVOLT DDBXD M2 | 193048870756 | 5,896 | 48 | 4,000 | Must be installed with a timeclock or photocell to receive incentive. |
| | \$80 | | WPX2 LED 50K MVOLT DDBXD M2 | 193048870770 | 6,201 | 47 | 5,000 | Must be installed with a timeclock or photocell to receive incentive. |
| | \$80 | ASD Lighting Corp | ASD-LBL1-70D40-PC-BZ | 810050734066 | 8,680 | 70 | 4,000 | |
| | \$80 | | ASD-LBL1-70D50-PC-BZ | 810050734073 | 8,820 | 70 | 5,000 | |
| | \$80 | | ASD-LBL2-70D40-PC-BZ | 810050734080 | 8,680 | 70 | 4,000 | |
| | \$80 | | ASD-LBL2-70D50-PC-BZ | 810050734097 | 8,820 | 70 | 5,000 | |
| | \$80 | | ASD-WLP02A-50DAC-PC-BK | 810128110280 | 6,250 | 50 | 3,000 | CCT Selectable. Must be installed with a timeclock or photocell to receive incentive. |
| | \$80 | | | | | | | |
| | \$80 | | ASD-WLP03-A80DAC-BR | 810128111126 | 10,400 | 80 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$80 | ATG Electronics Corp. | WPGP-40-40 | | 5,310 | 39 | 4,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$80 | | WPGP-40-40-P3 | | 5,310 | 39 | 4,000 | |
| | \$80 | | WPGP-40-50 | | 5,381 | 39 | 5,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$80 | | WPGP-40-50-P3 | | 5,381 | 39 | 5,000 | |
| | \$80 | | WPGP-60-40 | | 7,596 | 58 | 4,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$80 | | WPGP-60-40-P3 | | 7,596 | 58 | 4,000 | |
| | \$80 | | WPGP-60-50 | | 7,687 | 57 | 5,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$80 | | WPGP-60-50-P3 | | 7,687 | 57 | 5,000 | |
| | \$80 | Atlas Lighting Products | WPM43LED5KPC | 765364014260 | 5,229 | 43 | 5,000 | |
| | \$80 | | WPM43LED5KPM | 765364042867 | 5,229 | 43 | 5,000 | |
| | \$80 | Barron Lighting Group | WTA-40-VS-3K-BR-PC | 190622004408 | 5,100 | 40 | 3,000 | |
| | \$80 | | WTA-40-VS-4K-BR-PC | 190622143985 | 5,300 | 40 | 4,000 | |
| | \$80 | | WTA-40-VS-5K-BR-PC | 190622010065 | 5,300 | 40 | 5,000 | |
| | \$80 | | WTA-67-VS-3K-BR-PC | | 9,300 | 67 | 3,000 | |
| | \$80 | | WTA-67-VS-4K-BR-PC | 190622144340 | 9,600 | 67 | 4,000 | |
| | \$80 | | WTA-67-VS-5K-BR-PC | 190622010258 | 9,600 | 67 | 5,000 | |
| | \$80 | Cooper Lighting Solutions | AXCS4A-PC | | 5,520 | 44 | 4,000 | |
| | \$80 | | AXCS5A-PC | | 6,300 | 52 | 4,000 | |
| | \$80 | | GWC-SA1C-740-U-SL3-BZ | | 7,555 | 59 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | GWC-SA1C-740-U-SL4-BZ | | 7,178 | 59 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | AXCL8A-PC1 | 080083811663 | 9,696 | 72 | 4,000 | |
| | \$80 | | AXCL8A-480-PC2 | | 9,696 | 72 | 4,000 | |
| | \$80 | | AXCL8A | | 9,696 | 72 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | Current | EWAS011C3AW740N3FMDKBZ | | 7,600 | 56 | 4,000 | |
| | \$80 | | EWAS011C3AW750N3FMDKBZ | | 7,600 | 56 | 5,000 | |
| | \$80 | | EWAS011C4AF740N3FMDKBZ | | 7,500 | 56 | 4,000 | |
| | \$80 | | EWAS011C4AF750N3FMDKBZ | | 7,500 | 56 | 5,000 | |
| | \$80 | | EWAS011D4AF740N3FMDKBZ | | 10,000 | 77 | 4,000 | |
| | \$80 | | EWAS014C3AW740N3FMDKBZ | | 7,600 | 56 | 4,000 | |
| | \$80 | | EWAS014C3AW750N3FMDKBZ | | 7,600 | 56 | 5,000 | |
| | \$80 | | EWAS014C4AF740N3FMDKBZ | | 7,500 | 56 | 4,000 | |
| | \$80 | | EWAS014C4AF750N3FMDKBZ | | 7,500 | 56 | 5,000 | |
| | \$80 | | EWAS014D4AF740N3FMDKBZ | | 10,000 | 77 | 4,000 | |
| | \$80 | | EWAS015C4AF740N3FMDKBZ | | 7,500 | 56 | 4,000 | |
| | \$80 | | EWAS01DC4AF740N3FMDKBZ | | 7,500 | 56 | 4,000 | |
| | \$80 | Halco Lighting Technologies | AWP-4-WS-CS-U-PC | 807154398775 | 10,284 | 80 | 3,000 | Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | Keystone Technologies | KT-WPLED40-M2-840-VDIM | 843654129051 | 5,000 | 40 | 4,000 | Must include a photocell |
| | \$80 | | KT-WPLED40-M2-850-VDIM | 843654129068 | 5,200 | 40 | 5,000 | Must include a photocell |
| | \$80 | | KT-WPLED60-M2-840-VDIM | 843654129075 | 7,500 | 60 | 4,000 | |
| | \$80 | | KT-WPLED60-M2-850-VDIM | 843654129082 | 7,800 | 60 | 5,000 | |
| | \$80 | LEDVANCE, LLC | WALPAKC5B/040UNVD8SC2/C1/BZ/P (61833) | 046135618338 | 4,595 | 38 | 3,000 | |
| | \$80 | | WALPAKC5B/060UNVD8SC2/C1/BZ/P (61834) | 046135618345 | 7,035 | 58 | 3,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|---------------------------|--|--------------|-----------------------|------------------------|--------------|--|
| 87UBP | \$80 | LEDVANCE, LLC | WALPAKC6A/S080UNVD8SC2/T2/BZ/P (62723) | 046135627231 | 10,639 | 80 | 3,000 | Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | | WALPAKC6A/S080UNVD8SC2/T4/BZ/P (62725) | 046135627255 | 10,639 | 80 | 3,000 | Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | | WALPAKC9AS060UNHD8SC2BZP (65857) | 046135658570 | 8,856 | 62 | 3,000 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output |
| | \$80 | | WALPAKC9AS100UNHD8SC2BZP (65858) | 046135658587 | 14,717 | 101 | 3,000 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output |
| | | | | | | | | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen |
| | \$80 | Litetronics International | WPC100 | | 12,643 | 97 | 3,000 | output |
| | \$80 | MaxLite Inc. | DBL60HT5-CSGPN | 767627032547 | 7,459 | 63 | 3,000 | CCT Selectable |
| | \$80 | | WPC40UT4-CSBPCCR | 767627030963 | 5,507 | 40 | 3,000 | CCT Selectable |
| | \$80 | | WPC70UT4-CSBPCCR | 767627030970 | 9,536 | 72 | 3,000 | CCT Selectable |
| | \$80 | | WPC100UT4-WCSBPCCR | 767627030987 | 12,556 | 98 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | Morris Products Inc. | WTC75U-WCSBPC (111066) | | 9,604 | 77 | 3,000 | CCT & Wattage selectable, measure based on minimum lumen output. |
| | \$80 | | 71156A | | 9,100 | 70 | 5,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$80 | | 71157A | | 9,100 | 70 | 5,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$80 | | 71154A | | 6,800 | 50 | 5,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$80 | | 71155A | | 6,800 | 50 | 5,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | | | | | | | | Wattage/Power Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | | 75118A | | 4,800 | 40 | 3,000 | |
| | \$80 | | ODL3050MV50GRP | 767706188431 | 6,436 | 47 | 5,000 | CCT Selectable |
| | \$80 | NICOR Inc. | ODL3050MV50GRP | 767706188455 | 5,989 | 50 | 3,000 | CCT Selectable |
| | \$80 | | OSA3050MV50BZ | | 6,137 | 49 | 5,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$80 | | OSA3050MV50BZA | | 6,137 | 49 | 5,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$80 | | OSA3050MV50BZP | | 6,137 | 49 | 5,000 | |
| | \$80 | | OSA3050MV50BZAP | | 6,137 | 49 | 5,000 | |
| | | | | | | | | CCT Selectable. Must be installed with a timeclock or with photocell to receive incentive. |
| | \$80 | | OSA3050MVSZ | | 6,072 | 50 | 3,000 | |
| | | | | | | | | CCT Selectable. Must be installed with a timeclock or with photocell to receive incentive. |
| | \$80 | | OSA3050MVSZ | | 6,072 | 50 | 3,000 | |
| | \$80 | | OSA3050MVSZBZA | | 6,072 | 50 | 3,000 | |
| | \$80 | | OSA3050MVSZBZP | | 6,072 | 50 | 3,000 | |
| | \$80 | | OSA3050MVSZBZAP | | 6,072 | 50 | 3,000 | |
| | | | | | | | | CCT Selectable. Must be installed with a timeclock or with photocell to receive incentive. |
| | \$80 | | OWF3080MVSZ | | 9,891 | 83 | 3,000 | |
| | \$80 | | OWF3080MVSZP | | 9,891 | 83 | 3,000 | CCT Selectable |
| | \$80 | | ODL4120SUNVSBZ | | 13,870 | 112 | 3,000 | Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | | ODL4120SUNVSGR | | 13,870 | 112 | 3,000 | Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | P.Q.L. Inc. | STLWP-50-347-D-50K (83903) | 811768029314 | 6,850 | 50 | 5,000 | Must be installed with a timeclock to receive incentive or with photocell option |
| | \$80 | | SPSTLWP-120HV-PC-TK (83911) | 811768029383 | 14,500 | 121 | 3,000 | Wattage & CCT selectable, Measure/incentive based on min. lumen level |
| | \$80 | | SPSTLWP-120LV-PC-TK (83915) | 811768020908 | 14,500 | 121 | 3,000 | Wattage & CCT selectable, Measure/incentive based on min. lumen level |
| | \$80 | | SSTWP-80H-CS-CC (83917) | 811768028119 | 10,399 | 80 | 3,000 | Wattage & CCT selectable, Measure/incentive based on min. lumen level |
| | \$80 | PACLIGHTS, LLC | FWPR/2-040-40 | | 5,664 | 39 | 4,000 | Must be installed with photo cell or timeclock |
| | \$80 | | FWPR/2-040-50 | | 5,773 | 40 | 5,000 | Must be installed with photo cell or timeclock |
| | \$80 | | FWPR/2-060-40 | | 8,016 | 59 | 4,000 | Must be installed with photo cell or timeclock |
| | \$80 | | FWPR/2-060-50 | | 8,199 | 60 | 5,000 | Must be installed with photo cell or timeclock |
| | \$80 | | FWPR/2-040-40-PC | | 5,664 | 39 | 4,000 | |
| | \$80 | | FWPR/2-040-50-PC | | 5,773 | 40 | 5,000 | |
| | \$80 | | FWPR/2-060-40-PC | | 8,016 | 59 | 4,000 | |
| | \$80 | | FWPR/2-060-50-PC | | 8,199 | 60 | 5,000 | |
| | \$80 | | SLIM17FAFC40 | 019255200437 | 4,595 | 38 | 3,000 | CCT Selectable |
| | \$80 | | SLIM17FAFC60 | | 7,035 | 58 | 3,000 | CCT Selectable |
| | | | | | | | | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | YBLED | 192552003384 | 8,156 | 61 | 3,000 | Must be installed with a timeclock or PC to receive incentive. |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-----------------------------|-----------------------------|---------------------------|-----------------------|------------------------|--------------|--|
| 87UBP | \$80 | Signify | LPW-32-70-NW-G3-2 | | 8,425 | 65 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | LPW-32-70-WW-G3-2 | | 7,877 | 65 | 3,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | LPW-32-70-NW-G3-3 | | 8,248 | 65 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | LPW-32-70-NW-G3-4 | | 8,139 | 65 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | Topaz | ASW75-SCT-G1-8-PCB-BW | 190096182046 | 8,658 | 72 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | | WPFC-75W-PCTS-BZ-PC | 751338040014 | 8,749 | 72 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | | WPA-75W-PCTS-BZ-PC | 751338040007 | 8,538 | 71 | 3,000 | CCT & Wattage Selectable. Measure code/incentive based on lowest wattage/lumen output |
| | \$80 | | ARL-BL-40W-50K-BZ | | 5,735 | 39 | 5,000 | |
| | \$80 | WESTGATE MFG | LWAX-LG-50-120W-MCTP | 845060072808 | 15,740 | 125 | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | \$80 | | LRX-50-120W-MCTP | | 16,440 | 123 | 3,000 | Wattage and CCT Selectable - measure code based on lowest wattage/lumen rating. |
| | \$80 | | LW360-40W-40K-G2-SA1 | | 5,664 | 39 | 4,000 | |
| | \$80 | | LW360-40W-50K-G2-SA1 | | 5,773 | 40 | 5,000 | |
| | \$80 | | LW360-60W-40K-G2-SA2 | | 8,137 | 58 | 4,000 | |
| | \$80 | | LW360-60W-50K-G2-SA2 | | 8,393 | 60 | 5,000 | |
| | \$80 | | LW360-60W-MCT-G2-DA2 | | 7,270 | 58 | 3,000 | CCT Selectable |
| | \$80 | | LWPX-50W-30K | | 6,509 | 47 | 3,000 | Must be installed with PC option or with a time clock to receive incentive. |
| | \$80 | | LWPX-50W-40K | | 6,579 | 47 | 4,000 | Must be installed with PC option or with a time clock to receive incentive. |
| | \$80 | | LWPX-50W-50K | | 6,649 | 47 | 5,000 | Must be installed with PC option or with a time clock to receive incentive. |
| | | | | | | | | |
| 87UBPC | \$110 | MaxLite Inc. | DBL60HT5-CSGPN+CN-RTMST | 767627032547+767627007866 | 7,459 | 63 | 3,000 | CCT Selectable |
| | \$110 | | WPC40UT4-CSBPCCR+CN-RTMST | 767627030963+767627007866 | 5,507 | 40 | 3,000 | CCT Selectable |
| | \$110 | | WPC70UT4-CSBPCCR+CN-RTMST | 767627030970+767627007866 | 9,536 | 72 | 3,000 | CCT Selectable |
| | \$110 | | WPC100UT4-WCSBPCCR+CN-RTMST | 767627030987+767627007866 | 12,556 | 98 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | PACLIGHTS, LLC | FWPR/2-040-40-MC | | 5,664 | 39 | 4,000 | |
| | \$110 | | FWPR/2-040-50-MC | | 5,773 | 40 | 5,000 | |
| | \$110 | | FWPR/2-060-40-MC | | 8,016 | 59 | 4,000 | |
| | \$110 | | FWPR/2-060-50-MC | | 8,199 | 60 | 5,000 | |
| 87UCP | | | | | | | | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$110 | ASD Lighting Corp | ASD-WLP03-A120DAC-BR | 810128111829 | 15,600 | 120 | 3,000 | |
| | \$110 | | ASD-WLP03-120D50-BZ | 810050736343 | 16,320 | 120 | 5,000 | Must be installed with a timeclock or photocell to receive incentive. |
| | \$110 | | ASD-WLP03-80D50-BZ | 810050736336 | 10,880 | 80 | 5,000 | Must be installed with a timeclock or photocell to receive incentive. |
| | \$110 | ATG Electronics Corp. | WPGP-80-40 | | 10,285 | 77 | 4,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$110 | | WPGP-80-40-P3 | | 10,285 | 77 | 4,000 | |
| | \$110 | | WPGP-80-50 | | 10,422 | 77 | 5,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$110 | | WPGP-80-50-P3 | | 10,422 | 77 | 5,000 | |
| | \$110 | Barron Lighting Group | WTA-80-VS-3K-BR-PC | 190622000424 | 10,700 | 80 | 3,000 | |
| | \$110 | | WTA-80-VS-4K-BR-PC | 190622145194 | 11,200 | 80 | 4,000 | |
| | \$110 | | WTA-80-VS-5K-BR-PC | 190622016630 | 11,200 | 80 | 5,000 | |
| | \$110 | Cooper Lighting Solutions | GWC-SA2B-740-U-SL4-BZ | | 11,333 | 86 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GWC-SA2C-740-U-SL4-BZ | | 14,025 | 113 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GALN-SA4C-740-U-SL4-WM-BZ | | 27,223 | 213 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GWC-SA2C-740-U-T3-BZ-PR7 | | 14,764 | 113 | 4,000 | |
| | \$110 | | AXCL10A-PC1 | 080083811601 | 13,283 | 100 | 4,000 | |
| | \$110 | | AXCL12A-PC1 | 080083811625 | 16,823 | 120 | 4,000 | |
| | \$110 | | AXCL10A-480-PC2 | | 13,283 | 100 | 4,000 | |
| | \$110 | | AXCL12A-480-PC2 | | 16,823 | 120 | 4,000 | |
| | \$110 | | AXCL10A | | 13,283 | 100 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | AXCL12A | | 16,823 | 120 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | Current | EWAS011F4AF740N3FMDKBZ | | 14,400 | 109 | 4,000 | |
| | \$110 | | EWAS014F4AF740N3FMDKBZ | | 14,400 | 109 | 4,000 | |
| | \$110 | Halco Lighting Technologies | AWP-5-WS-CS-U-PC | 807154398782 | 15,614 | 123 | 3,000 | Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |

1/6/2025 On the Spot Light Program Qualified Products Listed by Primary Use/Measure 138 of 214

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-----------------------------|--|--------------|-----------------------|------------------------|--------------|---|
| 87UAP | \$50 | ATG Electronics Corp. | WPDS-28-50-G4-P3 | | 3,853 | 28 | 5,000 | |
| | \$50 | Atlas Lighting Products | DDS3-8L | | 7,451 | 56 | 3,000 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$50 | | ORWPSEL2-6LPC | 765364027178 | 6,016 | 45 | 3,000 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$50 | Barron Lighting Group | RWE-S-60-VS-CP-BR | 190622009144 | 7,741 | 59 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must connect photocell or install with timeclock to receive incentive. |
| | \$50 | | RWE-M-60-VS-CP-BR | 190622009151 | 7,780 | 58 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must connect photocell or install with timeclock to receive incentive. |
| | \$50 | | RWE-M-60-VS-CP-BR-BB | | 7,780 | 58 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must connect photocell or install with timeclock to receive incentive. |
| | \$50 | | MWQ-20-C-BR | 190622009014 | 2,600 | 19 | 3,000 | CCT Selectable |
| | \$50 | Cooper Lighting Solutions | AXCS1ARL-PC | | 1,915 | 14 | 4,000 | |
| | \$50 | | AXCS3ARL-PC | | 3,704 | 27 | 4,000 | |
| | \$50 | | ASWPLED1S | | 3,750 | 30 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Photo control must be enabled or used with a time clock. |
| | \$50 | Current | WGH2-LSCS | 840141417950 | 10,628 | 73 | 4,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating |
| | \$50 | | PRS-20-4K-PC | 840141419848 | 2,866 | 23 | 4,000 | |
| | \$50 | | PRS-20-5K-PC | 840141419855 | 2,918 | 23 | 5,000 | |
| | \$50 | | | | | | | Lumen selectable, Measure/incentive based on min. lumen level. If not installed with time clock, a separate photo sensor is needed. |
| | \$50 | | WGH1-LS-4K | | 7,047 | 51 | 4,000 | Lumen selectable, Measure/incentive based on min. lumen level |
| | \$50 | | WGH1-LS-4K-PC | 840141404349 | 7,047 | 51 | 4,000 | |
| | \$50 | Halco Lighting Technologies | LPWP-1-LS-CS-U-BZ (39860) | 807154398607 | 3,148 | 24 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$50 | | LPWP-2-LS-CS-U-BZ (39861) | 807154398614 | 7,739 | 60 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$50 | Keystone Technologies | KT-WPLED20-S1-840-VDIM | 843654129143 | 2,500 | 20 | 4,000 | |
| | \$50 | | KT-WPLED20-S1-850-VDIM | 843654129150 | 2,500 | 20 | 5,000 | |
| | \$50 | | KT-WPLED20-S1-8CSB-VDIM | 843654129112 | 2,500 | 20 | 5,000 | |
| | \$50 | | KT-WPLED35-M1-8CSB-VDIM | 843654129013 | 4,690 | 35 | 5,000 | Lumen & CCT selectable - measure code based on lowest lumen rating |
| | \$50 | | KT-WPLED35PS-M4-8CSB-VDIM | 843654155524 | 4,760 | 35 | 3,000 | Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$50 | | KT-WPLED55PS-M4-8CSB-VDIM | 843654155531 | 7,370 | 55 | 3,000 | Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$50 | | KT-WPLED20-S1-8CSB-VDIM-W | 843654129136 | 2,500 | 20 | 5,000 | |
| | \$50 | | | | | | | |
| | \$50 | LEDVANCE, LLC | MWLPAKN1A/015UNVDSC2/BZ/P (62173) | 046135621734 | 2,129 | 16 | 3,000 | CCT Selectable |
| | \$50 | | MWLPAKN1A/020UNVDSC2/BZ/P (62174) | | 2,600 | 19 | 3,000 | CCT Selectable |
| | \$50 | | MWLPAKN1A/030UNVDSC2/BZ/P (62175) | 046135621758 | 3,947 | 29 | 3,000 | CCT Selectable |
| | \$50 | | WALPAKN5A/029UNVD8SC2/BZ/P (61838) | 046135618383 | 4,010 | 29 | 3,000 | CCT Selectable |
| | \$50 | | WALPAKN7A/S040UNVD8SC2/BZ/P (62522) | 046135625220 | 5,696 | 41 | 3,000 | Wattage & CCT selectable, Measure/incentive based on min. lumen level |
| | \$50 | | WALPAKN6A/S040UNVD8SC2/T2/BZ/P (62727) | 046135627279 | 5,099 | 40 | 3,000 | Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$50 | | WALPAKN6A/S040UNVD8SC2/T4/BZ/P (62730) | 046135627309 | 5,099 | 40 | 3,000 | Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$50 | | | | | | | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$50 | | WALPAKN9A/S029UNHD8SC2/BZ/P (63763) | | 4,287 | 30 | 3,000 | |
| | \$50 | | | | | | | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$50 | | WALPAKN9A/S029UNHD8SC2/BZ/PE (63929) | | 4,287 | 30 | 3,000 | |
| | \$50 | | | | | | | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$50 | | WALPAKN9A/S040UNHD8SC2/BZ/P (63764) | 046135637643 | 5,703 | 40 | 3,000 | |
| | \$50 | | | | | | | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$50 | | WALPAKN9A/S040UNHD8SC2/BZ/PE (63930) | | 5,703 | 40 | 3,000 | |
| | \$50 | | | | | | | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$50 | | MWLPAKN2A/S030UNHD8SC2/BZ/P (63475) | 046135634758 | 3,792 | 30 | 3,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|---------------------------------------|-------------------------------------|--------------|-----------------------|------------------------|--------------|---|
| 87UAP | \$50 | LEDVANCE, LLC | MWLPAKN2A/S030UNHD8SC2/BL/P (63654) | 046135636547 | 3,792 | 30 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$50 | | MWLPAKN2A/S030UNHD8SC2/WH/P (62418) | 046135624186 | 3,792 | 30 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$50 | Litetronics International | WPT060 | | 7,739 | 60 | 3,000 | CCT & Wattage Selectable. Measure code/incentive based on lowest wattage/lumen output |
| | \$50 | MaxLite Inc. | SECS15UD-CSBPC | | 2,129 | 16 | 3,000 | CCT Selectable |
| | \$50 | | SECS30U-WCSBPC | | 3,742 | 29 | 3,000 | Wattage & CCT selectable |
| | \$50 | | WCOP28U-CSBPC | 767627002106 | 4,010 | 29 | 3,000 | CCT Selectable |
| | \$50 | | | | | | | CCT Selectable. Must be installed with PE option or separate Photosensor or timeclock to receive incentive. |
| | \$50 | | WPOP28U-CSBCR | 767627000959 | 3,335 | 28 | 3,000 | |
| | \$50 | | WCOP60U-WCSBPC | 767627012075 | 7,741 | 59 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$50 | | WPOP55U-WCSBCR | 767627007415 | 6,471 | 53 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$50 | | | | | | | |
| | \$50 | Morris Products Inc. | 71527B | | 3,380 | 26 | 5,000 | |
| | \$50 | | 71519B | | 1,690 | 13 | 5,000 | |
| | \$50 | | 71516B | | 1,690 | 13 | 4,000 | |
| | \$50 | | 71528B | | 3,380 | 26 | 5,000 | |
| | \$50 | | 71526B | | 3,380 | 26 | 4,000 | |
| | \$50 | | 71517B | | 1,690 | 13 | 4,000 | |
| | \$50 | | 71523B | | 2,340 | 18 | 5,000 | |
| | \$50 | | 71518B | | 1,690 | 13 | 5,000 | |
| | \$50 | | 71521B | | 2,340 | 18 | 4,000 | |
| | \$50 | | 71522B | | 2,340 | 18 | 4,000 | |
| | \$50 | | 71524B | | 2,340 | 18 | 5,000 | |
| | \$50 | | 71525B | | 3,380 | 26 | 4,000 | |
| | \$50 | | 71590B | 601986715904 | 2,129 | 16 | 3,000 | CCT Selectable |
| | \$50 | | 71591B | 601986715911 | 2,600 | 19 | 3,000 | CCT Selectable |
| | \$50 | | 71592B | 601986715928 | 3,947 | 29 | 3,000 | CCT Selectable |
| | \$50 | Orion Energy Systems, Inc | LSWS1A1UNVFD8CSBR-SP | | 5,450 | 39 | 3,000 | CCT & Wattage Selectable. Measure code/incentive based on lowest wattage/lumen output |
| | \$50 | P.Q.L. Inc. | MWP-12-D-40K (83685) | 811768021073 | 1,631 | 12 | 4,000 | Must be installed with a timeclock to receive incentive |
| | \$50 | | MWP-12-P-40K (83687) | 811768022841 | 1,631 | 12 | 4,000 | |
| | \$50 | | MWP-25-D-40K (83689) | 811768020281 | 3,174 | 23 | 4,000 | Must be installed with a timeclock to receive incentive |
| | \$50 | | MWP-25-P-40K (83691) | 811768022971 | 3,174 | 23 | 4,000 | |
| | \$50 | | 83337 | 811768025125 | 8,100 | 60 | 5,000 | Lumen selectable, Measure/incentive based on min. lumen level |
| | \$50 | Precision Lighting & Transformer, Inc | PLTS-12362 | | 4,725 | 35 | 5,000 | Must be installed with a timeclock or photocell to receive incentive. |
| | \$50 | RAB Lighting | BRISK17FA20 | 192552004367 | 2,600 | 19 | 3,000 | CCT Selectable |
| | \$50 | | WP1FA29 | 192552004558 | 4,010 | 29 | 3,000 | CCT Selectable |
| | \$50 | | WP1LED39L-740U/PCU | | 3,775 | 26 | 4,000 | |
| | \$50 | | WP2LED34L-740U/PCU | | 3,472 | 21 | 4,000 | |
| | \$50 | | WP2LED34L-750U/PCU | 019813489445 | 3,494 | 21 | 5,000 | |
| | \$50 | | WP2XFU60 | 192552004640 | 7,780 | 58 | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | \$50 | | WP1XFU29 | | 4,010 | 29 | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | \$50 | | WP2LED34L-740U | | 3,472 | 21 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$50 | | WP2LED34L-750U | 019813489445 | 3,494 | 21 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$50 | | WP1LED39L-740U | | 3,775 | 26 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$50 | | WP1LED39L-750U | | 3,973 | 26 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$50 | | WP1LED39L-750U/PCU | | 3,973 | 26 | 5,000 | |
| | \$50 | | WP2XFU40 | | 5,238 | 39 | 3,000 | Wattage & CCT selectable, Measure/incentive based on min. lumen level |
| | \$50 | | BRISK17FA30 | | 3,947 | 29 | 3,000 | |
| | \$50 | | BRISK17FA30W | | 3,947 | 29 | 3,000 | CCT Selectable |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-----------------------------|-------------------------------|--------------|-----------------------|------------------------|--------------|--|
| 87UAP | \$50 | RAB Lighting | W34S | | 5,133 | 39 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$50 | | W22-S-30/480 | | 3,548 | 31 | 3,000 | CCT & Wattage/lumen Selectable & Throw Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$50 | | W22-S-30 | | 3,759 | 30 | 3,000 | CCT & Wattage/lumen Selectable & Throw Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$50 | | W22-M-60/480 | | 7,235 | 62 | 3,000 | CCT & Wattage/lumen Selectable & Throw Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$50 | | W22-M-60 | | 7,141 | 61 | 3,000 | CCT & Wattage/lumen Selectable & Throw Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$50 | | W22-S-30W/480 | | 3,548 | 31 | 3,000 | CCT & Wattage/lumen Selectable & Throw Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$50 | | W22-S-30W | | 3,759 | 30 | 3,000 | CCT & Wattage/lumen Selectable & Throw Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$50 | | W22-M-60W/480 | | 7,235 | 62 | 3,000 | CCT & Wattage/lumen Selectable & Throw Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$50 | | W22-M-60W | | 7,141 | 61 | 3,000 | CCT & Wattage/lumen Selectable & Throw Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$50 | TCP | TWPUZDB1CCT | | 7,425 | 55 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$50 | Topaz | F-WPC/15W/CTS/BZ-96 | 751338036833 | 2,129 | 16 | 3,000 | CCT Selectable |
| | \$50 | | F-WPC/15W/CTS/WH-96 | 751338036840 | 2,129 | 16 | 3,000 | CCT Selectable |
| | \$50 | | F-WPC/20W/CTS/BZ-96 | 751338036857 | 2,600 | 19 | 3,000 | CCT Selectable |
| | \$50 | | F-WPC/20W/CTS/WH-96 | 751338036864 | 2,600 | 19 | 3,000 | CCT Selectable |
| | \$50 | | F-WPC/30W/CTS/X-96 | 751338036871 | 3,947 | 29 | 3,000 | CCT Selectable |
| | \$50 | | WP/40W/PCTS/BZ/PC | 751338039360 | 5,142 | 38 | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | \$50 | WESTGATE MFG | WMX-MD-20-50W-30K | | 6,650 | 50 | 3,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$50 | | WMX-MD-20-50W-40K | | 6,700 | 50 | 4,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$50 | | WMX-MD-20-50W-50K | | 6,750 | 50 | 5,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$50 | | WMX-MD-20-80W-30K | | 11,200 | 80 | 3,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$50 | | WMX-MD-20-80W-40K | | 11,200 | 80 | 4,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$50 | | WMX-MD-20-80W-50K | | 11,360 | 80 | 5,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$50 | | WMX-SM-15-30W-30K | | 4,080 | 30 | 3,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$50 | | WMX-SM-15-30W-40K | | 4,110 | 30 | 4,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$50 | | WMX-SM-15-30W-50K | | 4,145 | 30 | 5,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$50 | | WML2-28W-30K-HL-SM-D | | 4,200 | 28 | 3,000 | |
| | \$50 | | WML2-28W-40K-HL-SM-D | 845060010589 | 4,200 | 28 | 4,000 | |
| | \$50 | | WML2-28W-50K-HL-SM-D | 845060010572 | 4,256 | 28 | 5,000 | |
| | \$50 | | DELW-15W-MCT-BK | | 1,740 | 13 | 3,500 | CCT Selectable |
| | \$50 | | DELW-15W-MCT-BR | | 1,740 | 13 | 3,500 | CCT Selectable |
| | \$50 | | DELW-15W-MCT-WH | | 1,740 | 13 | 3,500 | CCT Selectable |
| | \$50 | | LESW-8-15W-MCTP-P-WH | | 1,901 | 15 | 3,000 | |
| | \$50 | | LESW-15-30W-MCTP-P-WH | | 3,742 | 29 | 3,000 | |
| | \$50 | | LESW-8-15W-MCTP-P-WH-EM | | 1,901 | 15 | 3,000 | |
| | \$50 | | LESW-15-30W-MCTP-P-WH-EM | | 3,742 | 29 | 3,000 | |
| | \$50 | | WHCX-24-40W-MCTP | 840378303965 | 6,252 | 41 | 3,000 | CCT & Wattage Selectable, measure based on minimum lumen output |
| 87UAPC | \$80 | ATG Electronics Corp. | WPDS-28-40-G4-S9 | | 3,816 | 28 | 4,000 | |
| | \$80 | | WPDS-28-50-G4-S9 | | 3,853 | 28 | 5,000 | |
| | \$80 | Halco Lighting Technologies | LPWP-1-LS-CS-U-BZ-MS (107337) | | 3,148 | 24 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$80 | | LPWP-2-LS-CS-U-BZ-MS (107316) | | 7,739 | 60 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-----------------------------|---|---------------------------|-----------------------|------------------------|--------------|---|
| 87UAPC | \$80 | Halco Lighting Technologies | LPWP-1-LS-CS-U-BZ-PIR (107338) | | 3,148 | 24 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$80 | | LPWP-2-LS-CS-U-BZ-PIR (107325) | | 7,739 | 60 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$80 | Keystone Technologies | KT-WPLED35PS-M4-8CSB-VDIM/MW3 | 843654155524+843654134147 | 4,760 | 35 | 3,000 | Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | | KT-WPLED55PS-M4-8CSB-VDIM/MW3 | 843654155531+843654134147 | 7,370 | 55 | 3,000 | Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | LEDVANCE, LLC | WALPAKN7A/S040UNVD8SC2/BZ/D (62908) | | 5,696 | 41 | 3,000 | Wattage & CCT selectable, Measure/incentive based on min. lumen level |
| | \$80 | MaxLite Inc. | WPOP28U-CSBCR+CN-RTMST | 767627000959+767627007866 | 3,335 | 28 | 3,000 | CCT Selectable. Must be installed with PE option or separate Photosensor or timeclock to receive incentive. |
| | \$80 | | WPOP55U-WCSBCR+CN-RTMST | 767627007415+767627007866 | 6,471 | 53 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | Orion Energy Systems, Inc | LSWS1A1UNVFD8CSBR-SP+EXT-LSW-PIR-KIT-A1 | | 5,450 | 39 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| 87UBP | \$80 | Acuity Brands Lighting | TWR2 LED ALO SWW2 UVOLT PE DDBTXD | 196183390028 | 15,745 | 116 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | ASD Lighting Corp | ASD-WLP01-50D40-PC-PRM | 810050733380 | 7,550 | 50 | 4,000 | |
| | \$80 | | ASD-WLP01-50D50-PC-PRM | 810050733397 | 7,600 | 50 | 5,000 | |
| | \$80 | | ASD-WLP01-80D50-PC-PRM | 810050733410 | 11,280 | 80 | 5,000 | |
| | \$80 | | ASD-WLP01-50DAC | 810050735810 | 7,250 | 50 | 3,000 | CCT Selectable. Must be installed with a timeclock or with the PC option to receive incentive |
| | \$80 | | ASD-WLP01-50DAC+ASD-PC-WLP | 810050735810+810050735773 | 7,250 | 50 | 3,000 | |
| | \$80 | | ASD-WLP01S-50D50 | 810050736220 | 7,100 | 50 | 5,000 | Must be installed with a timeclock or photocell to receive incentive. |
| | \$80 | | ASD-WLP01-50D50-PC | 810050735742+810050735773 | 7,707 | 50 | 5,000 | |
| | \$80 | | ASD-WLP01SL-A80BR-PC | 810128115018 | 10,538 | 79 | 3,000 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | ASD-WLP01SL-A120BR-PC | 810128115025 | 16,200 | 119 | 3,000 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | ATG Electronics Corp. | WPDS-40-40-G4 | | 5,500 | 40 | 4,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$80 | | WPDS-40-40-G4-P3 | | 5,500 | 40 | 4,000 | |
| | \$80 | | WPDS-40-50-G4 | | 5,632 | 40 | 5,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$80 | | WPDS-40-50-G4-P3 | | 5,632 | 40 | 5,000 | |
| | \$80 | | WPDS-60-40-G4 | | 8,238 | 60 | 4,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$80 | | WPDS-60-40-G4-P3 | | 8,238 | 60 | 4,000 | |
| | \$80 | | WPDS-60-50-G4 | | 8,412 | 60 | 5,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$80 | | WPDS-60-50-G4-P3 | | 8,412 | 60 | 5,000 | |
| | \$80 | Atlas Lighting Products | ORWP5L4K | 765364023897 | 6,179 | 44 | 4,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$80 | | ORWPSEL5-14LPC | 765364027185 | 13,422 | 100 | 3,000 | CCT & Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | Barron Lighting Group | RWE-M-120-VS-CP-BR | 190622009175 | 17,698 | 124 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must connect photocell or install with timeclock to receive incentive. |
| | \$80 | Cooper Lighting Solutions | AXCS4ARL-PC | | 5,858 | 42 | 4,000 | |
| | \$80 | | ASWPLED2S | | 9,750 | 75 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Photo control must be enabled or used with a time clock. |
| | \$80 | Current | RWL1-48L-45-4W-4K7-UNV-DBT | | 5,704 | 47 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | Halco Lighting Technologies | LPWP-2-HLS-CS-U-BZ (39862) | 807154398621 | 12,947 | 98 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$80 | Keystone Technologies | KT-WPLED55-M1-8CSB-VDIM | 843654129020 | 7,370 | 55 | 5,000 | Lumen & CCT selectable - measure code based on lowest lumen rating |
| | \$80 | | KT-WPLED75PS-M3-8CSB-VDIM | 843654141848 | 9,960 | 75 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | | KT-WPLED80PS-M4-8CSB-VDIM | 843654155548 | 10,640 | 80 | 3,000 | Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | LEDVANCE, LLC | WALPAKN5B/O40UNVD8SC2/BZ/P (61828) | 046135618284 | 5,238 | 39 | 3,000 | |
| | \$80 | | WALPAKN5B/O60UNVD8SC2/BZ/P (61829) | 046135618291 | 7,780 | 58 | 3,000 | |
| | \$80 | | WALPAKN7A/S080UNVD8SC2/BZ/P (62523) | 046135625237 | 11,655 | 84 | 3,000 | Wattage & CCT selectable, Measure/incentive based on min. lumen level |
| | \$80 | | WALPAKN6A/S080UNVD8SC2/T2/BZ/P (62728) | 046135627286 | 10,189 | 80 | 3,000 | Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | | WALPAKN6A/S080UNVD8SC2/T4/BZ/P (62731) | 046135627316 | 10,189 | 80 | 3,000 | Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|---------------------------------------|--------------------------------------|--------------|-----------------------|------------------------|--------------|--|
| 87UBP | \$80 | LEDVANCE, LLC | WALPAKN9A/S060UNHD8SC2/BZ/P (63765) | 046135637650 | 8,472 | 61 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | | WALPAKN9A/S060UNHD8SC2/BZ/PE (63931) | | 8,472 | 61 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | | WALPAKN9A/S080UNHD8SC2/BZ/P (63766) | 046135637667 | 11,285 | 81 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | | WALPAKN9A/S080UNHD8SC2/BZ/PE (63932) | | 11,285 | 81 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | MaxLite Inc. | WCOP40U-CSBPC | 767627012068 | 5,450 | 39 | 3,000 | CCT Selectable |
| | \$80 | | WPOP40U-CSBCR | 767627000966 | 4,777 | 39 | 3,000 | CCT Selectable. Must be installed with PE option or separate Photosensor or timeclock to receive incentive. |
| | \$80 | | WPOP120U-WCSBCR | 767627007422 | 14,097 | 118 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with PE option or separate Photosensor or timeclock to receive incentive. |
| | \$80 | | OWG3050MV50BZ | | 6,750 | 50 | 5,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$80 | NICOR Inc. | OWG3050MV50BP | | 6,750 | 50 | 5,000 | |
| | \$80 | | OWG4100SUNVSBZ | | 13,021 | 98 | 3,000 | Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | | OWG4100SUNVSWH | | 13,021 | 98 | 3,000 | Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | Orion Energy Systems, Inc | LSWS1B1UNVFD8CSBR-SP | | 12,032 | 81 | 3,000 | CCT & Wattage Selectable. Measure code/incentive based on lowest wattage/lumen output |
| | \$80 | Precision Lighting & Transformer, Inc | PLTS-12363 | | 7,000 | 50 | 5,000 | Must be installed with a timeclock or photocell to receive incentive. |
| | \$80 | RAB Lighting | WP2FA40 | 192552004572 | 5,238 | 39 | 3,000 | CCT Selectable |
| | \$80 | | WP2FA60 | 192552004596 | 7,780 | 58 | 3,000 | CCT Selectable |
| | \$80 | | WP2LED49L-740U/PCU | 019813489490 | 5,084 | 33 | 4,000 | |
| | \$80 | | WP2LED49L-750U/PCU | 019813489476 | 5,116 | 32 | 5,000 | |
| | \$80 | | WP3LED75L-740U/PCU | 01925520003 | 7,702 | 49 | 4,000 | |
| | \$80 | | WP3LED75L-750U | | 7,828 | 48 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | WP3LED83L-740U/PCU | 019813506807 | 8,387 | 54 | 4,000 | |
| | \$80 | | WP3LED93L-740U/PCU | | 9,403 | 62 | 4,000 | |
| | \$80 | | WP3LED93L-750U/PCU | | 9,897 | 63 | 5,000 | |
| | \$80 | | WP2LED49L-740U | | 5,084 | 33 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | WP2LED49L-750U | | 5,116 | 32 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | WP3LED75L-740U | | 7,702 | 49 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | WP3LED75L-750U/PCU | | 7,828 | 48 | 5,000 | |
| | \$80 | | WP3LED83L-740U | | 8,387 | 54 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | WP3LED83L-750U | | 8,871 | 55 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | WP3LED83L-750U/PCU | | 8,871 | 55 | 5,000 | |
| | \$80 | | WP3LED93L-740U | | 9,403 | 62 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | WP3LED93L-750U | | 9,897 | 63 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | WP2XFU80 | | 12,032 | 81 | 3,000 | Wattage & CCT selectable, Measure/incentive based on min. lumen level |
| | \$80 | | WP2XFU100 | | 14,617 | 101 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | | SLIM57N | | 6,173 | 42 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | SLIM57NW | | 6,173 | 42 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | SLIM57N/PC | | 6,173 | 42 | 4,000 | |
| | \$80 | | SLIM57NW/PC | | 6,173 | 42 | 4,000 | |
| | \$80 | | SLIM57/PC | 019813106083 | 6,150 | 42 | 5,000 | |
| | \$80 | | SLIM57/480 | | 6,305 | 43 | 5,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$80 | | SLIM57/480/PC4 | | 6,305 | 43 | 5,000 | |
| | \$80 | | SLIM57/480/PCS4 | | 6,305 | 43 | 5,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 | |
|--------------|-----------|-----------------------------|-------------------------------------|--------------|---------------------------|------------------------|--------------|---|--|
| 87UBP | \$80 | RAB Lighting | W34M | | 11,444 | 90 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting | |
| | \$80 | | W22-M-100/480 | | 11,585 | 101 | 3,000 | CCT & Wattage/lumen Selectable & Throw Selectable, measure/incentive based on lowest wattage/lumen setting | |
| | \$80 | | W22-M-100 | | 11,310 | 97 | 3,000 | CCT & Wattage/lumen Selectable & Throw Selectable, measure/incentive based on lowest wattage/lumen setting | |
| | \$80 | | W22-M-100W/480 | | 11,585 | 101 | 3,000 | CCT & Wattage/lumen Selectable & Throw Selectable, measure/incentive based on lowest wattage/lumen setting | |
| | \$80 | | W22-M-100W | | 11,310 | 97 | 3,000 | CCT & Wattage/lumen Selectable & Throw Selectable, measure/incentive based on lowest wattage/lumen setting | |
| | \$80 | | WPX3 | | 17,057 | 131 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must turn on photocell or install with timeclock to receive incentive. | |
| | \$80 | RET Consulting Group | RWP14-45-40 | | 6,297 | 42 | 4,000 | To be installed with a photocell (PS option) or timeclock | |
| | \$80 | | RWP14-45-50 | | 6,349 | 42 | 5,000 | To be installed with a photocell (PS option) or timeclock | |
| | \$80 | | RWP14-60-40 | | 8,283 | 58 | 4,000 | To be installed with a photocell (PS option) or timeclock | |
| | \$80 | | RWP14-60-50 | | 8,464 | 58 | 5,000 | To be installed with a photocell (PS option) or timeclock | |
| | \$80 | SLG | WFM 100 G3 HVU 4K PC-2 | | 9,900 | 70 | 4,000 | | |
| | \$80 | | WFM 100 G3 HVU 5K PC-2 | | 9,900 | 70 | 5,000 | | |
| | \$80 | | WFM 65 G3 HVU 4K PC-2 | | 6,600 | 45 | 4,000 | | |
| | \$80 | | WFM 65 G3 HVU 5K PC-2 | | 6,600 | 45 | 5,000 | | |
| | \$80 | Topaz | WP/80W/PCTS/BZ/PC | 751338039377 | 10,619 | 79 | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. | |
| | \$80 | WESTGATE MFG | WMX-LG-50-120W-30K | | 15,600 | 120 | 3,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. | |
| | \$80 | | WMX-LG-50-120W-40K | | 15,720 | 120 | 4,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. | |
| | \$80 | | WMX-LG-50-120W-50K | | 15,840 | 120 | 5,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. | |
| | \$80 | | WML2-50W-30K-SM-D | 845060010626 | 7,250 | 50 | 3,000 | | |
| | \$80 | | WML2-50W-40K-SM-D | 845060010619 | 7,250 | 50 | 4,000 | | |
| | \$80 | | WML2-50W-50K-SM-D | 845060010602 | 7,300 | 50 | 5,000 | | |
| | \$80 | | WML2-50W-30K-HL-D | 845060010657 | 8,000 | 50 | 3,000 | | |
| | \$80 | | WML2-50W-40K-HL-D | 845060010640 | 8,000 | 50 | 4,000 | | |
| | \$80 | | WML2-50W-50K-HL-D | 845060010633 | 8,100 | 50 | 5,000 | | |
| | \$80 | | WPFX-MD-40-80W-MCTP-P | 845060092516 | 10,124 | 78 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on minimum light output | |
| | \$80 | | WHCX-48-80W-MCTP | 840378303972 | 11,760 | 81 | 3,000 | CCT & Wattage Selectable, measure based on minimum lumen output | |
| 87UBPC | \$110 | ATG Electronics Corp. | WPDS-40-40-G4-S9 | | 5,500 | 40 | 4,000 | | |
| | \$110 | | WPDS-40-50-G4-S9 | | 5,632 | 40 | 5,000 | | |
| | \$110 | | WPDS-60-40-G4-S9 | | 8,238 | 60 | 4,000 | | |
| | \$110 | | WPDS-60-50-G4-S9 | | 8,412 | 60 | 5,000 | | |
| | \$110 | Halco Lighting Technologies | LPWP-2-HLS-CS-U-BZ-MS (107319) | | 12,947 | 98 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output | |
| | \$110 | | LPWP-2-HLS-CS-U-BZ-PIR (107327) | | 12,947 | 98 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output | |
| | \$110 | Keystone Technologies | KT-WPLED80PS-M4-8CSB-VDIM/MW3 | | 843654155548+843654134147 | 10,640 | 80 | 3,000 | Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | KT-WPLED55-M1-8CSB-VDIM/MW3 | | 7,370 | 55 | 5,000 | Lumen & CCT selectable - measure code based on lowest lumen rating | |
| | \$110 | LEDVANCE, LLC | WALPAKN7A/S080UNVD8SC2/BZ/D (62909) | | 11,655 | 84 | 3,000 | Wattage & CCT selectable, Measure/incentive based on min. lumen level | |
| | \$110 | MaxLite Inc. | WPOP40U-CSBCR+CN-RTMST | | 767627000966+767627007866 | 4,777 | 39 | 3,000 | CCT Selectable. Must be installed with PE option or separate Photosensor or timeclock to receive incentive. |
| | \$110 | | WPOP120U-WCSBCR+CN-RTMST | | 767627007422+767627007866 | 14,097 | 118 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with PE option or separate Photosensor or timeclock to receive incentive. |
| | \$110 | Orion Energy Systems, Inc | LSWS1B1UNVFD8CSBR-SP+EXT-LSW-PIR | | | 12,032 | 81 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$110 | RET Consulting Group | RWP14-45-40-MS | | | 6,297 | 42 | 4,000 | Must be installed with motion sensor option to receive incentive |
| | \$110 | | RWP14-45-50-MS | | | 6,349 | 42 | 5,000 | Must be installed with motion sensor option to receive incentive |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-----------------------------|--|---------------------------|-----------------------|------------------------|--------------|---|
| 87UBPC | \$110 | RET Consulting Group | RWP14-60-40-MS | | 8,283 | 58 | 4,000 | Must be installed with motion sensor option to receive incentive |
| | \$110 | | RWP14-60-50-MS | | 8,464 | 58 | 5,000 | Must be installed with motion sensor option to receive incentive |
| 87UCP | \$110 | ASD Lighting Corp | ASD-WLP01-80D40-PC-PRM | 810050733403 | 11,280 | 80 | 4,000 | |
| | \$110 | | ASD-WLP01-80DAC | 810050735827 | 11,680 | 80 | 3,000 | CCT Selectable. Must be installed with a timeclock or with the PC option to receive incentive |
| | \$110 | | ASD-WLP01-120DAC | 810050735834 | 17,050 | 120 | 3,000 | CCT Selectable. Must be installed with a timeclock or with the PC option to receive incentive |
| | \$110 | | ASD-WLP01-80DAC+ASD-PC-WLP | 810050735827+810050735773 | 11,680 | 80 | 3,000 | |
| | \$110 | | ASD-WLP01-120DAC+ASD-PC-WLP | 810050735834+810050735773 | 17,050 | 120 | 3,000 | |
| | \$110 | | ASD-WLP01-80D50-PC | 810050735759+810050735773 | 12,454 | 81 | 5,000 | |
| | \$110 | | ASD-WLP01-120D50 | 810050735766 | 16,920 | 120 | 5,000 | Must be installed with a timeclock or photocell to receive incentive. |
| | \$110 | ATG Electronics Corp. | WPDS-90-40-G4 | | 12,258 | 90 | 4,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$110 | | WPDS-90-40-G4-P3 | | 12,258 | 90 | 4,000 | |
| | \$110 | | WPDS-90-50-G4 | | 12,555 | 90 | 5,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$110 | | WPDS-90-50-G4-P3 | | 12,555 | 90 | 5,000 | |
| | \$110 | Atlas Lighting Products | ORWP10L4K | 765364023903 | 13,571 | 99 | 4,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$110 | | ORWPL10L4K | | 15,797 | 99 | 4,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$110 | Current | WGH3-LSCS | 840141417967 | 17,795 | 121 | 4,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating |
| | \$110 | Halco Lighting Technologies | WPFS3-WS-CS-U (20354) | 807154203543 | 17,164 | 140 | 3,000 | Must be installed with photo sensor or timeclock. Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | WPFS3-WS-CS-U-PC (23534) | 807154235346 | 17,164 | 140 | 3,000 | Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | LPWP-3-LS-CS-U-BZ (39863) | 807154398638 | 19,291 | 141 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$110 | Keystone Technologies | KT-WPLED120-L1-8CSB-VDIM | 843654129044 | 15,600 | 120 | 5,000 | Lumen & CCT selectable - measure code based on lowest lumen rating |
| | \$110 | | KT-WPLED80-M1-8CSB-VDIM | 843654129037 | 10,800 | 80 | 5,000 | Lumen & CCT selectable - measure code based on lowest lumen rating |
| | \$110 | | KT-WPLED120PS-L4-8CSB-VDIM | 843654155555 | 16,080 | 120 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | KT-WPLED80-M1-8CSB-VDIM-W | 843654133799 | 10,800 | 80 | 5,000 | Lumen & CCT selectable - measure code based on lowest lumen rating |
| | \$110 | LEDVANCE, LLC | WALPAKN5B/080UNVD8SC2/BZ/P (61830) | 046135618307 | 12,032 | 81 | 3,000 | |
| | \$110 | | WALPAKN5C/120UNVD8SC2/BZ/P (61840) | 046135618406 | 17,923 | 125 | 3,000 | |
| | \$110 | | WALPAKN7A/S110UNVD8SC2/BZ/P (62524) | 046135625244 | 15,394 | 112 | 3,000 | Wattage & CCT selectable, Measure/incentive based on min. lumen level |
| | \$110 | | WALPAKN6A/S120UNVD8SC2/T2/BZ/P (62729) | 046135627293 | 14,857 | 120 | 3,000 | Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | WALPAKN6A/S120UNVD8SC2/T4/BZ/P (62732) | 046135627323 | 14,857 | 120 | 3,000 | Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | WALPAKN9A/S120UNHD8SC2/BZ/P (63767) | 046135637674 | 16,841 | 121 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | WALPAKN9A/S120UNHD8SC2/BZ/PE (63933) | | 16,841 | 121 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | WPT120 | | 15,435 | 119 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$110 | MaxLite Inc. | WCOP80U-CSBPC | 767627029486 | 12,032 | 81 | 3,000 | CCT Selectable |
| | \$110 | | WCOP120U-WCSBPC | 767627029493 | 17,698 | 124 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | NICOR Inc. | WPOP80U-CSBCR | 767627000980 | 9,654 | 79 | 3,000 | CCT Selectable. Must be installed with PE option or separate Photosensor or timeclock to receive incentive. |
| | \$110 | | OWG3080MV50BZ | | 11,360 | 80 | 5,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$110 | | OWG3080MV50BZP | | 11,360 | 80 | 5,000 | |
| | \$110 | | OWG3120MV50BZ | | 15,840 | 120 | 5,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$110 | | OWG3120MV50BZP | | 15,840 | 120 | 5,000 | |
| | \$110 | | OWG4100UNVSBZ | | 13,021 | 98 | 3,000 | CCT Selectable |
| | \$110 | | OWG4100UNVSWH | | 13,021 | 98 | 3,000 | CCT Selectable |
| | \$110 | | LSWS1C1UNVFD8CSBR-SP | | 17,923 | 125 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$110 | RAB Lighting | WP2FA80 | 192552004602 | 12,032 | 81 | 3,000 | CCT Selectable |
| | \$110 | | WP3FA150 | 192552004619 | 21,514 | 157 | 3,000 | CCT Selectable |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-----------------------------|--------------------------------|---------------------------|-----------------------|------------------------|--------------|--|
| 87UCP | \$110 | RAB Lighting | WP3LED150L-740U/PCU | | 16,414 | 104 | 4,000 | |
| | \$110 | | WP3LED150L-750U/PCU | | 16,855 | 104 | 5,000 | |
| | \$110 | | WP3XFU120 | | 17,923 | 125 | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | \$110 | | WP3XFU150 | | 21,514 | 157 | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | \$110 | | WP3LED150L-740U | | 16,414 | 104 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | WP3LED150L-750U | | 16,855 | 104 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | WPLED104 | | 14,159 | 108 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | WPLED104W | | 14,159 | 108 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | WPLED104/PCS | | 14,159 | 108 | 5,000 | |
| | \$110 | | WPLED104W/PCS | | 14,159 | 108 | 5,000 | |
| | \$110 | | WPLED104N | | 14,515 | 111 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | WPLED104NW | | 14,515 | 111 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | WPLED104N/PCS | | 14,515 | 111 | 4,000 | |
| | \$110 | | WPLED104NW/PCS | | 14,515 | 111 | 4,000 | |
| | \$110 | | WP3LED150L-750WU | | 16,855 | 104 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | WP3LED150L-750WU/PCU | | 16,855 | 104 | 5,000 | |
| | \$110 | | W34L | | 20,563 | 145 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | W22-L-150/480 | | 19,030 | 148 | 3,000 | CCT & Wattage/lumen Selectable & Throw Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | W22-L-150 | | 17,918 | 146 | 3,000 | CCT & Wattage/lumen Selectable & Throw Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | W22-L-150W/480 | | 19,030 | 148 | 3,000 | CCT & Wattage/lumen Selectable & Throw Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | W22-L-150W | | 17,918 | 146 | 3,000 | CCT & Wattage/lumen Selectable & Throw Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | RET Consulting Group | RWP14-120-40 | | 15,903 | 111 | 4,000 | To be installed with a photocell (PS option) or timeclock |
| | \$110 | | RWP14-120-50 | | 16,288 | 111 | 5,000 | To be installed with a photocell (PS option) or timeclock |
| | \$110 | | RWP14-75-40 | | 9,987 | 67 | 4,000 | To be installed with a photocell (PS option) or timeclock |
| | \$110 | | RWP14-75-50 | | 9,994 | 67 | 5,000 | To be installed with a photocell (PS option) or timeclock |
| | \$110 | | RWP14-90-40 | | 12,127 | 83 | 4,000 | To be installed with a photocell (PS option) or timeclock |
| | \$110 | | RWP14-90-50 | | 12,478 | 83 | 5,000 | To be installed with a photocell (PS option) or timeclock |
| | \$110 | TCP | TWPUZDB2CCT | | 15,525 | 115 | 3,000 | CCT Selectable |
| | \$110 | Topaz | WP/120W/PCTS/BZ/PC | 751338039384 | 15,897 | 117 | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | \$110 | WESTGATE MFG | WML2-120W-30K-HL-LG-D | | 18,000 | 120 | 3,000 | |
| | \$110 | | WML2-120W-40K-HL-LG-D | | 18,000 | 120 | 4,000 | |
| | \$110 | | WML2-120W-50K-HL-LG-D | | 18,240 | 120 | 5,000 | |
| | \$110 | | WMXE-LG-100-150W-MCTP-P | | 19,384 | 141 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | WMXE-LG-100-150W-MCTP-P-BK | 845060087437 | 19,384 | 141 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | WPFX-LG-80-120W-MCTP-P | 845060092523 | 15,436 | 119 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on minimum light output |
| 87UCPC | \$150 | ATG Electronics Corp. | WPDS-90-40-G4-S9 | | 12,258 | 90 | 4,000 | |
| | \$150 | | WPDS-90-50-G4-S9 | | 12,555 | 90 | 5,000 | |
| | \$150 | Halco Lighting Technologies | LPWP-3-LS-CS-U-BZ-MS (107322) | | 19,291 | 141 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$150 | | LPWP-3-LS-CS-U-BZ-PIR (107332) | | 19,291 | 141 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$150 | Keystone Technologies | KT-WPLED120PS-L4-8CSB-VDIM/MW3 | 843654155555+843654134147 | 16,080 | 120 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$150 | | KT-WPLED80-M1-8CSB-VDIM/MW3 | | 10,800 | 80 | 5,000 | Lumen & CCT selectable - measure code based on lowest lumen rating |
| | \$150 | | KT-WPLED120-L1-8CSB-VDIM/MW3 | | 15,600 | 120 | 5,000 | Lumen & CCT selectable - measure code based on lowest lumen rating |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--|-----------|-----------------------------|---|---------------------------|-----------------------|------------------------|--------------|--|
| 87UCPC | \$150 | LEDVANCE, LLC | WALPAKN7A/S110UNVD8SC2/BZ/D (62910) | | 15,394 | 112 | 3,000 | Wattage & CCT selectable, Measure/incentive based on min. lumen level |
| | | | | | | | | CCT Selectable. Must be installed with PE option or separate Photosensor or timeclock |
| | \$150 | MaxLite Inc. | WPOP80U-CSBCR+CN-RTMST | 767627000980+767627007866 | 9,654 | 79 | 3,000 | to receive incentive. |
| | \$150 | Orion Energy Systems, Inc | LSWS1C1UNVFD8CSBR-SP+EXT-LSW-PIR | | 17,923 | 125 | 3,000 | CCT & Wattage Selectable. Measure code/incentive based on lowest wattage/lumen output |
| | \$150 | RET Consulting Group | RWP14-120-40-MS | | 15,903 | 111 | 4,000 | Must be installed with motion sensor option to receive incentive |
| | \$150 | | RWP14-120-50-MS | | 16,288 | 111 | 5,000 | Must be installed with motion sensor option to receive incentive |
| | \$150 | | RWP14-75-40-MS | | 9,987 | 67 | 4,000 | Must be installed with motion sensor option to receive incentive |
| | \$150 | | RWP14-75-50-MS | | 9,994 | 67 | 5,000 | Must be installed with motion sensor option to receive incentive |
| | \$150 | | RWP14-90-40-MS | | 12,127 | 83 | 4,000 | Must be installed with motion sensor option to receive incentive |
| | \$150 | | RWP14-90-50-MS | | 12,478 | 83 | 5,000 | Must be installed with motion sensor option to receive incentive |
| Outdoor Pole/Arm-Mounted Area and Roadway Luminaires | | | | | | | | |
| 87UAC | \$50 | Leotek Electronics USA, LLC | GCJ1-30J-MV-30K-4-DB-040-PCR7-LLPC-MSL3 | | 4,964 | 34 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$50 | | GCJ1-30J-HV-30K-4-DB-040-PCR7-LLPC-MSL3 | | 4,964 | 34 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$50 | | GCJ1-30J-MV-27K-4-DB-035-PCR7-LLPC-MSL3 | | 4,794 | 34 | 2,700 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$50 | | GCJ1-30J-HV-27K-4-DB-035-PCR7-LLPC-MSL3 | | 4,794 | 34 | 2,700 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$50 | | GCJ1-30J-MV-30K-4-DB-050-PCR7-LLPC-MSL3 | | 4,964 | 34 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$50 | | GCJ1-30J-HV-30K-4-DB-050-PCR7-LLPC-MSL3 | | 4,964 | 34 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$50 | | GCJ1-30J-MV-30K-4-DB-025-PCR7-LLPC-MSL3 | | 4,964 | 34 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$50 | | GCJ1-30J-HV-30K-4-DB-025-PCR7-LLPC-MSL3 | | 4,964 | 34 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$50 | | GCJ1-30J-MV-27K-4-DB-040-PCR7-LLPC-MSL3 | | 4,794 | 34 | 2,700 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$50 | | GCJ1-30J-HV-27K-4-DB-040-PCR7-LLPC-MSL3 | | 4,794 | 34 | 2,700 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$50 | | GCJ1-30J-MV-30K-4-DB-045-PCR7-LLPC-MSL3 | | 4,964 | 34 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$50 | | GCJ1-30J-HV-30K-4-DB-045-PCR7-LLPC-MSL3 | | 4,964 | 34 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$50 | | GCJ1-30J-MV-27K-4-DB-025-PCR7-LLPC-MSL3 | | 4,794 | 34 | 2,700 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$50 | | GCJ1-30J-HV-27K-4-DB-025-PCR7-LLPC-MSL3 | | 4,794 | 34 | 2,700 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$50 | | GCJ1-30J-MV-27K-4-DB-045-PCR7-LLPC-MSL3 | | 4,794 | 34 | 2,700 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$50 | | GCJ1-30J-HV-27K-4-DB-045-PCR7-LLPC-MSL3 | | 4,794 | 34 | 2,700 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$50 | | GCJ1-30J-MV-40K-4-DB-055-PCR7-LLPC-MSL3 | | 5,440 | 34 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$50 | | GCJ1-30J-HV-40K-4-DB-055-PCR7-LLPC-MSL3 | | 5,440 | 34 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$50 | | GCJ1-30J-MV-40K-4-DB-050-PCR7-LLPC-MSL3 | | 5,440 | 34 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$50 | | GCJ1-30J-HV-40K-4-DB-050-PCR7-LLPC-MSL3 | | 5,440 | 34 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$50 | | GCJ1-30J-MV-40K-4-DB-025-PCR7-LLPC-MSL3 | | 5,440 | 34 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$50 | | GCJ1-30J-HV-40K-4-DB-025-PCR7-LLPC-MSL3 | | 5,440 | 34 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$50 | | GCJ1-30J-MV-40K-4-DB-045-PCR7-LLPC-MSL3 | | 5,440 | 34 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$50 | | GCJ1-30J-HV-40K-4-DB-045-PCR7-LLPC-MSL3 | | 5,440 | 34 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$50 | | | | | | | Must be installed with exterior occupancy sensor or RAB Stealth Sensor on pole to dim light when no occupancy to receive incentive |
| | \$50 | RAB Lighting | ALED5T26/BL/PCT+RAB Stealth Sensor or other Occ Sensor | | 3,431 | 26 | 5,000 | RAB Stealth Sensor on pole to dim light when no occupancy to receive incentive |
| | \$50 | | ALED5T26/BL+RAB Stealth Sensor or other Occ Sensor | | 3,431 | 26 | 5,000 | Must be installed with exterior occupancy sensor or RAB Stealth Sensor on pole to dim light when no occupancy to receive incentive |
| | \$50 | | ALED5T26N/BL/PCT+RAB Stealth Sensor or other Occ Sensor | | 3,646 | 26 | 4,000 | Must be installed with exterior occupancy sensor or RAB Stealth Sensor on pole to dim light when no occupancy to receive incentive |
| | \$50 | | ALED5T26N/BL+RAB Stealth Sensor or other Occ Sensor | | 3,646 | 26 | 4,000 | Must be installed with exterior occupancy sensor or RAB Stealth Sensor on pole to dim light when no occupancy to receive incentive |
| | \$50 | | ALED5T26Y/BL/PCT+RAB Stealth Sensor or other Occ Sensor | | 3,395 | 26 | 3,000 | Must be installed with exterior occupancy sensor or RAB Stealth Sensor on pole to dim light when no occupancy to receive incentive |
| | \$50 | | ALED5T26Y/BL+RAB Stealth Sensor or other Occ Sensor | | 3,395 | 26 | 3,000 | Must be installed with exterior occupancy sensor or RAB Stealth Sensor on pole to dim light when no occupancy to receive incentive |
| 87UAP | \$50 | Acuity Brands Lighting | DSX0 LED P1 40K T3M MVOLT SPUMBA PIR DDBXD | 191848332108 | 4,576 | 38 | 4,000 | |
| | \$50 | | DSX0 LED P1 40K T4M MVOLT SPA PIRH DDBXD | 193047223911 | 4,611 | 38 | 4,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|--|--------------------------------------|--------------|-----------------------|------------------------|--------------|--|
| 87UAP | \$50 | Cooper Lighting Solutions | LAS45S-T3 | 080083155804 | 20,089 | 153 | 4,000 | 10-position lumen select - measure code based on lowest lumen rating (Watts & Lumens shown for position 9) |
| | \$50 | | LAS45S-T3-HV | 080083155866 | 20,089 | 153 | 4,000 | 10-position lumen select - measure code based on lowest lumen rating (Watts & Lumens shown for position 9) |
| | \$50 | | LAS45S-T4 | 080083155835 | 19,720 | 153 | 4,000 | 10-position lumen select - measure code based on lowest lumen rating (Watts & Lumens shown for position 9) |
| | \$50 | | LAS45S-T4-HV | 080083155880 | 19,720 | 153 | 4,000 | 10-position lumen select - measure code based on lowest lumen rating (Watts & Lumens shown for position 9) |
| | \$50 | | LAS45S-T5 | 080083155842 | 19,956 | 153 | 4,000 | 10-position lumen select - measure code based on lowest lumen rating (Watts & Lumens shown for position 9) |
| | \$50 | | LAS45S-T5-HV | 080083155903 | 19,956 | 153 | 4,000 | 10-position lumen select - measure code based on lowest lumen rating (Watts & Lumens shown for position 9) |
| | \$50 | | LAS45P-T3 | 080083248360 | 20,089 | 153 | 4,000 | 10-position lumen select - measure code based on lowest lumen rating (Watts & Lumens shown for position 9) |
| | \$50 | | LAS45P-T4 | 080083248384 | 19,720 | 153 | 4,000 | 10-position lumen select - measure code based on lowest lumen rating (Watts & Lumens shown for position 9) |
| | \$50 | | LAS45P-T5 | 080083248704 | 19,956 | 153 | 4,000 | 10-position lumen select - measure code based on lowest lumen rating (Watts & Lumens shown for position 9) |
| | \$50 | | ARCH-S-PA1-100-740-U-T4W-AP-PR7 | | 11,710 | 96 | 4,000 | Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$50 | Cooper Lighting Solutions (formerly P.Q.L. Inc.) | GALN-SA1A-740-U-T2-SP-BZ-PR7 | | 4,654 | 32 | 4,000 | Must be installed with photo cell or timeclock |
| | \$50 | | GALN-SA1A-740-U-T2-QU-BZ-PR7 | | 4,654 | 32 | 4,000 | Must be installed with photo cell or timeclock |
| | \$50 | P.Q.L. Inc. | SSDTD-35/50/65W-30/40/50K-MV (83722) | 811768025651 | 8,125 | 65 | 3,000 | Wattage & CCT selectable, Measure/incentive based on min. lumen level |
| | \$50 | RAB Lighting | IVAT3-45LPA750ZU | | 4,963 | 40 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$50 | | ALED5T26/D10 | | 3,431 | 26 | 5,000 | Must be installed with a time clock or photocell |
| | \$50 | | ALED5T26N/D10 | | 3,646 | 26 | 4,000 | Must be installed with a time clock or photocell |
| | \$50 | | ALED5T26Y/D10 | | 3,395 | 26 | 3,000 | Must be installed with a time clock or photocell |
| | \$50 | WESTGATE MFG | STL3-30W-30K-PC | | 4,103 | 29 | 3,000 | |
| | \$50 | | STL3-30W-40K-PC | | 4,148 | 29 | 4,000 | |
| | \$50 | | STL3-30W-50K-PC | | 4,192 | 29 | 5,000 | |
| | \$50 | | STL3-30W-30K | | 4,103 | 29 | 3,000 | Must be installed with a time clock or photocell to receive incentive |
| | \$50 | | STL3-30W-40K | | 4,148 | 29 | 4,000 | Must be installed with a time clock or photocell to receive incentive |
| | \$50 | | STL3-30W-50K | | 4,192 | 29 | 5,000 | Must be installed with a time clock or photocell to receive incentive |
| | \$50 | | | | | | | |
| 87UAPC | \$80 | Cooper Lighting Solutions | LAS45-T3-HV-MS/DIM-L40W | | 20,089 | 153 | 4,000 | Lumen selectable, Measure/incentive based on min. lumen level |
| | \$80 | | LAS45-T3-MS/DIM-L40W | | 20,089 | 153 | 4,000 | Lumen selectable, Measure/incentive based on min. lumen level |
| | \$80 | | LAS45-T4-HV-MS/DIM-L40W | | 19,720 | 153 | 4,000 | Lumen selectable, Measure/incentive based on min. lumen level |
| | \$80 | | LAS45-T4-MS/DIM-L40W | | 19,720 | 153 | 4,000 | Lumen selectable, Measure/incentive based on min. lumen level |
| | \$80 | | LAS45-T5-HV-MS/DIM-L40W | | 19,956 | 153 | 4,000 | Lumen selectable, Measure/incentive based on min. lumen level |
| | \$80 | | LAS45-T5-MS/DIM-L40W | | 19,956 | 153 | 4,000 | Lumen selectable, Measure/incentive based on min. lumen level |
| | \$80 | RAB Lighting | ALED5T26/D10/LC | | 3,431 | 26 | 5,000 | Must be installed with a time clock or photocell |
| | \$80 | | ALED5T26N/D10/LC | | 3,646 | 26 | 4,000 | Must be installed with a time clock or photocell |
| 87UBC | \$80 | Atlas Lighting Products | ALED5T26Y/D10/LC | | 3,395 | 26 | 3,000 | Must be installed with a time clock or photocell |
| | \$80 | | SLPS6LFT45KIC | | 5,839 | 41 | 4,500 | |
| | \$80 | | SLPS6LFT4KIC | | 6,005 | 41 | 4,000 | |
| | \$80 | | SLPS6LFT5KIC | | 5,839 | 41 | 5,000 | |
| | \$80 | | SLPS6LT245KIC | | 6,288 | 41 | 4,500 | |
| | \$80 | | SLPS6LT24KIC | | 6,297 | 41 | 4,000 | |
| | \$80 | | SLPS6LT25KIC | | 6,288 | 41 | 5,000 | |
| | \$80 | | SLPS6LT545IC | | 6,016 | 41 | 4,500 | |
| | \$80 | | SLPS6LT54KIC | | 6,025 | 41 | 4,000 | |
| | \$80 | | SLPS6LT55KIC | | 6,016 | 41 | 5,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-----------------------------|---|-----|-----------------------|------------------------|--------------|--|
| 87UBC | \$80 | Atlas Lighting Products | SLPS9LFT45KIC | | 8,541 | 63 | 4,500 | |
| | \$80 | | SLPS9LFT4KIC | | 8,717 | 63 | 4,000 | |
| | \$80 | | SLPS9LFT5KIC | | 8,541 | 63 | 5,000 | |
| | \$80 | | SLPS9LT245KIC | | 8,859 | 63 | 4,500 | |
| | \$80 | | SLPS9LT24KIC | | 9,041 | 63 | 4,000 | |
| | \$80 | | SLPS9LT25KIC | | 8,859 | 63 | 5,000 | |
| | \$80 | | SLPS9LT545KIC | | 8,465 | 63 | 4,500 | |
| | \$80 | | SLPS9LT54KIC | | 8,639 | 63 | 4,000 | |
| | \$80 | | SLPS9LT55KIC | | 8,465 | 63 | 5,000 | |
| | \$80 | Leotek Electronics USA, LLC | GCJ2-30J-MV-30K-4-DB-055-PCR7-LLPC-MSL3 | | 6,392 | 44 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | GCJ2-30J-MV-27K-4-DB-050-PCR7-LLPC-MSL3 | | 6,204 | 44 | 2,700 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | GCJ2-30J-HV-27K-4-DB-050-PCR7-LLPC-MSL3 | | 6,204 | 44 | 2,700 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | GCJ2-30J-HV-30K-4-DB-055-PCR7-LLPC-MSL3 | | 6,392 | 44 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | GCJ2-30J-MV-27K-4-DB-060-PCR7-LLPC-MSL3 | | 6,204 | 44 | 2,700 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | GCJ2-30J-HV-27K-4-DB-060-PCR7-LLPC-MSL3 | | 6,204 | 44 | 2,700 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | GCJ2-30J-MV-40K-4-DB-070-PCR7-LLPC-MSL3 | | 6,842 | 44 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | GCJ2-30J-HV-40K-4-DB-070-PCR7-LLPC-MSL3 | | 6,842 | 44 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | GCJ2-30J-MV-30K-4-DB-065-PCR7-LLPC-MSL3 | | 6,392 | 44 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | GCJ2-30J-HV-30K-4-DB-065-PCR7-LLPC-MSL3 | | 6,392 | 44 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | GCJ3-30J-MV-30K-4-DB-080-PCR7-LLPC-MSL3 | | 9,288 | 66 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | GCJ3-30J-HV-30K-4-DB-080-PCR7-LLPC-MSL3 | | 9,288 | 66 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | GCJ3-30J-MV-27K-4-DB-090-PCR7-LLPC-MSL3 | | 8,892 | 67 | 2,700 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | GCJ3-30J-HV-27K-4-DB-090-PCR7-LLPC-MSL3 | | 8,892 | 67 | 2,700 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | GCJ3-30J-MV-30K-4-DB-070-PCR7-LLPC-MSL3 | | 9,288 | 66 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | GCJ3-30J-HV-30K-4-DB-070-PCR7-LLPC-MSL3 | | 9,288 | 66 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | GCJ3-30J-MV-40K-4-DB-075-PCR7-LLPC-MSL3 | | 9,725 | 66 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | GCJ3-30J-HV-40K-4-DB-075-PCR7-LLPC-MSL3 | | 9,725 | 66 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | GCJ3-30J-MV-30K-4-DB-095-PCR7-LLPC-MSL3 | | 9,288 | 66 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | GCJ3-30J-HV-30K-4-DB-095-PCR7-LLPC-MSL3 | | 9,288 | 66 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | GCJ3-30J-MV-30K-4-DB-090-PCR7-LLPC-MSL3 | | 9,288 | 66 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | GCJ3-30J-HV-30K-4-DB-090-PCR7-LLPC-MSL3 | | 9,288 | 66 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | GCJ3-30J-MV-40K-4-DB-095-PCR7-LLPC-MSL3 | | 9,725 | 66 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | GCJ3-30J-HV-40K-4-DB-095-PCR7-LLPC-MSL3 | | 9,725 | 66 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | GCJ3-30J-MV-27K-4-DB-080-PCR7-LLPC-MSL3 | | 8,892 | 67 | 2,700 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | GCJ3-30J-HV-27K-4-DB-080-PCR7-LLPC-MSL3 | | 8,892 | 67 | 2,700 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | GCJ3-30J-MV-27K-4-DB-085-PCR7-LLPC-MSL3 | | 8,892 | 67 | 2,700 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | GCJ3-30J-HV-27K-4-DB-085-PCR7-LLPC-MSL3 | | 8,892 | 67 | 2,700 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | GCJ3-30J-MV-40K-4-DB-080-PCR7-LLPC-MSL3 | | 9,725 | 66 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | GCJ3-30J-HV-40K-4-DB-080-PCR7-LLPC-MSL3 | | 9,725 | 66 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | GCJ3-30J-MV-27K-4-DB-065-PCR7-LLPC-MSL3 | | 8,892 | 67 | 2,700 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | GCJ3-30J-HV-27K-4-DB065-PCR7-LLPC-MSL3 | | 8,892 | 67 | 2,700 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | GCJ3-30J-MV-40K-4-DB-085-PCR7-LLPC-MSL3 | | 9,725 | 66 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | GCJ3-30J-HV-40K-4-DB-085-PCR7-LLPC-MSL3 | | 9,725 | 66 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | GCJ3-30J-MV-40K-4-DB-090-PCR7-LLPC-MSL3 | | 9,725 | 66 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | GCJ3-30J-HV-40K-4-DB-090-PCR7-LLPC-MSL3 | | 9,725 | 66 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | GCJ3-30J-MV-27K-4-DB-075-PCR7-LLPC-MSL3 | | 8,892 | 67 | 2,700 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | GCJ3-30J-HV-27K-4-DB-075-PCR7-LLPC-MSL3 | | 8,892 | 67 | 2,700 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | GCJ3-30J-MV-30K-4-DB-075-PCR7-LLPC-MSL3 | | 9,288 | 66 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | GCJ3-30J-HV-30K-4-DB-075-PCR7-LLPC-MSL3 | | 9,288 | 66 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | GCM1-60J-MV-40K-4-DB-105-PCR7-LLPC-MSL3 | | 13,870 | 84 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | GCM1-60J-HV-40K-4-DB-105-PCR7-LLPC-MSL3 | | 13,870 | 84 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |

[illegible]

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-----------------------------|---|--------------|-----------------------|------------------------|--------------|---|
| 87UBC | \$80 | Leotek Electronics USA, LLC | GCM1-60J-HV-30K-2R-DB-090-PCR7-LLPC-MSL3 | | 12,450 | 84 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | GCM1-60J-MV-30K-3R-DB-100-PCR7-LLPC-MSL3 | | 12,640 | 84 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | GCM1-60J-HV-30K-3R-DB-100-PCR7-LLPC-MSL3 | | 12,640 | 84 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | GCM1-60J-MV-30K-3R-DB-090-PCR7-LLPC-MSL3 | | 12,640 | 84 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | GCM1-60J-HV-30K-3R-DB-090-PCR7-LLPC-MSL3 | | 12,640 | 84 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | GCM1-60J-MV-30K-2R-DB-110-PCR7-LLPC-MSL3 | | 12,450 | 84 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | GCM1-60J-HV-30K-2R-DB-110-PCR7-LLPC-MSL3 | | 12,450 | 84 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | AR13-48N-MV-NW-3-DB-120-PND1 | | 12,910 | 87 | 4,000 | Must be installed with photocell or timeclock. Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | RAB Lighting | ALED5T52/BL/PCT+RAB Stealth Sensor or other Occ Sensor | | 6,567 | 53 | 5,000 | Must be installed with exterior occupancy sensor or RAB Stealth Sensor on pole to dim light when no occupancy to receive incentive |
| | \$80 | | ALED5T52/BL+RAB Stealth Sensor or other Occ Sensor | | 6,567 | 53 | 5,000 | Must be installed with a time clock or photocell along with exterior occupancy sensor or RAB Stealth Sensor on pole to dim light when no occupancy to receive incentive |
| | \$80 | | ALED5T52/D10/LC | | 6,567 | 53 | 5,000 | Must be installed with a time clock or photocell |
| | \$80 | | ALED5T52N/BL/PCT+RAB Stealth Sensor or other Occ Sensor | | 6,978 | 53 | 4,000 | Must be installed with exterior occupancy sensor or RAB Stealth Sensor on pole to dim light when no occupancy to receive incentive |
| | \$80 | | ALED5T52N/BL+RAB Stealth Sensor or other Occ Sensor | | 6,978 | 53 | 4,000 | Must be installed with a time clock or photocell along with exterior occupancy sensor or RAB Stealth Sensor on pole to dim light when no occupancy to receive incentive |
| | \$80 | | ALED5T52Y/BL/PCT+RAB Stealth Sensor or other Occ Sensor | | 6,498 | 54 | 3,000 | Must be installed with exterior occupancy sensor or RAB Stealth Sensor on pole to dim light when no occupancy to receive incentive |
| | \$80 | | ALED5T52Y/BL+RAB Stealth Sensor or other Occ Sensor | | 6,498 | 54 | 3,000 | Must be installed with a time clock or photocell along with exterior occupancy sensor or RAB Stealth Sensor on pole to dim light when no occupancy to receive incentive |
| | \$80 | | ALED5T52Y/D10/LC | | 6,498 | 54 | 3,000 | Must be installed with a time clock or photocell |
| | \$80 | | ALED5T78/BL/PCT+RAB Stealth Sensor or other Occ Sensor | | 9,530 | 80 | 5,000 | Must be installed with exterior occupancy sensor or RAB Stealth Sensor on pole to dim light when no occupancy to receive incentive |
| | \$80 | | ALED5T78/BL+RAB Stealth Sensor or other Occ Sensor | | 9,530 | 80 | 5,000 | Must be installed with a time clock or photocell along with exterior occupancy sensor or RAB Stealth Sensor on pole to dim light when no occupancy to receive incentive |
| | \$80 | | ALED5T78/D10/LC | | 9,530 | 80 | 5,000 | Must be installed with a time clock or photocell |
| | \$80 | | ALED5T78N/BL/PCT+RAB Stealth Sensor or other Occ Sensor | | 10,127 | 80 | 4,000 | Must be installed with exterior occupancy sensor or RAB Stealth Sensor on pole to dim light when no occupancy to receive incentive |
| | \$80 | | ALED5T78N/BL+RAB Stealth Sensor or other Occ Sensor | | 10,127 | 80 | 4,000 | Must be installed with a time clock or photocell along with exterior occupancy sensor or RAB Stealth Sensor on pole to dim light when no occupancy to receive incentive |
| | \$80 | | ALED5T78Y/BL/PCT+RAB Stealth Sensor or other Occ Sensor | | 9,430 | 81 | 3,000 | Must be installed with exterior occupancy sensor or RAB Stealth Sensor on pole to dim light when no occupancy to receive incentive |
| | \$80 | | ALED5T78Y/BL+RAB Stealth Sensor or other Occ Sensor | | 9,430 | 81 | 3,000 | Must be installed with a time clock or photocell along with exterior occupancy sensor or RAB Stealth Sensor on pole to dim light when no occupancy to receive incentive |
| | \$80 | | ALED5T78Y/D10 /LC | | 9,430 | 81 | 3,000 | Must be installed with a time clock or photocell |
| 87UBP | \$80 | Acuity Brands Lighting | RSX1 LED P1 40K R4 MVOLT IS PE DDBXD | 193047452113 | 7,205 | 51 | 4,000 | |
| | \$80 | | RSX1 LED P1 40K R5 MVOLT IS PE DDBXD | | 7,264 | 51 | 4,000 | |
| | \$80 | | RSX1 LED P1 50K R4 MVOLT IS PE DDBXD | 193047741989 | 7,205 | 51 | 5,000 | |
| | \$80 | | RSX1 LED P1 50K R5 MVOLT IS PE DDBXD | | 7,264 | 51 | 5,000 | |
| | \$80 | | RSX1 LED P2 40K R3 MVOLT SPA PE DDBXD | 193048258424 | 9,857 | 73 | 4,000 | |
| | \$80 | | RSX1 LED P2 40K R4 MVOLT IS PE DDBXD | 194994244578 | 9,995 | 73 | 4,000 | |
| | \$80 | | RSX1 LED P2 50K R4 MVOLT IS PE DDBXD | | 9,995 | 73 | 5,000 | |
| | \$80 | | RSX1 LED P1 40K R2 MVOLT RPA DDBXD | 194994471745 | 7,122 | 51 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | RSX1 LED P1 40K R2 MVOLT SPA DDBXD | | 7,122 | 51 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | RSX1 LED P1 40K R2 MVOLT IS DDBXD | | 7,122 | 51 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | RSX1 LED P1 40K R2 MVOLT RPA PE DDBXD | 194995404629 | 7,122 | 51 | 4,000 | |
| | \$80 | | RSX1 LED P1 40K R2 MVOLT SPA PE DDBXD | | 7,122 | 51 | 4,000 | |
| | \$80 | | RSX1 LED P1 40K R2 MVOLT IS PE DDBXD | | 7,122 | 51 | 4,000 | |
| | \$80 | | DSX1 LED P1 40K T3M MVOLT SPA DDBXD G1 | | 6,764 | 54 | 4,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|---------------------------|---|--------------|-----------------------|------------------------|--------------|--|
| 87UBP | \$80 | Acuity Brands Lighting | RSX1 LED P1 40K R2 MVOLT RPA PER7 DDBXD | | 7,122 | 51 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | RSX1 LED P1 40K R2 MVOLT SPA PER7 DDBXD | | 7,122 | 51 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | DSX1 LED P1 30K 70CRI T2M MVOLT SPA DDBXD | 197589216974 | 7,203 | 51 | 3,000 | |
| | \$80 | | RSX1 LED P1 40K R4 MVOLT SPA PE DDBXD | 193047480079 | 7,205 | 51 | 4,000 | |
| | \$80 | | RSX1 LED P1 40K R3 MVOLT SPA DDBXD | 193048118162 | 7,106 | 51 | 4,000 | |
| | \$80 | ASD Lighting Corp | ASD-LSB2-60D50B-PRM | 819201026920 | 8,520 | 60 | 5,000 | Must be installed with a timeclock or photocell to receive incentive. |
| | \$80 | | ASD-LSB2-60D50W-PRM | 810050732710 | 8,520 | 60 | 5,000 | Must be installed with a timeclock or photocell to receive incentive. |
| | \$80 | | ASD-LSB5A-HV-PRO-150BR | 810128110990 | 24,750 | 150 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$80 | | ASD-LSB5A-HV-PRO-200BR | 810128111799 | 33,000 | 200 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$80 | Barron Lighting Group | RxA-70-3-VS-4K-BR-A | | 9,500 | 70 | 4,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$80 | | RxA-70-4-VS-4K-BR-A | | 9,310 | 70 | 4,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$80 | | RxA-70-5-VS-4K-BR-A | | 9,730 | 70 | 4,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$80 | | RxA-70-3-VS-5K-BR-A | | 9,600 | 70 | 5,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$80 | | RxA-70-4-VS-5K-BR-A | | 9,450 | 70 | 5,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$80 | | RxA-70-5-VS-5K-BR-A | | 9,800 | 70 | 5,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$80 | | RXAR-100-2-VS-CP-BR-A | | 15,200 | 100 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timeclock to receive incentive |
| | \$80 | | RXAR-100-3-VS-CP-BR-A | | 15,200 | 100 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timeclock to receive incentive |
| | \$80 | | RXAR-100-4-VS-CP-BR-A | | 15,200 | 100 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timeclock to receive incentive |
| | \$80 | | RXAR-100-5-VS-CP-BR-A | | 15,200 | 100 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timeclock to receive incentive |
| | \$80 | | RXAR-100-2-VS-CP-BR-A-TLPC3 | | 15,200 | 100 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. |
| | \$80 | | RXAR-100-3-VS-CP-BR-A-TLPC3 | | 15,200 | 100 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. |
| | \$80 | | RXAR-100-4-VS-CP-BR-A-TLPC3 | | 15,200 | 100 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. |
| | \$80 | | RXAR-100-5-VS-CP-BR-A-TLPC3 | | 15,200 | 100 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. |
| | \$80 | Cooper Lighting Solutions | CTKRV2B | 080083865406 | 7,110 | 50 | 4,000 | |
| | \$80 | | CTKRV3B | 080083865413 | 9,741 | 71 | 4,000 | |
| | \$80 | | LAS100S-T3 | | 33,965 | 251 | 4,000 | 10-position lumen select - measure code based on lowest lumen rating (Watts & Lumens shown for position 9) |
| | \$80 | | LAS100S-T4 | | 33,342 | 251 | 4,000 | 10-position lumen select - measure code based on lowest lumen rating (Watts & Lumens shown for position 9) |
| | \$80 | | LAS100S-T5 | | 33,740 | 251 | 4,000 | 10-position lumen select - measure code based on lowest lumen rating (Watts & Lumens shown for position 9) |
| | \$80 | | GPC-SA1C-740-U-5WQ-MA-BZ-PR7 | | 7,956 | 59 | 4,000 | |
| | \$80 | | LAS100-T3 | | 33,965 | 251 | 4,000 | 10-position lumen select - measure code based on lowest lumen rating (Watts & Lumens shown for position 9) |
| | \$80 | | LAS100-T4 | | 33,342 | 251 | 4,000 | 10-position lumen select - measure code based on lowest lumen rating (Watts & Lumens shown for position 9) |
| | \$80 | | LAS100-T5 | | 33,740 | 251 | 4,000 | 10-position lumen select - measure code based on lowest lumen rating (Watts & Lumens shown for position 9) |
| | \$80 | | PRV-PA1A-740-U-T3-BZ | | 7,575 | 54 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | PRV-PA1A-740-U-T4W-BZ | | 7,484 | 54 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | PRV-PA1A-740-U-5WQ-BZ | | 7,831 | 54 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|------------------------------|--|---------------------------|-----------------------|------------------------|--------------|--|
| 87UBP | \$80 | Cooper Lighting Solutions | PRV-PA1B-740-U-T3-BZ | | 9,857 | 74 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | PRV-PA1B-740-U-T4W-BZ | | 9,738 | 74 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | GALN-SA1C-740-U-T4W-BZ-BPC | | 7,119 | 56 | 4,000 | |
| | \$80 | | GALN-SA1C-740-U-T4W-BZ-PR | | 7,119 | 56 | 4,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$80 | | GALN-SA1C-740-U-T4W-BZ-PR7 | | 7,119 | 56 | 4,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$80 | Current | EACL010D4AF740NDD1DKBZ | | 10,000 | 73 | 4,000 | |
| | \$80 | ETi Solid State Lighting | VAL-1-LB3-CP3-T3-MV-LVD-7PR | | 12,145 | 100 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with photocell or timeclock to receive incentive. |
| | \$80 | | VAL-1-LB3-CP3-T5-MV-LVD-7PR | | 12,187 | 100 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with photocell or timeclock to receive incentive. |
| | \$80 | Green Ignite | GI-ALM-D250-D-UL3-SQ-T3 | | 9,500 | 70 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | GI-ALM-D250-D-UL3-SP-T3 | | 9,500 | 70 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | GI-ALM-D250-D-UL3-WM-T3 | | 9,500 | 70 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | GI-CHF-D250-UL4-D-T3 | | 9,300 | 70 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | GI-D2D-C250-D-UL4 | | 8,800 | 65 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | | GI-D2D-C175-D-UL4 | | 6,200 | 45 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$80 | Industrial Lighting Products | SAS-6L-U-30-T2-UMB-BRZ | | 6,357 | 46 | 3,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$80 | | SAS-6L-U-30-T3-UMB-BRZ | | 6,341 | 46 | 3,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$80 | | SAS-6L-U-30-T4-UMB-BRZ | | 6,273 | 46 | 3,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$80 | | SAS-6L-U-40-T2-UMB-BRZ | | 6,528 | 46 | 4,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$80 | | SAS-6L-U-40-T3-UMB-BRZ | | 6,512 | 46 | 4,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$80 | | SAS-6L-U-40-T4-UMB-BRZ | | 6,442 | 46 | 4,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$80 | | SAS-6L-U-50-T2-UMB-BRZ | | 6,429 | 46 | 5,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$80 | | SAS-6L-U-50-T3-UMB-BRZ | | 6,413 | 46 | 5,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$80 | | SAS-6L-U-50-T4-UMB-BRZ | | 6,345 | 46 | 5,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$80 | | SAS-9L-U-30-T2-UMB-BRZ | | 8,993 | 69 | 3,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$80 | | SAS-9L-U-30-T3-UMB-BRZ | | 8,971 | 69 | 3,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$80 | | SAS-9L-U-30-T4-UMB-BRZ | | 8,872 | 69 | 3,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$80 | | SAS-9L-U-40-T2-UMB-BRZ | | 9,280 | 69 | 4,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$80 | | SAS-9L-U-40-T3-UMB-BRZ | | 9,257 | 69 | 4,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$80 | | SAS-9L-U-40-T4-UMB-BRZ | | 9,158 | 69 | 4,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$80 | | SAS-9L-U-50-T2-UMB-BRZ | | 9,140 | 69 | 5,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$80 | | SAS-9L-U-50-T3-UMB-BRZ | | 9,118 | 69 | 5,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$80 | | SAS-9L-U-50-T4-UMB-BRZ | | 9,020 | 69 | 5,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$80 | Keystone Technologies | KT-ALED70-S1-3-NM-850-VDIM | 843654131337 | 9,660 | 70 | 5,000 | The PS option would be needed if not being installed with time clock |
| | \$80 | | KT-ALED70-S1-2-NM-840-VDIM | | 9,520 | 70 | 4,000 | The PS option would be needed if not being installed with time clock |
| | \$80 | | KT-ALED70-S1-2-NM-850-VDIM | | 9,660 | 70 | 5,000 | The PS option would be needed if not being installed with time clock |
| | \$80 | | KT-ALED70-S1-3-NM-840-VDIM | 843654131320 | 9,520 | 70 | 4,000 | The PS option would be needed if not being installed with time clock |
| | \$80 | | KT-ALED70-S1-4-NM-840-VDIM | | 9,590 | 70 | 4,000 | The PS option would be needed if not being installed with time clock |
| | \$80 | | KT-ALED70-S1-4-NM-850-VDIM | | 9,730 | 70 | 5,000 | The PS option would be needed if not being installed with time clock |
| | \$80 | | KT-ALED70-S1-5-NM-840-VDIM | 843654131344 | 9,590 | 70 | 4,000 | The PS option would be needed if not being installed with time clock |
| | \$80 | | KT-ALED70-S1-5-NM-850-VDIM | 843654131351 | 9,730 | 70 | 5,000 | The PS option would be needed if not being installed with time clock |
| | \$80 | | KT-ALED140PSHV-M2-OSA-NM-8CSB-VDIM | 843654153063 | 17,640 | 140 | 3,000 | Must be installed with photo sensor or timeclock. Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | | KT-ALED140PS-M2-OSB-PMA-8CSB-VDIM-P | 843654153087 | 17,780 | 140 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | KT-ALED140PS-M2-OSB-SF-8CSB-VDIM-P | 843654153100 | 17,780 | 140 | 3,000 | Must be installed with photo sensor or timeclock. Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | | KT-ALED140PSHV-M2-OSA-NM-8CSB-VDIM/3PN | 843654153063+843654131832 | 17,640 | 140 | 3,000 | Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | | KT-ALED70-S2-OSA-NM-840-VDIM | 843654152967 | 9,940 | 70 | 4,000 | Must be installed with photo sensor or timeclock. |
| | \$80 | | KT-ALED70-S2-OSA-NM-840-VDIM/3PN | 843654152967+843654131825 | 9,940 | 70 | 4,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-----------------------|-------------------------------------|---------------------------|-----------------------|------------------------|--------------|---|
| 87UBP | \$80 | Keystone Technologies | KT-ALED70-S2-OSA-NM-850-VDIM | 843654152974 | 10,080 | 70 | 5,000 | Must be installed with photo sensor or timeclock. |
| | \$80 | | KT-ALED70-S2-OSA-NM-850-VDIM/3PN | 843654152974+843654131825 | 10,080 | 70 | 5,000 | |
| | \$80 | | KT-ALED140PS-M2-OSA-NM-8CSB-VDIM | 843654153063 | 17,780 | 140 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | | KT-ALED140PS-M2-OSA-NM-8CSB-VDIM-B | 843654157634 | 17,780 | 140 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | | KT-ALED140PS-M2-OSA-NM-8CSB-VDIM-S | 843654157641 | 17,780 | 140 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | LEDVANCE, LLC | AREAFLD4A/S100UNVD830/FR/BZ (62844) | 046135628443 | 14,705 | 94 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | AREAFLD4A/S100UNVD830/T2/BZ (65773) | 046135657733 | 14,729 | 95 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | AREAFLD4A/S100UNVD830/T3/BZ (65774) | 046135657740 | 14,651 | 94 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | AREAFLD4A/S100UNVD830/T4/BZ (65775) | 046135657757 | 14,600 | 94 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | AREAFLD4A/S100UNVD830/T5/BZ (65776) | 046135657764 | 14,504 | 94 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | AREAFLD4A/S100UNVD840/FR/BZ (62845) | 046135628450 | 14,806 | 94 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | AREAFLD4A/S100UNVD840/T2/BZ (65777) | 046135657771 | 15,127 | 94 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | AREAFLD4A/S100UNVD840/T3/BZ (65778) | 046135657788 | 15,034 | 94 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | AREAFLD4A/S100UNVD840/T4/BZ (65779) | 046135657795 | 14,625 | 94 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | AREAFLD4A/S100UNVD840/T5/BZ (65780) | 046135657801 | 14,545 | 94 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | AREAFLD4A/S100UNVD850/FR/BZ (62846) | 046135628467 | 15,250 | 93 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | AREAFLD4A/S100UNVD850/T2/BZ (65781) | 046135657818 | 15,220 | 93 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | AREAFLD4A/S100UNVD850/T3/BZ (65782) | 046135657825 | 15,130 | 93 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | AREAFLD4A/S100UNVD850/T4/BZ (65783) | 046135657832 | 15,139 | 93 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | AREAFLD4A/S100UNVD850/T5/BZ (65784) | 046135657849 | 15,059 | 95 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$80 | | AREAFLD5A/S080UNHD840/T3/BZ (63286) | 046135632860 | 10,772 | 78 | 4,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | | AREAFLD5A/S080UNHD840/T4/BZ (63287) | 046135632877 | 10,856 | 78 | 4,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | | AREAFLD5A/S080UNHD840/T5/BZ (63288) | 046135632884 | 10,779 | 78 | 4,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | | AREAFLD5A/S080UNHD830/T3/BZ (63297) | 046135632976 | 10,083 | 78 | 3,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | | AREAFLD5A/S080UNHD830/T4/BZ (63298) | 046135632983 | 10,145 | 78 | 3,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | | AREAFLD5A/S080UNHD830/T5/BZ (63299) | 046135632990 | 10,139 | 78 | 3,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | | AREAFLD5A/S080UNHD850/T3/BZ (63306) | 046135633065 | 11,007 | 78 | 5,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | | AREAFLD5A/S080UNHD850/T4/BZ (63307) | 046135633072 | 11,090 | 78 | 5,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | | AREAFLD5A/S080UNHD850/T5/BZ (63308) | 046135633089 | 11,013 | 78 | 5,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$80 | | AREAFLD6A/S080UNHDS2/T2/BZ (63845) | | 12,469 | 79 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timeclock to receive incentive |
| | \$80 | | AREAFLD6A/S080UNHDS2/T3/BZ (63846) | 046135638466 | 12,524 | 80 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timeclock to receive incentive |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|----------------|--|--------------|-----------------------|------------------------|--------------|--|
| 87UBP | \$80 | LEDVANCE, LLC | AREAFLD6A/S080UNHDSC2/T4/BZ (63847) | 046135638473 | 12,517 | 80 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timedclock to receive incentive |
| | \$80 | | AREAFLD6A/S080UNHDSC2/T5/BZ (63848) | 046135638480 | 12,524 | 80 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timedclock to receive incentive |
| | \$80 | | AREAFLD6A/S080HUV DSC2/T2/BZ (63963) | | 13,010 | 84 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timedclock to receive incentive |
| | \$80 | | AREAFLD6A/S080HUV DSC2/T3/BZ (63964) | 046135639647 | 13,034 | 84 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timedclock to receive incentive |
| | \$80 | | AREAFLD6A/S080HUV DSC2/T4/BZ (63965) | 046135639654 | 13,036 | 84 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timedclock to receive incentive |
| | \$80 | | AREAFLD6A/S080HUV DSC2/T5/BZ (63966) | 046135639661 | 12,981 | 83 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timedclock to receive incentive |
| | \$80 | | AREAFLD6AS080UNHDSC2ADJBZ (64012) | 046135640124 | 10,531 | 79 | 3,000 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output. Must be in |
| | \$80 | | AREAFLD6AS080UNHDSC2ADJBL (66225) | 046135662256 | 10,531 | 79 | 3,000 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output. Must be in |
| | \$80 | | AREAFLD6AS080UNHDSC2ADJWH (66228) | 046135662287 | 10,531 | 79 | 3,000 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output. Must be in |
| | \$80 | | AREAFLD6AS080HUV DSC2ADJBZ (66052) | | 10,633 | 79 | 3,000 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output. Must be in |
| | \$80 | | AREAFLD6AS080HUV DSC2ADJBL (66363) | | 10,633 | 79 | 3,000 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output. Must be in |
| | \$80 | | AREAFLD6AS080HUV DSC2ADJWH (66360) | | 10,633 | 79 | 3,000 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output. Must be in |
| | \$80 | LSI Industries | MRS LED 6L SIL 2 UNV DIM 30 70CRI BLK | | 6,045 | 41 | 3,000 | |
| | \$80 | | MRS LED 6L SIL 2 UNV DIM 40 70CRI BLK | | 6,268 | 41 | 4,000 | Must be installed with a timedclock or photocell to receive incentive. |
| | \$80 | | MRS LED 6L SIL 2 UNV DIM 50 70CRI BLK | | 6,268 | 41 | 5,000 | Must be installed with a timedclock or photocell to receive incentive. |
| | \$80 | | MRS LED 6L SIL 3 UNV DIM 30 70CRI BLK | | 6,145 | 41 | 3,000 | Must be installed with a timedclock or photocell to receive incentive. |
| | \$80 | | MRS LED 6L SIL 3 UNV DIM 40 70CRI BLK | | 6,372 | 41 | 4,000 | Must be installed with a timedclock or photocell to receive incentive. |
| | \$80 | | MRS LED 6L SIL 3 UNV DIM 50 70CRI BLK | | 6,372 | 41 | 5,000 | Must be installed with a timedclock or photocell to receive incentive. |
| | \$80 | | MRS LED 6L SIL 5W UNV DIM 30 70CRI BLK | | 5,812 | 41 | 3,000 | Must be installed with a timedclock or photocell to receive incentive. |
| | \$80 | | MRS LED 6L SIL 5W UNV DIM 40 70CRI BLK | | 6,026 | 41 | 4,000 | Must be installed with a timedclock or photocell to receive incentive. |
| | \$80 | | MRS LED 6L SIL 5W UNV DIM 50 70CRI BLK | | 6,026 | 41 | 5,000 | Must be installed with a timedclock or photocell to receive incentive. |
| | \$80 | | MRS LED 6L SIL FT UNV DIM 30 70CRI BLK | | 5,947 | 41 | 3,000 | Must be installed with a timedclock or photocell to receive incentive. |
| | \$80 | | MRS LED 6L SIL FT UNV DIM 40 70CRI BLK | | 6,166 | 41 | 4,000 | Must be installed with a timedclock or photocell to receive incentive. |
| | \$80 | | MRS LED 6L SIL FT UNV DIM 50 70CRI BLK | | 6,166 | 41 | 5,000 | Must be installed with a timedclock or photocell to receive incentive. |
| | \$80 | | MRS LED 9L SIL 2 UNV DIM 30 70CRI BLK | | 9,091 | 63 | 3,000 | Must be installed with a timedclock or photocell to receive incentive. |
| | \$80 | | MRS LED 9L SIL 2 UNV DIM 40 70CRI BLK | | 9,484 | 63 | 4,000 | Must be installed with a timedclock or photocell to receive incentive. |
| | \$80 | | MRS LED 9L SIL 2 UNV DIM 50 70CRI BLK | | 9,484 | 63 | 5,000 | Must be installed with a timedclock or photocell to receive incentive. |
| | \$80 | | MRS LED 9L SIL 3 UNV DIM 30 70CRI BLK | | 9,241 | 63 | 3,000 | Must be installed with a timedclock or photocell to receive incentive. |
| | \$80 | | MRS LED 9L SIL 3 UNV DIM 40 70CRI BLK | | 9,641 | 63 | 4,000 | Must be installed with a timedclock or photocell to receive incentive. |
| | \$80 | | MRS LED 9L SIL 3 UNV DIM 50 70CRI BLK | | 9,641 | 63 | 5,000 | Must be installed with a timedclock or photocell to receive incentive. |
| | \$80 | | MRS LED 9L SIL 5W UNV DIM 30 70CRI BLK | | 8,740 | 63 | 3,000 | Must be installed with a timedclock or photocell to receive incentive. |
| | \$80 | | MRS LED 9L SIL 5W UNV DIM 40 70CRI BLK | | 9,118 | 63 | 4,000 | Must be installed with a timedclock or photocell to receive incentive. |
| | \$80 | | MRS LED 9L SIL 5W UNV DIM 50 70CRI BLK | | 9,118 | 63 | 5,000 | Must be installed with a timedclock or photocell to receive incentive. |
| | \$80 | | MRS LED 9L SIL FT UNV DIM 30 70CRI BLK | | 8,943 | 63 | 3,000 | Must be installed with a timedclock or photocell to receive incentive. |
| | \$80 | | MRS LED 9L SIL FT UNV DIM 40 70CRI BLK | | 9,330 | 63 | 4,000 | Must be installed with a timedclock or photocell to receive incentive. |
| | \$80 | | MRS LED 9L SIL FT UNV DIM 50 70CRI BLK | | 9,330 | 63 | 5,000 | Must be installed with a timedclock or photocell to receive incentive. |
| | \$80 | MaxLite Inc. | PSM53UT5-40B | | 6,888 | 53 | 4,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$80 | NICOR Inc. | ODL3050MV30GRP | | 6,422 | 49 | 3,000 | |
| | \$80 | P.Q.L. Inc. | STL3P-60W-5000K-C-MB-HC-P (84036) | 811768026535 | 8,860 | 60 | 5,000 | Must be installed with a timedclock to receive incentive or with photocell option |
| | \$80 | | STL3P-60W-4000K-C-MB-HC-P (84058) | 811768026528 | 8,696 | 61 | 4,000 | Must be installed with a timedclock to receive incentive or with photocell option |
| | \$80 | RAB Lighting | ALEDS2TY | | 10,181 | 81 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with timedclock or photocell to receive incentive |
| | \$80 | | ALEDS2TN | | 10,637 | 81 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with timedclock or photocell to receive incentive |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|--------------|----------------|-----|-----------------------|------------------------|--------------|--|
| 87UBP | \$80 | RAB Lighting | ALED52T | | 10,917 | 82 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with timeclock or photocell to receive incentive |
| | \$80 | | ALED52TY/7PR | | 10,181 | 81 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with timeclock or photocell to receive incentive |
| | \$80 | | ALED52TN/7PR | | 10,637 | 81 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with timeclock or photocell to receive incentive |
| | \$80 | | ALED52T/7PR | | 10,917 | 82 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with timeclock or photocell to receive incentive |
| | \$80 | | ALED53TY | | 10,433 | 80 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with timeclock or photocell to receive incentive |
| | \$80 | | ALED53TN | | 10,458 | 81 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with timeclock or photocell to receive incentive |
| | \$80 | | ALED53T | | 10,742 | 82 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with timeclock or photocell to receive incentive |
| | \$80 | | ALED53TY/7PR | | 10,433 | 80 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with timeclock or photocell to receive incentive |
| | \$80 | | ALED53TN/7PR | | 10,458 | 81 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with timeclock or photocell to receive incentive |
| | \$80 | | ALED53T/7PR | | 10,742 | 82 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with timeclock or photocell to receive incentive |
| | \$80 | | ALED53TSFN | | 10,458 | 81 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with timeclock or photocell to receive incentive |
| | \$80 | | ALED53TSFN/7PR | | 10,458 | 81 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with timeclock or photocell to receive incentive |
| | \$80 | | ALED54TY | | 10,172 | 81 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with timeclock or photocell to receive incentive |
| | \$80 | | ALED54TN | | 10,616 | 82 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with timeclock or photocell to receive incentive |
| | \$80 | | ALED54T | | 10,936 | 82 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with timeclock or photocell to receive incentive |
| | \$80 | | ALED54TY/7PR | | 10,172 | 81 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with timeclock or photocell to receive incentive |
| | \$80 | | ALED54TN/7PR | | 10,616 | 82 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with timeclock or photocell to receive incentive |
| | \$80 | | ALED54T/7PR | | 10,936 | 82 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with timeclock or photocell to receive incentive |
| | \$80 | | A17-3T70 | | 10,579 | 71 | 3,000 | CCT & Wattage Selectable. Measure code/incentive based on lowest wattage/lumen output |
| | \$80 | | A17-3T100 | | 14,540 | 100 | 3,000 | CCT & Wattage Selectable. Measure code/incentive based on lowest wattage/lumen output |
| | \$80 | | A17-4T70 | | 10,267 | 72 | 3,000 | CCT & Wattage Selectable. Measure code/incentive based on lowest wattage/lumen output |
| | \$80 | | A17-4T100 | | 15,190 | 103 | 3,000 | CCT & Wattage Selectable. Measure code/incentive based on lowest wattage/lumen output |
| | \$80 | | ALED5T52N/D10 | | 6,978 | 53 | 4,000 | Must be installed with a time clock or photocell |
| | \$80 | | ALED5T78N/D10 | | 10,127 | 80 | 4,000 | Must be installed with a time clock or photocell |
| | \$80 | | A22-2T70 | | 9,888 | 72 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$80 | | A22-70 | | 9,876 | 72 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$80 | | A22-4T70 | | 9,770 | 72 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$80 | | A22-5T70 | | 10,060 | 72 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|--------------|----------------------------|--------------|-----------------------|------------------------|--------------|--|
| 87UBP | \$80 | RAB Lighting | A22-2T100 | | 13,154 | 101 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$80 | | A22-100 | | 13,138 | 101 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$80 | | A22-4T100 | | 12,997 | 101 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$80 | | A22-5T100 | | 13,383 | 101 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$80 | | A22-2T70/480 | | 9,771 | 71 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$80 | | A22-70/480 | | 9,759 | 71 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$80 | | A22-4T70/480 | | 9,654 | 71 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$80 | | A22-5T70/480 | | 9,941 | 71 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$80 | | A22-2T100/480 | | 13,045 | 99 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$80 | | A22-100/480 | | 13,029 | 99 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$80 | | A22-4T100/480 | | 12,889 | 99 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$80 | | A22-5T100/480 | | 13,272 | 99 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$80 | | A17-5T100 | | 14,829 | 100 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$80 | | A17-3T70/480 | | 10,237 | 71 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$80 | | A17-3T100/480 | | 14,801 | 102 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$80 | | A17-4T70/480 | | 10,049 | 71 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$80 | | A17-4T100/480 | | 14,884 | 102 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$80 | | A17-5T70 | | 10,362 | 72 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$80 | | A17-5T70/480 | | 10,149 | 71 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$80 | | A17-5T100/480 | | 14,977 | 102 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$80 | | A34T3S | | 13,653 | 97 | 3,000 | |
| | \$80 | | A34T4S | | 13,665 | 97 | 3,000 | |
| | \$80 | | A34T5S | | 13,994 | 97 | 3,000 | |
| | \$80 | Signify | ECF-S-32L-530-NW-G2-5-UNV | | 7,922 | 54 | 4,000 | |
| | \$80 | | ECF-S-32L-700-NW-G2-5-UNV | | 9,648 | 70 | 4,000 | |
| | \$80 | SLG | ALCS 60 T3 G1 4K SPAR PC-1 | | 5,400 | 40 | 4,000 | |
| | \$80 | | ALCS 60 T3 G1 5K SPAR PC-1 | | 5,500 | 40 | 5,000 | |
| | \$80 | | ALCS 60 T4 G1 4K SPAR PC-1 | | 5,360 | 40 | 4,000 | |
| | \$80 | | ALCS 60 T4 G1 5K SPAR PC-1 | | 5,480 | 40 | 5,000 | |
| | \$80 | | ALCS 60 T5 G1 4K SPAR PC-1 | | 5,600 | 40 | 4,000 | |
| | \$80 | | ALCS 60 T5 G1 5K SPAR PC-1 | | 5,720 | 40 | 5,000 | |
| | \$80 | | ALCS 96 T3 G1 4K SPAR PC-1 | | 9,500 | 70 | 4,000 | |
| | \$80 | | ALCS 96 T3 G1 5K SPAR PC-1 | | 9,600 | 70 | 5,000 | |
| | \$80 | | ALCS 96 T4 G1 4K SPAR PC-1 | | 9,310 | 70 | 4,000 | |
| | \$80 | | ALCS 96 T4 G1 5K SPAR PC-1 | | 9,450 | 70 | 5,000 | |
| | \$80 | | ALCS 96 T5 G1 4K SPAR PC-1 | | 9,730 | 70 | 4,000 | |
| | \$80 | | ALCS 96 T5 G1 5K SPAR PC-1 | | 9,800 | 70 | 5,000 | |
| | \$80 | | AR 60 T3 G1 30K | 728943427844 | 6,100 | 45 | 3,000 | |
| | \$80 | | AR 60 T3 G1 35K | 728943427844 | 6,200 | 45 | 3,500 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|--------------|------------------------------------|--------------|-----------------------|------------------------|--------------|---|
| 87UBP | \$80 | SLG | AR 60 T3 G1 40K | 728943427844 | 6,300 | | 45 | 4,000 |
| | \$80 | | AR 60 T3 G1 50K | 728943427844 | 6,350 | | 45 | 5,000 |
| | \$80 | | AR 60 T3 G1 HVU 30K | | 6,100 | | 45 | 3,000 |
| | \$80 | | AR 60 T3 G1 HVU 35K | | 6,200 | | 45 | 3,500 |
| | \$80 | | AR 60 T3 G1 HVU 40K | | 6,300 | | 45 | 4,000 |
| | \$80 | | AR 60 T3 G1 HVU 50K | | 6,350 | | 45 | 5,000 |
| | \$80 | | AR 95 T3 G1 30K | 728943427851 | 9,200 | | 70 | 3,000 |
| | \$80 | | AR 95 T3 G1 35K | 728943427851 | 9,200 | | 70 | 3,500 |
| | \$80 | | AR 95 T3 G1 40K | 728943427851 | 9,300 | | 70 | 4,000 |
| | \$80 | | AR 95 T3 G1 50K | 728943427851 | 9,400 | | 70 | 5,000 |
| | \$80 | | AR 95 T3 G1 HVU 30K | | 9,200 | | 70 | 3,000 |
| | \$80 | | AR 95 T3 G1 HVU 35K | | 9,200 | | 70 | 3,500 |
| | \$80 | | AR 95 T3 G1 HVU 40K | | 9,300 | | 70 | 4,000 |
| | \$80 | | AR 95 T3 G1 HVU 50K | | 9,400 | | 70 | 5,000 |
| | \$80 | | UDD 65 G3 4K | | 6,200 | | 45 | 4,000 |
| | \$80 | | UDD 65 G3 5K | | 6,200 | | 45 | 5,000 |
| | \$80 | | UDD 90 G3 4K | | 8,800 | | 65 | 4,000 |
| | \$80 | | UDD 90 G3 5K | | 8,800 | | 65 | 5,000 |
| | \$80 | WESTGATE MFG | LF4PRO-50-150W-MCTP | 845060073034 | 18,967 | | 152 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. Must select mount option. |
| | \$80 | | LFX-LG-50-150W-30K-SF-T3bTN | | 21,043 | | 150 | 3,000 Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$80 | | LFX-LG-50-150W-30K-TR-T3bTN | | 21,043 | | 150 | 3,000 Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$80 | | LFX-LG-50-150W-30K-YK-T3bTN | | 21,043 | | 150 | 3,000 Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$80 | | LFX-LG-50-150W-40K-SF-T3bTN | | 21,153 | | 150 | 4,000 Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$80 | | LFX-LG-50-150W-40K-TR-T3bTN | | 21,153 | | 150 | 4,000 Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$80 | | LFX-LG-50-150W-40K-YK-T3bTN | | 21,153 | | 150 | 4,000 Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$80 | | LFX-LG-50-150W-50K-480V-SF-T3bF | | 21,259 | | 151 | 5,000 Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$80 | | LFX-LG-50-150W-50K-480V-TR-T3bF | | 21,259 | | 151 | 5,000 Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$80 | | LFX-LG-50-150W-50K-480V-YK-T3bF | | 21,259 | | 151 | 5,000 Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$80 | | LFX-LG-50-150W-50K-SF-T3bTN | | 21,263 | | 150 | 5,000 Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$80 | | LFX-LG-50-150W-50K-TR-T3bTN | | 21,263 | | 150 | 5,000 Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$80 | | LFX-LG-50-150W-50K-YK-T3bTN | | 21,263 | | 150 | 5,000 Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$80 | | LFXPRO-LG-50-150W-MCTP-SF-90120 | | 19,017 | | 152 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. If not installed with timeclock, must include a PE option |
| | \$80 | | LFXPRO-LG-50-150W-MCTP-SF-WH-90120 | | 19,017 | | 152 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. If not installed with timeclock, must include a PE option |
| | \$80 | | LFXPRO-LG-50-150W-MCTP-TR-90120 | | 19,017 | | 152 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. If not installed with timeclock, must include a PE option |
| | \$80 | | LFXPRO-LG-50-150W-MCTP-TR-WH-90120 | | 19,017 | | 152 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. If not installed with timeclock, must include a PE option |
| | \$80 | | LFXPRO-LG-50-150W-MCTP-YK-90120 | | 19,017 | | 152 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. If not installed with timeclock, must include a PE option |
| | \$80 | | LFXPRO-LG-50-150W-MCTP-YK-WH-90120 | | 19,017 | | 152 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. If not installed with timeclock, must include a PE option |
| | \$80 | | STL3-50W-30K-PC | | 6,330 | | 47 | 3,000 |
| | \$80 | | STL3-50W-40K-PC | | 6,439 | | 47 | 4,000 |
| | \$80 | | STL3-50W-50K-PC | | 6,548 | | 47 | 5,000 |
| | \$80 | | STL3-80W-30K-PC | | 10,451 | | 81 | 3,000 |
| | \$80 | | STL3-80W-40K-PC | | 10,591 | | 81 | 4,000 |
| | \$80 | | STL3-80W-50K-PC | | 10,731 | | 81 | 5,000 |
| | \$80 | | STL3-50W-30K | | 6,330 | | 47 | 3,000 Must be installed with a time clock or photocell to receive incentive |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|---------------------------|---|---------------------------|-----------------------|------------------------|--------------|---|
| 87UBP | \$80 | WESTGATE MFG | STL3-50W-40K | | 6,439 | 47 | 4,000 | Must be installed with a time clock or photocell to receive incentive |
| | \$80 | | STL3-50W-50K | | 6,548 | 47 | 5,000 | Must be installed with a time clock or photocell to receive incentive |
| 87UBPC | \$110 | Barron Lighting Group | RxA-70-3-VS-4K-BR-A-SC | | 9,500 | 70 | 4,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$110 | | RxA-70-3-VS-5K-BR-A-SC | | 9,600 | 70 | 5,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$110 | | RxA-70-4-VS-4K-BR-A-SC | | 9,310 | 70 | 4,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$110 | | RxA-70-5-VS-4K-BR-A-SC | | 9,730 | 70 | 4,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$110 | | RxA-70-4-VS-5K-BR-A-SC | | 9,450 | 70 | 5,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$110 | | RxA-70-5-VS-5K-BR-A-SC | | 9,800 | 70 | 5,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$110 | Cooper Lighting Solutions | LAS100-T3-MS/DIM-L40W | | 33,965 | 251 | 4,000 | Lumen selectable, Measure/incentive based on min. lumen level |
| | \$110 | | LAS100-T4-MS/DIM-L40W | | 33,342 | 251 | 4,000 | Lumen selectable, Measure/incentive based on min. lumen level |
| | \$110 | | LAS100-T5-MS/DIM-L40W | | 33,740 | 251 | 4,000 | Lumen selectable, Measure/incentive based on min. lumen level |
| | \$110 | | PRV-PA1A-740-U-5WQ-BZ-MS/DIM-L40 | | 7,831 | 54 | 4,000 | |
| | \$110 | | PRV-PA1A-740-U-T3-BZ-MS/DIM-L40 | | 7,575 | 54 | 4,000 | |
| | \$110 | | PRV-PA1A-740-U-T4W-BZ-MS/DIM-L40 | | 7,484 | 54 | 4,000 | |
| | \$110 | Keystone Technologies | GALN-SA1C-740-U-T4W-BZ-AHD145-BPC | | 7,119 | 56 | 4,000 | |
| | \$110 | | GALN-SA1C-740-U-T4W-BZ-ZW-ZW-WOBBZ | | 7,119 | 56 | 4,000 | |
| | \$110 | | GALN-SA1C-740-U-T4W-BZ-ZD-ZD-WOBBZ | | 7,119 | 56 | 4,000 | |
| | \$110 | | GALN-SA1C-740-U-T4W-BZ-ZW-ZW-WOFBZ | | 7,119 | 56 | 4,000 | |
| | \$110 | | GALN-SA1C-740-U-T4W-BZ-ZD-ZD-WOFBZ | | 7,119 | 56 | 4,000 | |
| | \$110 | | | | | | | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with photocell or timeclock to receive incentive and QI-MW-OCC Plug In Motion Sensor and reduce light output when no motion is detected. |
| | \$110 | | VAL-1-LB3-CP3-T3-MV-LVD-7PR+QI-MW-OCC | | 12,145 | 100 | 3,000 | |
| | \$110 | | VAL-1-LB3-CP3-T5-MV-LVD-7PR+QI-MW-OCC | | 12,187 | 100 | 3,000 | |
| | \$110 | | VAL-1-LB3-CP3-T3-MV-LVD-7PR+QI-PIR-OCC | | 12,145 | 100 | 3,000 | |
| | \$110 | | VAL-1-LB3-CP3-T5-MV-LVD-7PR+QI-PIR-OCC | | 12,187 | 100 | 3,000 | |
| | \$110 | | KT-ALED70-S1-2-NM-840-VDIM-MW3 | | 9,520 | 70 | 4,000 | The PS option would be needed if not being installed with time clock |
| | \$110 | | KT-ALED70-S1-2-NM-850-VDIM-MW3 | | 9,660 | 70 | 5,000 | The PS option would be needed if not being installed with time clock |
| | \$110 | | KT-ALED70-S1-3-NM-840-VDIM-MW3 | | 9,520 | 70 | 4,000 | The PS option would be needed if not being installed with time clock |
| | \$110 | | KT-ALED70-S1-3-NM-850-VDIM-MW3 | | 9,660 | 70 | 5,000 | The PS option would be needed if not being installed with time clock |
| | \$110 | | KT-ALED70-S1-3-NM-857-VDIM-MW3 | | 9,660 | 70 | 5,700 | The PS option would be needed if not being installed with time clock |
| | \$110 | | KT-ALED70-S1-4-NM-840-VDIM-MW3 | | 9,590 | 70 | 4,000 | The PS option would be needed if not being installed with time clock |
| | \$110 | | KT-ALED70-S1-4-NM-850-VDIM-MW3 | | 9,730 | 70 | 5,000 | The PS option would be needed if not being installed with time clock |
| | \$110 | | KT-ALED70-S1-5-NM-840-VDIM-MW3 | | 9,590 | 70 | 4,000 | The PS option would be needed if not being installed with time clock |
| | \$110 | | KT-ALED70-S1-5-NM-850-VDIM-MW3 | | 9,730 | 70 | 5,000 | The PS option would be needed if not being installed with time clock |
| | \$110 | | KT-ALED140PS-M2-OSB-PMA-8CSB-VDIM-P/MW3 | 843654153087+843654130637 | 17,780 | 140 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | KT-ALED140PS-M2-OSB-PMA-8CSB-VDIM-P/FC3 | 843654153087+843654138862 | 17,780 | 140 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | KT-ALED140PS-M2-OSB-SF-8CSB-VDIM-P/MW3 | 843654153100+843654130637 | 17,780 | 140 | 3,000 | Must be installed with photo sensor or timeclock. Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | KT-ALED140PS-M2-OSB-SF-8CSB-VDIM-P/FC3 | 843654153100+843654138862 | 17,780 | 140 | 3,000 | Must be installed with photo sensor or timeclock. Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | KT-ALED140PSHV-M2-OSA-NM-8CSB-VDIM/MW3 | 843654153063+843654130637 | 17,640 | 140 | 3,000 | Must be installed with photo sensor or timeclock. Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-----------------------|--|------------------------------|-----------------------|------------------------|--------------|---|
| 87UBPC | \$110 | Keystone Technologies | KT-ALED140PSHV-M2-OSA-NM-8CSB-VDIM/FC3 | 843654153063+843654138862 | 17,640 | 140 | 3,000 | Must be installed with photo sensor or timeclock. Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | KT-ALED70-S2-OSA-NM-840-VDIM/MW3 | 843654152967+843654130637 | 9,940 | 70 | 4,000 | Must be installed with photo sensor or timeclock. |
| | \$110 | | KT-ALED70-S2-OSA-NM-840-VDIM/FC3 | 843654152967+843654138862 | 9,940 | 70 | 4,000 | Must be installed with photo sensor or timeclock. |
| | \$110 | | KT-ALED70-S2-OSA-NM-850-VDIM/MW3 | 843654152974+843654130637 | 10,080 | 70 | 5,000 | Must be installed with photo sensor or timeclock. |
| | \$110 | | KT-ALED70-S2-OSA-NM-850-VDIM/FC3 | 843654152974+843654138862 | 10,080 | 70 | 5,000 | Must be installed with photo sensor or timeclock. |
| | \$110 | LEDVANCE, LLC | AREAFLD4A/S100UNVD830/FR/BZ/BLE (63004) | 046135630040 | 14,705 | 94 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | AREAFLD4A/S100UNVD830/T2/BZ/BLE (62964) | 046135629648 | 14,729 | 95 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | AREAFLD4A/S100UNVD830/T3/BZ/BLE (62965) | 046135629655 | 14,651 | 94 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | AREAFLD4A/S100UNVD830/T4/BZ/BLE (62966) | 046135629662 | 14,600 | 94 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | AREAFLD4A/S100UNVD830/T5/BZ/BLE (62967) | 046135629679 | 14,504 | 94 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | AREAFLD4A/S100UNVD840/FR/BZ/BLE (63005) | 046135630057 | 14,806 | 94 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | AREAFLD4A/S100UNVD840/T2/BZ/BLE (62968) | 046135629686 | 15,127 | 94 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | AREAFLD4A/S100UNVD840/T3/BZ/BLE (62969) | 046135629693 | 15,034 | 94 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | AREAFLD4A/S100UNVD840/T4/BZ/BLE (62970) | 046135629709 | 14,625 | 94 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | AREAFLD4A/S100UNVD840/T5/BZ/BLE (62971) | 046135629716 | 14,545 | 94 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | AREAFLD4A/S100UNVD850/FR/BZ/BLE (63006) | | 15,250 | 93 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | AREAFLD4A/S100UNVD850/T2/BZ/BLE (62972) | 046135629723 | 15,220 | 93 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | AREAFLD4A/S100UNVD850/T3/BZ/BLE (62973) | 046135629730 | 15,130 | 93 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | AREAFLD4A/S100UNVD850/T4/BZ/BLE (62974) | 046135629747 | 15,139 | 93 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | AREAFLD4A/S100UNVD850/T5/BZ/BLE (62975) | 046135629754 | 15,059 | 95 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | AREAFLD5A/S080UNHD840/T3/BZ (63286)+AREA/PIRMOTIONDAYSENSOR/BZ (63748) | 046135632860+046135637483 | 10,772 | 78 | 4,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | AREAFLD5A/S080UNHD840/T4/BZ (63287)+AREA/PIRMOTIONDAYSENSOR/BZ (63748) | 046135632877+046135637483 | 10,856 | 78 | 4,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | AREAFLD5A/S080UNHD840/T5/BZ (63288)+AREA/PIRMOTIONDAYSENSOR/BZ (63748) | 046135632884+046135637483 | 10,779 | 78 | 4,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | AREAFLD5A/S080UNHD830/T3/BZ (63297)+AREA/PIRMOTIONDAYSENSOR/BZ (63748) | 046135632976+046135637483 | 10,083 | 78 | 3,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | AREAFLD5A/S080UNHD830/T4/BZ (63298)+AREA/PIRMOTIONDAYSENSOR/BZ (63748) | 046135632983+046135637483 | 10,145 | 78 | 3,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | AREAFLD5A/S080UNHD830/T5/BZ (63299)+AREA/PIRMOTIONDAYSENSOR/BZ (63748) | 046135632990+046135637483 | 10,139 | 78 | 3,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | AREAFLD5A/S080UNHD850/T3/BZ (63306)+AREA/PIRMOTIONDAYSENSOR/BZ (63748) | 046135633065+046135637483 | 11,007 | 78 | 5,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | AREAFLD5A/S080UNHD850/T4/BZ (63307)+AREA/PIRMOTIONDAYSENSOR/BZ (63748) | 046135633072+046135637483 | 11,090 | 78 | 5,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | AREAFLD5A/S080UNHD850/T5/BZ (63308)+AREA/PIRMOTIONDAYSENSOR/BZ (63748) | 046135633089+046135637483 | 11,013 | 78 | 5,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | AREAFLD5A/S080UNHD840/T3/BZ (63286)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAU | 046135632860+046135636523+04 | 10,772 | 78 | 4,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | AREAFLD5A/S080UNHD840/T4/BZ (63287)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAU | 046135632877+046135636523+04 | 10,856 | 78 | 4,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | AREAFLD5A/S080UNHD840/T5/BZ (63288)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAU | 046135632884+046135636523+04 | 10,779 | 78 | 4,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | AREAFLD5A/S080UNHD830/T3/BZ (63297)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAU | 046135632976+046135636523+04 | 10,083 | 78 | 3,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | AREAFLD5A/S080UNHD830/T4/BZ (63298)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAU | 046135632983+046135636523+04 | 10,145 | 78 | 3,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | AREAFLD5A/S080UNHD830/T5/BZ (63299)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAU | 046135632990+046135636523+04 | 10,139 | 78 | 3,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-------------------------|--|------------------------------|-----------------------|------------------------|--------------|--|
| 87UBPC | \$110 | LEDVANCE, LLC | AREAFLD5A/S080UNHD850/T3/BZ (63306)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAU | 046135633065+046135636523+04 | 11,007 | | 78 | 5,000 Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | AREAFLD5A/S080UNHD850/T4/BZ (63307)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAU | 046135633072+046135636523+04 | 11,090 | | 78 | 5,000 Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | AREAFLD5A/S080UNHD850/T5/BZ (63308)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAU | 046135633089+046135636523+04 | 11,013 | | 78 | 5,000 Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | AREAFLD6AS080UNHDSC2ADJBZ (64012)+HIGHBAYPIRMOTIONDAYSENSOR2 (62664) | 046135640124+046135626647 | 10,531 | | 79 | 3,000 CCT & Lumen/Wattage Selectable, measure based on minimum lumen output. Must be in |
| | \$110 | | AREAFLD6AS080UNHDSC2ADJBL (66225)+HIGHBAYPIRMOTIONDAYSENSOR2 (62664) | 046135662256+046135626647 | 10,531 | | 79 | 3,000 CCT & Lumen/Wattage Selectable, measure based on minimum lumen output. Must be in |
| | \$110 | | AREAFLD6AS080UNHDSC2ADJWH (66228)+HIGHBAYPIRMOTIONDAYSENSOR2 (62664) | 046135662287+046135626647 | 10,531 | | 79 | 3,000 CCT & Lumen/Wattage Selectable, measure based on minimum lumen output. Must be in |
| | \$110 | | AREAFLD6AS080UNHDSC2ADJBZ (64012)+SENSORADAPTER1A (63652)+SENSOR2ODPIR3.5B | 046135640124+046135636523+ | 10,531 | | 79 | 3,000 CCT & Lumen/Wattage Selectable, measure based on minimum lumen output. Must be in |
| | \$110 | | AREAFLD6AS080UNHDSC2ADJBL (66225)+SENSORADAPTER1A (63652)+SENSOR2ODPIR3.5B | 046135662256+046135636523+ | 10,531 | | 79 | 3,000 CCT & Lumen/Wattage Selectable, measure based on minimum lumen output. Must be in |
| | \$110 | | AREAFLD6AS080UNHDSC2ADJWH (66228)+SENSORADAPTER1A (63652)+SENSOR2ODPIR3.5 | 046135662287+046135636523+ | 10,531 | | 79 | 3,000 CCT & Lumen/Wattage Selectable, measure based on minimum lumen output. Must be in |
| | \$110 | | AREAFLD6AS080UNHDSC2ADJBZ (64012)+SENSORADAPTER1A (63652)+CONTROL2OD3.5BL | 046135640124+046135636523+ | 10,531 | | 79 | 3,000 Must be connected to a LEDVANCE LINK Sensor to receive incentive. Wattage & CCT Selec |
| | \$110 | | AREAFLD6AS080UNHDSC2ADJBL (66225)+SENSORADAPTER1A (63652)+CONTROL2OD3.5BL | 046135662256+046135636523+ | 10,531 | | 79 | 3,000 Must be connected to a LEDVANCE LINK Sensor to receive incentive. Wattage & CCT Selec |
| | \$110 | | AREAFLD6AS080UNHDSC2ADJWH (66228)+SENSORADAPTER1A (63652)+CONTROL2OD3.5B | 046135662287+046135636523+ | 10,531 | | 79 | 3,000 Must be connected to a LEDVANCE LINK Sensor to receive incentive. Wattage & CCT Selec |
| | \$110 | RAB Lighting | ALED5T52N/D10/LC | | 6,978 | | 53 | 4,000 Must be installed with a time clock or photocell |
| | \$110 | | ALED5T78N/D10/LC | | 10,127 | | 80 | 4,000 Must be installed with a time clock or photocell |
| | \$110 | | A22-2T70/MVS | | 9,888 | | 72 | 3,000 CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$110 | | A22-70/MVS | | 9,876 | | 72 | 3,000 CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$110 | | A22-4T70/MVS | | 9,770 | | 72 | 3,000 CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$110 | | A22-5T70/MVS | | 10,060 | | 72 | 3,000 CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$110 | | A22-2T100/MVS | | 13,154 | | 101 | 3,000 CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$110 | | A22-100/MVS | | 13,138 | | 101 | 3,000 CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$110 | | A22-4T100/MVS | | 12,997 | | 101 | 3,000 CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$110 | | A22-5T100/MVS | | 13,383 | | 101 | 3,000 CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$110 | | A34T3S/LCBS | | 13,653 | | 97 | 3,000 |
| | \$110 | | A34T4S/LCBS | | 13,665 | | 97 | 3,000 |
| | \$110 | | A34T5S/LCBS | | 13,994 | | 97 | 3,000 |
| | \$110 | Signify | ECF-S-32L-530-NW-G2-5-UNV-CE50 | | 7,922 | | 54 | 4,000 Must include DynaDimmer option CE-50 to receive Tier 2 Incentive |
| | \$110 | | ECF-S-32L-700-NW-G2-5-UNV-CE50 | | 9,648 | | 70 | 4,000 Must include DynaDimmer option CE-50 to receive Tier 2 Incentive |
| | \$110 | SLG | ALCS 60 T3 G1 4K SPAR FSP-212 | | 5,400 | | 40 | 4,000 |
| | \$110 | | ALCS 60 T3 G1 5K SPAR FSP-212 | | 5,500 | | 40 | 5,000 |
| | \$110 | | ALCS 60 T4 G1 4K SPAR FSP-212 | | 5,360 | | 40 | 4,000 |
| | \$110 | | ALCS 60 T4 G1 5K SPAR FSP-212 | | 5,480 | | 40 | 5,000 |
| | \$110 | | ALCS 60 T5 G1 4K SPAR FSP-212 | | 5,600 | | 40 | 4,000 |
| | \$110 | | ALCS 60 T5 G1 5K SPAR FSP-212 | | 5,720 | | 40 | 5,000 |
| | \$110 | | ALCS 96 T3 G1 4K SPAR FSP-212 | | 9,500 | | 70 | 4,000 |
| | \$110 | | ALCS 96 T3 G1 5K SPAR FSP-212 | | 9,600 | | 70 | 5,000 |
| | \$110 | | ALCS 96 T4 G1 4K SPAR FSP-212 | | 9,310 | | 70 | 4,000 |
| | \$110 | | ALCS 96 T4 G1 5K SPAR FSP-212 | | 9,450 | | 70 | 5,000 |
| | \$110 | | ALCS 96 T5 G1 4K SPAR FSP-212 | | 9,730 | | 70 | 4,000 |
| | \$110 | | ALCS 96 T5 G1 5K SPAR FSP-212 | | 9,800 | | 70 | 5,000 |
| 87UCC | \$110 | Atlas Lighting Products | SLPS12LFT45KIC | 765364033643 | 11,417 | | 89 | 4,500 |
| | \$110 | | SLPS12LFT4KIC | | 11,417 | | 89 | 4,000 |
| | \$110 | | SLPS12LFT5KIC | 765364029660 | 11,616 | | 88 | 5,000 |
| | \$110 | | SLPS12LT245KIC | | 11,822 | | 89 | 4,500 |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-----------------------------|--|--------------|-----------------------|------------------------|--------------|--|
| 87UCC | \$110 | Atlas Lighting Products | SLPS12LT25KIC | | 11,822 | 89 | 5,000 | |
| | \$110 | | SLPS12LT24KIC | | 12,028 | 89 | 4,000 | |
| | \$110 | | SLPS12LT545KIC | | 11,380 | 89 | 4,500 | |
| | \$110 | | SLPS12LT54KIC | | 11,578 | 89 | 4,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$110 | | SLPS12LT55KIC | | 11,380 | 89 | 5,000 | |
| | \$110 | | SLPM12LFT3KIC | | 11,335 | 74 | 3,000 | |
| | \$110 | | SLPM12LFT45KIC | 765364033636 | 11,905 | 75 | 4,500 | |
| | \$110 | | SLPM12LFT4KIC | 765364015526 | 11,905 | 75 | 4,000 | |
| | \$110 | | SLPM12LFT5KIC | | 12,601 | 75 | 5,000 | |
| | \$110 | | SLPM12LT23KIC | | 10,962 | 74 | 3,000 | |
| | \$110 | | SLPM12LT245KIC | | 11,513 | 75 | 4,500 | |
| | \$110 | | SLPM12LT24KIC | | 11,513 | 75 | 4,000 | |
| | \$110 | | SLPM12LT25KIC | | 11,602 | 75 | 5,000 | |
| | \$110 | | SLPM12LT33KIC | | 11,452 | 74 | 3,000 | |
| | \$110 | | SLPM12LT345KIC | 765364942105 | 12,028 | 75 | 4,500 | |
| | \$110 | | SLPM12LT34KIC | 765364016783 | 12,028 | 75 | 4,000 | |
| | \$110 | | SLPM12LT35KIC | 765364015533 | 12,121 | 75 | 5,000 | |
| | \$110 | | SLPM12LT53KIC | | 11,571 | 74 | 3,000 | |
| | \$110 | | SLPM12LT545KIC | | 12,153 | 74 | 4,500 | |
| | \$110 | | SLPM12LT54KIC | | 12,153 | 74 | 4,000 | |
| | \$110 | | SLPM12LT55KIC | | 12,247 | 75 | 5,000 | |
| | \$110 | Current | EACLO11F3AW740N1D1DKBZH | | 15,300 | 122 | 4,000 | |
| | \$110 | | EACLO11F4AF740N1D1DKBZH | | 15,000 | 122 | 4,000 | |
| | \$110 | | EACLO11F4AF750N1D1DKBZH | | 15,000 | 122 | 5,000 | |
| | \$110 | | EACLO14F3AW740N1D1DKBZH | | 15,300 | 122 | 4,000 | |
| | \$110 | | EACLO14F4AF740N1D1DKBZH | | 15,000 | 122 | 4,000 | |
| | \$110 | | EACLO14F4AF750N1D1DKBZH | | 15,000 | 122 | 5,000 | |
| | \$110 | Leotek Electronics USA, LLC | GCM2-60J-MV-30K-2R-DB-145-PCR7-LLPC-MSL3 | | 14,556 | 100 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM2-60J-HV-30K-2R-DB-145-PCR7-LLPC-MSL3 | | 14,556 | 100 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM2-60J-MV-40K-3R-DB-140-PCR7-LLPC-MSL3 | | 14,786 | 100 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM2-60J-HV-40K-3R-DB-140-PCR7-LLPC-MSL3 | | 14,786 | 100 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM2-60J-MV-30K-4-DB-145-PCR7-LLPC-MSL3 | | 14,157 | 100 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM2-60J-HV-30K-4-DB-145-PCR7-LLPC-MSL3 | | 14,157 | 100 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM2-60J-MV-30K-3R-DB-145-PCR7-LLPC-MSL3 | | 14,457 | 100 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM2-60J-HV-30K-3R-DB-145-PCR7-LLPC-MSL3 | | 14,457 | 100 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM2-60J-MV-30K-2R-DB-130-PCR7-LLPC-MSL3 | | 14,556 | 100 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM2-60J-HV-30K-2R-DB-130-PCR7-LLPC-MSL3 | | 14,556 | 100 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM2-60J-MV-30K-3R-DB-130-PCR7-LLPC-MSL3 | | 14,457 | 100 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM2-60J-HV-30K-3R-DB-130-PCR7-LLPC-MSL3 | | 14,457 | 100 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM2-60J-MV-40K-3R-DB-155-PCR7-LLPC-MSL3 | | 14,786 | 100 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM2-60J-HV-40K-3R-DB-155-PCR7-LLPC-MSL3 | | 14,786 | 100 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM2-60J-MV-40K-2R-DB-155-PCR7-LLPC-MSL3 | | 15,553 | 100 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM2-60J-HV-40K-2R-DB-155-PCR7-LLPC-MSL3 | | 15,553 | 100 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM2-60J-MV-40K-4-DB-155-PCR7-LLPC-MSL3 | | 14,955 | 100 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM2-60J-HV-40K-4-DB-155-PCR7-LLPC-MSL3 | | 14,955 | 100 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM2-60J-MV-30K-4-DB-130-PCR7-LLPC-MSL3 | | 14,157 | 100 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM2-60J-HV-30K-4-DB-130-PCR7-LLPC-MSL3 | | 14,157 | 100 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM2-60J-MV-40K-4-DB-140-PCR7-LLPC-MSL3 | | 14,955 | 100 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM2-60J-HV-40K-4-DB-140-PCR7-LLPC-MSL3 | | 14,955 | 100 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM2-60J-MV-40K-2R-DB-140-PCR7-LLPC-MSL3 | | 15,553 | 100 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM2-60J-HV-40K-2R-DB-140-PCR7-LLPC-MSL3 | | 15,553 | 100 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-----------------------------|--|--------------|-----------------------|------------------------|--------------|--|
| 87UCC | \$110 | Leotek Electronics USA, LLC | GCM3-60J-MV-40K-4-DB-185-PCR7-LLPC-MSL3 | | 18,760 | 130 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM3-60J-HV-40K-4-DB-185-PCR7-LLPC-MSL3 | | 18,760 | 130 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM3-60J-MV-30K-2R-DB-180-PCR7-LLPC-MSL3 | | 18,030 | 130 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM3-60J-HV-30K-2R-DB-180-PCR7-LLPC-MSL3 | | 18,030 | 130 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM3-60J-MV-30K-2R-DB-160-PCR7-LLPC-MSL3 | | 18,030 | 130 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM3-60J-HV-30K-2R-DB-160-PCR7-LLPC-MSL3 | | 18,030 | 130 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM3-60J-MV-30K-3R-DB-180-PCR7-LLPC-MSL3 | | 17,880 | 130 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM3-60J-HV-30K-3R-DB-180-PCR7-LLPC-MSL3 | | 17,880 | 130 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM3-60J-MV-40K-3R-DB-190-PCR7-LLPC-MSL3 | | 18,530 | 130 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM3-60J-HV-40K-3R-DB-190-PCR7-LLPC-MSL3 | | 18,530 | 130 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM3-60J-MV-30K-4-DB-170-PCR7-LLPC-MSL3 | | 17,330 | 130 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM3-60J-HV-30K-4-DB-170-PCR7-LLPC-MSL3 | | 17,330 | 130 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM3-60J-MV-40K-3R-DB-170-PCR7-LLPC-MSL3 | | 18,530 | 130 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM3-60J-HV-40K-3R-DB-170-PCR7-LLPC-MSL3 | | 18,530 | 130 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM3-60J-MV-40K-4-DB-190-PCR7-LLPC-MSL3 | | 18,760 | 130 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM3-60J-HV-40K-4-DB-190-PCR7-LLPC-MSL3 | | 18,760 | 130 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM3-60J-MV-40K-2R-DB-190-PCR7-LLPC-MSL3 | | 19,480 | 130 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM3-60J-HV-40K-2R-DB-190-PCR7-LLPC-MSL3 | | 19,480 | 130 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM3-60J-MV-40K-2R-DB-170-PCR7-LLPC-MSL3 | | 19,480 | 130 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM3-60J-HV-40K-2R-DB-170-PCR7-LLPC-MSL3 | | 19,480 | 130 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM3-60J-MV-30K-4-DB-180-PCR7-LLPC-MSL3 | | 17,330 | 130 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM3-60J-HV-30K-4-DB-180-PCR7-LLPC-MSL3 | | 17,330 | 130 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM3-60J-MV-40K-3R-DB-185-PCR7-LLPC-MSL3 | | 18,530 | 130 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM3-60J-HV-40K-3R-DB-185-PCR7-LLPC-MSL3 | | 18,530 | 130 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM3-60J-MV-30K-3R-DB-160-PCR7-LLPC-MSL3 | | 17,880 | 130 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM3-60J-HV-30K-3R-DB-160-PCR7-LLPC-MSL3 | | 17,880 | 130 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM3-60J-MV-30K-3R-DB-170-PCR7-LLPC-MSL3 | | 17,880 | 130 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM3-60J-HV-30K-3R-DB-170-PCR7-LLPC-MSL3 | | 17,880 | 130 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM3-60J-MV-40K-2R-DB-185-PCR7-LLPC-MSL3 | | 19,480 | 130 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM3-60J-HV-40K-2R-DB-185-PCR7-LLPC-MSL3 | | 19,480 | 130 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM3-60J-MV-30K-4-DB-160-PCR7-LLPC-MSL3 | | 17,330 | 130 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM3-60J-HV-30K-4-DB-160-PCR7-LLPC-MSL3 | | 17,330 | 130 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM3-60J-MV-30K-2R-DB-170-PCR7-LLPC-MSL3 | | 18,030 | 130 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM3-60J-HV-30K-2R-DB-170-PCR7-LLPC-MSL3 | | 18,030 | 130 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM3-60J-MV-40K-4-DB-170-PCR7-LLPC-MSL3 | | 18,760 | 130 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | GCM3-60J-HV-40K-4-DB-170-PCR7-LLPC-MSL3 | | 18,760 | 130 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| 87UCP | \$110 | Acuity Brands Lighting | DSX0 LED P6 40K T4M MVOLT SPA PER7 DDBXD | 193048740134 | 15,628 | 134 | 4,000 | |
| | \$110 | | DSX1 LED P3 50K T2M MVOLT RPA DNAXD | 193047234221 | 12,707 | 102 | 5,000 | |
| | \$110 | | DSX1 LED P3 50K T4M MVOLT RPA DNAXD | 194995673490 | 12,464 | 102 | 5,000 | |
| | \$110 | | DSX1 LED P3 50K TFTM MVOLT RPA DNAXD | 194995901562 | 12,733 | 102 | 5,000 | |
| | \$110 | | DSX1 LED P4 40K T5M MVOLT SPA DDBXD | 191848120576 | 15,042 | 125 | 4,000 | |
| | \$110 | | RSX1 LED P4 40K R2 MVOLT SPA PE DDBXD | | 16,418 | 133 | 4,000 | |
| | \$110 | | RSX1 LED P4 40K R2 MVOLT WBA PE DBLXD | | 16,418 | 133 | 4,000 | |
| | \$110 | | RSX2 LED P2 40K R4 MVOLT SPA PE DDBXD | 193047535069 | 17,467 | 114 | 4,000 | |
| | \$110 | | RSX2 LED P2 40K R4 MVOLT RPA PE DDBXD | 193047535069 | 17,467 | 114 | 4,000 | |
| | \$110 | | RSX3 LED P1 40K R5 MVOLT SPA PE DDBXD | 193047833868 | 27,928 | 195 | 4,000 | |
| | \$110 | | RSX3 LED P1 40K R5 MVOLT RPA PE DDBXD | | 27,928 | 195 | 4,000 | |
| | \$110 | | RSX1 LED P4 40K R4 MVOLT SPA PE DDBXD | 193048459777 | 16,611 | 133 | 4,000 | |
| | \$110 | | RSX1 LED P4 40K R4 MVOLT RPA PE DDBXD | | 16,611 | 133 | 4,000 | |
| | \$110 | | RSX1 LED P2 40K R5 MVOLT SPA PE DDBXD | 193048904765 | 10,076 | 73 | 4,000 | |
| | \$110 | | RSX1 LED P2 40K R5 MVOLT RPA PE DDBXD | | 10,076 | 73 | 4,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|------------------------|---|--------------|-----------------------|------------------------|---|--|
| 87UCP | \$110 | Acuity Brands Lighting | RSX1 LED P4 40K R5 MVOLT SPA PE DDBXD | 194994208082 | 16,746 | 133 | 4,000 | |
| | \$110 | | RSX1 LED P4 40K R5 MVOLT RPA PE DDBXD | | 16,746 | 133 | 4,000 | |
| | \$110 | | RSX3 LED P1 40K R4 MVOLT SPA PE DDBXD | | 27,702 | 195 | 4,000 | |
| | \$110 | | RSX3 LED P1 40K R4 MVOLT RPA PE DDBXD | | 27,702 | 195 | 4,000 | |
| | \$110 | | RSX2 LED P3 40K R5 MVOLT SPA PE DDBXD | | 22,251 | 150 | 4,000 | |
| | \$110 | | RSX2 LED P3 40K R5 MVOLT RPA PE DDBXD | | 22,251 | 150 | 4,000 | |
| | \$110 | | RSX1 LED P3 40K R5 MVOLT SPA PE DDBXD | | 14,354 | 109 | 4,000 | |
| | \$110 | | RSX1 LED P3 40K R5 MVOLT RPA PE DDBXD | | 14,354 | 109 | 4,000 | |
| | \$110 | | RSX2 LED P2 40K R5 MVOLT SPA PE DDBXD | | 17,609 | 114 | 4,000 | |
| | \$110 | | RSX2 LED P2 40K R5 MVOLT RPA PE DDBXD | | 17,609 | 114 | 4,000 | |
| | \$110 | | RSX2 LED P1 40K R4 MVOLT SPA PE DDBXD | | 11,161 | 72 | 4,000 | |
| | \$110 | | RSX2 LED P1 40K R4 MVOLT RPA PE DDBXD | | 11,161 | 72 | 4,000 | |
| | \$110 | | RSX2 LED P1 40K R5 MVOLT SPA PE DDBXD | | 11,252 | 72 | 4,000 | |
| | \$110 | | RSX2 LED P1 40K R5 MVOLT RPA PE DDBXD | | 11,252 | 72 | 4,000 | |
| | \$110 | | RSX2 LED P4 40K R4 MVOLT SPA PE DDBXD | | 25,386 | 190 | 4,000 | |
| | \$110 | | RSX2 LED P4 40K R4 MVOLT RPA PE DDBXD | | 25,386 | 190 | 4,000 | |
| | \$110 | | RSX2 LED P4 40K R5 MVOLT SPA PE DDBXD | | 25,593 | 190 | 4,000 | |
| | \$110 | | RSX2 LED P4 40K R5 MVOLT RPA PE DDBXD | | 25,593 | 190 | 4,000 | |
| | \$110 | | RSX2 LED P3 40K R4 MVOLT SPA PE DDBXD | | 22,071 | 150 | 4,000 | |
| | \$110 | | RSX2 LED P3 40K R4 MVOLT RPA PE DDBXD | | 22,071 | 150 | 4,000 | |
| | \$110 | | RSX1 LED P3 40K R4 MVOLT SPA PE DDBXD | | 14,238 | 109 | 4,000 | |
| | \$110 | | RSX1 LED P3 40K R4 MVOLT RPA PE DDBXD | | 14,238 | 109 | 4,000 | |
| | \$110 | | RSX2 LED P5 40K R4 MVOLT SPA PE DDBXD | | 29,059 | 214 | 4,000 | |
| | \$110 | | RSX2 LED P5 40K R4 MVOLT RPA PE DDBXD | | 29,059 | 214 | 4,000 | |
| | \$110 | | RSX2 LED P5 40K R5 MVOLT SPA PE DDBXD | | 29,296 | 214 | 4,000 | |
| | \$110 | | RSX2 LED P5 40K R5 MVOLT RPA PE DDBXD | | 29,296 | 214 | 4,000 | |
| | \$110 | | RSX2 LED P2 40K R2 MVOLT RPA DDBXD | 193048782035 | 17,264 | 114 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | RSX2 LED P2 40K R2 MVOLT SPA DDBXD | | 17,264 | 114 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | RSX2 LED P2 40K R2 MVOLT IS DDBXD | | 17,264 | 114 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | RSX2 LED P2 40K R2 MVOLT RPA PE DDBXD | 196183249494 | 17,264 | 114 | 4,000 | |
| | \$110 | | RSX2 LED P2 40K R2 MVOLT SPA PE DDBXD | | 17,264 | 114 | 4,000 | |
| | \$110 | | RSX2 LED P2 40K R2 MVOLT IS PE DDBXD | | 17,264 | 114 | 4,000 | |
| | \$110 | | DSX0 LED P4 40K 70CRI T3M MVOLT SPA PER DDBXD | | 11,130 | 93 | 4,000 | |
| | \$110 | ASD Lighting Corp | ASD-LSB2-100D30B-PRM | 810050730181 | 13,000 | 100 | 3,000 | Must be installed with a timeclock or with the PC option to receive incentive |
| | \$110 | | ASD-LSB2-100D40B-PRM | 810050733342 | 13,200 | 100 | 4,000 | Must be installed with a timeclock or with the PC option to receive incentive |
| | \$110 | | ASD-LSB2-100D50B-PRM | 819201026449 | 13,400 | 100 | 5,000 | Must be installed with a timeclock or with the PC option to receive incentive |
| | \$110 | | ASD-LSB2-150D30B-PRM | 810050730198 | 19,500 | 150 | 3,000 | Must be installed with a timeclock or with the PC option to receive incentive |
| | \$110 | | ASD-LSB2-150D40B-PRM | 810050733359 | 19,650 | 150 | 4,000 | Must be installed with a timeclock or with the PC option to receive incentive |
| | \$110 | | ASD-LSB2-150D50W-PRM | 810050732727 | 19,800 | 150 | 5,000 | Must be installed with a timeclock or with the PC option to receive incentive |
| | \$110 | | ASD-LSB2-185D30B-PRM | 810050730204 | 24,050 | 185 | 3,000 | Must be installed with a timeclock or with the PC option to receive incentive |
| | \$110 | | ASD-LSB2-185D50B-PRM | 819201026463 | 24,420 | 185 | 5,000 | Must be installed with a timeclock or with the PC option to receive incentive |
| | \$110 | | ASD-LSB2-185D50W-PRM | 810050732734 | 24,420 | 185 | 5,000 | Must be installed with a timeclock or with the PC option to receive incentive |
| | \$110 | | ASD-LSB2-150D50-BK | 810050736947 | 19,800 | 150 | 5,000 | Must be installed with a timeclock or with the PC option to receive incentive |
| | \$110 | | ASD-LSB2-150D50B-PRM | 819201026456 | 19,800 | 150 | 5,000 | Must be installed with a timeclock or with the PC option to receive incentive |
| | \$110 | | ASD-LSB2-150D50-SL | 810050736954 | 19,800 | 150 | 5,000 | Must be installed with a timeclock or with the PC option to receive incentive |
| | \$110 | | ASD-LSB5-150D50BR | 810128110945 | 22,500 | 150 | 5,000 | Must be installed with a timeclock or photocell to receive incentive. |
| | \$110 | | ASD-LSB5-150D50BR-AMR | 810128113267 | 22,500 | 150 | 5,000 | Must be installed with a timeclock or photocell to receive incentive. |
| | \$110 | | ASD-LSB5-150D50BR-SF | 810128113175 | 22,500 | 150 | 5,000 | Must be installed with a timeclock or photocell to receive incentive. |
| | | | | | | | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen | |
| | \$110 | | ASD-LSB5A-PRO-150BK | 810128111850 | 24,750 | 150 | 3,000 | setting. Must be installed with a timeclock or photocell to receive incentive. |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-------------------------|------------------------|--------------|-----------------------|------------------------|--------------|--|
| 87UCP | \$110 | ASD Lighting Corp | ASD-LSB5A-PRO-150BR | 810128112413 | 24,750 | 150 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$110 | | ASD-LSB5A-PRO-150SL | 810128111843 | 24,750 | 150 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$110 | | ASD-LSB5A-PRO-150WH | 810128113984 | 24,750 | 150 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$110 | | ASD-LSB5A-PRO-200BK | 810128111867 | 33,000 | 200 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$110 | | ASD-LSB5A-PRO-200BR | 810128112437 | 33,000 | 200 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$110 | | ASD-LSB5A-PRO-200SL | 810128111874 | 33,000 | 200 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$110 | | ASD-LSB5A-PRO-200WH | 810128113151 | 33,000 | 200 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$110 | | ASD-LSB5A-PRO-240BK | 810128111898 | 39,600 | 240 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$110 | | ASD-LSB5A-PRO-240BR | 810128110969 | 39,600 | 240 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$110 | | ASD-LSB5A-PRO-240SL | 810128111881 | 39,600 | 240 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$110 | | ASD-LSB5A-PRO-240WH | 810128113991 | 39,600 | 240 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$110 | | ASD-LSB5A-HV-PRO-240BR | 810128111003 | 39,600 | 240 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$110 | | ASD-LSB2HV-100D50B-PRM | 810050730358 | 13,400 | 100 | 5,000 | Must be installed with a timeclock or photocell to receive incentive. |
| | \$110 | | ASD-LSB2HV-150D50B-PRM | 819201027392 | 19,800 | 150 | 5,000 | Must be installed with a timeclock or photocell to receive incentive. |
| | \$110 | | ASD-LSB2HV-185D50B-PRM | 819201027408 | 24,420 | 185 | 5,000 | Must be installed with a timeclock or photocell to receive incentive. |
| | \$110 | Atlas Lighting Products | SLPM18LFT45KPR | 765364939426 | 18,201 | 122 | 4,500 | Must be installed with timeclock or photocell to receive incentive |
| | \$110 | | SLPM18LFT4KPR | 765364019999 | 19,182 | 122 | 4,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$110 | | SLPM18LFT5KPR | 765364940248 | 18,201 | 122 | 5,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$110 | | SLPM18LT245KPR | 765364027833 | 18,509 | 122 | 4,500 | Must be installed with timeclock or photocell to receive incentive |
| | \$110 | | SLPM18LT24KPR | 765364040870 | 19,506 | 122 | 4,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$110 | | SLPM18LT25KPR | | 18,509 | 122 | 5,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$110 | | SLPM18LT345KPR | 765364015465 | 18,493 | 122 | 4,500 | Must be installed with timeclock or photocell to receive incentive |
| | \$110 | | SLPM18LT34KPR | 765364014123 | 19,489 | 122 | 4,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$110 | | SLPM18LT35KPR | 765364013461 | 18,493 | 122 | 5,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$110 | | SLPM18LT545KPR | 765364939891 | 18,645 | 122 | 4,500 | Must be installed with timeclock or photocell to receive incentive |
| | \$110 | | SLPM18LT54KPR | 765364020001 | 19,650 | 122 | 4,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$110 | | SLPM18LT55KPR | 765364941344 | 18,645 | 122 | 5,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$110 | | SLPM24LFT45KPR | 765364012693 | 23,745 | 171 | 4,500 | Must be installed with timeclock or photocell to receive incentive |
| | \$110 | | SLPM24LFT4KPR | 765364942020 | 25,025 | 171 | 4,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$110 | | SLPM24LFT5KPR | 765364016189 | 23,745 | 171 | 5,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$110 | | SLPM24LT245KPR | 765364031793 | 24,146 | 171 | 4,500 | Must be installed with timeclock or photocell to receive incentive |
| | \$110 | | SLPM24LT24KPR | 765364026492 | 25,447 | 171 | 4,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$110 | | SLPM24LT25KPR | 765364026515 | 24,146 | 171 | 5,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$110 | | SLPM24LT345KPR | 765364942716 | 24,125 | 171 | 4,500 | Must be installed with timeclock or photocell to receive incentive |
| | \$110 | | SLPM24LT34KPR | 765364026683 | 25,425 | 171 | 4,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$110 | | SLPM24LT35KPR | 765364044410 | 24,125 | 171 | 5,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$110 | | SLPM24LT545KPR | 765364031786 | 24,324 | 171 | 4,500 | Must be installed with timeclock or photocell to receive incentive |
| | \$110 | | SLPM24LT54KPR | | 25,635 | 171 | 4,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$110 | | SLPM24LT55KPR | 765364050220 | 24,324 | 171 | 5,000 | Must be installed with timeclock or photocell to receive incentive |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-------------------------|--------------------|--------------|-----------------------|------------------------|--------------|--|
| 87UCP | \$110 | Atlas Lighting Products | SLPM30LFT45KPR | 765364013607 | 28,857 | 177 | 4,500 | Must be installed with timedclock or photocell to receive incentive |
| | \$110 | | SLPM30LFT4KPR | 765364026843 | 29,393 | 177 | 4,000 | Must be installed with timedclock or photocell to receive incentive |
| | \$110 | | SLPM30LFT5KPR | 765364940460 | 28,857 | 177 | 5,000 | Must be installed with timedclock or photocell to receive incentive |
| | \$110 | | SLPM30LT245KPR | 765364026638 | 28,859 | 176 | 4,500 | Must be installed with timedclock or photocell to receive incentive |
| | \$110 | | SLPM30LT24KPR | | 29,395 | 177 | 4,000 | Must be installed with timedclock or photocell to receive incentive |
| | \$110 | | SLPM30LT25KPR | | 28,859 | 176 | 5,000 | Must be installed with timedclock or photocell to receive incentive |
| | \$110 | | SLPM30LT345KPR | 765364942228 | 29,216 | 177 | 4,500 | Must be installed with timedclock or photocell to receive incentive |
| | \$110 | | SLPM30LT34KPR | 765364942013 | 29,759 | 177 | 4,000 | Must be installed with timedclock or photocell to receive incentive |
| | \$110 | | SLPM30LT35KPR | 765364013478 | 29,216 | 177 | 5,000 | Must be installed with timedclock or photocell to receive incentive |
| | \$110 | | SLPM30LT545KPR | 765364050268 | 29,374 | 177 | 4,500 | Must be installed with timedclock or photocell to receive incentive |
| | \$110 | | SLPM30LT54KPR | | 29,920 | 177 | 4,000 | Must be installed with timedclock or photocell to receive incentive |
| | \$110 | | SLPM30LT55KPR | | 29,374 | 177 | 5,000 | Must be installed with timedclock or photocell to receive incentive |
| | | | | | | | | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | SLPMS12-24LFT3KPR | | 23,741 | 168 | 3,000 | Must be installed with timedclock or photocell to receive incentive. |
| | | | | | | | | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | SLPMS12-24LFT45KPR | 765364054334 | 23,741 | 168 | 4,500 | Must be installed with timedclock or photocell to receive incentive. |
| | | | | | | | | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | SLPMS12-24LFT4KPR | 765364054648 | 23,741 | 168 | 4,000 | Must be installed with timedclock or photocell to receive incentive. |
| | | | | | | | | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | SLPMS12-24LFT5KPR | 765364052132 | 24,928 | 170 | 5,000 | Must be installed with timedclock or photocell to receive incentive. |
| | | | | | | | | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | SLPMS12-24LT23KPR | | 23,741 | 168 | 3,000 | Must be installed with timedclock or photocell to receive incentive. |
| | | | | | | | | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | SLPMS12-24LT245KPR | | 23,741 | 168 | 4,500 | Must be installed with timedclock or photocell to receive incentive. |
| | | | | | | | | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | SLPMS12-24LT24KPR | | 23,741 | 168 | 4,000 | Must be installed with timedclock or photocell to receive incentive. |
| | | | | | | | | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | SLPMS12-24LT25KPR | 765364052149 | 25,220 | 171 | 5,000 | Must be installed with timedclock or photocell to receive incentive. |
| | | | | | | | | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | SLPMS12-24LT33KPR | | 23,741 | 168 | 3,000 | Must be installed with timedclock or photocell to receive incentive. |
| | | | | | | | | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | SLPMS12-24LT345KPR | | 23,741 | 168 | 4,500 | Must be installed with timedclock or photocell to receive incentive. |
| | | | | | | | | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | SLPMS12-24LT34KPR | | 23,741 | 168 | 4,000 | Must be installed with timedclock or photocell to receive incentive. |
| | | | | | | | | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | SLPMS12-24LT35KPR | 765364047503 | 25,359 | 170 | 5,000 | Must be installed with timedclock or photocell to receive incentive. |
| | | | | | | | | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | SLPMS12-24LT53KPR | | 23,741 | 168 | 3,000 | Must be installed with timedclock or photocell to receive incentive. |
| | | | | | | | | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | SLPMS12-24LT545KPR | 765364049842 | 23,741 | 168 | 4,500 | Must be installed with timedclock or photocell to receive incentive. |
| | | | | | | | | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | SLPMS12-24LT54KPR | | 23,741 | 168 | 4,000 | Must be installed with timedclock or photocell to receive incentive. |
| | | | | | | | | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | SLPMS12-24LT55KPR | | 25,422 | 171 | 5,000 | Must be installed with timedclock or photocell to receive incentive. |
| | | | | | | | | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | SLPMS25-50LFT3KPR | | 43,528 | 332 | 3,000 | Must be installed with timedclock or photocell to receive incentive. |
| | | | | | | | | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | SLPMS25-50LFT45KPR | 765364051289 | 43,528 | 332 | 4,500 | Must be installed with timedclock or photocell to receive incentive. |
| | | | | | | | | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | SLPMS25-50LFT4KPR | | 43,528 | 332 | 4,000 | Must be installed with timedclock or photocell to receive incentive. |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-------------------------|-----------------------|--------------|-----------------------|------------------------|--------------|---|
| 87UCP | \$110 | Atlas Lighting Products | SLPMS25-50LF5KPR | | 46,962 | 334 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with timedlock or photocell to receive incentive. |
| | \$110 | | SLPMS25-50LT23KPR | | 43,528 | 332 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with timedlock or photocell to receive incentive. |
| | \$110 | | SLPMS25-50LT245KPR | | 43,528 | 332 | 4,500 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with timedlock or photocell to receive incentive. |
| | \$110 | | SLPMS25-50LT24KPR | | 43,528 | 332 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with timedlock or photocell to receive incentive. |
| | \$110 | | SLPMS25-50LT25KPR | | 47,473 | 333 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with timedlock or photocell to receive incentive. |
| | \$110 | | SLPMS25-50LT33KPR | | 43,528 | 332 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with timedlock or photocell to receive incentive. |
| | \$110 | | SLPMS25-50LT345KPR | | 43,528 | 332 | 4,500 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with timedlock or photocell to receive incentive. |
| | \$110 | | SLPMS25-50LT34KPR | | 43,528 | 332 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with timedlock or photocell to receive incentive. |
| | \$110 | | SLPMS25-50LT35KPR | | 47,531 | 333 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with timedlock or photocell to receive incentive. |
| | \$110 | | SLPMS25-50LT53KPR | | 43,528 | 332 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with timedlock or photocell to receive incentive. |
| | \$110 | | SLPMS25-50LT545KPR | 765364054464 | 43,528 | 332 | 4,500 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with timedlock or photocell to receive incentive. |
| | \$110 | | SLPMS25-50LT54KPR | | 43,528 | 332 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with timedlock or photocell to receive incentive. |
| | \$110 | | SLPMS25-50LT55KPR | | 47,286 | 335 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with timedlock or photocell to receive incentive. |
| | \$110 | Barron Lighting Group | RxA-100-3-VS-4K-BR-A | | 13,500 | 100 | 4,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$110 | | RxA-100-4-VS-4K-BR-A | | 13,200 | 100 | 4,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$110 | | RxA-100-5-VS-4K-BR-A | | 13,800 | 100 | 4,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$110 | | RxA-100-3-VS-5K-BR-A | | 13,800 | 100 | 5,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$110 | | RxA-100-4-VS-5K-BR-A | | 13,300 | 100 | 5,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$110 | | RxA-100-5-VS-5K-BR-A | | 13,900 | 100 | 5,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$110 | | RxA-150-3-VS-4K-BR-A | | 20,500 | 150 | 4,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$110 | | RxA-150-4-VS-4K-BR-A | | 19,800 | 150 | 4,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$110 | | RxA-150-5-VS-4K-BR-A | | 20,500 | 150 | 4,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$110 | | RxA-150-3-VS-5K-BR-A | | 20,800 | 150 | 5,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$110 | | RxA-150-4-VS-5K-BR-A | | 20,000 | 150 | 5,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$110 | | RxA-150-5-VS-5K-BR-A | | 20,800 | 150 | 5,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$110 | | RxA-200-3-VS-4K-BR-A | | 25,500 | 200 | 4,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$110 | | RxA-200-4-VS-4K-BR-A | | 24,600 | 200 | 4,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$110 | | RxA-200-5-VS-4K-BR-A | | 25,500 | 200 | 4,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$110 | | RxA-200-3-VS-5K-BR-A | | 26,000 | 200 | 5,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$110 | | RxA-200-4-VS-5K-BR-A | | 24,800 | 200 | 5,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$110 | | RxA-200-5-VS-5K-BR-A | | 26,000 | 200 | 5,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$110 | | RXAR-140-2-VS-CP-BR-A | | 19,600 | 140 | 3,000 | CCT & Wattage Selectable. Measure code/incentive based on lowest wattage/lumen output. Must be installed with Photocell or timedlock to receive incentive |
| | \$110 | | RXAR-140-3-VS-CP-BR-A | | 19,600 | 140 | 3,000 | CCT & Wattage Selectable. Measure code/incentive based on lowest wattage/lumen output. Must be installed with Photocell or timedlock to receive incentive |
| | \$110 | | RXAR-140-4-VS-CP-BR-A | | 19,600 | 140 | 3,000 | CCT & Wattage Selectable. Measure code/incentive based on lowest wattage/lumen output. Must be installed with Photocell or timedlock to receive incentive |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|---------------------------|---------------------------------|-----|-----------------------|------------------------|--------------|---|
| 87UCP | \$110 | Barron Lighting Group | RXAR-140-5-VS-CP-BR-A | | 19,600 | 140 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timeclock to receive incentive |
| | \$110 | | RXAR-250-2-VS-CP-BR-A | | 34,000 | 250 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timeclock to receive incentive |
| | \$110 | | RXAR-250-3-VS-CP-BR-A | | 34,000 | 250 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timeclock to receive incentive |
| | \$110 | | RXAR-250-4-VS-CP-BR-A | | 34,000 | 250 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timeclock to receive incentive |
| | \$110 | | RXAR-250-5-VS-CP-BR-A | | 34,000 | 250 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timeclock to receive incentive |
| | \$110 | | RXAR-300-2-VS-CP-BR-A | | 41,400 | 300 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timeclock to receive incentive |
| | \$110 | | RXAR-300-3-VS-CP-BR-A | | 41,400 | 300 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timeclock to receive incentive |
| | \$110 | | RXAR-300-4-VS-CP-BR-A | | 41,400 | 300 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timeclock to receive incentive |
| | \$110 | | RXAR-300-5-VS-CP-BR-A | | 41,400 | 300 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timeclock to receive incentive |
| | \$110 | | RXAR-140-2-VS-CP-BR-A-TLPC3 | | 19,600 | 140 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. |
| | \$110 | | RXAR-140-3-VS-CP-BR-A-TLPC3 | | 19,600 | 140 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. |
| | \$110 | | RXAR-140-4-VS-CP-BR-A-TLPC3 | | 19,600 | 140 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. |
| | \$110 | | RXAR-140-5-VS-CP-BR-A-TLPC3 | | 19,600 | 140 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. |
| | \$110 | | RXAR-250-2-VS-CP-BR-A-TLPC3 | | 34,000 | 250 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. |
| | \$110 | | RXAR-250-3-VS-CP-BR-A-TLPC3 | | 34,000 | 250 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. |
| | \$110 | | RXAR-250-4-VS-CP-BR-A-TLPC3 | | 34,000 | 250 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. |
| | \$110 | | RXAR-250-5-VS-CP-BR-A-TLPC3 | | 34,000 | 250 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. |
| | \$110 | | RXAR-300-2-VS-CP-BR-A-TLPC3 | | 41,400 | 300 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. |
| | \$110 | | RXAR-300-3-VS-CP-BR-A-TLPC3 | | 41,400 | 300 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. |
| | \$110 | | RXAR-300-4-VS-CP-BR-A-TLPC3 | | 41,400 | 300 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. |
| | \$110 | | RXAR-300-5-VS-CP-BR-A-TLPC3 | | 41,400 | 300 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. |
| | \$110 | Cooper Lighting Solutions | NFFLD-C25-D-UNV-66-S-CB-PER | | 11,802 | 82 | 4,000 | |
| | \$110 | | NFFLD-C25-D-UNV-66-T-CB-PER | | 11,802 | 82 | 4,000 | |
| | \$110 | | PRV-C25-D-UNV-T3-SA-BZ-PER | | 13,183 | 96 | 4,000 | |
| | \$110 | | ARCH-M-PA2-100-740-U-T4W-AP-PR7 | | 15,742 | 101 | 4,000 | |
| | \$110 | | ARCH-M-PA2-100-740-U-5WQ-AP-PR7 | | 16,241 | 101 | 4,000 | |
| | \$110 | | ARCH-L-PA3-280-740-U-5WQ-AP-PR7 | | 36,929 | 279 | 4,000 | |
| | \$110 | | PRV-PA1B-740-U-5WQ-BZ | | 10,190 | 74 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | PRV-PA2A-740-U-T3-BZ | | 15,749 | 112 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | PRV-PA2A-740-U-5WQ-BZ | | 16,281 | 112 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|---------------------------|------------------------------|-----|-----------------------|------------------------|--------------|--|
| 87UCP | \$110 | Cooper Lighting Solutions | PRV-PA2B-740-U-T3-BZ | | 19,667 | 151 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | PRV-PA2B-740-U-T4W-BZ | | 19,431 | 151 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | PRV-PA2B-740-U-5WQ-BZ | | 20,332 | 151 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GALN-SA2C-740-U-T4FT-BZ-BPC | | 14,107 | 110 | 4,000 | |
| | \$110 | | GALN-SA2C-740-U-5WQ-BZ-BPC | | 14,797 | 110 | 4,000 | |
| | \$110 | | GALN-SA4C-740-U-5WQ-BZ-BPC | | 29,108 | 213 | 4,000 | |
| | \$110 | | GALN-SA4C-740-U-T4W-BZ-BPC | | 27,832 | 213 | 4,000 | |
| | \$110 | | GALN-SA2C-740-U-SLL-BZ-BPC | | 12,187 | 110 | 4,000 | |
| | \$110 | | GALN-SA2C-740-U-SLR-BZ-BPC | | 12,187 | 110 | 4,000 | |
| | \$110 | | GALN-SA2C-740-U-T4FT-BZ-PR | | 14,107 | 110 | 4,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$110 | | GALN-SA2C-740-U-5WQ-BZ-PR | | 14,797 | 110 | 4,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$110 | | GALN-SA4C-740-U-5WQ-BZ-PR | | 29,108 | 213 | 4,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$110 | | GALN-SA4C-740-U-T4W-BZ-PR | | 27,832 | 213 | 4,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$110 | | GALN-SA2C-740-U-SLL-BZ-PR | | 12,187 | 110 | 4,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$110 | | GALN-SA2C-740-U-SLR-BZ-PR | | 12,187 | 110 | 4,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$110 | | GALN-SA2C-740-U-T4FT-BZ-PR7 | | 14,107 | 110 | 4,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$110 | | GALN-SA2C-740-U-5WQ-BZ-PR7 | | 14,797 | 110 | 4,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$110 | | GALN-SA4C-740-U-5WQ-BZ-PR7 | | 29,108 | 213 | 4,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$110 | | GALN-SA4C-740-U-T4W-BZ-PR7 | | 27,832 | 213 | 4,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$110 | | GALN-SA2C-740-U-SLL-BZ-PR7 | | 12,187 | 110 | 4,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$110 | | GALN-SA2C-740-U-SLR-BZ-PR7 | | 12,187 | 110 | 4,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$110 | Current | EACLO10D4AF750NDD1DKBZ | | 10,000 | 73 | 5,000 | |
| | \$110 | | EACLO10E4AF740NDD1DKBZ | | 12,500 | 95 | 4,000 | |
| | \$110 | | EACLO10H3AW740NDD1DKBZ | | 20,400 | 153 | 4,000 | |
| | \$110 | | EACLO10H4AF740NDD1DKBZ | | 20,000 | 153 | 4,000 | |
| | \$110 | | EACLO10H4AF750NDD1DKBZ | | 20,000 | 153 | 5,000 | |
| | \$110 | ETi Solid State Lighting | VAL-2-LB3-CP3-T3-MV-LVD-7PR | | 18,997 | 151 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with photocell or timeclock to receive incentive. |
| | \$110 | | VAL-2-LB3-CP3-T5-MV-LVD-7PR | | 19,275 | 151 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with photocell or timeclock to receive incentive. |
| | \$110 | | VAL-3-LB3-CP3-T3-MV-LVD-7PR | | 25,786 | 210 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with photocell or timeclock to receive incentive. |
| | \$110 | | VAL-3-LB3-CP3-T5-MV-LVD-7PR | | 26,641 | 210 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with photocell or timeclock to receive incentive. |
| | \$110 | | VAL-4-LB3-CP3-T3-MV-LVD-7PR | | 36,008 | 296 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with photocell or timeclock to receive incentive. |
| | \$110 | | VAL-4-LB3-CP3-T5-MV-LVD-7PR | | 36,866 | 296 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with photocell or timeclock to receive incentive. |
| | \$110 | Green Ignite | GI-CHF-D400-UL4-D-T3 | | 13,600 | 100 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GI-CHF-D400HO-UL4-D-T3 | | 19,800 | 150 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GI-ALM-C400HO-480UL3-D-SQ-T3 | | 21,300 | 150 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GI-ALM-C400HO-480UL3-D-SP-T3 | | 21,300 | 150 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GI-ALM-C400HO-480UL3-D-WM-T3 | | 21,300 | 150 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GI-ALM-C400HO-UL3-D-SQ-T3 | | 20,800 | 150 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GI-ALM-C400HO-UL3-D-SP-T3 | | 20,800 | 150 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GI-ALM-C400HO-UL3-D-WM-T3 | | 20,800 | 150 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GI-D2D-C400-D-UL4 | | 12,400 | 90 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GI-D2D-C400-S-UL4 | | 12,400 | 90 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GI-D2D-C400-B-UL4 | | 12,400 | 90 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GI-D2D-C400-W-UL4 | | 12,400 | 90 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|------------------------------|-------------------------|--------------|-----------------------|------------------------|--------------|---|
| 87UCP | \$110 | Halco Lighting Technologies | SAL-100-T3-40-U | 807154248506 | 14,662 | 100 | 4,000 | Must be installed with 7PR (807154248773) option or with a time clock to receive incentive. |
| | \$110 | | SAL-100-T3-50-U | 807154248520 | 14,740 | 100 | 5,000 | Must be installed with 7PR (807154248773) option or with a time clock to receive incentive. |
| | \$110 | | SAL-100-T5-40-U | 807154248513 | 14,556 | 100 | 4,000 | Must be installed with 7PR (807154248773) option or with a time clock to receive incentive. |
| | \$110 | | SAL-100-T5-50-U | 807154248537 | 14,788 | 100 | 5,000 | Must be installed with 7PR (807154248773) option or with a time clock to receive incentive. |
| | \$110 | | SAL-150-T3-40-U | 807154248544 | 21,797 | 150 | 4,000 | Must be installed with 7PR (807154248773) option or with a time clock to receive incentive. |
| | \$110 | | SAL-150-T3-50-U | 80715428568 | 21,900 | 150 | 5,000 | Must be installed with 7PR (807154248773) option or with a time clock to receive incentive. |
| | \$110 | | SAL-150-T5-40-U | 807154248551 | 21,900 | 150 | 4,000 | Must be installed with 7PR (807154248773) option or with a time clock to receive incentive. |
| | \$110 | | SAL-150-T5-50-U | 807154248575 | 21,899 | 150 | 5,000 | Must be installed with 7PR (807154248773) option or with a time clock to receive incentive. |
| | \$110 | | SAL-200-T5-50-U | 807154248612 | 29,319 | 200 | 5,000 | Must be installed with 7PR (807154248773) option or with a time clock to receive incentive. |
| | \$110 | Industrial Lighting Products | SAS-12L-U-30-T2-UMB-BRZ | | 12,153 | 82 | 3,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$110 | | SAS-12L-U-30-T3-UMB-BRZ | | 12,123 | 82 | 3,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$110 | | SAS-12L-U-30-T4-UMB-BRZ | | 11,993 | 82 | 3,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$110 | | SAS-12L-U-40-T2-UMB-BRZ | | 12,480 | 82 | 4,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$110 | | SAS-12L-U-40-T3-UMB-BRZ | | 12,449 | 82 | 4,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$110 | | SAS-12L-U-40-T4-UMB-BRZ | | 12,316 | 82 | 4,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$110 | | SAS-12L-U-50-T2-UMB-BRZ | | 12,292 | 82 | 5,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$110 | | SAS-12L-U-50-T3-UMB-BRZ | | 12,262 | 82 | 5,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$110 | | SAS-12L-U-50-T4-UMB-BRZ | | 12,130 | 82 | 5,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$110 | | SAS-15L-U-30-T2-UMB-BRZ | | 15,332 | 108 | 3,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$110 | | SAS-15L-U-30-T3-UMB-BRZ | | 15,294 | 108 | 3,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$110 | | SAS-15L-U-30-T4-UMB-BRZ | | 15,130 | 108 | 3,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$110 | | SAS-15L-U-40-T2-UMB-BRZ | | 15,745 | 108 | 4,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$110 | | SAS-15L-U-40-T3-UMB-BRZ | | 15,706 | 108 | 4,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$110 | | SAS-15L-U-40-T4-UMB-BRZ | | 15,537 | 108 | 4,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$110 | | SAS-15L-U-50-T2-UMB-BRZ | | 15,507 | 108 | 5,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$110 | | SAS-15L-U-50-T3-UMB-BRZ | | 15,469 | 108 | 5,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$110 | | SAS-15L-U-50-T4-UMB-BRZ | | 15,303 | 108 | 5,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$110 | | SAS-18L-U-30-T2-UMB-BRZ | | 17,733 | 135 | 3,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$110 | | SAS-18L-U-30-T3-UMB-BRZ | | 17,690 | 135 | 3,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$110 | | SAS-18L-U-30-T4-UMB-BRZ | | 17,500 | 135 | 3,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$110 | | SAS-18L-U-40-T2-UMB-BRZ | | 18,251 | 136 | 4,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$110 | | SAS-18L-U-40-T3-UMB-BRZ | | 18,192 | 135 | 4,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$110 | | SAS-18L-U-40-T4-UMB-BRZ | | 17,997 | 135 | 4,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$110 | | SAS-18L-U-50-T2-UMB-BRZ | | 18,175 | 137 | 5,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$110 | | SAS-18L-U-50-T3-UMB-BRZ | | 18,130 | 137 | 5,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$110 | | SAS-18L-U-50-T4-UMB-BRZ | | 18,060 | 137 | 5,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$110 | | SAM-24L-U-30-T2-UMB-BRZ | | 24,052 | 167 | 3,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$110 | | SAM-24L-U-30-T3-UMB-BRZ | | 23,928 | 167 | 3,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$110 | | SAM-24L-U-30-T4-UMB-BRZ | | 23,754 | 167 | 3,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$110 | | SAM-24L-U-40-T2-UMB-BRZ | | 24,730 | 165 | 4,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$110 | | SAM-24L-U-40-T3-UMB-BRZ | | 24,603 | 165 | 4,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$110 | | SAM-24L-U-40-T4-UMB-BRZ | | 24,424 | 165 | 4,000 | if not installed with time clock, a separate photo sensor is needed. |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|------------------------------|-----------------------------------|--------------|-----------------------|------------------------|--------------|---|
| 87UCP | \$110 | Industrial Lighting Products | SAM-24L-U-50-T2-UMB-BRZ | | 24,372 | 165 | 5,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$110 | | SAM-24L-U-50-T3-UMB-BRZ | | 24,246 | 165 | 5,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$110 | | SAM-24L-U-50-T4-UMB-BRZ | | 24,070 | 165 | 5,000 | if not installed with time clock, a separate photo sensor is needed. |
| | \$110 | | SAM-24L-HV-40-T4-UMB-BRZ | | 25,024 | 168 | 4,000 | Must be installed with photocell or timeclock |
| | \$110 | | SAM-24L-HV-40-T2-UMB-BRZ | | 25,338 | 168 | 4,000 | Must be installed with photocell or timeclock |
| | \$110 | Keystone Technologies | KT-ALED140PS-M1-3-PMA-840-VDIM-P | 843654132006 | 19,300 | 140 | 4,000 | Lumen & CCT selectable - measure code based on lowest lumen rating |
| | \$110 | | KT-ALED140PS-M1-3-PMA-850-VDIM-P | 843654131313 | 19,600 | 140 | 5,000 | Lumen & CCT selectable - measure code based on lowest lumen rating |
| | \$110 | | KT-ALED140PS-M1-5-SF-840-VDIM-P | 843654132013 | 19,300 | 140 | 4,000 | Lumen & CCT selectable - measure code based on lowest lumen rating |
| | \$110 | | KT-ALED140PS-M1-5-SF-850-VDIM-P | 843654131313 | 19,600 | 140 | 5,000 | Lumen & CCT selectable - measure code based on lowest lumen rating |
| | \$110 | | KT-ALED100-S1-2-NM-840-VDIM | | 13,700 | 100 | 4,000 | The PS option would be needed if not being installed with time clock |
| | \$110 | | KT-ALED100-S1-2-NM-850-VDIM | | 13,900 | 100 | 5,000 | The PS option would be needed if not being installed with time clock |
| | \$110 | | KT-ALED100-S1-3-NM-840-VDIM | 843654131368 | 13,700 | 100 | 4,000 | The PS option would be needed if not being installed with time clock |
| | \$110 | | KT-ALED100-S1-3-NM-850-VDIM | 843654131375 | 13,900 | 100 | 5,000 | The PS option would be needed if not being installed with time clock |
| | \$110 | | KT-ALED100-S1-4-NM-840-VDIM | | 13,800 | 100 | 4,000 | The PS option would be needed if not being installed with time clock |
| | \$110 | | KT-ALED100-S1-4-NM-850-VDIM | | 14,000 | 100 | 5,000 | The PS option would be needed if not being installed with time clock |
| | \$110 | | KT-ALED100-S1-5-NM-840-VDIM | 843654131382 | 13,800 | 100 | 4,000 | The PS option would be needed if not being installed with time clock |
| | \$110 | | KT-ALED100-S1-5-NM-850-VDIM | 843654131399 | 14,000 | 100 | 5,000 | The PS option would be needed if not being installed with time clock |
| | \$110 | | KT-ALED140-M1-2-NM-840-VDIM | | 19,320 | 140 | 4,000 | The PS option would be needed if not being installed with time clock |
| | \$110 | | KT-ALED140-M1-2-NM-850-VDIM | | 19,600 | 140 | 5,000 | The PS option would be needed if not being installed with time clock |
| | \$110 | | KT-ALED140-M1-3-NM-840-VDIM | 843654131405 | 19,320 | 140 | 4,000 | The PS option would be needed if not being installed with time clock |
| | \$110 | | KT-ALED140-M1-3-NM-850-VDIM | 843654131412 | 19,600 | 140 | 5,000 | The PS option would be needed if not being installed with time clock |
| | \$110 | | KT-ALED140-M1-4-NM-840-VDIM | | 19,460 | 140 | 4,000 | The PS option would be needed if not being installed with time clock |
| | \$110 | | KT-ALED140-M1-4-NM-850-VDIM | | 19,740 | 140 | 5,000 | The PS option would be needed if not being installed with time clock |
| | \$110 | | KT-ALED140-M1-5-NM-840-VDIM | 843654131429 | 19,460 | 140 | 4,000 | The PS option would be needed if not being installed with time clock |
| | \$110 | | KT-ALED140-M1-5-NM-850-VDIM | 843654131436 | 19,740 | 140 | 5,000 | The PS option would be needed if not being installed with time clock |
| | \$110 | | KT-ALED140HV-M1-2-NM-840-VDIM | | 19,320 | 140 | 4,000 | The PS option would be needed if not being installed with time clock |
| | \$110 | | KT-ALED140HV-M1-2-NM-850-VDIM | | 19,600 | 140 | 5,000 | The PS option would be needed if not being installed with time clock |
| | \$110 | | KT-ALED140HV-M1-3-NM-840-VDIM | 843654131443 | 19,320 | 140 | 4,000 | The PS option would be needed if not being installed with time clock |
| | \$110 | | KT-ALED140HV-M1-3-NM-850-VDIM | 843654131450 | 19,600 | 140 | 5,000 | The PS option would be needed if not being installed with time clock |
| | \$110 | | KT-ALED140HV-M1-4-NM-840-VDIM | | 19,460 | 140 | 4,000 | The PS option would be needed if not being installed with time clock |
| | \$110 | | KT-ALED140HV-M1-4-NM-850-VDIM | | 19,740 | 140 | 5,000 | The PS option would be needed if not being installed with time clock |
| | \$110 | | KT-ALED140HV-M1-5-NM-840-VDIM | 843654131467 | 19,460 | 140 | 4,000 | The PS option would be needed if not being installed with time clock |
| | \$110 | | KT-ALED140HV-M1-5-NM-850-VDIM | 843654131474 | 19,740 | 140 | 5,000 | The PS option would be needed if not being installed with time clock |
| | \$110 | | KT-ALED210-L1-2-NM-840-VDIM | | 29,190 | 210 | 4,000 | The PS option would be needed if not being installed with time clock |
| | \$110 | | KT-ALED210-L1-2-NM-850-VDIM | | 29,610 | 210 | 5,000 | The PS option would be needed if not being installed with time clock |
| | \$110 | | KT-ALED210-L1-3-NM-840-VDIM | 843654131481 | 29,190 | 210 | 4,000 | The PS option would be needed if not being installed with time clock |
| | \$110 | | KT-ALED210-L1-3-NM-850-VDIM | 843654131498 | 29,610 | 210 | 5,000 | The PS option would be needed if not being installed with time clock |
| | \$110 | | KT-ALED210-L1-4-NM-840-VDIM | | 29,400 | 210 | 4,000 | The PS option would be needed if not being installed with time clock |
| | \$110 | | KT-ALED210-L1-4-NM-850-VDIM | | 29,820 | 210 | 5,000 | The PS option would be needed if not being installed with time clock |
| | \$110 | | KT-ALED210-L1-5-NM-840-VDIM | 843654131504 | 29,400 | 210 | 4,000 | The PS option would be needed if not being installed with time clock |
| | \$110 | | KT-ALED210-L1-5-NM-850-VDIM | 843654131511 | 29,820 | 210 | 5,000 | The PS option would be needed if not being installed with time clock |
| | \$110 | | | | | | | Wattage & CCT selectable, Measure/incentive based on min. wattage/lumen level. If not |
| | \$110 | | KT-ALED290PS-L1-3-PMA-8CSB-VDIM-P | | 35,000 | 290 | 3,000 | installed with time clock, a separate photo sensor is needed. |
| | \$110 | | KT-FLED290PS-R2B-UNV-8CSB-VDIM-W | 843654138664 | 35,325 | 290 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | KT-FLED290PS-R2C-UNV-8CSB-VDIM-W | 843654145648 | 35,535 | 290 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | KT-FLED290PS-R2D-UNV-8CSB-VDIM-W | 843654145679 | 35,325 | 290 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | KT-ALED290PS-L1-5-SF-8CSB-VDIM-P | 843654139005 | 40,600 | 290 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | KT-FLED290PS-R2B-UNV-8CSB-VDIM | 843654138657 | 35,325 | 290 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | KT-FLED290PS-R2C-UNV-8CSB-VDIM | 843654145631 | 35,535 | 290 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | KT-FLED290PS-R2D-UNV-8CSB-VDIM | 843654145662 | 35,325 | 290 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | KT-ALED100-S2-OSA-NM-840-VDIM | 843654152981 | 13,600 | 100 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-----------------------|------------------------------------|---------------------------|-----------------------|------------------------|--------------|---|
| 87UCP | \$110 | Keystone Technologies | KT-ALED290PS-L2-OSB-SF-8CSB-VDIM-P | 843654153148 | 36,540 | 290 | 3,000 | Must be installed with timedclock or photocell to receive incentive. Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | KT-ALED210-L2-OSA-NM-840-VDIM | 843654153025 | 30,660 | 210 | 4,000 | Must be installed with photo sensor or timedclock. |
| | \$110 | | KT-ALED210-L2-OSA-NM-840-VDIM/3PN | 843654153025+843654131825 | 30,660 | 210 | 4,000 | Must be installed with photo sensor or timedclock. |
| | \$110 | | KT-ALED210-L2-OSA-NM-850-VDIM | 843654153032 | 30,870 | 210 | 5,000 | Must be installed with photo sensor or timedclock. |
| | \$110 | | KT-ALED210-L2-OSA-NM-850-VDIM/3PN | 843654153032+843654131825 | 30,870 | 210 | 5,000 | |
| | \$110 | | KT-ALED100-S2-OSA-NM-840-VDIM/3PN | 843654152981+843654131825 | 13,600 | 100 | 4,000 | |
| | \$110 | | KT-ALED100-S2-OSA-NM-850-VDIM | 843654152998 | 13,700 | 100 | 5,000 | Must be installed with photo sensor or timedclock. |
| | \$110 | | KT-ALED100-S2-OSA-NM-850-VDIM/3PN | 843654152998+843654131825 | 13,700 | 100 | 5,000 | |
| | \$110 | | KT-ALED140-M2-OSA-NM-840-VDIM | 843654153001 | 20,160 | 140 | 4,000 | Must be installed with photo sensor or timedclock. |
| | \$110 | | KT-ALED140-M2-OSA-NM-840-VDIM/3PN | 843654153001+843654131825 | 20,160 | 140 | 4,000 | |
| | \$110 | | KT-ALED140-M2-OSA-NM-850-VDIM | 843654153018 | 20,440 | 140 | 5,000 | Must be installed with photo sensor or timedclock. |
| | \$110 | | KT-ALED140-M2-OSA-NM-850-VDIM/3PN | 843654153018+843654131825 | 20,440 | 140 | 5,000 | |
| | \$110 | LEDVANCE, LLC | KT-ALED290PS-L2-OSA-NM-8CSB-VDIM-B | 843654157658 | 36,830 | 290 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | KT-FLED290PSHV-R2B-UNV-8CSB-VDIM | 843654138671 | 35,515 | 290 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | KT-FLED290PSHV-R2C-UNV-8CSB-VDIM | 843654145655 | 35,265 | 290 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | KT-FLED290PSHV-R2D-UNV-8CSB-VDIM | 843654145686 | 35,075 | 290 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | AREAFLD2A/080UNVD740/T3/BZ (65248) | 046135652486 | 10,497 | 80 | 4,000 | |
| | \$110 | | AREAFLD2A/080UNVD740/T4/BZ (65249) | 046135652493 | 10,478 | 80 | 4,000 | |
| | \$110 | | AREAFLD2A/080UNVD740/T5/BZ (65250) | 046135652509 | 10,382 | 80 | 4,000 | |
| | \$110 | | AREAFLD2A/080UNVD750/T3/BZ (65251) | 046135652516 | 10,544 | 80 | 5,000 | |
| | \$110 | | AREAFLD2A/080UNVD750/T4/BZ (65252) | 046135652523 | 10,592 | 80 | 5,000 | |
| | \$110 | | AREAFLD2A/080UNVD750/T5/BZ (65253) | 046135652530 | 10,491 | 80 | 5,000 | |
| | \$110 | | AREAFLD2A/100HUV740/T3/BZ (61752) | 046135617522 | 13,201 | 103 | 4,000 | |
| | \$110 | | AREAFLD2A/100HUV740/T4/BZ (61753) | 046135617539 | 12,855 | 102 | 4,000 | |
| | \$110 | | AREAFLD2A/100HUV740/T5/BZ (61754) | 046135617546 | 12,673 | 101 | 4,000 | |
| | \$110 | | AREAFLD2A/100HUV750/T3/BZ (61755) | 046135617553 | 13,329 | 103 | 5,000 | |
| | \$110 | | AREAFLD2A/100HUV750/T4/BZ (61756) | 046135617560 | 12,980 | 102 | 5,000 | |
| | \$110 | | AREAFLD2A/100HUV750/T5/BZ (61757) | 046135617577 | 12,822 | 101 | 5,000 | |
| | \$110 | | AREAFLD2A/100UNVD740/T3/BZ (65290) | 046135652905 | 12,918 | 100 | 4,000 | |
| | \$110 | | AREAFLD2A/100UNVD740/T4/BZ (65291) | 046135652912 | 12,835 | 100 | 4,000 | |
| | \$110 | | AREAFLD2A/100UNVD740/T5/BZ (65292) | 046135652929 | 12,534 | 100 | 4,000 | |
| | \$110 | | AREAFLD2A/100UNVD750/T3/BZ (65293) | 046135652936 | 13,077 | 100 | 5,000 | |
| | \$110 | | AREAFLD2A/100UNVD750/T4/BZ (65294) | 046135652943 | 12,999 | 100 | 5,000 | |
| | \$110 | | AREAFLD2A/100UNVD750/T5/BZ (65295) | 046135652950 | 12,693 | 100 | 5,000 | |
| | \$110 | | AREAFLD2A/150HUV740/T3/BZ (65284) | 046135652844 | 19,036 | 148 | 4,000 | |
| | \$110 | | AREAFLD2A/150HUV740/T4/BZ (65285) | 046135652851 | 19,036 | 148 | 4,000 | |
| | \$110 | | AREAFLD2A/150HUV740/T5/BZ (65286) | 046135652868 | 18,433 | 148 | 4,000 | |
| | \$110 | | AREAFLD2A/150HUV750/T3/BZ (65287) | 046135652875 | 19,274 | 148 | 5,000 | |
| | \$110 | | AREAFLD2A/150HUV750/T4/BZ (65288) | 046135652882 | 19,274 | 148 | 5,000 | |
| | \$110 | | AREAFLD2A/150HUV750/T5/BZ (65289) | 046135652899 | 18,668 | 148 | 5,000 | |
| | \$110 | | AREAFLD2A/150UNVD740/T3/BZ (61758) | 046135617584 | 18,931 | 147 | 4,000 | Also listed on DLC as Architectural Flood & Spot Light (PLJ51HRLA8) |
| | \$110 | | AREAFLD2A/150UNVD740/T4/BZ (61759) | 046135617591 | 19,139 | 148 | 4,000 | Also listed on DLC as Architectural Flood & Spot Light (PLVO2DCML7RR) |
| | \$110 | | AREAFLD2A/150UNVD740/T5/BZ (61760) | 046135617607 | 18,907 | 148 | 4,000 | Also listed on DLC as Architectural Flood & Spot Light (PLVLHHYU2FYY) |
| | \$110 | | AREAFLD2A/150UNVD750/T3/BZ (61761) | 046135617614 | 19,186 | 148 | 5,000 | Also listed on DLC as Architectural Flood & Spot Light (PLZ73JRDZPL9) |
| | \$110 | | AREAFLD2A/150UNVD750/T4/BZ (61762) | 046135617621 | 19,367 | 148 | 5,000 | Also listed on DLC as Architectural Flood & Spot Light (PLW32IOAF9NI) |
| | \$110 | | AREAFLD2A/150UNVD750/T5/BZ (61763) | 046135617638 | 19,142 | 148 | 5,000 | Also listed on DLC as Architectural Flood & Spot Light (PLC849G368S1) |
| | \$110 | | AREAFLD2A/200HUV740/T3/BZ (61738) | 046135617386 | 25,816 | 196 | 4,000 | |
| | \$110 | | AREAFLD2A/200HUV740/T4/BZ (61739) | 046135617393 | 25,816 | 196 | 4,000 | |
| | \$110 | | AREAFLD2A/200HUV740/T5/BZ (61740) | 046135617409 | 25,176 | 196 | 4,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|---------------|-------------------------------------|--------------|-----------------------|------------------------|--------------|--|
| 87UCP | \$110 | LEDVANCE, LLC | AREAFLD2A/200HUV750/T3/BZ (61741) | 046135617416 | 26,143 | 196 | 5,000 | |
| | \$110 | | AREAFLD2A/200HUV750/T4/BZ (61742) | 046135617423 | 26,143 | 196 | 5,000 | |
| | \$110 | | AREAFLD2A/200HUV750/T5/BZ (61743) | 046135617430 | 25,483 | 196 | 5,000 | |
| | \$110 | | AREAFLD2A/200UNVD740/T3/BZ (65296) | 046135652967 | 25,846 | 199 | 4,000 | |
| | \$110 | | AREAFLD2A/200UNVD740/T5/BZ (65298) | 046135652981 | 25,833 | 199 | 4,000 | |
| | \$110 | | AREAFLD2A/200UNVD750/T3/BZ (65299) | 046135652998 | 26,200 | 200 | 5,000 | |
| | \$110 | | AREAFLD2A/200UNVD750/T5/BZ (65301) | 046135653018 | 26,143 | 199 | 5,000 | |
| | \$110 | | AREAFLD3A/150UNVD740/T3/BZ (61316) | | 20,679 | 155 | 4,000 | |
| | \$110 | | AREAFLD3A/150UNVD740/T5/BZ (61317) | | 19,695 | 155 | 4,000 | |
| | \$110 | | AREAFLD3A/150UNVD750/T3/BZ (61318) | | 20,944 | 155 | 5,000 | |
| | \$110 | | AREAFLD3A/150UNVD750/T5/BZ (61319) | | 19,945 | 155 | 5,000 | |
| | \$110 | | AREAFLD2A/150UNVD740/T2/BZ (61954) | 046135619540 | 19,841 | 149 | 4,000 | |
| | \$110 | | AREAFLD2A/200UNVD740/T4/BZ (65297) | 046135652974 | 25,552 | 199 | 4,000 | |
| | \$110 | | AREAFLD2A/200UNVD750/T4/BZ (65300) | 046135653001 | 25,843 | 199 | 5,000 | |
| | \$110 | | AREAFLD4A/S190HUV830/T2/BZ (62935) | 046135629358 | 25,959 | 194 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | AREAFLD4A/S190HUV830/T3/BZ (62936) | 046135629365 | 26,062 | 193 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | AREAFLD4A/S190HUV830/T4/BZ (62937) | 046135629372 | 26,065 | 193 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | AREAFLD4A/S190HUV830/T5/BZ (62938) | 046135629389 | 25,955 | 193 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | AREAFLD4A/S190HUV840/T2/BZ (62939) | 046135629396 | 28,626 | 196 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | AREAFLD4A/S190HUV840/T3/BZ (62940) | 046135629402 | 28,771 | 196 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | AREAFLD4A/S190HUV840/T4/BZ (62941) | 046135629419 | 28,794 | 196 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | AREAFLD4A/S190HUV840/T5/BZ (62942) | 046135629426 | 28,233 | 195 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | AREAFLD4A/S190HUV850/T2/BZ (62943) | 046135629433 | 27,547 | 196 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | AREAFLD4A/S190HUV850/T3/BZ (62944) | 046135629440 | 27,550 | 195 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | AREAFLD4A/S190HUV850/T4/BZ (62945) | 046135629457 | 28,014 | 196 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | AREAFLD4A/S190HUV850/T5/BZ (62946) | 046135629464 | 27,539 | 195 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | AREAFLD4A/S190UNVD830/FR/BZ (63141) | 046135631412 | 28,515 | 189 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | AREAFLD4A/S190UNVD830/T2/BZ (65749) | 046135657498 | 28,481 | 189 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | AREAFLD4A/S190UNVD830/T3/BZ (65750) | 046135657504 | 28,407 | 189 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | AREAFLD4A/S190UNVD830/T4/BZ (65751) | 046135657511 | 28,305 | 189 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | AREAFLD4A/S190UNVD830/T5/BZ (65752) | 046135657528 | 28,192 | 189 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | AREAFLD4A/S190UNVD840/FR/BZ (63142) | 046135631429 | 29,393 | 191 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|---------------|-------------------------------------|--------------|-----------------------|------------------------|--------------|--|
| 87UCP | \$110 | LEDVANCE, LLC | AREAFLD4A/S190UNVD840/T2/BZ (65753) | 046135657535 | 29,181 | 190 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | AREAFLD4A/S190UNVD840/T3/BZ (65754) | 046135657542 | 29,168 | 191 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | AREAFLD4A/S190UNVD840/T4/BZ (65755) | 046135657559 | 29,235 | 191 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | AREAFLD4A/S190UNVD840/T5/BZ (65756) | 046135657566 | 28,744 | 191 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | AREAFLD4A/S190UNVD850/FR/BZ (63143) | 046135631436 | 29,971 | 191 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | AREAFLD4A/S190UNVD850/T2/BZ (65757) | 046135657573 | 29,878 | 191 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | AREAFLD4A/S190UNVD850/T3/BZ (65758) | 046135657580 | 29,865 | 191 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | AREAFLD4A/S190UNVD850/T4/BZ (65759) | 046135657597 | 29,954 | 191 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | AREAFLD4A/S190UNVD850/T5/BZ (65760) | 046135657603 | 29,802 | 191 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | AREAFLD5A/S150UNHD840/T3/BZ (63289) | 046135632891 | 20,344 | 148 | 4,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | AREAFLD5A/S150UNHD840/T4/BZ (63290) | 046135632907 | 20,496 | 148 | 4,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | AREAFLD5A/S150UNHD840/T5/BZ (63291) | 046135632914 | 20,511 | 149 | 4,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | AREAFLD5A/S300UNHD840/T3/BZ (63292) | 046135632921 | 40,181 | 292 | 4,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | AREAFLD5A/S300UNHD840/T4/BZ (63293) | 046135632938 | 40,592 | 293 | 4,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | AREAFLD5A/S300UNHD840/T5/BZ (63294) | 046135632945 | 40,690 | 293 | 4,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | AREAFLD5A/S150UNHD830/T3/BZ (63300) | 046135633003 | 18,910 | 148 | 3,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | AREAFLD5A/S150UNHD830/T4/BZ (63301) | 046135633010 | 19,157 | 149 | 3,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | AREAFLD5A/S150UNHD830/T5/BZ (63302) | 046135633027 | 19,096 | 149 | 3,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | AREAFLD5A/S300UNHD830/T3/BZ (63303) | 046135633034 | 37,173 | 291 | 3,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | AREAFLD5A/S300UNHD830/T4/BZ (63304) | 046135633041 | 37,658 | 293 | 3,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | AREAFLD5A/S300UNHD830/T5/BZ (63305) | 046135633058 | 37,929 | 293 | 3,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | AREAFLD5A/S150UNHD850/T3/BZ (63309) | 046135633096 | 20,788 | 148 | 5,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | AREAFLD5A/S150UNHD850/T4/BZ (63310) | 046135633102 | 20,939 | 148 | 5,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | AREAFLD5A/S150UNHD850/T5/BZ (63311) | 046135633119 | 20,957 | 149 | 5,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | AREAFLD5A/S300UNHD850/T3/BZ (63312) | 046135633126 | 41,057 | 292 | 5,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | AREAFLD5A/S300UNHD850/T4/BZ (63313) | 046135633133 | 41,469 | 293 | 5,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | AREAFLD5A/S300UNHD850/T5/BZ (63314) | 046135633140 | 41,568 | 293 | 5,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$110 | | AREAFLD4A/S190HUV850/T5/WH (63608) | 046135636080 | 27,539 | 195 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | AREAFLD6A/S150UNHDS2/T2/BZ (63850) | | 21,752 | 150 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timedclock to receive incentive |
| | \$110 | | AREAFLD6A/S150UNHDS2/T3/BZ (63851) | 046135638510 | 21,686 | 150 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timedclock to receive incentive |
| | \$110 | | AREAFLD6A/S150UNHDS2/T4/BZ (63852) | 046135638527 | 21,721 | 148 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timedclock to receive incentive |
| | \$110 | | AREAFLD6A/S150UNHDS2/T5/BZ (63853) | 046135638534 | 22,718 | 150 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timedclock to receive incentive |
| | \$110 | | AREAFLD6A/S150HUVDS2/T2/BZ (63968) | | 21,175 | 145 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timedclock to receive incentive |
| | \$110 | | AREAFLD6A/S150HUVDS2/T3/BZ (63969) | 046135639692 | 21,214 | 145 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timedclock to receive incentive |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-----------------------------|-------------------------------------|--------------|-----------------------|------------------------|--------------|---|
| 87UCP | \$110 | LEDVANCE, LLC | AREAFLD6A/S150HUVDS2/T4/BZ (63970) | 046135639708 | 21,651 | 146 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timeclock to receive incentive |
| | \$110 | | AREAFLD6A/S150HUVDS2/T5/BZ (63971) | 046135639715 | 22,500 | 146 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timeclock to receive incentive |
| | \$110 | | AREAFLD6A/S300UNHDSC2/T2/BZ (63855) | | 44,657 | 302 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timeclock to receive incentive |
| | \$110 | | AREAFLD6A/S300UNHDSC2/T3/BZ (63856) | 046135638565 | 45,457 | 300 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timeclock to receive incentive |
| | \$110 | | AREAFLD6A/S300UNHDSC2/T4/BZ (63857) | 046135638572 | 45,642 | 303 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timeclock to receive incentive |
| | \$110 | | AREAFLD6A/S300UNHDSC2/T5/BZ (63858) | 046135638589 | 46,737 | 303 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timeclock to receive incentive |
| | \$110 | | AREAFLD6A/S300HUVDS2/T2/BZ (63973) | | 45,998 | 307 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timeclock to receive incentive |
| | \$110 | | AREAFLD6A/S300HUVDS2/T3/BZ (63974) | 046135639746 | 45,307 | 306 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timeclock to receive incentive |
| | \$110 | | AREAFLD6A/S300HUVDS2/T4/BZ (63975) | 046135639753 | 45,796 | 307 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timeclock to receive incentive |
| | \$110 | | AREAFLD6A/S300HUVDS2/T5/BZ (63976) | 046135639760 | 47,073 | 306 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timeclock to receive incentive |
| | \$110 | | AREAFLD6AS150UNHDSC2ADJBZ (64013) | 046135640131 | 19,920 | 148 | 3,000 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output. Must be in |
| | \$110 | | AREAFLD6AS300UNHDSC2ADJBZ (64014) | 046135640148 | 39,505 | 301 | 3,000 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output. Must be in |
| | \$110 | | AREAFLD6AS150UNHDSC2ADJBL (66226) | 046135662263 | 19,920 | 148 | 3,000 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output. Must be in |
| | \$110 | | AREAFLD6AS300UNHDSC2ADJBL (66227) | 046135662270 | 39,505 | 301 | 3,000 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output. Must be in |
| | \$110 | | AREAFLD6AS150UNHDSC2ADJWH (66229) | 046135662294 | 19,920 | 148 | 3,000 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output. Must be in |
| | \$110 | | AREAFLD6AS300UNHDSC2ADJWH (66230) | 046135662300 | 39,505 | 301 | 3,000 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output. Must be in |
| | \$110 | | AREAFLD6AS150HUVDS2ADJBZ (66053) | | 19,996 | 146 | 3,000 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output. Must be in |
| | \$110 | | AREAFLD6AS300HUVDS2ADJBZ (66054) | | 40,133 | 306 | 3,000 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output. Must be in |
| | \$110 | | AREAFLD6AS150HUVDS2ADJBL (66364) | | 19,996 | 146 | 3,000 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output. Must be in |
| | \$110 | | AREAFLD6AS300HUVDS2ADJBL (66365) | | 40,133 | 306 | 3,000 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output. Must be in |
| | \$110 | | AREAFLD6AS150HUVDS2ADJWH (66361) | | 19,996 | 146 | 3,000 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output. Must be in |
| | \$110 | | AREAFLD6AS300HUVDS2ADJWH (66362) | | 40,133 | 306 | 3,000 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output. Must be in |
| | \$110 | Leotek Electronics USA, LLC | GCM3-60J-MV-40K-2R-DB-170 | | 19,480 | 130 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GCM3-60J-HV-40K-2R-DB-170 | | 19,480 | 130 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GCM3-60J-MV-30K-4-DB-180 | | 17,330 | 130 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GCM3-60J-HV-30K-4-DB-180 | | 17,330 | 130 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GCM3-60J-MV-40K-3R-DB-190 | | 18,530 | 130 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GCM3-60J-HV-40K-3R-DB-190 | | 18,530 | 130 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GCM3-60J-MV-30K-3R-DB-160 | | 17,880 | 130 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GCM3-60J-HV-30K-3R-DB-160 | | 17,880 | 130 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GCM3-60J-MV-40K-4-DB-190 | | 18,760 | 130 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | | | | | | | | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-----------------------------|---------------------------|-----|-----------------------|------------------------|--------------|---|
| 87UCP | \$110 | Leotek Electronics USA, LLC | GCM3-60J-HV-40K-4-DB-190 | | 18,760 | 130 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GCM2-60J-MV-40K-3R-DB-140 | | 14,786 | 100 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GCM2-60J-HV-40K-3R-DB-140 | | 14,786 | 100 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GCM3-60J-MV-30K-2R-DB-170 | | 18,030 | 130 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GCM3-60J-HV-30K-2R-DB-170 | | 18,030 | 130 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GCM3-60J-MV-40K-4-DB-170 | | 18,760 | 130 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GCM3-60J-HV-40K-4-DB-170 | | 18,760 | 130 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GCM3-60J-MV-30K-4-DB-170 | | 17,330 | 130 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GCM3-60J-HV-30K-4-DB-170 | | 17,330 | 130 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GCM2-60J-MV-30K-2R-DB-145 | | 14,556 | 100 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GCM2-60J-HV-30K-2R-DB-145 | | 14,556 | 100 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GCM3-60J-MV-30K-2R-DB-160 | | 18,030 | 130 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GCM3-60J-HV-30K-2R-DB-160 | | 18,030 | 130 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GCM2-60J-MV-40K-4-DB-140 | | 14,955 | 100 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GCM2-60J-HV-40K-4-DB-140 | | 14,955 | 100 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GCM2-60J-MV-30K-3R-DB-130 | | 14,457 | 100 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GCM2-60J-HV-30K-3R-DB-130 | | 14,457 | 100 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GCM2-60J-MV-40K-2R-DB-155 | | 15,553 | 100 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GCM2-60J-HV-40K-2R-DB-155 | | 15,553 | 100 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GCM2-60J-MV-30K-4-DB-145 | | 14,157 | 100 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GCM2-60J-HV-30K-4-DB-145 | | 14,157 | 100 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GCM2-60J-MV-30K-3R-DB-145 | | 14,457 | 100 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GCM2-60J-HV-30K-3R-DB-145 | | 14,457 | 100 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GCM3-60J-MV-30K-4-DB-160 | | 17,330 | 130 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GCM3-60J-HV-30K-4-DB-160 | | 17,330 | 130 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-----------------------------|---|-----|-----------------------|------------------------|--------------|---|
| 87UCP | \$110 | Leotek Electronics USA, LLC | GCM2-60J-MV-30K-4-DB-130 | | 14,157 | 100 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GCM2-60J-HV-30K-4-DB-130 | | 14,157 | 100 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GCM3-60J-MV-40K-2R-DB-190 | | 19,480 | 130 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GCM3-60J-HV-40K-2R-DB-190 | | 19,480 | 130 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GCM2-60J-MV-40K-3R-DB-155 | | 14,786 | 100 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GCM2-60J-HV-40K-3R-DB-155 | | 14,786 | 100 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GCM3-60J-MV-30K-3R-DB-180 | | 17,880 | 130 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GCM3-60J-HV-30K-3R-DB-180 | | 17,880 | 130 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GCM2-60J-MV-30K-2R-DB-130 | | 14,556 | 100 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GCM2-60J-HV-30K-2R-DB-130 | | 14,556 | 100 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GCM3-60J-MV-40K-3R-DB-170 | | 18,530 | 130 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GCM3-60J-HV-40K-3R-DB-170 | | 18,530 | 130 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GCM3-60J-MV-40K-2R-DB-185 | | 19,480 | 130 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GCM3-60J-HV-40K-2R-DB-185 | | 19,480 | 130 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GCM2-60J-MV-40K-4-DB-155 | | 14,955 | 100 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GCM2-60J-HV-40K-4-DB-155 | | 14,955 | 100 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GCM2-60J-MV-40K-2R-DB-140 | | 15,553 | 100 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GCM2-60J-HV-40K-2R-DB-140 | | 15,553 | 100 | 4,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GCM3-60J-MV-30K-2R-DB-180 | | 18,030 | 130 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | GCM3-60J-HV-30K-2R-DB-180 | | 18,030 | 130 | 3,000 | Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | Litetronics International | AL1503 | | 19,029 | 151 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timeclock to receive incentive |
| | \$110 | | AL2003 | | 26,455 | 202 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timeclock to receive incentive |
| | \$110 | LSI Industries | MRS LED 12L SIL 2 UNV DIM 40 70CRI BLK | | 12,685 | 86 | 4,000 | |
| | \$110 | | MRS LED 12L SIL 2 UNV DIM 50 70CRI BLK | | 12,685 | 86 | 5,000 | |
| | \$110 | | MRS LED 12L SIL 3 UNV DIM 40 70CRI BLK | | 12,895 | 86 | 4,000 | |
| | \$110 | | MRS LED 12L SIL 3 UNV DIM 50 70CRI BLK | | 12,895 | 86 | 5,000 | |
| | \$110 | | MRS LED 12L SIL 5W UNV DIM 40 70CRI BLK | | 12,195 | 86 | 4,000 | |
| | \$110 | | MRS LED 12L SIL 5W UNV DIM 50 70CRI BLK | | 12,195 | 86 | 5,000 | |
| | \$110 | | MRS LED 15L SIL 2 UNV DIM 40 70CRI BLK | | 15,869 | 111 | 4,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|----------------------|---|-----|-----------------------|------------------------|--------------|---|
| 87UCP | \$110 | LSI Industries | MRS LED 15L SIL 2 UNV DIM 50 70CRI BLK | | 15,869 | 111 | 5,000 | |
| | \$110 | | MRS LED 15L SIL 3 UNV DIM 40 70CRI BLK | | 16,132 | 111 | 4,000 | |
| | \$110 | | MRS LED 15L SIL 3 UNV DIM 50 70CRI BLK | | 16,132 | 111 | 5,000 | |
| | \$110 | | MRS LED 15L SIL 5W UNV DIM 40 70CRI BLK | | 15,257 | 111 | 4,000 | |
| | \$110 | | MRS LED 15L SIL 5W UNV DIM 50 70CRI BLK | | 15,257 | 111 | 5,000 | |
| | \$110 | | MRS LED 24L SIL 2 UNV DIM 40 70CRI BLK | | 24,524 | 196 | 4,000 | |
| | \$110 | | MRS LED 24L SIL 2 UNV DIM 50 70CRI BLK | | 24,524 | 196 | 5,000 | |
| | \$110 | | MRS LED 24L SIL 3 UNV DIM 40 70CRI BLK | | 24,930 | 196 | 4,000 | |
| | \$110 | | MRS LED 24L SIL 3 UNV DIM 50 70CRI BLK | | 24,930 | 196 | 5,000 | |
| | \$110 | | MRS LED 24L SIL 5W UNV DIM 40 70CRI BLK | | 23,578 | 196 | 4,000 | |
| | \$110 | | MRS LED 24L SIL 5W UNV DIM 50 70CRI BLK | | 23,578 | 196 | 5,000 | |
| | \$110 | | MRS LED 24L SIL FT UNV DIM 40 70CRI BLK | | 24,126 | 196 | 4,000 | |
| | \$110 | | MRS LED 24L SIL FT UNV DIM 50 70CRI BLK | | 24,126 | 196 | 5,000 | |
| | \$110 | | MRM LED 30L SIL 2 UNV DIM 40 70CRI BLK | | 31,898 | 232 | 4,000 | |
| | \$110 | | MRM LED 30L SIL 2 UNV DIM 50 70CRI BLK | | 32,668 | 232 | 5,000 | |
| | \$110 | | MRM LED 30L SIL 3 UNV DIM 40 70CRI BLK | | 31,714 | 232 | 4,000 | |
| | \$110 | | MRM LED 30L SIL 3 UNV DIM 50 70CRI BLK | | 32,480 | 232 | 5,000 | |
| | \$110 | | MRM LED 30L SIL 5W UNV DIM 40 70CRI BLK | | 31,267 | 232 | 4,000 | |
| | \$110 | | MRM LED 30L SIL 5W UNV DIM 50 70CRI BLK | | 32,023 | 232 | 5,000 | |
| | \$110 | | MRM LED 30L SIL FT UNV DIM 40 70CRI BLK | | 31,453 | 232 | 4,000 | |
| | \$110 | | MRM LED 30L SIL FT UNV DIM 50 70CRI BLK | | 32,213 | 232 | 5,000 | |
| | \$110 | | SSA LED 12L ACR 3 UNV DIM 40 BRZ PM | | 12,940 | 84 | 4,000 | |
| | \$110 | | SSA LED 12L ACR 3 UNV DIM 50 BRZ PM | | 13,663 | 85 | 5,000 | |
| | \$110 | | SSA LED 12L ACR 5W UNV DIM 40 BRZ PM | | 13,017 | 84 | 4,000 | |
| | \$110 | | SSA LED 12L ACR 5W UNV DIM 50 BRZ PM | | 13,350 | 85 | 5,000 | |
| | \$110 | | SSA LED 12L ACR FT UNV DIM 40 BRZ PM | | 12,423 | 84 | 4,000 | |
| | \$110 | | SSA LED 12L ACR FT UNV DIM 50 BRZ PM | | 12,593 | 85 | 5,000 | |
| | \$110 | | SSA LED 18L ACR 3 UNV DIM 40 BRZ PM | | 18,028 | 122 | 4,000 | |
| | \$110 | | SSA LED 18L ACR 3 UNV DIM 50 BRZ PM | | 18,341 | 120 | 5,000 | |
| | \$110 | | SSA LED 18L ACR 5W UNV DIM 40 BRZ PM | | 18,603 | 120 | 4,000 | |
| | \$110 | | SSA LED 18L ACR 5W UNV DIM 50 BRZ PM | | 19,728 | 121 | 5,000 | |
| | \$110 | | SSA LED 18L ACR FT UNV DIM 40 BRZ PM | | 17,929 | 120 | 4,000 | |
| | \$110 | | SSA LED 18L ACR FT UNV DIM 50 BRZ PM | | 18,033 | 122 | 5,000 | |
| | \$110 | | SSA LED 24L ACR 3 UNV DIM 40 BRZ PM | | 25,135 | 178 | 4,000 | |
| | \$110 | | SSA LED 24L ACR 3 UNV DIM 50 BRZ PM | | 25,160 | 175 | 5,000 | |
| | \$110 | | SSA LED 24L ACR 5W UNV DIM 40 BRZ PM | | 25,492 | 178 | 4,000 | |
| | \$110 | | SSA LED 24L ACR 5W UNV DIM 50 BRZ PM | | 25,650 | 174 | 5,000 | |
| | \$110 | | SSA LED 24L ACR FT UNV DIM 40 BRZ PM | | 25,314 | 175 | 4,000 | |
| | \$110 | | SSA LED 24L ACR FT UNV DIM 50 BRZ PM | | 25,487 | 178 | 5,000 | |
| | \$110 | | SMA LED 28L ACR 3 UNV DIM 40 BRZ PM | | 29,859 | 198 | 4,000 | |
| | \$110 | | SMA LED 28L ACR FT UNV DIM 40 BRZ PM | | 28,457 | 198 | 4,000 | |
| | \$110 | | SMA LED 28L ACR FT UNV DIM 50 BRZ PM | | 29,006 | 202 | 5,000 | |
| | \$110 | MaxLite Inc. | M200U3M-CSBKCR | | 27,791 | 199 | 3,000 | CCT selectable. Must include CN-RDPCB (105569) sensor to rcv incentive if not installed w/ timeclock. |
| | \$110 | | AR145HT3-CSBTCT | | 19,140 | 145 | 3,000 | CCT Selectable |
| | \$110 | Morris Products Inc. | 74056C | | 27,640 | 199 | 5,000 | Must be installed with a timeclock or with the PC option to receive incentive |
| | \$110 | | 74017C | | 39,915 | 301 | 4,000 | Wattage selectable, Measure/incentive based on min. lumen level. Must be installed with a timeclock or with the PC option to receive incentive. |
| | \$110 | | 74088 | | 13,586 | 103 | 3,000 | Wattage & CCT selectable, Measure/incentive based on min. lumen level. Must be installed with a timeclock or with the PC option to receive incentive. |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|----------------------|--------------|-----|-----------------------|------------------------|--------------|---|
| 87UCP | \$110 | Morris Products Inc. | 74014C | | 28,101 | 203 | 5,000 | Wattage selectable, Measure/incentive based on min. lumen level. Must be installed with a timeclock or with the PC option to receive incentive. |
| | \$110 | | 74079C | | 11,527 | 80 | 5,000 | Must be installed with a timeclock or with the PC option to receive incentive. |
| | | | | | | | | Wattage & CCT selectable, Measure/incentive based on min. lumen level. Must be installed with a timeclock or with the PC option to receive incentive. |
| | \$110 | | 74089 | | 25,515 | 209 | 3,000 | Must be installed with a timeclock or with the PC option to receive incentive. |
| | \$110 | | 74045C | | 11,416 | 80 | 5,000 | Must be installed with a timeclock or with the PC option to receive incentive. |
| | | | | | | | | Must be installed with a timeclock or with the PC option to receive incentive. Wattage & CCT selectable, Measure/incentive based on min. lumen level |
| | \$110 | | 74001C | | 13,847 | 100 | 4,000 | Must be installed with a timeclock or with the PC option to receive incentive. Wattage & CCT selectable, Measure/incentive based on min. lumen level |
| | \$110 | | 74028C | | 44,053 | 300 | 5,000 | Must be installed with a timeclock or with the PC option to receive incentive. Wattage & CCT selectable, Measure/incentive based on min. lumen level |
| | | | | | | | | Must be installed with a timeclock or with the PC option to receive incentive. Wattage & CCT selectable, Measure/incentive based on min. lumen level |
| | \$110 | | 74024C | | 43,698 | 300 | 4,000 | Must be installed with a timeclock or with the PC option to receive incentive. Wattage & CCT selectable, Measure/incentive based on min. lumen level |
| | \$110 | | 74008C | | 27,351 | 199 | 4,000 | Must be installed with a timeclock or with the PC option to receive incentive. |
| | \$110 | | 74013C | | 26,648 | 199 | 5,000 | Must be installed with a timeclock or with the PC option to receive incentive. |
| | \$110 | | 74058C | | 26,648 | 199 | 5,000 | Must be installed with a timeclock or with the PC option to receive incentive. |
| | | | | | | | | Must be installed with a timeclock or with the PC option to receive incentive. Wattage & CCT selectable, Measure/incentive based on min. lumen level |
| | \$110 | | 74009C | | 26,340 | 199 | 4,000 | Must be installed with a timeclock or with the PC option to receive incentive. Wattage & CCT selectable, Measure/incentive based on min. lumen level |
| | \$110 | | 74070C | | 42,263 | 298 | 5,000 | Must be installed with a timeclock or with the PC option to receive incentive. |
| | \$110 | | 74011C | | 20,581 | 148 | 5,000 | Must be installed with a timeclock or with the PC option to receive incentive. |
| | \$110 | | 74060C | | 26,843 | 199 | 5,000 | Must be installed with a timeclock or with the PC option to receive incentive. |
| | \$110 | | 74087C | | 26,843 | 199 | 5,000 | Must be installed with a timeclock or with the PC option to receive incentive. |
| | \$110 | | 74010C | | 21,606 | 150 | 5,000 | Must be installed with a timeclock or with the PC option to receive incentive. |
| | | | | | | | | Wattage selectable, Measure/incentive based on min. lumen level. Must be installed with a timeclock or with the PC option to receive incentive. |
| | \$110 | | 74054C | | 27,815 | 204 | 5,000 | Wattage selectable, Measure/incentive based on min. lumen level. Must be installed with a timeclock or with the PC option to receive incentive. |
| | \$110 | | 74030C | | 42,807 | 295 | 5,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$110 | | 74080C | | 11,915 | 81 | 5,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$110 | | 74003C | | 14,097 | 100 | 5,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$110 | | 74005C | | 14,097 | 100 | 5,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | | | | | | | | Wattage selectable, Measure/incentive based on min. lumen level. Must be installed with a timeclock or with the PC option to receive incentive. |
| | \$110 | | 74071C | | 41,648 | 300 | 4,000 | Wattage selectable, Measure/incentive based on min. lumen level. Must be installed with a timeclock or with the PC option to receive incentive. |
| | | | | | | | | Wattage selectable, Measure/incentive based on min. lumen level. Must be installed with a timeclock or with the PC option to receive incentive. |
| | \$110 | | 74012C | | 27,640 | 199 | 5,000 | Wattage selectable, Measure/incentive based on min. lumen level. Must be installed with a timeclock or with the PC option to receive incentive. |
| | \$110 | | 74046C | | 14,242 | 100 | 5,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$110 | | 74002C | | 14,242 | 100 | 5,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$110 | | 74050C | | 13,765 | 100 | 5,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | | | | | | | | Wattage selectable, Measure/incentive based on min. lumen level. Must be installed with a timeclock or with the PC option to receive incentive. |
| | \$110 | | 74086C | | 13,765 | 100 | 5,000 | Wattage selectable, Measure/incentive based on min. lumen level. Must be installed with a timeclock or with the PC option to receive incentive. |
| | \$110 | | 74031C | | 43,009 | 297 | 5,000 | Wattage selectable, Measure/incentive based on min. lumen level. Must be installed with a timeclock or with the PC option to receive incentive. |
| | | | | | | | | Wattage selectable, Measure/incentive based on min. lumen level. Must be installed with a timeclock or with the PC option to receive incentive. |
| | \$110 | | 74055C | | 26,553 | 199 | 4,000 | Wattage selectable, Measure/incentive based on min. lumen level. Must be installed with a timeclock or with the PC option to receive incentive. |
| | \$110 | | 74029C | | 40,453 | 301 | 5,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$110 | | 74053C | | 20,977 | 151 | 5,000 | Wattage selectable, Measure/incentive based on min. lumen level. Must be installed with a timeclock or with the PC option to receive incentive. |
| | \$110 | | 74015C | | 27,508 | 203 | 5,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|----------------------|------------------|-----|-----------------------|------------------------|--------------|---|
| 87UCP | \$110 | Morris Products Inc. | 74052C | | 13,569 | 100 | 4,000 | Wattage selectable, Measure/incentive based on min. lumen level. Must be installed with a timeclock or with the PC option to receive incentive. |
| | \$110 | | 74000C | | 14,037 | 100 | 4,000 | Wattage selectable, Measure/incentive based on min. lumen level. Must be installed with a timeclock or with the PC option to receive incentive. |
| | \$110 | | 74010D | | 20,495 | 150 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$110 | NICOR Inc. | OAL2100MV408BZ3 | | 13,000 | 100 | 4,000 | |
| | \$110 | | OAL2100MV508BZ3 | | 13,000 | 100 | 5,000 | |
| | \$110 | | OAL2150MV408BZ3 | | 19,500 | 150 | 4,000 | |
| | \$110 | | OAL2150MV508BZ3 | | 19,500 | 150 | 5,000 | |
| | \$110 | | OAL2200MV408BZ3 | | 26,000 | 200 | 4,000 | |
| | \$110 | | OAL2200MV508BZ3 | | 26,000 | 200 | 5,000 | |
| | \$110 | | OAL2100MV308BK3 | | 13,000 | 100 | 3,000 | |
| | \$110 | | OAL2100MV308BK37 | | 13,000 | 100 | 3,000 | |
| | \$110 | | OAL2100MV308BZ3 | | 13,000 | 100 | 3,000 | |
| | \$110 | | OAL2100MV308BZ37 | | 13,000 | 100 | 3,000 | |
| | \$110 | | OAL2100MV408BK3 | | 13,000 | 100 | 4,000 | |
| | \$110 | | OAL2100MV408BK37 | | 13,000 | 100 | 4,000 | |
| | \$110 | | OAL2100MV408BZ37 | | 13,000 | 100 | 4,000 | |
| | \$110 | | OAL2100MV508BK3 | | 13,000 | 100 | 5,000 | |
| | \$110 | | OAL2100MV508BK37 | | 13,000 | 100 | 5,000 | |
| | \$110 | | OAL2100MV508BZ37 | | 13,000 | 100 | 5,000 | |
| | \$110 | | OAL2100MV508WH3 | | 13,000 | 100 | 5,000 | |
| | \$110 | | OAL2100MV508WH37 | | 13,000 | 100 | 5,000 | |
| | \$110 | | OAL2150MV308BK3 | | 19,500 | 150 | 3,000 | |
| | \$110 | | OAL2150MV308BK37 | | 19,500 | 150 | 3,000 | |
| | \$110 | | OAL2150MV308BZ3 | | 19,500 | 150 | 3,000 | |
| | \$110 | | OAL2150MV308BZ37 | | 19,500 | 150 | 3,000 | |
| | \$110 | | OAL2150MV408BK3 | | 19,500 | 150 | 4,000 | |
| | \$110 | | OAL2150MV408BK37 | | 19,500 | 150 | 4,000 | |
| | \$110 | | OAL2150MV408BZ37 | | 19,500 | 150 | 4,000 | |
| | \$110 | | OAL2150MV508BK3 | | 19,500 | 150 | 5,000 | |
| | \$110 | | OAL2150MV508BK37 | | 19,500 | 150 | 5,000 | |
| | \$110 | | OAL2150MV508BZ37 | | 19,500 | 150 | 5,000 | |
| | \$110 | | OAL2150MV508WH3 | | 19,500 | 150 | 5,000 | |
| | \$110 | | OAL2150MV508WH37 | | 19,500 | 150 | 5,000 | |
| | \$110 | | OAL2200MV308BK3 | | 26,000 | 200 | 3,000 | |
| | \$110 | | OAL2200MV308BK37 | | 26,000 | 200 | 3,000 | |
| | \$110 | | OAL2200MV308BZ3 | | 26,000 | 200 | 3,000 | |
| | \$110 | | OAL2200MV308BZ37 | | 26,000 | 200 | 3,000 | |
| | \$110 | | OAL2200MV408BK3 | | 26,000 | 200 | 4,000 | |
| | \$110 | | OAL2200MV408BK37 | | 26,000 | 200 | 4,000 | |
| | \$110 | | OAL2200MV408BZ37 | | 26,000 | 200 | 4,000 | |
| | \$110 | | OAL2200MV508BK3 | | 26,000 | 200 | 5,000 | |
| | \$110 | | OAL2200MV508BK37 | | 26,000 | 200 | 5,000 | |
| | \$110 | | OAL2200MV508BZ37 | | 26,000 | 200 | 5,000 | |
| | \$110 | | OAL2200MV508WH3 | | 26,000 | 200 | 5,000 | |
| | \$110 | | OAL2200MV508WH37 | | 26,000 | 200 | 5,000 | |
| | \$110 | | OAL3150SHVSBK2 | | 18,964 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SHVSBK27 | | 18,964 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|--------------|-----------------|-----|-----------------------|------------------------|--------------|--|
| 87UCP | \$110 | NICOR Inc. | OAL3150SHVSBK3 | | 18,940 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SHVSBK37 | | 18,940 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SHVSBK4 | | 18,390 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SHVSBK47 | | 18,390 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SHVSBK5 | | 18,733 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SHVSBK57 | | 18,733 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SHVSBZ2 | | 18,964 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SHVSBZ27 | | 18,964 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SHVSBZ3 | | 18,940 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SHVSBZ37 | | 18,940 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SHVSBZ4 | | 18,390 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SHVSBZ47 | | 18,390 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SHVSBZ5 | | 18,733 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SHVSCC57 | | 18,733 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SHVSCC2 | | 18,964 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SHVSCC27 | | 18,964 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SHVSCC3 | | 18,940 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SHVSCC37 | | 18,940 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SHVSCC4 | | 18,390 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SHVSCC47 | | 18,390 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SHVSCC5 | | 18,733 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SHVSWH2 | | 18,964 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SHVSWH27 | | 18,964 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SHVSWH3 | | 18,940 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SHVSWH37 | | 18,940 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|--------------|------------------|-----|-----------------------|------------------------|--------------|--|
| 87UCP | \$110 | NICOR Inc. | OAL3150SHVSWH4 | | 18,390 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SHVSWH47 | | 18,390 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SHVSWH5 | | 18,733 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SHVSWH57 | | 18,733 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SUNVSBK2 | | 18,964 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SUNVSBK27 | | 18,964 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SUNVSBK3 | | 18,940 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SUNVSBK37 | | 18,940 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SUNVSBK4 | | 18,390 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SUNVSBK47 | | 18,390 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SUNVSBK5 | | 18,733 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SUNVSBK57 | | 18,733 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SUNVSBZ2 | | 18,964 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SUNVSBZ27 | | 18,964 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SUNVSBZ3 | | 18,940 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SUNVSBZ37 | | 18,940 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SUNVSBZ4 | | 18,390 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SUNVSBZ47 | | 18,390 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SUNVSBZ5 | | 18,733 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SUNVSBZ57 | | 18,733 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SUNVSCC2 | | 18,964 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SUNVSCC27 | | 18,964 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SUNVSCC3 | | 18,940 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SUNVSCC37 | | 18,940 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SUNVSCC4 | | 18,390 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|--------------|------------------|-----|-----------------------|------------------------|--------------|--|
| 87UCP | \$110 | NICOR Inc. | OAL3150SUNVSCC47 | | 18,390 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SUNVSCC5 | | 18,733 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SUNVSCC57 | | 18,733 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SUNVSWH2 | | 18,964 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SUNVSWH27 | | 18,964 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SUNVSWH3 | | 18,940 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SUNVSWH37 | | 18,940 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SUNVSWH4 | | 18,390 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SUNVSWH47 | | 18,390 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SUNVSWH5 | | 18,733 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3150SUNVSWH57 | | 18,733 | 150 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3200UNV30BK2 | | 27,537 | 201 | 3,000 | Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3200UNV30BK27 | | 27,537 | 201 | 3,000 | Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3200UNV30BK3 | | 27,532 | 201 | 3,000 | Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3200UNV30BK37 | | 27,532 | 201 | 3,000 | Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3200UNV30BK4 | | 27,506 | 201 | 3,000 | Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3200UNV30BK47 | | 27,506 | 201 | 3,000 | Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3200UNV30BK5 | | 26,834 | 201 | 3,000 | Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3200UNV30BK57 | | 26,834 | 201 | 3,000 | Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3200UNV30BZ2 | | 27,537 | 201 | 3,000 | Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3200UNV30BZ27 | | 27,537 | 201 | 3,000 | Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3200UNV30BZ3 | | 27,532 | 201 | 3,000 | Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3200UNV30BZ37 | | 27,532 | 201 | 3,000 | Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3200UNV30BZ4 | | 27,506 | 201 | 3,000 | Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3200UNV30BZ47 | | 27,506 | 201 | 3,000 | Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3200UNV30BZ5 | | 26,834 | 201 | 3,000 | Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3200UNV30BZ57 | | 26,834 | 201 | 3,000 | Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3200UNV30CC2 | | 27,537 | 201 | 3,000 | Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3200UNV30CC27 | | 27,537 | 201 | 3,000 | Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3200UNV30CC3 | | 27,532 | 201 | 3,000 | Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3200UNV30CC37 | | 27,532 | 201 | 3,000 | Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3200UNV30CC4 | | 27,506 | 201 | 3,000 | Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3200UNV30CC47 | | 27,506 | 201 | 3,000 | Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3200UNV30CC5 | | 26,834 | 201 | 3,000 | Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3200UNV30CC57 | | 26,834 | 201 | 3,000 | Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3200UNV30WH2 | | 27,537 | 201 | 3,000 | Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3200UNV30WH27 | | 27,537 | 201 | 3,000 | Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3200UNV30WH3 | | 27,532 | 201 | 3,000 | Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3200UNV30WH37 | | 27,532 | 201 | 3,000 | Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3200UNV30WH4 | | 27,506 | 201 | 3,000 | Must be installed with photosensor or timeclock to receive incentive |

[illegible]

[illegible]

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|--------------|------------------|-----|-----------------------|------------------------|--------------|--|
| 87UCP | \$110 | NICOR Inc. | OAL3300SHVSBK27 | | 38,700 | 311 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3300SHVSBK3 | | 38,669 | | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3300SHVSBK37 | | 38,669 | | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3300SHVSBZ2 | | 38,700 | | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3300SHVSBZ27 | | 38,700 | | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3300SHVSBZ3 | | 38,669 | | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3300SHVSBZ37 | | 38,669 | | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3300SHVSCC2 | | 38,700 | | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3300SHVSCC27 | | 38,700 | | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3300SHVSCC3 | | 38,669 | | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3300SHVSCC37 | | 38,669 | | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3300SHVSWH2 | | 38,700 | | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3300SHVSWH27 | | 38,700 | | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3300SHVSWH3 | | 38,669 | | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3300SHVSWH37 | | 38,669 | | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3300SUNVSBK2 | | 38,700 | | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3300SUNVSBK27 | | 38,700 | | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3300SUNVSBK3 | | 38,669 | | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3300SUNVSBK37 | | 38,669 | | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3300SUNVSBZ2 | | 38,700 | | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3300SUNVSBZ27 | | 38,700 | | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3300SUNVSBZ3 | | 38,669 | | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3300SUNVSBZ37 | | 38,669 | | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3300SUNVSCC2 | | 38,700 | | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3300SUNVSCC27 | | 38,700 | | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|---------------------------|------------------------------------|--------------|-----------------------|------------------------|--------------|---|
| 87UCP | \$110 | NICOR Inc. | OAL3300SUNVSCC3 | | 38,669 | 311 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3300SUNVSCC37 | | 38,669 | 311 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3300SUNVSWH2 | | 38,700 | 311 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3300SUNVSWH27 | | 38,700 | 311 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3300SUNVSWH3 | | 38,669 | 311 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | OAL3300SUNVSWH37 | | 38,669 | 311 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | Orion Energy Systems, Inc | ALLP1A1UNVFD8CSBRT23CRSP | | 13,562 | 102 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$110 | | ALLP1B1UNVFD8CSBRT23CRSP | | 18,964 | 150 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$110 | | ALLP1C1UNVFD8CSBRT23CRSP | | 25,906 | 206 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$110 | | ALLP1A1UNVFD8CSBRT33CRSP | | 13,455 | 102 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$110 | | ALLP1B1UNVFD8CSBRT33CRSP | | 18,750 | 150 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$110 | | ALLP1C1UNVFD8CSBRT33CRSP | | 25,801 | 213 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$110 | | ALLP1A1UNVFD8CSBRT43CRSP | | 13,503 | 102 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$110 | | ALLP1B1UNVFD8CSBRT43CRSP | | 18,514 | 152 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$110 | | ALLP1C1UNVFD8CSBRT43CRSP | | 25,946 | 206 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$110 | | ALLP1A1UNVFD8CSBRT53CRSP | | 13,078 | 101 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$110 | | ALLP1B1UNVFD8CSBRT53CRSP | | 18,473 | 150 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$110 | | ALLP1C1UNVFD8CSBRT53CRSP | | 25,498 | 209 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$110 | | ALLP1A1HMOVFD8CSBRT23CRSP | | 13,256 | 101 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$110 | | ALLP1B1HMOVFD8CSBRT23CRSP | | 18,833 | 151 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$110 | | ALLP1C1HMOVFD8CSBRT23CRSP | | 26,167 | 205 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$110 | | ALLP1A1HMOVFD8CSBRT33CRSP | | 13,549 | 103 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$110 | | ALLP1B1HMOVFD8CSBRT33CRSP | | 18,945 | 150 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$110 | | ALLP1C1HMOVFD8CSBRT33CRSP | | 26,597 | 210 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$110 | | ALLP1A1HMOVFD8CSBRT43CRSP | | 13,532 | 103 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$110 | | ALLP1B1HMOVFD8CSBRT43CRSP | | 18,316 | 149 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$110 | | ALLP1C1HMOVFD8CSBRT43CRSP | | 25,859 | 205 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$110 | | ALLP1A1HMOVFD8CSxT53CRSP | | 13,267 | 103 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$110 | | ALLP1B1HMOVFD8CSxT53CRSP | | 18,430 | 149 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$110 | | ALLP1C1HMOVFD8CSxT53CRSP | | 26,007 | 208 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$110 | P.Q.L. Inc. | STL3S-100W-5000K-C-MB-HC-P (84030) | 811768022803 | 12,922 | 102 | 5,000 | Must be installed with a timeclock to receive incentive or with photocell option |
| | \$110 | | STL3S-150W-5000K-C-MB-HC-P (84031) | 811768025309 | 19,460 | 152 | 5,000 | Must be installed with a timeclock to receive incentive or with photocell option |
| | \$110 | | STL3S-185W-5000K-C-MB-HC-P (84032) | 811768025309 | 22,970 | 188 | 5,000 | Must be installed with a timeclock to receive incentive or with photocell option |
| | \$110 | RAB Lighting | A17XFU150 | 192552003872 | 20,261 | 151 | 3,000 | Wattage & CCT selectable - measure code based on lowest wattage/lumen rating. |
| | \$110 | | IVAT4-130LPA750ZU | 019813785745 | 14,322 | 117 | 5,000 | A separate photo sensor may be needed |
| | \$110 | | IVAT4-130LPA750ZU/7PR | | 14,322 | 117 | 5,000 | |
| | \$110 | | A17-3T100N/3PRS | | 14,432 | 99 | 4,000 | |
| | \$110 | | A17-3T150N/3PRS | | 21,318 | 149 | 4,000 | |
| | \$110 | | A17-3T70N/3PRS | | 10,148 | 70 | 4,000 | |
| | \$110 | | A17-4T100N/3PRS | | 13,822 | 98 | 4,000 | |
| | \$110 | | A17-4T150N/3PRS | | 21,204 | 149 | 4,000 | |
| | \$110 | | A17-4T200N/3PRS | | 29,214 | 200 | 4,000 | |
| | \$110 | | A17-4T70N/3PRS | | 9,938 | 71 | 4,000 | |
| | \$110 | | ALEDL4T | | 37,708 | 268 | 5,000 | Wattage & CCT selectable, Measure/incentive based on min. wattage/lumen level. If not installed with time clock, a separate photo sensor is needed. |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|--------------|----------------|--------------|-----------------------|------------------------|--------------|---|
| 87UCP | \$110 | RAB Lighting | ALEDL4TW | | 37,708 | 268 | 5,000 | Wattage & CCT selectable, Measure/incentive based on min. wattage/lumen level. If not installed with time clock, a separate photo sensor is needed. |
| | \$110 | | ALEDL4TN | | 37,726 | 269 | 4,000 | Wattage & CCT selectable, Measure/incentive based on min. wattage/lumen level. If not installed with time clock, a separate photo sensor is needed. |
| | \$110 | | ALEDL4TNW | | 37,726 | 269 | 4,000 | Wattage & CCT selectable, Measure/incentive based on min. wattage/lumen level. If not installed with time clock, a separate photo sensor is needed. |
| | \$110 | | ALEDM3T | | 19,192 | 148 | 5,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$110 | | ALEDM3TSF | | 19,192 | 148 | 5,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$110 | | ALEDM3TWM | | 19,192 | 148 | 5,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$110 | | ALEDM3TWMN/7PR | 192552023351 | 19,672 | 149 | 4,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$110 | | ALEDM3TSFN/7PR | | 19,672 | 149 | 4,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$110 | | ALEDM3TN | | 19,672 | 149 | 4,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$110 | | ALEDM3TSFN | | 19,672 | 149 | 4,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$110 | | ALEDM3TWMN | | 19,672 | 149 | 4,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$110 | | ALEDM2T | | 19,172 | 149 | 5,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$110 | | ALEDM2TSF | | 19,172 | 149 | 5,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$110 | | ALEDM2TWM | | 19,172 | 149 | 5,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$110 | | ALEDM2TWMN/7PR | 192552023313 | 19,864 | 149 | 4,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$110 | | ALEDM2TSFN/7PR | | 19,864 | 149 | 4,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$110 | | ALEDM2TN | | 19,864 | 149 | 4,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$110 | | ALEDM2TSFN | | 19,864 | 149 | 4,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$110 | | ALEDM2TWMN | | 19,864 | 149 | 4,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$110 | | ALEDM4T | | 19,204 | 147 | 5,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$110 | | ALEDM4TSF | | 19,204 | 147 | 5,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$110 | | ALEDM4TWM | | 19,204 | 147 | 5,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$110 | | ALEDM4TWMN/7PR | | 19,644 | 147 | 4,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$110 | | ALEDM4TSFN/7PR | 192552023436 | 19,644 | 147 | 4,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$110 | | ALEDM4TN | | 19,644 | 147 | 4,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|--------------|-------------------|-----|-----------------------|------------------------|--------------|--|
| 87UCP | \$110 | RAB Lighting | ALEDM4TSFN | | 19,644 | 147 | 4,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$110 | | ALEDM4TWMN | | 19,644 | 147 | 4,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$110 | | A17-4T150/480 | | 22,173 | 152 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$110 | | IVAT4-130LPA750GH | | 15,212 | 117 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | A17-3T150 | | 22,074 | 152 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$110 | | A17-3T200 | | 30,238 | 203 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$110 | | A17-4T150 | | 21,785 | 151 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$110 | | A22-2T150 | | 20,276 | 151 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$110 | | A22-150 | | 20,005 | 151 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$110 | | A22-4T150 | | 19,694 | 151 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$110 | | A22-5T150 | | 20,500 | 151 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$110 | | A22-2T200 | | 25,505 | 200 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$110 | | A22-200 | | 25,164 | 200 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$110 | | A22-4T200 | | 24,773 | 200 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$110 | | A22-5T200 | | 25,787 | 200 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$110 | | A22-2T150/480 | | 20,048 | 145 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$110 | | A22-150/480 | | 19,781 | 145 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$110 | | A22-4T150/480 | | 19,473 | 145 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$110 | | A22-5T150/480 | | 20,270 | 145 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$110 | | A22-2T200/480 | | 25,897 | 200 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$110 | | A22-200/480 | | 25,551 | 200 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$110 | | A22-4T200/480 | | 25,154 | 200 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$110 | | A22-5T200/480 | | 26,183 | 200 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$110 | | ALEDL4TSFN | | 37,726 | 269 | 4,000 | Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$110 | | A17-3T150/480 | | 22,118 | 152 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$110 | | A17-3T200/480 | | 30,383 | 201 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$110 | | A17-4T20 | | 29,835 | 201 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$110 | | A17-4T200/480 | | 30,448 | 201 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$110 | | A17-5T150 | | 21,865 | 150 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$110 | | A17-5T150/480 | | 22,175 | 151 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$110 | | A17-5T200 | | 30,407 | 203 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$110 | | A17-5T200/480 | | 30,973 | 201 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$110 | | A34T3M | | 22,524 | 151 | 3,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|----------------------|-----------------------------------|-----|-----------------------|------------------------|--------------|--|
| 87UCP | \$110 | RAB Lighting | A34T3L | | 37,215 | 250 | 3,000 | |
| | \$110 | | A34T4M | | 22,552 | 151 | 3,000 | |
| | \$110 | | A34T4L | | 38,129 | 250 | 3,000 | |
| | \$110 | | A34T5M | | 23,039 | 151 | 3,000 | |
| | \$110 | | A34T5L | | 39,490 | 250 | 3,000 | |
| | \$110 | | A34T3M/480 | | 21,660 | 142 | 3,000 | |
| | \$110 | | A34T3L/480 | | 37,333 | 244 | 3,000 | |
| | \$110 | | A34T4M/480 | | 21,766 | 142 | 3,000 | |
| | \$110 | | A34T4L/480 | | 38,542 | 244 | 3,000 | |
| | \$110 | | A34T5M/480 | | 22,200 | 142 | 3,000 | |
| | \$110 | | A34T5L/480 | | 39,868 | 244 | 3,000 | |
| | \$110 | RET Consulting Group | RAL1M-150-40-R3-T3 | | 20,826 | 147 | 4,000 | Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | RAL1M-150-40-R5-T3 | | 20,826 | 147 | 4,000 | Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | RAL1M-150-40-R3P-T3 | | 20,826 | 147 | 4,000 | |
| | \$110 | | RAL1M-150-40-R3-T5 | | 21,093 | 147 | 4,000 | Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | RAL1M-150-40-R5-T5 | | 21,093 | 147 | 4,000 | Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | RAL1M-150-40-R3P-T5 | | 21,093 | 147 | 4,000 | |
| | \$110 | | RAL1M-150-50-R3-T3 | | 21,231 | 147 | 5,000 | Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | RAL1M-150-50-R5-T3 | | 21,231 | 147 | 5,000 | Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | RAL1M-150-50-R3P-T3 | | 21,231 | 147 | 5,000 | |
| | \$110 | | RAL1M-150-50-R3-T5 | | 21,459 | 147 | 5,000 | Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | RAL1M-150-50-R5-T5 | | 21,459 | 147 | 5,000 | Must be installed with photosensor or timeclock to receive incentive |
| | \$110 | | RAL1M-150-50-R3P-T5 | | 21,459 | 147 | 5,000 | |
| | \$110 | Signify | ECF-S-32L-1.2A-NW-G2-5-UNV | | 15,068 | 117 | 4,000 | |
| | \$110 | | ECF-S-32L-1A-NW-G2-5-UNV | | 13,584 | 102 | 4,000 | |
| | \$110 | SimplyLEDs | FLD-RS2-160W-LV-40K-T3 | | 23,347 | 166 | 4,000 | |
| | \$110 | SLG | ALCM 210 T3 G1 4K SPAR D PC-1 | | 20,500 | 150 | 4,000 | |
| | \$110 | | ALCM 210 T3 G1 5K SPAR D PC-1 | | 20,800 | 150 | 5,000 | |
| | \$110 | | ALCM 210 T3 G1 HVU 4K SPAR D PC-2 | | 21,000 | 150 | 4,000 | |
| | \$110 | | ALCM 210 T3 G1 HVU 5K SPAR D PC-2 | | 21,300 | 150 | 5,000 | |
| | \$110 | | ALCM 210 T4 G1 5K SPAR PC-1 | | 20,000 | 150 | 5,000 | |
| | \$110 | | ALCM 210 T4 G1 HVU 4K SPAR PC-2 | | 19,800 | 150 | 4,000 | |
| | \$110 | | ALCM 210 T4 G1 HVU 5K SPAR PC-2 | | 20,000 | 150 | 5,000 | |
| | \$110 | | ALCM 210 T5 G1 4K SPAR D PC-1 | | 20,500 | 150 | 4,000 | |
| | \$110 | | ALCM 210 T5 G1 5K SPAR D PC-1 | | 20,800 | 150 | 5,000 | |
| | \$110 | | ALCM 210 T5 G1 HVU 4K SPAR D PC-2 | | 21,000 | 150 | 4,000 | |
| | \$110 | | ALCM 210 T5 G1 HVU 5K SPAR D PC-2 | | 21,000 | 150 | 5,000 | |
| | \$110 | | ALCM 260 T3 G1 4K SPAR D PC-1 | | 25,500 | 200 | 4,000 | |
| | \$110 | | ALCM 260 T3 G1 5K SPAR D PC-1 | | 26,000 | 200 | 5,000 | |
| | \$110 | | ALCM 260 T4 G1 4K SPAR PC-1 | | 24,600 | 200 | 4,000 | |
| | \$110 | | ALCM 260 T4 G1 5K SPAR PC-1 | | 24,800 | 200 | 5,000 | |
| | \$110 | | ALCM 260 T4 G1 HVU 4K SPAR PC-2 | | 24,600 | 200 | 4,000 | |
| | \$110 | | ALCS 140 T3 G1 4K SPAR D PC-1 | | 13,500 | 100 | 4,000 | |
| | \$110 | | ALCS 140 T3 G1 5K SPAR D PC-1 | | 13,800 | 100 | 5,000 | |
| | \$110 | | ALCS 140 T4 G1 4K SPAR PC-1 | | 13,200 | 100 | 4,000 | |
| | \$110 | | ALCS 140 T4 G1 5K SPAR PC-1 | | 13,300 | 100 | 5,000 | |
| | \$110 | | ALCS 140 T5 G1 4K SPAR PC-1 | | 13,800 | 100 | 4,000 | |
| | \$110 | | ALCS 140 T5 G1 5K SPAR PC-1 | | 13,900 | 100 | 5,000 | |
| | \$110 | | ALCM 210 T4 G1 4K SFD PC-1 | | 19,800 | 150 | 4,000 | |
| | \$110 | | ALCM 210 T4 G1 5K SFD PC-1 | | 20,000 | 150 | 5,000 | |
| | \$110 | | ALCM 210 T4 G1 4K SPAR PC-1 | | 19,800 | 150 | 4,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|--------------|----------------------------------|--------------|-----------------------|------------------------|--------------|---|
| 87UCP | \$110 | SLG | UDD 125 G3 4K | | 12,400 | 90 | 4,000 | |
| | \$110 | | UDD 125 G3 5K | | 12,400 | 90 | 5,000 | |
| | \$110 | TCP | TALUZDA2T3F40KBR | | 14,000 | 100 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | TALUZDA2T4F40KBR | | 14,000 | 100 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | TALUZDA2T5F40KBR | | 14,000 | 100 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | TALUZDA2T3F50KBR | | 14,000 | 100 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | TALUZDA2T4F50KBR | | 14,000 | 100 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | TALUZDA2T5F50KBR | | 14,000 | 100 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | TALUZDA3T3F40KBR | | 19,500 | 150 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | TALUZDA3T4F40KBR | | 19,500 | 150 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | TALUZDA3T5F40KBR | | 19,500 | 150 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | TALUZDA3T3F50KBR | | 19,500 | 150 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | TALUZDA3T4F50KBR | | 19,500 | 150 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | TALUZDA3T5F50KBR | | 19,500 | 150 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | TALUZDA4T3F40KBR | | 27,500 | 200 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | TALUZDA4T4F40KBR | | 27,500 | 200 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | TALUZDA4T5F40KBR | | 27,500 | 200 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | TALUZDA4T3F50KBR | | 27,500 | 200 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | TALUZDA4T4F50KBR | | 27,500 | 200 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | | TALUZDA4T5F50KBR | | 27,500 | 200 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$110 | Topaz | ARL-150PCS-T3 | 032886310119 | 18,401 | 151 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$110 | | ARL-150PCS-T4 | 032886310126 | 18,936 | 152 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$110 | | ARL-150PCS-T5 | 032886310133 | 18,755 | 151 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$110 | | ARL-300PCS-T3 | 032886310140 | 39,023 | 303 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$110 | | ARL-300PCS-T4 | 032886310157 | 38,727 | 308 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$110 | | ARL-300PCS-T5 | 032886310164 | 40,117 | 304 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$110 | | ARL-150PCS-T3-HV | 032886310195 | 19,685 | 153 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$110 | | ARL-150PCS-T5-HV | 032886310201 | 19,815 | 153 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$110 | | ARL-300PCS-T3-HV | 032886310218 | 38,443 | 304 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$110 | | ARL-300PCS-T5-HV | 032886310225 | 39,254 | 304 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$110 | | ARL-150PCS-SWO | 032886310256 | 18,940 | 150 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$110 | | ARL-300PCS-SWO | 032886310263 | 38,669 | 311 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$110 | WESTGATE MFG | LFX-XL-150-300W-30K-SF-T3bTN | | 42,271 | 300 | 3,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$110 | | LFX-XL-150-300W-30K-TR-T3bTN | | 42,271 | 300 | 3,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$110 | | LFX-XL-150-300W-30K-YK-T3bTN | | 42,271 | 300 | 3,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$110 | | LFX-XL-150-300W-40K-SF-T3bTN | | 42,456 | 300 | 4,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$110 | | LFX-XL-150-300W-40K-TR-T3bTN | | 42,456 | 300 | 4,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$110 | | LFX-XL-150-300W-40K-YK-T3bTN | | 42,456 | 300 | 4,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$110 | | LFX-XL-150-300W-50K-480V-SF-T3bS | | 41,156 | 300 | 5,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-------------------------|----------------------------------|--------------|-----------------------|------------------------|--------------|--|
| 87UCP | \$110 | WESTGATE MFG | LFX-XL-150-300W-50K-480V-TR-T3bS | | 41,156 | 300 | 5,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$110 | | LFX-XL-150-300W-50K-480V-YK-T3bS | | 41,156 | 300 | 5,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$110 | | LFX-XL-150-300W-50K-SF-T3bTN | | 42,642 | 300 | 5,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$110 | | LFX-XL-150-300W-50K-TR-T3bTN | | 42,642 | 300 | 5,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$110 | | LFX-XL-150-300W-50K-YK-T3bTN | | 42,642 | 300 | 5,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$110 | | LFE-100W-MCT-D | | 13,649 | 103 | 3,000 | CCT Selectable |
| | \$110 | | LFE-80W-MCT-D | | 10,657 | 82 | 3,000 | CCT Selectable |
| | \$110 | | STL3-100W-30K-PC | | 12,368 | 100 | 3,000 | |
| | \$110 | | STL3-100W-40K-PC | | 12,552 | 100 | 4,000 | |
| | \$110 | | STL3-100W-50K-PC | | 12,737 | 100 | 5,000 | |
| | \$110 | | STL3-100W-50K-480V-PC | | 11,705 | 91 | 5,000 | |
| | \$110 | | STL3-150W-30K-PC | | 19,916 | 152 | 3,000 | |
| | \$110 | | STL3-150W-40K-PC | | 20,139 | 152 | 4,000 | |
| | \$110 | | STL3-150W-50K-PC | | 20,363 | 152 | 5,000 | |
| | \$110 | | STL3-150W-50K-480V-PC | | 20,458 | 151 | 5,000 | |
| | \$110 | | STL3-200W-30K-PC | | 24,751 | 199 | 3,000 | |
| | \$110 | | STL3-200W-40K-PC | | 25,072 | 199 | 4,000 | |
| | \$110 | | STL3-200W-50K-PC | | 25,393 | 199 | 5,000 | |
| | \$110 | | STL3-230W-50K-480V-PC | | 25,636 | 196 | 5,000 | |
| | \$110 | | STL3-100W-30K | | 12,368 | 100 | 3,000 | Must be installed with a time clock or photocell to receive incentive |
| | \$110 | | STL3-100W-40K | | 12,552 | 100 | 4,000 | Must be installed with a time clock or photocell to receive incentive |
| | \$110 | | STL3-100W-50K | | 12,737 | 100 | 5,000 | Must be installed with a time clock or photocell to receive incentive |
| | \$110 | | STL3-150W-30K | | 19,916 | 152 | 3,000 | Must be installed with a time clock or photocell to receive incentive |
| | \$110 | | STL3-150W-40K | | 20,139 | 152 | 4,000 | Must be installed with a time clock or photocell to receive incentive |
| | \$110 | | STL3-150W-50K | | 20,363 | 152 | 5,000 | Must be installed with a time clock or photocell to receive incentive |
| | \$110 | | STL3-200W-30K | | 24,751 | 199 | 3,000 | Must be installed with a time clock or photocell to receive incentive |
| | \$110 | | STL3-200W-40K | | 25,072 | 199 | 4,000 | Must be installed with a time clock or photocell to receive incentive |
| | \$110 | | STL3-200W-50K | | 25,393 | 199 | 5,000 | Must be installed with a time clock or photocell to receive incentive |
| | \$110 | | STL3-80W-30K | | 10,451 | 81 | 3,000 | Must be installed with a time clock or photocell to receive incentive |
| | \$110 | | STL3-80W-40K | | 10,591 | 81 | 4,000 | Must be installed with a time clock or photocell to receive incentive |
| | \$110 | | STL3-80W-50K | | 10,731 | 81 | 5,000 | Must be installed with a time clock or photocell to receive incentive |
| | \$110 | | LFXE-LG-80-150W-50K-P | 845060087598 | 19,923 | 147 | 5,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$110 | | LFXE-XL-200-300W-50K-P | 845060087604 | 40,811 | 291 | 5,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. |
| 87UCPC | \$150 | Atlas Lighting Products | SLPM18LFT45KIC | 765364031762 | 18,201 | 122 | 4,500 | Must be installed with timedclock or photocell to receive incentive |
| | \$150 | | SLPM18LFT4KIC | 765364015540 | 19,182 | 122 | 4,000 | Must be installed with timedclock or photocell to receive incentive |
| | \$150 | | SLPM18LFT5KIC | | 18,201 | 122 | 5,000 | Must be installed with timedclock or photocell to receive incentive |
| | \$150 | | SLPM18LT245KIC | | 18,509 | 122 | 4,500 | Must be installed with timedclock or photocell to receive incentive |
| | \$150 | | SLPM18LT24KIC | | 19,506 | 122 | 4,000 | Must be installed with timedclock or photocell to receive incentive |
| | \$150 | | SLPM18LT25KIC | 765364016417 | 18,509 | 122 | 5,000 | Must be installed with timedclock or photocell to receive incentive |
| | \$150 | | SLPM18LT345KIC | | 18,493 | 122 | 4,500 | Must be installed with timedclock or photocell to receive incentive |
| | \$150 | | SLPM18LT34KIC | 765364043338 | 19,489 | 122 | 4,000 | Must be installed with timedclock or photocell to receive incentive |
| | \$150 | | SLPM18LT35KIC | 765364016400 | 18,493 | 122 | 5,000 | Must be installed with timedclock or photocell to receive incentive |
| | \$150 | | SLPM18LT545KIC | 765364944215 | 18,645 | 122 | 4,500 | Must be installed with timedclock or photocell to receive incentive |
| | \$150 | | SLPM18LT54KIC | | 19,650 | 122 | 4,000 | Must be installed with timedclock or photocell to receive incentive |
| | \$150 | | SLPM18LT55KIC | | 18,645 | 122 | 5,000 | Must be installed with timedclock or photocell to receive incentive |
| | \$150 | | SLPM24LFT45KIC | 765364012594 | 23,745 | 171 | 4,500 | Must be installed with timedclock or photocell to receive incentive |
| | \$150 | | SLPM24LFT4KIC | 765364053078 | 25,025 | 171 | 4,000 | Must be installed with timedclock or photocell to receive incentive |
| | \$150 | | SLPM24LFT5KIC | 765364028045 | 23,745 | 171 | 5,000 | Must be installed with timedclock or photocell to receive incentive |
| | \$150 | | SLPM24LT245KIC | | 24,146 | 171 | 4,500 | Must be installed with timedclock or photocell to receive incentive |
| | \$150 | | SLPM24LT24KIC | | 25,447 | 171 | 4,000 | Must be installed with timedclock or photocell to receive incentive |
| | \$150 | | SLPM24LT25KIC | | 24,146 | 171 | 5,000 | Must be installed with timedclock or photocell to receive incentive |
| | | | | | | | | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|---------------------------|-------------------------------------|--------------|-----------------------|------------------------|--------------|---|
| 87UCPC | \$150 | Atlas Lighting Products | SLPM24LT345KIC | 765364025891 | 24,125 | 171 | 4,500 | Must be installed with timedclock or photocell to receive incentive |
| | \$150 | | SLPM24LT34KIC | 765364040399 | 25,425 | 171 | 4,000 | Must be installed with timedclock or photocell to receive incentive |
| | \$150 | | SLPM24LT35KIC | | 24,125 | 171 | 5,000 | Must be installed with timedclock or photocell to receive incentive |
| | \$150 | | SLPM24LT545KIC | 765364025907 | 24,324 | 171 | 4,500 | Must be installed with timedclock or photocell to receive incentive |
| | \$150 | | SLPM24LT54KIC | 765364050510 | 25,635 | 171 | 4,000 | Must be installed with timedclock or photocell to receive incentive |
| | \$150 | | SLPM24LT55KIC | | 24,324 | 171 | 5,000 | Must be installed with timedclock or photocell to receive incentive |
| | \$150 | | SLPM30LFT45KIC | | 28,857 | 177 | 4,500 | Must be installed with timedclock or photocell to receive incentive |
| | \$150 | | SLPM30LFT4KIC | | 29,393 | 177 | 4,000 | Must be installed with timedclock or photocell to receive incentive |
| | \$150 | | SLPM30LFT5KIC | 765364032998 | 28,857 | 177 | 5,000 | Must be installed with timedclock or photocell to receive incentive |
| | \$150 | | SLPM30LT245KIC | | 28,859 | 176 | 4,500 | Must be installed with timedclock or photocell to receive incentive |
| | \$150 | | SLPM30LT24KIC | | 29,395 | 177 | 4,000 | Must be installed with timedclock or photocell to receive incentive |
| | \$150 | | SLPM30LT25KIC | | 28,859 | 176 | 5,000 | Must be installed with timedclock or photocell to receive incentive |
| | \$150 | | SLPM30LT345KIC | | 29,216 | 177 | 4,500 | Must be installed with timedclock or photocell to receive incentive |
| | \$150 | | SLPM30LT34KIC | | 29,759 | 177 | 4,000 | Must be installed with timedclock or photocell to receive incentive |
| | \$150 | | SLPM30LT35KIC | | 29,216 | 177 | 5,000 | Must be installed with timedclock or photocell to receive incentive |
| | \$150 | | SLPM30LT545KIC | 765364032851 | 29,374 | 177 | 4,500 | Must be installed with timedclock or photocell to receive incentive |
| | \$150 | | SLPM30LT54KIC | | 29,920 | 177 | 4,000 | Must be installed with timedclock or photocell to receive incentive |
| | \$150 | | SLPM30LT55KIC | | 29,374 | 177 | 5,000 | Must be installed with timedclock or photocell to receive incentive |
| | \$150 | Barron Lighting Group | RxA-100-3-VS-4K-BR-A-SC | | 13,500 | 100 | 4,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$150 | | RxA-100-3-VS-5K-BR-A-SC | | 13,800 | 100 | 5,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$150 | | RxA-150-3-VS-4K-BR-A-SC | | 20,500 | 150 | 4,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$150 | | RxA-150-3-VS-5K-BR-A-SC | | 20,800 | 150 | 5,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$150 | | RxA-200-3-VS-4K-BR-A-SC | | 25,500 | 200 | 4,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$150 | | RxA-200-3-VS-5K-BR-A-SC | | 26,000 | 200 | 5,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$150 | | RxA-300-3-VS-4K-BR-A-SC | | 40,500 | 300 | 4,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$150 | | RxA-300-3-VS-5K-BR-A-SC | | 41,000 | 300 | 5,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$150 | | RxA-100-4-VS-4K-BR-A-SC | | 13,200 | 100 | 4,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$150 | | RxA-100-5-VS-4K-BR-A-SC | | 13,800 | 100 | 4,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$150 | | RxA-100-4-VS-5K-BR-A-SC | | 13,300 | 100 | 5,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$150 | | RxA-100-5-VS-5K-BR-A-SC | | 13,900 | 100 | 5,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$150 | | RxA-150-4-VS-4K-BR-A-SC | | 19,800 | 150 | 4,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$150 | | RxA-150-5-VS-4K-BR-A-SC | | 20,500 | 150 | 4,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$150 | | RxA-150-4-VS-5K-BR-A-SC | | 20,000 | 150 | 5,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$150 | | RxA-150-5-VS-5K-BR-A-SC | | 20,800 | 150 | 5,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$150 | | RxA-200-4-VS-4K-BR-A-SC | | 24,600 | 200 | 4,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$150 | | RxA-200-5-VS-4K-BR-A-SC | | 25,500 | 200 | 4,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$150 | | RxA-200-4-VS-5K-BR-A-SC | | 24,800 | 200 | 5,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$150 | | RxA-200-5-VS-5K-BR-A-SC | | 26,000 | 200 | 5,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$150 | | RxA-300-4-VS-4K-BR-A-SC | | 39,600 | 300 | 4,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$150 | | RxA-300-5-VS-4K-BR-A-SC | | 40,500 | 300 | 4,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$150 | | RxA-300-4-VS-5K-BR-A-SC | | 39,900 | 300 | 5,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$150 | | RxA-300-5-VS-5K-BR-A-SC | | 41,000 | 300 | 5,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$150 | Cooper Lighting Solutions | PRV-PA2A-740-U-5WQ-BZ-MS/DIM-L40 | | 16,281 | 112 | 4,000 | |
| | \$150 | | PRV-PA2A-740-U-T3-BZ-MS/DIM-L40 | | 15,749 | 112 | 4,000 | |
| | \$150 | | PRV-PA2A-740-U-T4W-BZ-MS/DIM-L40 | | 15,560 | 112 | 4,000 | |
| | \$150 | | PRV-PA2B-740-U-5WQ-BZ-MS/DIM-L40 | | 20,332 | 151 | 4,000 | |
| | \$150 | | PRV-PA2B-740-U-T3-BZ-MS/DIM-L40 | | 19,667 | 151 | 4,000 | |
| | \$150 | | PRV-PA2B-740-U-T4W-BZ-MS/DIM-L40 | | 19,431 | 151 | 4,000 | |
| | \$150 | | PRV-XL-PA3A-740-U-5WQ-BZ-MS/DIM-L40 | | 25,453 | 172 | 4,000 | |
| | \$150 | | PRV-XL-PA3A-740-U-T3-BZ-MS/DIM-L40 | | 24,621 | 172 | 4,000 | |
| | \$150 | | PRV-XL-PA3A-740-U-T4W-BZ-MS/DIM-L40 | | 24,325 | 172 | 4,000 | |
| | | | | | | | | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|---------------------------|---------------------------------------|-----|-----------------------|------------------------|--------------|--|
| 87UCPC | \$150 | Cooper Lighting Solutions | PRV-XL-PA3B-740-U-5WQ-BZ-MS/DIM-L40 | | 31,559 | 234 | 4,000 | |
| | \$150 | | PRV-XL-PA3B-740-U-T3-BZ-MS/DIM-L40 | | 30,527 | 234 | 4,000 | |
| | \$150 | | PRV-XL-PA3B-740-U-T4W-BZ-MS/DIM-L40 | | 30,161 | 234 | 4,000 | |
| | \$150 | | PRV-XL-PA4B-740-U-5WQ-BZ-MS/DIM-L40 | | 40,868 | 303 | 4,000 | |
| | \$150 | | PRV-XL-PA4B-740-U-T3-BZ-MS/DIM-L40 | | 39,532 | 303 | 4,000 | |
| | \$150 | | PRV-XL-PA4B-740-U-T4W-BZ-MS/DIM-L40 | | 39,057 | 303 | 4,000 | |
| | \$150 | | GALN-SA2C-740-U-T4FT-BZ-AHD145-BPC | | 14,107 | 110 | 4,000 | |
| | \$150 | | GALN-SA2C-740-U-5WQ-BZ-AHD145-BPC | | 14,797 | 110 | 4,000 | |
| | \$150 | | GALN-SA4C-740-U-5WQ-BZ-AHD145-BPC | | 29,108 | 213 | 4,000 | |
| | \$150 | | GALN-SA4C-740-U-T4W-BZ-AHD145-BPC | | 27,832 | 213 | 4,000 | |
| | \$150 | | GALN-SA2C-740-U-SLL-BZ-AHD145-BPC | | 12,187 | 110 | 4,000 | |
| | \$150 | | GALN-SA2C-740-U-SLR-BZ-AHD145-BPC | | 12,187 | 110 | 4,000 | |
| | \$150 | | GALN-SA2C-740-U-T4FT-BZ-ZW-ZW-WOBBZ | | 14,107 | 110 | 4,000 | |
| | \$150 | | GALN-SA2C-740-U-5WQ-BZ-ZW-ZW-WOBBZ | | 14,797 | 110 | 4,000 | |
| | \$150 | | GALN-SA4C-740-U-5WQ-BZ-ZW-ZW-WOBBZ | | 29,108 | 213 | 4,000 | |
| | \$150 | | GALN-SA4C-740-U-T4W-BZ-ZW-ZW-WOBBZ | | 27,832 | 213 | 4,000 | |
| | \$150 | | GALN-SA2C-740-U-SLL-BZ-ZW-ZW-WOBBZ | | 12,187 | 110 | 4,000 | |
| | \$150 | | GALN-SA2C-740-U-SLR-BZ-ZW-ZW-WOBBZ | | 12,187 | 110 | 4,000 | |
| | \$150 | | GALN-SA2C-740-U-T4FT-BZ-ZD-ZD-WOBBZ | | 14,107 | 110 | 4,000 | |
| | \$150 | | GALN-SA2C-740-U-5WQ-BZ-ZD-ZD-WOBBZ | | 14,797 | 110 | 4,000 | |
| | \$150 | | GALN-SA4C-740-U-5WQ-BZ-ZD-ZD-WOBBZ | | 29,108 | 213 | 4,000 | |
| | \$150 | | GALN-SA4C-740-U-T4W-BZ-ZD-ZD-WOBBZ | | 27,832 | 213 | 4,000 | |
| | \$150 | | GALN-SA2C-740-U-SLL-BZ-ZD-ZD-WOBBZ | | 12,187 | 110 | 4,000 | |
| | \$150 | | GALN-SA2C-740-U-SLR-BZ-ZD-ZD-WOBBZ | | 12,187 | 110 | 4,000 | |
| | \$150 | | GALN-SA2C-740-U-T4FT-BZ-ZW-ZW-WOFBZ | | 14,107 | 110 | 4,000 | |
| | \$150 | | GALN-SA2C-740-U-5WQ-BZ-ZW-ZW-WOFBZ | | 14,797 | 110 | 4,000 | |
| | \$150 | | GALN-SA4C-740-U-5WQ-BZ-ZW-ZW-WOFBZ | | 29,108 | 213 | 4,000 | |
| | \$150 | | GALN-SA4C-740-U-T4W-BZ-ZW-ZW-WOFBZ | | 27,832 | 213 | 4,000 | |
| | \$150 | | GALN-SA2C-740-U-SLL-BZ-ZW-ZW-WOFBZ | | 12,187 | 110 | 4,000 | |
| | \$150 | | GALN-SA2C-740-U-SLR-BZ-ZW-ZW-WOFBZ | | 12,187 | 110 | 4,000 | |
| | \$150 | | GALN-SA2C-740-U-T4FT-BZ-ZD-ZD-WOFBZ | | 14,107 | 110 | 4,000 | |
| | \$150 | | GALN-SA2C-740-U-5WQ-BZ-ZD-ZD-WOFBZ | | 14,797 | 110 | 4,000 | |
| | \$150 | | GALN-SA4C-740-U-5WQ-BZ-ZD-ZD-WOFBZ | | 29,108 | 213 | 4,000 | |
| | \$150 | | GALN-SA4C-740-U-T4W-BZ-ZD-ZD-WOFBZ | | 27,832 | 213 | 4,000 | |
| | \$150 | | GALN-SA2C-740-U-SLL-BZ-ZD-ZD-WOFBZ | | 12,187 | 110 | 4,000 | |
| | \$150 | | GALN-SA2C-740-U-SLR-BZ-ZD-ZD-WOFBZ | | 12,187 | 110 | 4,000 | |
| | \$150 | ETi Solid State Lighting | VAL-2-LB3-CP3-T3-MV-LVD-7PR+QI-MW-OCC | | 18,997 | 151 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with photocell or timedclock to receive incentive and QI-MW-OCC Plug In Motion Sensor and reduce light output when no motion is detected. |
| | \$150 | | VAL-2-LB3-CP3-T5-MV-LVD-7PR+QI-MW-OCC | | 19,275 | 151 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with photocell or timedclock to receive incentive and QI-MW-OCC Plug In Motion Sensor and reduce light output when no motion is detected. |
| | \$150 | | VAL-3-LB3-CP3-T3-MV-LVD-7PR+QI-MW-OCC | | 25,786 | 210 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with photocell or timedclock to receive incentive and QI-MW-OCC Plug In Motion Sensor and reduce light output when no motion is detected. |
| | \$150 | | VAL-3-LB3-CP3-T5-MV-LVD-7PR+QI-MW-OCC | | 26,641 | 210 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with photocell or timedclock to receive incentive and QI-MW-OCC Plug In Motion Sensor and reduce light output when no motion is detected. |
| | \$150 | | VAL-4-LB3-CP3-T3-MV-LVD-7PR+QI-MW-OCC | | 36,008 | 296 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with photocell or timedclock to receive incentive and QI-MW-OCC Plug In Motion Sensor and reduce light output when no motion is detected. |
| | \$150 | | | | | | | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|--------------------------|--|-----|-----------------------|------------------------|--------------|---|
| 87UCPC | \$150 | ETi Solid State Lighting | VAL-4-LB3-CP3-T5-MV-LVD-7PR+QI-MW-OCC | | 36,866 | 296 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with photocell or timedlock to receive incentive and QI-MW-OCC Plug In Motion Sensor and reduce light output when no motion is detected. |
| | \$150 | | VAL-2-LB3-CP3-T3-MV-LVD-7PR+QI-PIR-OCC | | 18,997 | 151 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with photocell or timedlock to receive incentive and QI-PIR-OCC Plug In PIR Sensor and reduce light output when no motion is detected. |
| | \$150 | | VAL-2-LB3-CP3-T5-MV-LVD-7PR+QI-PIR-OCC | | 19,275 | 151 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with photocell or timedlock to receive incentive and QI-PIR-OCC Plug In PIR Sensor and reduce light output when no motion is detected. |
| | \$150 | | VAL-3-LB3-CP3-T3-MV-LVD-7PR+QI-PIR-OCC | | 25,786 | 210 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with photocell or timedlock to receive incentive and QI-PIR-OCC Plug In PIR Sensor and reduce light output when no motion is detected. |
| | \$150 | | VAL-3-LB3-CP3-T5-MV-LVD-7PR+QI-PIR-OCC | | 26,641 | 210 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with photocell or timedlock to receive incentive and QI-PIR-OCC Plug In PIR Sensor and reduce light output when no motion is detected. |
| | \$150 | | VAL-4-LB3-CP3-T3-MV-LVD-7PR+QI-PIR-OCC | | 36,008 | 296 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with photocell or timedlock to receive incentive and QI-PIR-OCC Plug In PIR Sensor and reduce light output when no motion is detected. |
| | \$150 | | VAL-4-LB3-CP3-T5-MV-LVD-7PR+QI-PIR-OCC | | 36,866 | 296 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with photocell or timedlock to receive incentive and QI-PIR-OCC Plug In PIR Sensor and reduce light output when no motion is detected. |
| | \$150 | | KT-ALED100-S1-2-NM-840-VDIM-MW3 | | 13,700 | 100 | 4,000 | |
| | \$150 | | KT-ALED100-S1-2-NM-850-VDIM-MW3 | | 13,900 | 100 | 5,000 | |
| | \$150 | Keystone Technologies | KT-ALED100-S1-3-NM-840-VDIM-MW3 | | 13,700 | 100 | 4,000 | |
| | \$150 | | KT-ALED100-S1-3-NM-850-VDIM-MW3 | | 13,900 | 100 | 5,000 | |
| | \$150 | | KT-ALED100-S1-4-NM-840-VDIM-MW3 | | 13,800 | 100 | 4,000 | |
| | \$150 | | KT-ALED100-S1-4-NM-850-VDIM-MW3 | | 14,000 | 100 | 5,000 | |
| | \$150 | | KT-ALED100-S1-5-NM-840-VDIM-MW3 | | 13,800 | 100 | 4,000 | |
| | \$150 | | KT-ALED100-S1-5-NM-850-VDIM-MW3 | | 14,000 | 100 | 5,000 | |
| | \$150 | | KT-ALED140HV-M1-2-NM-840-VDIM-MW3 | | 19,320 | 140 | 4,000 | |
| | \$150 | | KT-ALED140HV-M1-2-NM-850-VDIM-MW3 | | 19,600 | 140 | 5,000 | |
| | \$150 | | KT-ALED140HV-M1-3-NM-840-VDIM-MW3 | | 19,320 | 140 | 4,000 | |
| | \$150 | | KT-ALED140HV-M1-3-NM-850-VDIM-MW3 | | 19,600 | 140 | 5,000 | |
| | \$150 | | KT-ALED140HV-M1-4-NM-840-VDIM-MW3 | | 19,460 | 140 | 4,000 | |
| | \$150 | | KT-ALED140HV-M1-4-NM-850-VDIM-MW3 | | 19,740 | 140 | 5,000 | |
| | \$150 | | KT-ALED140HV-M1-5-NM-840-VDIM-MW3 | | 19,460 | 140 | 4,000 | |
| | \$150 | | KT-ALED140HV-M1-5-NM-850-VDIM-MW3 | | 19,740 | 140 | 5,000 | |
| | \$150 | | KT-ALED140-M1-2-NM-840-VDIM-MW3 | | 19,320 | 140 | 4,000 | |
| | \$150 | | KT-ALED140-M1-2-NM-850-VDIM-MW3 | | 19,600 | 140 | 5,000 | |
| | \$150 | | KT-ALED140-M1-3-NM-840-VDIM-MW3 | | 19,320 | 140 | 4,000 | |
| | \$150 | | KT-ALED140-M1-3-NM-850-VDIM-MW3 | | 19,600 | 140 | 5,000 | |
| | \$150 | | KT-ALED140-M1-4-NM-840-VDIM-MW3 | | 19,460 | 140 | 4,000 | |
| | \$150 | | KT-ALED140-M1-4-NM-850-VDIM-MW3 | | 19,740 | 140 | 5,000 | |
| | \$150 | | KT-ALED140-M1-5-NM-840-VDIM-MW3 | | 19,460 | 140 | 4,000 | |
| | \$150 | | KT-ALED140-M1-5-NM-850-VDIM-MW3 | | 19,740 | 140 | 5,000 | |
| | \$150 | | KT-ALED140PS-M1-3-PMA-840-VDIM-P-MW3 | | 19,300 | 140 | 4,000 | Lumen & CCT selectable - measure code based on lowest lumen rating |
| | \$150 | | KT-ALED140PS-M1-3-PMA-850-VDIM-P-MW3 | | 19,600 | 140 | 5,000 | Lumen & CCT selectable - measure code based on lowest lumen rating |
| | \$150 | | KT-ALED140PS-M1-5-SF-840-VDIM-P-MW3 | | 19,300 | 140 | 4,000 | Lumen & CCT selectable - measure code based on lowest lumen rating |
| | \$150 | | KT-ALED140PS-M1-5-SF-850-VDIM-P-MW3 | | 19,600 | 140 | 5,000 | Lumen & CCT selectable - measure code based on lowest lumen rating |
| | \$150 | | KT-ALED210-L1-2-NM-840-VDIM-MW3 | | 29,190 | 210 | 4,000 | |
| | \$150 | | KT-ALED210-L1-2-NM-850-VDIM-MW3 | | 29,610 | 210 | 5,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-----------------------|--|---------------------------|-----------------------|------------------------|--------------|---|
| 87UCPC | \$150 | Keystone Technologies | KT-ALED210-L1-3-NM-840-VDIM-MW3 | | 29,190 | | 210 | 4,000 |
| | \$150 | | KT-ALED210-L1-3-NM-850-VDIM-MW3 | | 29,610 | | 210 | 5,000 |
| | \$150 | | KT-ALED210-L1-4-NM-840-VDIM-MW3 | | 29,400 | | 210 | 4,000 |
| | \$150 | | KT-ALED210-L1-4-NM-850-VDIM-MW3 | | 29,820 | | 210 | 5,000 |
| | \$150 | | KT-ALED210-L1-5-NM-840-VDIM-MW3 | | 29,400 | | 210 | 4,000 |
| | \$150 | | KT-ALED210-L1-5-NM-850-VDIM-MW3 | | 29,820 | | 210 | 5,000 |
| | \$150 | | KT-ALED290HV-L1-2-NM-840-VDIM-MW3 | | 40,310 | | 290 | 4,000 |
| | \$150 | | KT-ALED290HV-L1-2-NM-850-VDIM-MW3 | | 40,890 | | 290 | 5,000 |
| | \$150 | | KT-ALED290HV-L1-3-NM-840-VDIM-MW3 | | 40,310 | | 290 | 4,000 |
| | \$150 | | KT-ALED290HV-L1-3-NM-850-VDIM-MW3 | | 40,890 | | 290 | 5,000 |
| | \$150 | | KT-ALED290HV-L1-4-NM-840-VDIM-MW3 | | 40,600 | | 290 | 4,000 |
| | \$150 | | KT-ALED290HV-L1-4-NM-850-VDIM-MW3 | | 41,180 | | 290 | 5,000 |
| | \$150 | | KT-ALED290HV-L1-5-NM-840-VDIM-MW3 | | 40,600 | | 290 | 4,000 |
| | \$150 | | KT-ALED290HV-L1-5-NM-850-VDIM-MW3 | | 41,180 | | 290 | 5,000 |
| | \$150 | | KT-ALED290-L1-2-NM-840-VDIM-MW3 | | 40,310 | | 290 | 4,000 |
| | \$150 | | KT-ALED290-L1-2-NM-850-VDIM-MW3 | | 40,890 | | 290 | 5,000 |
| | \$150 | | KT-ALED290-L1-3-NM-840-VDIM-MW3 | | 40,310 | | 290 | 4,000 |
| | \$150 | | KT-ALED290-L1-3-NM-850-VDIM-MW3 | | 40,890 | | 290 | 5,000 |
| | \$150 | | KT-ALED290-L1-4-NM-840-VDIM-MW3 | | 40,600 | | 290 | 4,000 |
| | \$150 | | KT-ALED290-L1-4-NM-850-VDIM-MW3 | | 41,180 | | 290 | 5,000 |
| | \$150 | | KT-ALED290-L1-5-NM-840-VDIM-MW3 | | 40,600 | | 290 | 4,000 |
| | \$150 | | KT-ALED290-L1-5-NM-850-VDIM-MW3 | | 41,180 | | 290 | 5,000 |
| | \$150 | | KT-ALED290PS-L2-OSB-SF-8CSB-VDIM-P/MW3 | 843654153148+843654130637 | 36,540 | | 290 | 3,000 Must be installed with timedclock or photocell to receive incentive. Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$150 | | KT-ALED290PS-L2-OSB-SF-8CSB-VDIM-P/FC3 | 843654153148+843654138862 | 36,540 | | 290 | 3,000 Must be installed with timedclock or photocell to receive incentive. Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$150 | | KT-ALED210-L2-OSA-NM-840-VDIM/MW3 | 843654153025+843654130637 | 30,660 | | 210 | 4,000 Must be installed with photo sensor or timedclock. |
| | \$150 | | KT-ALED210-L2-OSA-NM-840-VDIM/FC3 | 843654153025+843654138862 | 30,660 | | 210 | 4,000 Must be installed with photo sensor or timedclock. |
| | \$150 | | KT-ALED210-L2-OSA-NM-850-VDIM/MW3 | 843654153032+843654130637 | 30,870 | | 210 | 5,000 Must be installed with photo sensor or timedclock. |
| | \$150 | | KT-ALED210-L2-OSA-NM-850-VDIM/FC3 | 843654153032+843654138862 | 30,870 | | 210 | 5,000 Must be installed with photo sensor or timedclock. |
| | \$150 | | KT-ALED100-S2-OSA-NM-840-VDIM/MW3 | 843654152981+843654130637 | 13,600 | | 100 | 4,000 Must be installed with photo sensor or timedclock. |
| | \$150 | | KT-ALED100-S2-OSA-NM-840-VDIM/FC3 | 843654152981+843654138862 | 13,600 | | 100 | 4,000 Must be installed with photo sensor or timedclock. |
| | \$150 | | KT-ALED100-S2-OSA-NM-850-VDIM/MW3 | 843654152998+843654130637 | 13,700 | | 100 | 5,000 Must be installed with photo sensor or timedclock. |
| | \$150 | | KT-ALED100-S2-OSA-NM-850-VDIM/FC3 | 843654152998+843654138862 | 13,700 | | 100 | 5,000 Must be installed with photo sensor or timedclock. |
| | \$150 | | KT-ALED140-M2-OSA-NM-840-VDIM/MW3 | 843654153001+843654130637 | 20,160 | | 140 | 4,000 Must be installed with photo sensor or timedclock. |
| | \$150 | | KT-ALED140-M2-OSA-NM-840-VDIM/FC3 | 843654153001+843654138862 | 20,160 | | 140 | 4,000 Must be installed with photo sensor or timedclock. |
| | \$150 | | KT-ALED140-M2-OSA-NM-850-VDIM/MW3 | 843654153018+843654130637 | 20,440 | | 140 | 5,000 Must be installed with photo sensor or timedclock. |
| | \$150 | | KT-ALED140-M2-OSA-NM-850-VDIM/FC3 | 843654153018+843654138862 | 20,440 | | 140 | 5,000 Must be installed with photo sensor or timedclock. |
| | \$150 | LEDVANCE, LLC | AREAFLD4A/S190HUV830/T2/BZ/BLE (63007) | 046135630071 | 25,959 | | 194 | 3,000 Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$150 | | AREAFLD4A/S190HUV830/T3/BZ/BLE (63008) | 046135630088 | 26,062 | | 193 | 3,000 Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$150 | | AREAFLD4A/S190HUV830/T4/BZ/BLE (63009) | 046135630095 | 26,065 | | 193 | 3,000 Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$150 | | AREAFLD4A/S190HUV830/T5/BZ/BLE (63010) | 046135630101 | 25,955 | | 193 | 3,000 Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$150 | | AREAFLD4A/S190HUV840/T2/BZ/BLE (63011) | 046135630118 | 28,626 | | 196 | 4,000 Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$150 | | AREAFLD4A/S190HUV840/T3/BZ/BLE (63012) | 046135630125 | 28,771 | | 196 | 4,000 Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|---------------|--|--------------|-----------------------|------------------------|--------------|--|
| 87UCPC | \$150 | LEDVANCE, LLC | AREAFLD4A/S190HUV D840/T4/BZ/BLE (63013) | 046135630132 | 28,794 | 196 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$150 | | AREAFLD4A/S190HUV D840/T5/BZ/BLE (63014) | 046135630149 | 28,233 | 195 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$150 | | AREAFLD4A/S190HUV D850/T2/BZ/BLE (63015) | 046135630156 | 27,547 | 196 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$150 | | AREAFLD4A/S190HUV D850/T3/BZ/BLE (63016) | 046135630163 | 27,550 | 195 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$150 | | AREAFLD4A/S190HUV D850/T4/BZ/BLE (63017) | 046135630170 | 28,014 | 196 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$150 | | AREAFLD4A/S190HUV D850/T5/BZ/BLE (63018) | 046135630187 | 27,539 | 195 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$150 | | AREAFLD4A/S190UNV D830/T2/BZ/BLE (62976) | 046135657498 | 28,481 | 189 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$150 | | AREAFLD4A/S190UNV D830/T3/BZ/BLE (62977) | 046135657504 | 28,407 | 189 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$150 | | AREAFLD4A/S190UNV D830/T4/BZ/BLE (62978) | 046135657511 | 28,305 | 189 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$150 | | AREAFLD4A/S190UNV D830/T5/BZ/BLE (62979) | 046135657528 | 28,192 | 189 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$150 | | AREAFLD4A/S190UNV D840/T2/BZ/BLE (62980) | 046135657535 | 29,181 | 190 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$150 | | AREAFLD4A/S190UNV D840/T3/BZ/BLE (62981) | 046135657542 | 29,168 | 191 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$150 | | AREAFLD4A/S190UNV D840/T4/BZ/BLE (62982) | 046135657559 | 29,235 | 191 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$150 | | AREAFLD4A/S190UNV D840/T5/BZ/BLE (62983) | 046135657566 | 28,744 | 191 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$150 | | AREAFLD4A/S190UNV D850/T2/BZ/BLE (62984) | 046135657573 | 29,878 | 191 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$150 | | AREAFLD4A/S190UNV D850/T3/BZ/BLE (62985) | 046135657580 | 29,865 | 191 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$150 | | AREAFLD4A/S190UNV D850/T4/BZ/BLE (62986) | 046135657597 | 29,954 | 191 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$150 | | AREAFLD4A/S190UNV D850/T5/BZ/BLE (62987) | 046135657603 | 29,802 | 191 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$150 | | AREAFLD4A/S290HUV D830/T2/BZ/BLE (63019) | 046135629471 | 42,210 | 278 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$150 | | AREAFLD4A/S290HUV D830/T3/BZ/BLE (63020) | 046135629488 | 42,271 | 278 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$150 | | AREAFLD4A/S290HUV D830/T4/BZ/BLE (63021) | 046135629495 | 42,404 | 278 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$150 | | AREAFLD4A/S290HUV D830/T5/BZ/BLE (63022) | 046135629501 | 41,967 | 278 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$150 | | AREAFLD4A/S290HUV D840/T2/BZ/BLE (63023) | 046135629518 | 43,837 | 277 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$150 | | AREAFLD4A/S290HUV D840/T3/BZ/BLE (63024) | 046135629525 | 43,900 | 277 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$150 | | AREAFLD4A/S290HUV D840/T4/BZ/BLE (63025) | 046135629532 | 44,037 | 277 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|---------------|---|---------------------------|-----------------------|------------------------|--------------|--|
| 87UCPC | \$150 | LEDVANCE, LLC | AREAFLD4A/S290HUV D840/T5/BZ/ BLE (63026) | 046135629549 | 43,584 | 277 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$150 | | AREAFLD4A/S290HUV D850/T2/BZ/ BLE (63027) | 046135629556 | 43,453 | 277 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$150 | | AREAFLD4A/S290HUV D850/T3/BZ/ BLE (63028) | 046135629563 | 43,403 | 277 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$150 | | AREAFLD4A/S290HUV D850/T4/BZ/ BLE (63029) | 046135629570 | 43,476 | 277 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$150 | | AREAFLD4A/S290HUV D850/T5/BZ/ BLE (63030) | 046135629587 | 43,353 | 278 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$150 | | AREAFLD4A/S290UNV D830/T2/BZ/ BLE (62988) | 046135657610 | 43,161 | 278 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$150 | | AREAFLD4A/S290UNV D830/T3/BZ/ BLE (62989) | 046135657627 | 42,954 | 278 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$150 | | AREAFLD4A/S290UNV D830/T4/BZ/ BLE (62990) | 046135657634 | 42,997 | 278 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$150 | | AREAFLD4A/S290UNV D830/T5/BZ/ BLE (62991) | 046135657641 | 42,896 | 278 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$150 | | AREAFLD4A/S290UNV D840/T2/BZ/ BLE (62992) | 046135657658 | 43,891 | 277 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$150 | | AREAFLD4A/S290UNV D840/T3/BZ/ BLE (62993) | 046135657665 | 43,954 | 277 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$150 | | AREAFLD4A/S290UNV D840/T4/BZ/ BLE (62994) | 046135657672 | 44,092 | 277 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$150 | | AREAFLD4A/S290UNV D840/T5/BZ/ BLE (62995) | 046135657689 | 43,638 | 277 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$150 | | AREAFLD4A/S290UNV D850/T2/BZ/ BLE (62996) | 046135657696 | 44,727 | 278 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$150 | | AREAFLD4A/S290UNV D850/T3/BZ/ BLE (62997) | 046135657702 | 44,676 | 278 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$150 | | AREAFLD4A/S290UNV D850/T4/BZ/ BLE (62998) | 046135657719 | 44,751 | 278 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$150 | | AREAFLD4A/S290UNV D850/T5/BZ/ BLE (62999) | 046135657726 | 44,624 | 278 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$150 | | AREAFLD5A/S150UNH D840/T3/BZ (63289)+AREA/PIRMOTIONDAYSENSOR/BZ (63748) | 046135632891+046135637483 | 20,344 | 148 | 4,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$150 | | AREAFLD5A/S150UNH D840/T4/BZ (63290)+AREA/PIRMOTIONDAYSENSOR/BZ (63748) | 046135632907+046135637483 | 20,496 | 148 | 4,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$150 | | AREAFLD5A/S150UNH D840/T5/BZ (63291)+AREA/PIRMOTIONDAYSENSOR/BZ (63748) | 046135632914+046135637483 | 20,511 | 149 | 4,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$150 | | AREAFLD5A/S300UNH D840/T3/BZ (63292)+AREA/PIRMOTIONDAYSENSOR/BZ (63748) | 046135632921+046135637483 | 40,181 | 292 | 4,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$150 | | AREAFLD5A/S300UNH D840/T4/BZ (63293)+AREA/PIRMOTIONDAYSENSOR/BZ (63748) | 046135632938+046135637483 | 40,592 | 293 | 4,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$150 | | AREAFLD5A/S300UNH D840/T5/BZ (63294)+AREA/PIRMOTIONDAYSENSOR/BZ (63748) | 046135632945+046135637483 | 40,690 | 293 | 4,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$150 | | AREAFLD5A/S150UNH D830/T3/BZ (63300)+AREA/PIRMOTIONDAYSENSOR/BZ (63748) | 046135633003+046135637483 | 18,910 | 148 | 3,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$150 | | AREAFLD5A/S150UNH D830/T4/BZ (63301)+AREA/PIRMOTIONDAYSENSOR/BZ (63748) | 046135633010+046135637483 | 19,157 | 149 | 3,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$150 | | AREAFLD5A/S150UNH D830/T5/BZ (63302)+AREA/PIRMOTIONDAYSENSOR/BZ (63748) | 046135633027+046135637483 | 19,096 | 149 | 3,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$150 | | AREAFLD5A/S300UNH D830/T3/BZ (63303)+AREA/PIRMOTIONDAYSENSOR/BZ (63748) | 046135633034+046135637483 | 37,173 | 291 | 3,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$150 | | AREAFLD5A/S300UNH D830/T4/BZ (63304)+AREA/PIRMOTIONDAYSENSOR/BZ (63748) | 046135633041+046135637483 | 37,658 | 293 | 3,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$150 | | AREAFLD5A/S300UNH D830/T5/BZ (63305)+AREA/PIRMOTIONDAYSENSOR/BZ (63748) | 046135633058+046135637483 | 37,929 | 293 | 3,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$150 | | AREAFLD5A/S150UNH D850/T3/BZ (63309)+AREA/PIRMOTIONDAYSENSOR/BZ (63748) | 046135633096+046135637483 | 20,788 | 148 | 5,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$150 | | AREAFLD5A/S150UNH D850/T4/BZ (63310)+AREA/PIRMOTIONDAYSENSOR/BZ (63748) | 046135633102+046135637483 | 20,939 | 148 | 5,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$150 | | AREAFLD5A/S150UNH D850/T5/BZ (63311)+AREA/PIRMOTIONDAYSENSOR/BZ (63748) | 046135633119+046135637483 | 20,957 | 149 | 5,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$150 | | AREAFLD5A/S300UNH D850/T3/BZ (63312)+AREA/PIRMOTIONDAYSENSOR/BZ (63748) | 046135633126+046135637483 | 41,057 | 292 | 5,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$150 | | AREAFLD5A/S300UNH D850/T4/BZ (63313)+AREA/PIRMOTIONDAYSENSOR/BZ (63748) | 046135633133+046135637483 | 41,469 | 293 | 5,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|---------------------------|--|------------------------------|-----------------------|------------------------|--------------|---|
| 87UCPC | \$150 | LEDVANCE, LLC | AREAFLD5A/S300UNHD850/T5/BZ (63314)+AREA/PIRMOTIONDAYSENSOR/BZ (63748) | 046135633140+046135637483 | 41,568 | 293 | 5,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$150 | | AREAFLD5A/S150UNHD840/T3/BZ (63289)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAU | 046135632891+046135636523+04 | 20,344 | 148 | 4,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$150 | | AREAFLD5A/S150UNHD840/T4/BZ (63290)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAU | 046135632907+046135636523+04 | 20,496 | 148 | 4,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$150 | | AREAFLD5A/S150UNHD840/T5/BZ (63291)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAU | 046135632914+046135636523+04 | 20,511 | 149 | 4,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$150 | | AREAFLD5A/S300UNHD840/T3/BZ (63292)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAU | 046135632921+046135636523+04 | 40,181 | 292 | 4,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$150 | | AREAFLD5A/S300UNHD840/T4/BZ (63293)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAU | 046135632938+046135636523+04 | 40,592 | 293 | 4,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$150 | | AREAFLD5A/S300UNHD840/T5/BZ (63294)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAU | 046135632945+046135636523+04 | 40,690 | 293 | 4,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$150 | | AREAFLD5A/S150UNHD830/T3/BZ (63300)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAU | 046135633003+046135636523+04 | 18,910 | 148 | 3,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$150 | | AREAFLD5A/S150UNHD830/T4/BZ (63301)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAU | 046135633010+046135636523+04 | 19,157 | 149 | 3,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$150 | | AREAFLD5A/S150UNHD830/T5/BZ (63302)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAU | 046135633027+046135636523+04 | 19,096 | 149 | 3,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$150 | | AREAFLD5A/S300UNHD830/T3/BZ (63303)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAU | 046135633034+046135636523+04 | 37,173 | 291 | 3,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$150 | | AREAFLD5A/S300UNHD830/T4/BZ (63304)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAU | 046135633041+046135636523+04 | 37,658 | 293 | 3,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$150 | | AREAFLD5A/S300UNHD830/T5/BZ (63305)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAU | 046135633058+046135636523+04 | 37,929 | 293 | 3,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$150 | | AREAFLD5A/S150UNHD850/T3/BZ (63309)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAU | 046135633096+046135636523+04 | 20,788 | 148 | 5,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$150 | | AREAFLD5A/S150UNHD850/T4/BZ (63310)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAU | 046135633102+046135636523+04 | 20,939 | 148 | 5,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$150 | | AREAFLD5A/S150UNHD850/T5/BZ (63311)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAU | 046135633119+046135636523+04 | 20,957 | 149 | 5,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$150 | | AREAFLD5A/S300UNHD850/T3/BZ (63312)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAU | 046135633126+046135636523+04 | 41,057 | 292 | 5,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$150 | | AREAFLD5A/S300UNHD850/T4/BZ (63313)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAU | 046135633133+046135636523+04 | 41,469 | 293 | 5,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$150 | | AREAFLD5A/S300UNHD850/T5/BZ (63314)+SENSORADAPTOR1A (63652)+SENSORHB/PIRAU | 046135633140+046135636523+04 | 41,568 | 293 | 5,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$150 | | AREAFLD6AS150UNHDSC2ADJBZ (64013)+HIGHBAYPIRMOTIONDAYSENSOR2 (62664) | 046135640131+046135626647 | 19,920 | 148 | 3,000 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output. Must be in |
| | \$150 | | AREAFLD6AS300UNHDSC2ADJBZ (64014)+HIGHBAYPIRMOTIONDAYSENSOR2 (62664) | 046135640148+046135626647 | 39,505 | 301 | 3,000 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output. Must be in |
| | \$150 | | AREAFLD6AS150UNHDSC2ADJBL (66226)+HIGHBAYPIRMOTIONDAYSENSOR2 (62664) | 046135662263+046135626647 | 19,920 | 148 | 3,000 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output. Must be in |
| | \$150 | | AREAFLD6AS300UNHDSC2ADJBL (66227)+HIGHBAYPIRMOTIONDAYSENSOR2 (62664) | 046135662270+046135626647 | 39,505 | 301 | 3,000 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output. Must be in |
| | \$150 | | AREAFLD6AS150UNHDSC2ADJWH (66229)+HIGHBAYPIRMOTIONDAYSENSOR2 (62664) | 046135662294+046135626647 | 19,920 | 148 | 3,000 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output. Must be in |
| | \$150 | | AREAFLD6AS300UNHDSC2ADJWH (66230)+HIGHBAYPIRMOTIONDAYSENSOR2 (62664) | 046135662300+046135626647 | 39,505 | 301 | 3,000 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output. Must be in |
| | \$150 | | AREAFLD6AS150UNHDSC2ADJBZ (64013)+SENSORADAPTER1A (63652)+SENSOR2ODPIR3.5B | 046135640131+046135636523+ | 19,920 | 148 | 3,000 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output. Must be in |
| | \$150 | | AREAFLD6AS300UNHDSC2ADJBZ (64014)+SENSORADAPTER1A (63652)+SENSOR2ODPIR3.5B | 046135640148+046135636523+ | 39,505 | 301 | 3,000 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output. Must be in |
| | \$150 | | AREAFLD6AS150UNHDSC2ADJBL (66226)+SENSORADAPTER1A (63652)+SENSOR2ODPIR3.5B | 046135662263+046135636523+ | 19,920 | 148 | 3,000 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output. Must be in |
| | \$150 | | AREAFLD6AS300UNHDSC2ADJBL (66227)+SENSORADAPTER1A (63652)+SENSOR2ODPIR3.5B | 046135662270+046135636523+ | 39,505 | 301 | 3,000 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output. Must be in |
| | \$150 | | AREAFLD6AS150UNHDSC2ADJWH (66229)+SENSORADAPTER1A (63652)+SENSOR2ODPIR3.5 | 046135662294+046135636523+ | 19,920 | 148 | 3,000 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output. Must be in |
| | \$150 | | AREAFLD6AS300UNHDSC2ADJWH (66230)+SENSORADAPTER1A (63652)+SENSOR2ODPIR3.5 | 046135662300+046135636523+ | 39,505 | 301 | 3,000 | CCT & Lumen/Wattage Selectable, measure based on minimum lumen output. Must be in |
| | \$150 | | AREAFLD6AS150UNHDSC2ADJBZ (64013)+SENSORADAPTER1A (63652)+CONTROL2OD3.5BL | 046135640131+046135636523+ | 19,920 | 148 | 3,000 | Must be connected to a LEDVANCE LINK Sensor to receive incentive. Wattage & CCT Selec |
| | \$150 | | AREAFLD6AS300UNHDSC2ADJBZ (64014)+SENSORADAPTER1A (63652)+CONTROL2OD3.5BL | 046135640148+046135636523+ | 39,505 | 301 | 3,000 | Must be connected to a LEDVANCE LINK Sensor to receive incentive. Wattage & CCT Selec |
| | \$150 | | AREAFLD6AS150UNHDSC2ADJBL (66226)+SENSORADAPTER1A (63652)+CONTROL2OD3.5BL | 046135662263+046135636523+ | 19,920 | 148 | 3,000 | Must be connected to a LEDVANCE LINK Sensor to receive incentive. Wattage & CCT Selec |
| | \$150 | | AREAFLD6AS300UNHDSC2ADJBL (66227)+SENSORADAPTER1A (63652)+CONTROL2OD3.5BL | 046135662270+046135636523+ | 39,505 | 301 | 3,000 | Must be connected to a LEDVANCE LINK Sensor to receive incentive. Wattage & CCT Selec |
| | \$150 | | AREAFLD6AS150UNHDSC2ADJWH (66229)+SENSORADAPTER1A (63652)+CONTROL2OD3.5B | 046135662294+046135636523+ | 19,920 | 148 | 3,000 | Must be connected to a LEDVANCE LINK Sensor to receive incentive. Wattage & CCT Selec |
| | \$150 | | AREAFLD6AS300UNHDSC2ADJWH (66230)+SENSORADAPTER1A (63652)+CONTROL2OD3.5B | 046135662300+046135636523+ | 39,505 | 301 | 3,000 | Must be connected to a LEDVANCE LINK Sensor to receive incentive. Wattage & CCT Selec |
| | \$150 | Litetronics International | AL1503+SC005 | | 19,029 | 151 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timeclock to receive incentive |
| | \$150 | | AL2003+SC005 | | 26,455 | 202 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timeclock to receive incentive |
| | \$150 | LSI Industries | MRS LED 12L SIL 2 UNV DIM 40 70CRI IMSBT2 BLK | | 12,685 | 86 | 4,000 | |
| | \$150 | | MRS LED 12L SIL 2 UNV DIM 50 70CRI IMSBT2 BLK | | 12,685 | 86 | 5,000 | |
| | \$150 | | MRS LED 12L SIL 3 UNV DIM 40 70CRI IMSBT2 BLK | | 12,895 | 86 | 4,000 | |
| | \$150 | | MRS LED 12L SIL 3 UNV DIM 50 70CRI IMSBT2 BLK | | 12,895 | 86 | 5,000 | |
| | \$150 | | MRS LED 12L SIL 5W UNV DIM 40 70CRI IMSBT2 BLK | | 12,195 | 86 | 4,000 | |
| | \$150 | | MRS LED 12L SIL 5W UNV DIM 50 70CRI IMSBT2 BLK | | 12,195 | 86 | 5,000 | |
| | \$150 | | MRS LED 15L SIL 2 UNV DIM 40 70CRI IMSBT2 BLK | | 15,869 | 111 | 4,000 | |
| | \$150 | | MRS LED 15L SIL 2 UNV DIM 50 70CRI IMSBT2 BLK | | 15,869 | 111 | 5,000 | |
| | \$150 | | MRS LED 15L SIL 3 UNV DIM 40 70CRI IMSBT2 BLK | | 16,132 | 111 | 4,000 | |
| | \$150 | | MRS LED 15L SIL 3 UNV DIM 50 70CRI IMSBT2 BLK | | 16,132 | 111 | 5,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|----------------|--|-----|-----------------------|------------------------|--------------|---|
| 87UCPC | \$150 | LSI Industries | MRS LED 15L SIL 5W UNV DIM 40 70CRI IMSBT2 BLK | | 15,257 | 111 | 4,000 | |
| | \$150 | | MRS LED 15L SIL 5W UNV DIM 50 70CRI IMSBT2 BLK | | 15,257 | 111 | 5,000 | |
| | \$150 | | MRS LED 24L SIL 2 UNV DIM 40 70CRI IMSBT2 BLK | | 24,524 | 196 | 4,000 | |
| | \$150 | | MRS LED 24L SIL 2 UNV DIM 50 70CRI IMSBT2 BLK | | 24,524 | 196 | 5,000 | |
| | \$150 | | MRS LED 24L SIL 3 UNV DIM 40 70CRI IMSBT2 BLK | | 24,930 | 196 | 4,000 | |
| | \$150 | | MRS LED 24L SIL 3 UNV DIM 50 70CRI IMSBT2 BLK | | 24,930 | 196 | 5,000 | |
| | \$150 | | MRS LED 24L SIL 5W UNV DIM 40 70CRI IMSBT2 BLK | | 23,578 | 196 | 4,000 | |
| | \$150 | | MRS LED 24L SIL 5W UNV DIM 50 70CRI IMSBT2 BLK | | 23,578 | 196 | 5,000 | |
| | \$150 | | MRS LED 24L SIL FT UNV DIM 40 70CRI IMSBT2 BLK | | 24,126 | 196 | 4,000 | |
| | \$150 | | MRS LED 24L SIL FT UNV DIM 50 70CRI IMSBT2 BLK | | 24,126 | 196 | 5,000 | |
| | \$150 | | MRM LED 30L SIL 2 UNV DIM 40 70CRI IMSBT2 BLK | | 31,898 | 232 | 4,000 | |
| | \$150 | | MRM LED 30L SIL 2 UNV DIM 50 70CRI IMSBT2 BLK | | 32,668 | 232 | 5,000 | |
| | \$150 | | MRM LED 30L SIL 3 UNV DIM 40 70CRI IMSBT2 BLK | | 31,714 | 232 | 4,000 | |
| | \$150 | | MRM LED 30L SIL 3 UNV DIM 50 70CRI IMSBT2 BLK | | 32,480 | 232 | 5,000 | |
| | \$150 | | MRM LED 30L SIL 5W UNV DIM 40 70CRI IMSBT2 BLK | | 31,267 | 232 | 4,000 | |
| | \$150 | | MRM LED 30L SIL 5W UNV DIM 50 70CRI IMSBT2 BLK | | 32,023 | 232 | 5,000 | |
| | \$150 | | MRM LED 30L SIL FT UNV DIM 40 70CRI IMSBT2 BLK | | 31,453 | 232 | 4,000 | |
| | \$150 | | MRM LED 30L SIL FT UNV DIM 50 70CRI IMSBT2 BLK | | 32,213 | 232 | 5,000 | |
| | \$150 | | SSA LED 12L ACR 3 UNV DIM 40 IMSBT2 BRZ PM | | 12,940 | 84 | 4,000 | |
| | \$150 | | SSA LED 12L ACR 3 UNV DIM 50 IMSBT2 BRZ PM | | 13,663 | 85 | 5,000 | |
| | \$150 | | SSA LED 12L ACR 5W UNV DIM 40 IMSBT2 BRZ PM | | 13,017 | 84 | 4,000 | |
| | \$150 | | SSA LED 12L ACR 5W UNV DIM 50 IMSBT2 BRZ PM | | 13,350 | 85 | 5,000 | |
| | \$150 | | SSA LED 12L ACR FT UNV DIM 40 IMSBT2 BRZ PM | | 12,423 | 84 | 4,000 | |
| | \$150 | | SSA LED 12L ACR FT UNV DIM 50 IMSBT2 BRZ PM | | 12,593 | 85 | 5,000 | |
| | \$150 | | SSA LED 18L ACR 3 UNV DIM 40 IMSBT2 BRZ PM | | 18,028 | 122 | 4,000 | |
| | \$150 | | SSA LED 18L ACR 3 UNV DIM 50 IMSBT2 BRZ PM | | 18,341 | 120 | 5,000 | |
| | \$150 | | SSA LED 18L ACR 5W UNV DIM 40 IMSBT2 BRZ PM | | 18,603 | 120 | 4,000 | |
| | \$150 | | SSA LED 18L ACR 5W UNV DIM 50 IMSBT2 BRZ PM | | 19,728 | 121 | 5,000 | |
| | \$150 | | SSA LED 18L ACR FT UNV DIM 40 IMSBT2 BRZ PM | | 17,929 | 120 | 4,000 | |
| | \$150 | | SSA LED 18L ACR FT UNV DIM 50 IMSBT2 BRZ PM | | 18,033 | 122 | 5,000 | |
| | \$150 | | SSA LED 24L ACR 3 UNV DIM 40 IMSBT2 BRZ PM | | 25,135 | 178 | 4,000 | |
| | \$150 | | SSA LED 24L ACR 3 UNV DIM 50 IMSBT2 BRZ PM | | 25,160 | 175 | 5,000 | |
| | \$150 | | SSA LED 24L ACR 5W UNV DIM 40 IMSBT2 BRZ PM | | 25,492 | 178 | 4,000 | |
| | \$150 | | SSA LED 24L ACR 5W UNV DIM 50 IMSBT2 BRZ PM | | 25,650 | 174 | 5,000 | |
| | \$150 | | SSA LED 24L ACR FT UNV DIM 40 IMSBT2 BRZ PM | | 25,314 | 175 | 4,000 | |
| | \$150 | | SSA LED 24L ACR FT UNV DIM 50 IMSBT2 BRZ PM | | 25,487 | 178 | 5,000 | |
| | \$150 | | SMA LED 28L ACR 3 UNV DIM 40 IMSBT2 BRZ PM | | 29,859 | 198 | 4,000 | |
| | \$150 | | SMA LED 28L ACR FT UNV DIM 40 IMSBT2 BRZ PM | | 28,457 | 198 | 4,000 | |
| | \$150 | | SMA LED 28L ACR FT UNV DIM 50 IMSBT2 BRZ PM | | 29,006 | 202 | 5,000 | |
| | \$150 | NICOR Inc. | OAL2100MV408BZ3M | | 13,000 | 100 | 4,000 | Must set dip switch setting to dim lights when no motion is detected to rcv incentive |
| | \$150 | | OAL2100MV508BZ3M | | 13,000 | 100 | 5,000 | Must set dip switch setting to dim lights when no motion is detected to rcv incentive |
| | \$150 | | OAL2150MV408BZ3M | | 19,500 | 150 | 4,000 | |
| | \$150 | | | | | | | Must set dip switch setting to dim lights when no motion is detected to rcv incentive |
| | \$150 | | OAL2150MV508BZ3M | | 19,500 | 150 | 5,000 | Must set dip switch setting to dim lights when no motion is detected to rcv incentive |
| | \$150 | | OAL2200MV408BZ3M | | 26,000 | 200 | 4,000 | Must set dip switch setting to dim lights when no motion is detected to rcv incentive |
| | \$150 | | OAL2200MV508BZ3M | | 26,000 | 200 | 5,000 | Must set dip switch setting to dim lights when no motion is detected to rcv incentive |
| | \$150 | | OAL2100MV308BK3M | | 13,000 | 100 | 3,000 | |
| | \$150 | | OAL2100MV308BZ3M | | 13,000 | 100 | 3,000 | |
| | \$150 | | OAL2100MV408BK3M | | 13,000 | 100 | 4,000 | |
| | \$150 | | OAL2100MV508BK3M | | 13,000 | 100 | 5,000 | |
| | \$150 | | OAL2100MV508WH3M | | 13,000 | 100 | 5,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|---------------------------|---|-----|-----------------------|------------------------|--------------|---|
| 87UCPC | \$150 | NICOR Inc. | OAL2150MV308BK3M | | 19,500 | 150 | 3,000 | |
| | \$150 | | OAL2150MV308BZ3M | | 19,500 | 150 | 3,000 | |
| | \$150 | | OAL2150MV408BK3M | | 19,500 | 150 | 4,000 | |
| | \$150 | | OAL2150MV508BK3M | | 19,500 | 150 | 5,000 | |
| | \$150 | | OAL2150MV508WH3M | | 19,500 | 150 | 5,000 | |
| | \$150 | | OAL2200MV308BK3M | | 26,000 | 200 | 3,000 | |
| | \$150 | | OAL2200MV308BZ3M | | 26,000 | 200 | 3,000 | |
| | \$150 | | OAL2200MV408BK3M | | 26,000 | 200 | 4,000 | |
| | \$150 | | OAL2200MV508BK3M | | 26,000 | 200 | 5,000 | |
| | \$150 | | OAL2200MV508WH3M | | 26,000 | 200 | 5,000 | |
| | \$150 | | OAL2300MV308BK3M | | 39,000 | 300 | 3,000 | |
| | \$150 | | OAL2300MV308BZ3M | | 39,000 | 300 | 3,000 | |
| | \$150 | | OAL2300MV408BK3M | | 39,000 | 300 | 4,000 | |
| | \$150 | | OAL2300MV408BZ3M | | 39,000 | 300 | 4,000 | |
| | \$150 | | OAL2300MV508BK3M | | 39,000 | 300 | 5,000 | |
| | \$150 | | OAL2300MV508BZ3M | | 39,000 | 300 | 5,000 | |
| | \$150 | | OAL2300MV508WH3M | | 39,000 | 300 | 5,000 | |
| | \$150 | Orion Energy Systems, Inc | ALLP1A1UNVFD8CSBRT23CRSP+HB02DPR | | 13,562 | 102 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$150 | | ALLP1B1UNVFD8CSBRT23CRSP+HB02DPR | | 18,964 | 150 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$150 | | ALLP1C1UNVFD8CSBRT23CRSP+HB02DPR | | 25,906 | 206 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$150 | | ALLP1A1UNVFD8CSBRT33CRSP+HB02DPR | | 13,455 | 102 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$150 | | ALLP1B1UNVFD8CSBRT33CRSP+HB02DPR | | 18,750 | 150 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$150 | | ALLP1C1UNVFD8CSBRT33CRSP+HB02DPR | | 25,801 | 213 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$150 | | ALLP1A1UNVFD8CSBRT43CRSP+HB02DPR | | 13,503 | 102 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$150 | | ALLP1B1UNVFD8CSBRT43CRSP+HB02DPR | | 18,514 | 152 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$150 | | ALLP1C1UNVFD8CSBRT43CRSP+HB02DPR | | 25,946 | 206 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$150 | | ALLP1A1UNVFD8CSBRT53CRSP+HB02DPR | | 13,078 | 101 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$150 | | ALLP1B1UNVFD8CSBRT53CRSP+HB02DPR | | 18,473 | 150 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$150 | | ALLP1C1UNVFD8CSBRT53CRSP+HB02DPR | | 25,498 | 209 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$150 | | ALLP1A1HMOVFD8CSBRT23CRSP+HB02DPR | | 13,256 | 101 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$150 | | ALLP1B1HMOVFD8CSBRT23CRSP+HB02DPR | | 18,833 | 151 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$150 | | ALLP1C1HMOVFD8CSBRT23CRSP+HB02DPR | | 26,167 | 205 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$150 | | ALLP1A1HMOVFD8CSBRT33CRSP+HB02DPR | | 13,549 | 103 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$150 | | ALLP1B1HMOVFD8CSBRT33CRSP+HB02DPR | | 18,945 | 150 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$150 | | ALLP1C1HMOVFD8CSBRT33CRSP+HB02DPR | | 26,597 | 210 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$150 | | ALLP1A1HMOVFD8CSBRT43CRSP+HB02DPR | | 13,532 | 103 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$150 | | ALLP1B1HMOVFD8CSBRT43CRSP+HB02DPR | | 18,316 | 149 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$150 | | ALLP1C1HMOVFD8CSBRT43CRSP+HB02DPR | | 25,859 | 205 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$150 | | ALLP1A1HMOVFD8CSxxT53CRSP+HB02DPR | | 13,267 | 103 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$150 | | ALLP1B1HMOVFD8CSxxT53CRSP+HB02DPR | | 18,430 | 149 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$150 | | ALLP1C1HMOVFD8CSxxT53CRSP+HB02DPR | | 26,007 | 208 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$150 | | ALLP1A1UNVFD8CSBRT23CRSP+EXT-ALLP-VBM40 | | 13,562 | 102 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$150 | | ALLP1B1UNVFD8CSBRT23CRSP+EXT-ALLP-VBM40 | | 18,964 | 150 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$150 | | ALLP1C1UNVFD8CSBRT23CRSP+EXT-ALLP-VBM40 | | 25,906 | 206 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$150 | | ALLP1A1UNVFD8CSBRT33CRSP+EXT-ALLP-VBM40 | | 13,455 | 102 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$150 | | ALLP1B1UNVFD8CSBRT33CRSP+EXT-ALLP-VBM40 | | 18,750 | 150 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$150 | | ALLP1C1UNVFD8CSBRT33CRSP+EXT-ALLP-VBM40 | | 25,801 | 213 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$150 | | ALLP1A1UNVFD8CSBRT43CRSP+EXT-ALLP-VBM40 | | 13,503 | 102 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$150 | | ALLP1B1UNVFD8CSBRT43CRSP+EXT-ALLP-VBM40 | | 18,514 | 152 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$150 | | ALLP1C1UNVFD8CSBRT43CRSP+EXT-ALLP-VBM40 | | 25,946 | 206 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$150 | | ALLP1A1UNVFD8CSBRT53CRSP+EXT-ALLP-VBM40 | | 13,078 | 101 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|---------------------------|--|-----|-----------------------|------------------------|--------------|--|
| 87UCPC | \$150 | Orion Energy Systems, Inc | ALLP1B1UNVFD8CSBRT53CRSP+EXT-ALLP-VBM40 | | 18,473 | 150 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$150 | | ALLP1C1UNVFD8CSBRT53CRSP+EXT-ALLP-VBM40 | | 25,498 | 209 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$150 | | ALLP1A1HMOVFD8CSBRT23CRSP+EXT-ALLP-VBM40 | | 13,256 | 101 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$150 | | ALLP1B1HMOVFD8CSBRT23CRSP+EXT-ALLP-VBM40 | | 18,833 | 151 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$150 | | ALLP1C1HMOVFD8CSBRT23CRSP+EXT-ALLP-VBM40 | | 26,167 | 205 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$150 | | ALLP1A1HMOVFD8CSBRT33CRSP+EXT-ALLP-VBM40 | | 13,549 | 103 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$150 | | ALLP1B1HMOVFD8CSBRT33CRSP+EXT-ALLP-VBM40 | | 18,945 | 150 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$150 | | ALLP1C1HMOVFD8CSBRT33CRSP+EXT-ALLP-VBM40 | | 26,597 | 210 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$150 | | ALLP1A1HMOVFD8CSBRT43CRSP+EXT-ALLP-VBM40 | | 13,532 | 103 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$150 | | ALLP1B1HMOVFD8CSBRT43CRSP+EXT-ALLP-VBM40 | | 18,316 | 149 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$150 | | ALLP1C1HMOVFD8CSBRT43CRSP+EXT-ALLP-VBM40 | | 25,859 | 205 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$150 | | ALLP1A1HMOVFD8CSxxT53CRSP+EXT-ALLP-VBM40 | | 13,267 | 103 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$150 | | ALLP1B1HMOVFD8CSxxT53CRSP+EXT-ALLP-VBM40 | | 18,430 | 149 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$150 | | ALLP1C1HMOVFD8CSxxT53CRSP+EXT-ALLP-VBM40 | | 26,007 | 208 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$150 | PACLIGHTS, LLC | FFHL-500-UV-50-D40-Z-[SF;AM;3M;FM][WG;blank][SP10;SP20;blank]C | | 68,826 | 498 | 5,000 | |
| | \$150 | RAB Lighting | A22-2T150/MVS | | 20,276 | 151 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$150 | | A22-150/MVS | | 20,005 | 151 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$150 | | A22-4T150/MVS | | 19,694 | 151 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$150 | | A22-5T150/MVS | | 20,500 | 151 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$150 | | A22-2T200/MVS | | 25,505 | 200 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$150 | | A22-200/MVS | | 25,164 | 200 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$150 | | A22-4T200/MVS | | 24,773 | 200 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$150 | | A22-5T200/MVS | | 25,787 | 200 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$150 | | A34T3M/LCBS | | 22,524 | 151 | 3,000 | |
| | \$150 | | A34T3L/LCBS | | 37,215 | 250 | 3,000 | |
| | \$150 | | A34T4M/LCBS | | 22,552 | 151 | 3,000 | |
| | \$150 | | A34T4L/LCBS | | 38,129 | 250 | 3,000 | |
| | \$150 | | A34T5M/LCBS | | 23,039 | 151 | 3,000 | |
| | \$150 | | A34T5L/LCBS | | 39,490 | 250 | 3,000 | |
| | \$150 | | A34T3M/480/LCBS | | 21,660 | 142 | 3,000 | |
| | \$150 | | A34T3L/480/LCBS | | 37,333 | 244 | 3,000 | |
| | \$150 | | A34T4M/480/LCBS | | 21,766 | 142 | 3,000 | |
| | \$150 | | A34T4L/480/LCBS | | 38,542 | 244 | 3,000 | |
| | \$150 | | A34T5M/480/LCBS | | 22,200 | 142 | 3,000 | |
| | \$150 | | A34T5L/480/LCBS | | 39,868 | 244 | 3,000 | |
| | \$150 | RET Consulting Group | RAL1M-150-40-MS-T3 | | 20,826 | 147 | 4,000 | Must be installed with photosensor or timeclock to receive incentive |
| | \$150 | | RAL1M-150-40-MS-T5 | | 21,093 | 147 | 4,000 | Must be installed with photosensor or timeclock to receive incentive |
| | \$150 | | RAL1M-150-50-MS-T3 | | 21,231 | 147 | 5,000 | Must be installed with photosensor or timeclock to receive incentive |
| | \$150 | | RAL1M-150-50-MS-T5 | | 21,459 | 147 | 5,000 | Must be installed with photosensor or timeclock to receive incentive |
| | \$150 | Signify | ECF-L-96L-800-NW-G2-5-UNV-CE50 | | 32,052 | 235 | 4,000 | Must include DynaDimmer option CE-50 to receive Tier 2 Incentive |
| | \$150 | | ECF-S-32L-1.2A-NW-G2-5-UNV-CE50 | | 15,068 | 117 | 4,000 | Must include DynaDimmer option CE-50 to receive Tier 2 Incentive |
| | \$150 | | ECF-S-32L-1A-NW-G2-5-UNV-CE50 | | 13,584 | 102 | 4,000 | Must include DynaDimmer option CE-50 to receive Tier 2 Incentive |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|--------------|--------------------------------------|-----|-----------------------|------------------------|--------------|--|
| 87UCPC | \$150 | SLG | ALCL 350 T3 G1 4K SPAR FSP-212 | | 34,000 | 250 | 4,000 | |
| | \$150 | | ALCL 350 T3 G1 5K SPAR FSP-212 | | 34,500 | 250 | 5,000 | |
| | \$150 | | ALCL 350 T3 G1 HVU 4K SPAR FSP-212 | | 34,000 | 250 | 4,000 | |
| | \$150 | | ALCL 350 T3 G1 HVU 5K SPAR FSP-212 | | 34,500 | 250 | 5,000 | |
| | \$150 | | ALCL 350 T4 G1 4K SPAR FSP-212 | | 33,250 | 250 | 4,000 | |
| | \$150 | | ALCL 350 T4 G1 5K SPAR FSP-212 | | 33,750 | 250 | 5,000 | |
| | \$150 | | ALCL 350 T4 G1 HVU 4K SPAR FSP-212 | | 33,250 | 250 | 4,000 | |
| | \$150 | | ALCL 350 T4 G1 HVU 5K SPAR FSP-212 | | 33,750 | 250 | 5,000 | |
| | \$150 | | ALCL 350 T5 G1 4K SPAR FSP-212 | | 34,750 | 250 | 4,000 | |
| | \$150 | | ALCL 350 T5 G1 5K SPAR FSP-212 | | 35,250 | 250 | 5,000 | |
| | \$150 | | ALCL 350 T5 G1 HVU 4K SPAR FSP-212 | | 34,750 | 250 | 4,000 | |
| | \$150 | | ALCL 350 T5 G1 HVU 5K SPAR FSP-212 | | 35,250 | 250 | 5,000 | |
| | \$150 | | ALCL 410 T3 G1 4K SPAR D FSP-212 | | 40,500 | 300 | 4,000 | |
| | \$150 | | ALCL 410 T3 G1 5K SPAR D FSP-212 | | 41,000 | 300 | 5,000 | |
| | \$150 | | ALCL 410 T3 G1 HVU 4K SPAR D FSP-212 | | 41,500 | 300 | 4,000 | |
| | \$150 | | ALCL 410 T3 G1 HVU 5K SPAR D FSP-212 | | 42,000 | 300 | 5,000 | |
| | \$150 | | ALCL 410 T4 G1 4K SPAR FSP-212 | | 39,600 | 300 | 4,000 | |
| | \$150 | | ALCL 410 T4 G1 5K SPAR FSP-212 | | 39,900 | 300 | 5,000 | |
| | \$150 | | ALCL 410 T4 G1 HVU 4K SPAR FSP-212 | | 39,600 | 300 | 4,000 | |
| | \$150 | | ALCL 410 T4 G1 HVU 5K SPAR FSP-212 | | 39,900 | 300 | 5,000 | |
| | \$150 | | ALCL 410 T5 G1 4K SPAR D FSP-212 | | 40,500 | 300 | 4,000 | |
| | \$150 | | ALCL 410 T5 G1 5K SPAR D FSP-212 | | 41,000 | 300 | 5,000 | |
| | \$150 | | ALCL 410 T5 G1 HVU 4K SPAR D FSP-212 | | 41,500 | 300 | 4,000 | |
| | \$150 | | ALCL 410 T5 G1 HVU 5K SPAR D FSP-212 | | 42,000 | 300 | 5,000 | |
| | \$150 | | ALCM 210 T3 G1 4K SPAR D FSP-212 | | 20,500 | 150 | 4,000 | |
| | \$150 | | ALCM 210 T3 G1 5K SPAR D FSP-212 | | 20,800 | 150 | 5,000 | |
| | \$150 | | ALCM 210 T3 G1 HVU 4K SPAR D FSP-212 | | 21,000 | 150 | 4,000 | |
| | \$150 | | ALCM 210 T3 G1 HVU 5K SPAR D FSP-212 | | 21,300 | 150 | 5,000 | |
| | \$150 | | ALCM 210 T4 G1 5K SPAR FSP-212 | | 20,000 | 150 | 5,000 | |
| | \$150 | | ALCM 210 T4 G1 HVU 4K SPAR FSP-212 | | 19,800 | 150 | 4,000 | |
| | \$150 | | ALCM 210 T4 G1 HVU 5K SPAR FSP-212 | | 20,000 | 150 | 5,000 | |
| | \$150 | | ALCM 210 T5 G1 4K SPAR D FSP-212 | | 20,500 | 150 | 4,000 | |
| | \$150 | | ALCM 210 T5 G1 5K SPAR D FSP-212 | | 20,800 | 150 | 5,000 | |
| | \$150 | | ALCM 210 T5 G1 HVU 4K SPAR D FSP-212 | | 21,000 | 150 | 4,000 | |
| | \$150 | | ALCM 210 T5 G1 HVU 5K SPAR D FSP-212 | | 21,000 | 150 | 5,000 | |
| | \$150 | | ALCM 260 T3 G1 4K SPAR D FSP-212 | | 25,500 | 200 | 4,000 | |
| | \$150 | | ALCM 260 T3 G1 5K SPAR D FSP-212 | | 26,000 | 200 | 5,000 | |
| | \$150 | | ALCM 260 T4 G1 4K SPAR FSP-212 | | 24,600 | 200 | 4,000 | |
| | \$150 | | ALCM 260 T4 G1 5K SPAR FSP-212 | | 24,800 | 200 | 5,000 | |
| | \$150 | | ALCM 260 T4 G1 HVU 4K SPAR FSP-212 | | 24,600 | 200 | 4,000 | |
| | \$150 | | ALCS 140 T3 G1 4K SPAR D FSP-212 | | 13,500 | 100 | 4,000 | |
| | \$150 | | ALCS 140 T3 G1 5K SPAR D FSP-212 | | 13,800 | 100 | 5,000 | |
| | \$150 | | ALCS 140 T4 G1 4K SPAR FSP-212 | | 13,200 | 100 | 4,000 | |
| | \$150 | | ALCS 140 T4 G1 5K SPAR FSP-212 | | 13,300 | 100 | 5,000 | |
| | \$150 | | ALCS 140 T5 G1 4K SPAR FSP-212 | | 13,800 | 100 | 4,000 | |
| | \$150 | | ALCS 140 T5 G1 5K SPAR FSP-212 | | 13,900 | 100 | 5,000 | |
| | \$150 | TCP | TALUZDA2T3F40KBRMS | | 14,000 | 100 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$150 | | TALUZDA2T4F40KBRMS | | 14,000 | 100 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$150 | | TALUZDA2T5F40KBRMS | | 14,000 | 100 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$150 | | TALUZDA2T3F50KBRMS | | 14,000 | 100 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$150 | | TALUZDA2T4F50KBRMS | | 14,000 | 100 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|------------------------|--|---------------------------|-----------------------|------------------------|--------------|---|
| 87UCPC | \$150 | TCP | TALUZDA2T5F50KBRMS | | 14,000 | 100 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$150 | | TALUZDA3T3F40KBRMS | | 19,500 | 150 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$150 | | TALUZDA3T4F40KBRMS | | 19,500 | 150 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$150 | | TALUZDA3T5F40KBRMS | | 19,500 | 150 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$150 | | TALUZDA3T3F50KBRMS | | 19,500 | 150 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$150 | | TALUZDA3T4F50KBRMS | | 19,500 | 150 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$150 | | TALUZDA3T5F50KBRMS | | 19,500 | 150 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$150 | | TALUZDA4T3F40KBRMS | | 27,500 | 200 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$150 | | TALUZDA4T4F40KBRMS | | 27,500 | 200 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$150 | | TALUZDA4T5F40KBRMS | | 27,500 | 200 | 4,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$150 | | TALUZDA4T3F50KBRMS | | 27,500 | 200 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$150 | | TALUZDA4T4F50KBRMS | | 27,500 | 200 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | \$150 | | TALUZDA4T5F50KBRMS | | 27,500 | 200 | 5,000 | Must be installed with a photocell or timeclock to receive incentive |
| | | | | | | | | |
| | \$150 | Topaz | ARL-150PCS-T3+ARL-PCS-MMS | 032886310119+032886310348 | 18,401 | 151 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$150 | | ARL-150PCS-T4+ARL-PCS-MMS | 032886310126+032886310348 | 18,936 | 152 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$150 | | ARL-150PCS-T5+ARL-PCS-MMS | 032886310133+032886310348 | 18,755 | 151 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$150 | | ARL-300PCS-T3+ARL-PCS-MMS | 032886310140+032886310348 | 39,023 | 303 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$150 | | ARL-300PCS-T4+ARL-PCS-MMS | 032886310157+032886310348 | 38,727 | 308 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$150 | | ARL-300PCS-T5+ARL-PCS-MMS | 032886310164+032886310348 | 40,117 | 304 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$150 | | ARL-150PCS-SWO+ARL-PCS-MMS | 032886310256+032886310348 | 18,940 | 150 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$150 | | ARL-300PCS-SWO+ARL-PCS-MMS | 032886310263+032886310348 | 38,669 | 311 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$150 | | ARL-150PCS-T3+ARL-PCS-PIR-MS | 032886310119+032886310355 | 18,401 | 151 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$150 | | ARL-150PCS-T4+ARL-PCS-PIR-MS | 032886310126+032886310355 | 18,936 | 152 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$150 | | ARL-150PCS-T5+ARL-PCS-PIR-MS | 032886310133+032886310355 | 18,755 | 151 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$150 | | ARL-300PCS-T3+ARL-PCS-PIR-MS | 032886310140+032886310355 | 39,023 | 303 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$150 | | ARL-300PCS-T4+ARL-PCS-PIR-MS | 032886310157+032886310355 | 38,727 | 308 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$150 | | ARL-300PCS-T5+ARL-PCS-PIR-MS | 032886310164+032886310355 | 40,117 | 304 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$150 | | ARL-150PCS-SWO+ARL-PCS-PIR-MS | 032886310256+032886310355 | 18,940 | 150 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$150 | | ARL-300PCS-SWO+ARL-PCS-PIR-MS | 032886310263+032886310355 | 38,669 | 311 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | | | | | | | | |
| | \$150 | WESTGATE MFG | LFXE-XL-200-300W-50K-P+MSO-IP66-KN | 845060087604 | 40,811 | 291 | 5,000 | Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | | | | | | | | |
| 87UDP | \$180 | Acuity Brands Lighting | RSX4 LED P4 40K R5 MVOLT (SPA or RPA) PE DDBXD | | 56,658 | 431 | 4,000 | |
| | \$180 | | RSX3 LED P2 40K R4 MVOLT SPA PE DDBXD | 193047833837 | 30,648 | 223 | 4,000 | |
| | \$180 | | RSX3 LED P2 40K R4 MVOLT RPA PE DDBXD | | 30,648 | 223 | 4,000 | |
| | \$180 | | RSX3 LED P2 40K R5 MVOLT SPA PE DDBXD | 193047833868 | 30,898 | 223 | 4,000 | |
| | \$180 | | RSX3 LED P2 40K R5 MVOLT RPA PE DDBXD | | 30,898 | 223 | 4,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|------------------------|---------------------------------------|--------------|-----------------------|------------------------|--------------|---|
| 87UDP | \$180 | Acuity Brands Lighting | RSX3 LED P4 40K R4 MVOLT SPA PE DDBXD | 193048215717 | 41,070 | 312 | 4,000 | |
| | \$180 | | RSX3 LED P4 40K R4 MVOLT RPA PE DDBXD | | 41,070 | 312 | 4,000 | |
| | \$180 | | RSX4 LED P6 40K R5 MVOLT SPA PE DDBXD | | 70,191 | 546 | 4,000 | |
| | \$180 | | RSX4 LED P6 40K R5 MVOLT RPA PE DDBXD | | 70,191 | 546 | 4,000 | |
| | \$180 | | RSX4 LED P3 40K R4 MVOLT SPA PE DDBXD | | 51,097 | 369 | 4,000 | |
| | \$180 | | RSX4 LED P3 40K R4 MVOLT RPA PE DDBXD | | 51,097 | 369 | 4,000 | |
| | \$180 | | RSX4 LED P4 40K R4 MVOLT SPA PE DDBXD | | 42,071 | 343 | 4,000 | |
| | \$180 | | RSX4 LED P4 40K R4 MVOLT RPA PE DDBXD | | 42,071 | 343 | 4,000 | |
| | \$180 | | RSX4 LED P2 40K R4 MVOLT SPA PE DDBXD | | 45,814 | 321 | 4,000 | |
| | \$180 | | RSX4 LED P2 40K R4 MVOLT RPA PE DDBXD | | 45,814 | 321 | 4,000 | |
| | \$180 | | RSX4 LED P2 40K R5 MVOLT SPA PE DDBXD | | 46,188 | 321 | 4,000 | |
| | \$180 | | RSX4 LED P2 40K R5 MVOLT RPA PE DDBXD | | 46,188 | 321 | 4,000 | |
| | \$180 | | RSX4 LED P3 40K R5 MVOLT SPA PE DDBXD | | 51,514 | 369 | 4,000 | |
| | \$180 | | RSX4 LED P3 40K R5 MVOLT RPA PE DDBXD | | 51,514 | 369 | 4,000 | |
| | \$180 | | RSX4 LED P1 40K R5 MVOLT SPA PE DDBXD | | 40,602 | 275 | 4,000 | |
| | \$180 | | RSX4 LED P1 40K R5 MVOLT RPA PE DDBXD | | 40,602 | 275 | 4,000 | |
| | \$180 | | RSX4 LED P6 40K R4 MVOLT SPA PE DDBXD | | 69,623 | 546 | 4,000 | |
| | \$180 | | RSX4 LED P6 40K R4 MVOLT RPA PE DDBXD | | 69,623 | 546 | 4,000 | |
| | \$180 | | RSX4 LED P5 40K R5 MVOLT SPA PE DDBXD | | 63,107 | 484 | 4,000 | |
| | \$180 | | RSX4 LED P5 40K R5 MVOLT RPA PE DDBXD | | 63,107 | 484 | 4,000 | |
| | \$180 | | RSX4 LED P5 40K R4 MVOLT SPA PE DDBXD | | 62,597 | 484 | 4,000 | |
| | \$180 | | RSX4 LED P5 40K R4 MVOLT RPA PE DDBXD | | 62,597 | 484 | 4,000 | |
| | \$180 | | RSX4 LED P1 40K R4 MVOLT SPA PE DDBXD | | 40,274 | 275 | 4,000 | |
| | \$180 | | RSX4 LED P1 40K R4 MVOLT RPA PE DDBXD | | 40,274 | 275 | 4,000 | |
| | \$180 | | RSX3 LED P3 40K R5 MVOLT SPA PE DDBXD | | 36,182 | 267 | 4,000 | |
| | \$180 | | RSX3 LED P3 40K R5 MVOLT RPA PE DDBXD | | 36,182 | 267 | 4,000 | |
| | \$180 | | RSX3 LED P4 40K R5 MVOLT SPA PE DDBXD | | 41,405 | 312 | 4,000 | |
| | \$180 | | RSX3 LED P4 40K R5 MVOLT RPA PE DDBXD | | 41,405 | 312 | 4,000 | |
| | \$180 | | RSX3 LED P3 40K R4 MVOLT SPA PE DDBXD | | 35,889 | 267 | 4,000 | |
| | \$180 | | RSX3 LED P3 40K R4 MVOLT RPA PE DDBXD | | 35,889 | 267 | 4,000 | |
| | \$180 | | RSX2 LED P6 40K R4 MVOLT SPA PE DDBXD | | 30,732 | 247 | 4,000 | |
| | \$180 | | RSX2 LED P6 40K R4 MVOLT RPA PE DDBXD | | 30,732 | 247 | 4,000 | |
| | \$180 | | RSX2 LED P6 40K R5 MVOLT SPA PE DDBXD | | 30,983 | 247 | 4,000 | |
| | \$180 | | RSX2 LED P6 40K R5 MVOLT RPA PE DDBXD | | 30,983 | 247 | 4,000 | |
| | \$180 | ASD Lighting Corp | ASD-LSB2-240D50B-PRM | 819201026470 | 31,680 | 240 | 5,000 | Must be installed with a timeclock or with the PC option to receive incentive |
| | \$180 | | ASD-LSB5-200D50BR | 810128110952 | 30,000 | 200 | 5,000 | Must be installed with a timeclock or photocell to receive incentive. |
| | \$180 | | ASD-LSB5-200D50BR-AMR | 810128113274 | 30,000 | 200 | 5,000 | Must be installed with a timeclock or photocell to receive incentive. |
| | \$180 | | ASD-LSB5-200D50BR-SF | 810128113182 | 30,000 | 200 | 5,000 | Must be installed with a timeclock or photocell to receive incentive. |
| | \$180 | | ASD-LSB5-240D50BR | 810128112444 | 36,000 | 240 | 5,000 | Must be installed with a timeclock or photocell to receive incentive. |
| | \$180 | | ASD-LSB5-300D50BR | 810128110976 | 45,000 | 300 | 5,000 | Must be installed with a timeclock or photocell to receive incentive. |
| | \$180 | | ASD-LSB5-300D50BR-AMR | 810128113281 | 45,000 | 300 | 5,000 | Must be installed with a timeclock or photocell to receive incentive. |
| | \$180 | | ASD-LSB5-300D50BR-SF | 810128113199 | 45,000 | 300 | 5,000 | Must be installed with a timeclock or photocell to receive incentive. |
| | | | | | | | | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen |
| | \$180 | | ASD-LSB5A-PRO-300BK | 810128111911 | 49,500 | 300 | 3,000 | setting. Must be installed with a timeclock or photocell to receive incentive. |
| | | | | | | | | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen |
| | \$180 | | ASD-LSB5A-PRO-300BR | 810128112420 | 49,500 | 300 | 3,000 | setting. Must be installed with a timeclock or photocell to receive incentive. |
| | | | | | | | | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen |
| | \$180 | | ASD-LSB5A-PRO-300SL | 810128111904 | 49,500 | 300 | 3,000 | setting. Must be installed with a timeclock or photocell to receive incentive. |
| | | | | | | | | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen |
| | \$180 | | ASD-LSB5A-PRO-300WH | 810128113168 | 49,500 | 300 | 3,000 | setting. Must be installed with a timeclock or photocell to receive incentive. |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-------------------------|------------------------|--------------|-----------------------|------------------------|--------------|--|
| 87UDP | \$180 | ASD Lighting Corp | ASD-LSB5A-PRO-500BK | 810128111928 | 82,500 | 500 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$180 | | ASD-LSB5A-PRO-500BR | 810128110983 | 82,500 | 500 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$180 | | ASD-LSB5A-PRO-500SL | 810128111935 | 82,500 | 500 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$180 | | ASD-LSB5A-PRO-500WH | 810128114004 | 82,500 | 500 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$180 | | ASD-LSB5A-HV-PRO-300BR | 810128111010 | 49,500 | 300 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$180 | | ASD-LSB5A-HV-PRO-500BR | 810128111027 | 82,500 | 500 | 3,000 | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$180 | | ASD-LSB2-300D30B-PRM | 819201026487 | 39,000 | 300 | 3,000 | Must be installed with a timeclock or photocell to receive incentive. |
| | \$180 | | ASD-LSB2-300D50B-AR | 810050735650 | 40,200 | 300 | 5,000 | Must be installed with a timeclock or photocell to receive incentive. |
| | \$180 | | ASD-LSB2-300D50-BK | 810050736961 | 40,200 | 300 | 5,000 | Must be installed with a timeclock or photocell to receive incentive. |
| | \$180 | | ASD-LSB2-300D50B-PRM | 819201026487 | 40,200 | 300 | 5,000 | Must be installed with a timeclock or photocell to receive incentive. |
| | \$180 | | ASD-LSB2-300D50-SL | 810050736978 | 40,200 | 300 | 5,000 | Must be installed with a timeclock or photocell to receive incentive. |
| | \$180 | | ASD-LSB2-300D50W-PRM | 810050732741 | 40,200 | 300 | 5,000 | Must be installed with a timeclock or photocell to receive incentive. |
| | \$180 | | ASD-LSB2-400D50B-PRM | 819201026494 | 66,097 | 402 | 5,000 | Must be installed with a timeclock or photocell to receive incentive. |
| | \$180 | | ASD-LSB2-500D50B-PRM | 819201026517 | 81,773 | 504 | 5,000 | Must be installed with a timeclock or photocell to receive incentive. |
| | \$180 | | ASD-LSB2HV-240D50B-PRM | 810050730228 | 31,680 | 240 | 5,000 | Must be installed with a timeclock or photocell to receive incentive. |
| | \$180 | | ASD-LSB2HV-300D50B-PRM | 819201026821 | 40,200 | 300 | 5,000 | Must be installed with a timeclock or photocell to receive incentive. |
| | \$180 | | ASD-LSB2HV-400D50B-PRM | 819201026838 | 67,721 | 402 | 5,000 | Must be installed with a timeclock or photocell to receive incentive. |
| | \$180 | | ASD-LSB2HV-500D50B-PRM | 819201026845 | 83,403 | 502 | 5,000 | Must be installed with a timeclock or photocell to receive incentive. |
| | \$180 | Atlas Lighting Products | SLPM36LFT45KPR | 765364013638 | 34,297 | 219 | 4,500 | Must be installed with timeclock or photocell to receive incentive |
| | \$180 | | SLPM36LFT4KPR | 765364049095 | 35,032 | 219 | 4,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$180 | | SLPM36LFT5KPR | 765364018312 | 34,297 | 219 | 5,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$180 | | SLPM36LT245KPR | | 34,796 | 219 | 4,500 | Must be installed with timeclock or photocell to receive incentive |
| | \$180 | | SLPM36LT24KPR | | 35,542 | 219 | 4,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$180 | | SLPM36LT25KPR | 765364944031 | 34,796 | 219 | 5,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$180 | | SLPM36LT345KPR | 765364024474 | 34,856 | 219 | 4,500 | Must be installed with timeclock or photocell to receive incentive |
| | \$180 | | SLPM36LT34KPR | 765364041730 | 35,603 | 219 | 4,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$180 | | SLPM36LT35KPR | 765364039713 | 34,856 | 219 | 5,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$180 | | SLPM36LT545KPR | 765364026775 | 34,582 | 220 | 4,500 | Must be installed with timeclock or photocell to receive incentive |
| | \$180 | | SLPM36LT54KPR | 765364033735 | 35,323 | 220 | 4,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$180 | | SLPM36LT55KPR | | 34,582 | 220 | 5,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$180 | | SLPM43LFT45KPR | 765364942815 | 41,127 | 275 | 4,500 | Must be installed with timeclock or photocell to receive incentive |
| | \$180 | | SLPM43LFT4KPR | 765364012327 | 41,617 | 275 | 4,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$180 | | SLPM43LFT5PR | 765364022388 | 41,127 | 275 | 5,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$180 | | SLPM43LT245KPR | 765364031809 | 41,258 | 275 | 4,500 | Must be installed with timeclock or photocell to receive incentive |
| | \$180 | | SLPM43LT24KPR | | 41,750 | 275 | 4,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$180 | | SLPM43LT25KPR | | 41,258 | 275 | 5,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$180 | | SLPM43LT345KPR | 765364038433 | 41,575 | 275 | 4,500 | Must be installed with timeclock or photocell to receive incentive |
| | \$180 | | SLPM43LT34KPR | 765364012334 | 42,070 | 275 | 4,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$180 | | SLPM43LT35KPR | 765364022371 | 41,575 | 275 | 5,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$180 | | SLPM43LT545KPR | 765364033407 | 41,970 | 276 | 4,500 | Must be installed with timeclock or photocell to receive incentive |
| | \$180 | | SLPM43LT54KPR | | 42,470 | 276 | 4,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$180 | | SLPM43LT55KPR | 765364016653 | 41,970 | 276 | 5,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$180 | | SLPM50LFT45KPR | 765364039911 | 47,048 | 332 | 4,500 | Must be installed with timeclock or photocell to receive incentive |
| | \$180 | | SLPM50LFT4KPR | 765364033094 | 47,891 | 333 | 4,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$180 | | SLPM50LFT5KPR | 765364030932 | 47,048 | 332 | 5,000 | Must be installed with timeclock or photocell to receive incentive |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-----------------------------|-----------------------------|--------------|-----------------------|------------------------|--------------|--|
| 87UDP | \$180 | Atlas Lighting Products | SLPM50LT245KPR | | 47,962 | 333 | 4,500 | Must be installed with timedclock or photocell to receive incentive |
| | \$180 | | SLPM50LT24KPR | | 48,821 | 333 | 4,000 | Must be installed with timedclock or photocell to receive incentive |
| | \$180 | | SLPM50LT25KPR | | 47,962 | 333 | 5,000 | Must be installed with timedclock or photocell to receive incentive |
| | \$180 | | SLPM50LT345KPR | 765364048906 | 48,324 | 333 | 4,500 | Must be installed with timedclock or photocell to receive incentive |
| | \$180 | | SLPM50LT34KPR | 765364038303 | 49,190 | 333 | 4,000 | Must be installed with timedclock or photocell to receive incentive |
| | \$180 | | SLPM50LT35KPR | | 48,324 | 333 | 5,000 | Must be installed with timedclock or photocell to receive incentive |
| | \$180 | | SLPM50LT545KPR | | 48,652 | 333 | 4,500 | Must be installed with timedclock or photocell to receive incentive |
| | \$180 | | SLPM50LT54KPR | | 49,524 | 333 | 4,000 | Must be installed with timedclock or photocell to receive incentive |
| | \$180 | | SLPM50LT55PR | | 48,652 | 333 | 5,000 | Must be installed with timedclock or photocell to receive incentive |
| | \$180 | Barron Lighting Group | RxA-300-3-VS-4K-BR-A | | 40,500 | 300 | 4,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$180 | | RxA-300-4-VS-4K-BR-A | | 39,600 | 300 | 4,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$180 | | RxA-300-5-VS-4K-BR-A | | 40,500 | 300 | 4,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$180 | | RxA-300-3-VS-5K-BR-A | | 41,000 | 300 | 5,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$180 | | RxA-300-4-VS-5K-BR-A | | 39,900 | 300 | 5,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$180 | | RxA-300-5-VS-5K-BR-A | | 41,000 | 300 | 5,000 | Installed with either option TLPC or with separate PC or time clock |
| | \$180 | | RXAR-400-2-VS-CP-BR-A | | 62,000 | 400 | 5,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timedclock to receive incentive |
| | \$180 | | RXAR-400-3-VS-CP-BR-A | | 62,000 | 400 | 5,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timedclock to receive incentive |
| | \$180 | | RXAR-400-4-VS-CP-BR-A | | 62,000 | 400 | 5,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timedclock to receive incentive |
| | \$180 | | RXAR-400-5-VS-CP-BR-A | | 62,000 | 400 | 5,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. Must be installed with Photocell or timedclock to receive incentive |
| | \$180 | | RXAR-400-2-VS-CP-BR-A-TLPC3 | | 62,000 | 400 | 5,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. |
| | \$180 | | RXAR-400-3-VS-CP-BR-A-TLPC3 | | 62,000 | 400 | 5,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. |
| | \$180 | | RXAR-400-4-VS-CP-BR-A-TLPC3 | | 62,000 | 400 | 5,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. |
| | \$180 | | RXAR-400-5-VS-CP-BR-A-TLPC3 | | 62,000 | 400 | 5,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output. |
| | \$180 | Cooper Lighting Solutions | GALN-SA6C-740-U-T3R-BZ | | 42,663 | 327 | 4,000 | |
| | \$180 | Green Ignite | GI-ALM-C1000-480UL3-D-SQ-T3 | | 42,000 | 300 | 5,000 | Must be installed with a photocell or timedclock to receive incentive |
| | \$180 | | GI-ALM-C1000-480UL3-D-SP-T3 | | 42,000 | 300 | 5,000 | Must be installed with a photocell or timedclock to receive incentive |
| | \$180 | | GI-ALM-C1000-480UL3-D-WM-T3 | | 42,000 | 300 | 5,000 | Must be installed with a photocell or timedclock to receive incentive |
| | \$180 | | GI-ALM-C1000-UL3-D-SQ-T3 | | 41,000 | 300 | 5,000 | Must be installed with a photocell or timedclock to receive incentive |
| | \$180 | | GI-ALM-C1000-UL3-D-SP-T3 | | 41,000 | 300 | 5,000 | Must be installed with a photocell or timedclock to receive incentive |
| | \$180 | | GI-ALM-C1000-UL3-D-WM-T3 | | 41,000 | 300 | 5,000 | Must be installed with a photocell or timedclock to receive incentive |
| | \$180 | | GI-ALM-D1000-UL3-D-SQ-T3 | | 40,500 | 300 | 4,000 | Must be installed with a photocell or timedclock to receive incentive |
| | \$180 | | GI-ALM-D1000-UL3-D-SP-T3 | | 40,500 | 300 | 4,000 | Must be installed with a photocell or timedclock to receive incentive |
| | \$180 | | GI-ALM-D1000-UL3-D-WM-T3 | | 40,500 | 300 | 4,000 | Must be installed with a photocell or timedclock to receive incentive |
| | \$180 | Halco Lighting Technologies | SAL-200-T3-40-U | 807154248582 | 29,786 | 200 | 4,000 | Must be installed with 7PR (807154248773) option or with a time clock to receive incentive. |
| | \$180 | | SAL-200-T3-50-U | 807154248605 | 29,886 | 200 | 5,000 | Must be installed with 7PR (807154248773) option or with a time clock to receive incentive. |
| | \$180 | | SAL-200-T5-40-U | 807154248599 | 29,164 | 200 | 4,000 | Must be installed with 7PR (807154248773) option or with a time clock to receive incentive. |
| | \$180 | | SAL-240-T3-40-U | 807154248629 | 34,807 | 239 | 4,000 | Must be installed with 7PR (807154248773) option or with a time clock to receive incentive. |
| | \$180 | | SAL-240-T3-50-U | 807154248643 | 34,936 | 239 | 5,000 | Must be installed with 7PR (807154248773) option or with a time clock to receive incentive. |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-------------------------|-------------------------------|------------------------------|-------------------------|-----------------------|------------------------|--|---|
| 87UDP | \$180 | Halco Lighting Technologies | SAL-240-T5-40-U | 807154248636 | 34,845 | 239 | 4,000 | Must be installed with 7PR (807154248773) option or with a time clock to receive incentive. |
| | \$180 | | SAL-240-T5-50-U | 807154248650 | 35,076 | 239 | 5,000 | Must be installed with 7PR (807154248773) option or with a time clock to receive incentive. |
| | \$180 | | SAL-300-T3-40-U | 807154248667 | 43,734 | 300 | 4,000 | Must be installed with 7PR (807154248773) option or with a time clock to receive incentive. |
| | \$180 | | SAL-300-T3-50-U | 807154248681 | 43,849 | 300 | 5,000 | Must be installed with 7PR (807154248773) option or with a time clock to receive incentive. |
| | \$180 | | SAL-300-T5-40-U | 807154248674 | 43,774 | 300 | 4,000 | Must be installed with 7PR (807154248773) option or with a time clock to receive incentive. |
| | \$180 | | SAL-300-T5-50-U | 807154248698 | 43,860 | 299 | 5,000 | Must be installed with 7PR (807154248773) option or with a time clock to receive incentive. |
| | \$180 | | Industrial Lighting Products | SAM-30L-U-30-T2-UMB-BRZ | | 28,956 | 221 | 3,000 |
| \$180 | SAM-30L-U-30-T3-UMB-BRZ | 28,806 | | 221 | | 3,000 | if not installed with time clock, a separate photo sensor is needed. | |
| \$180 | SAM-30L-U-30-T4-UMB-BRZ | 28,597 | | 221 | | 3,000 | if not installed with time clock, a separate photo sensor is needed. | |
| \$180 | SAM-30L-U-40-T2-UMB-BRZ | 31,643 | | 223 | | 4,000 | if not installed with time clock, a separate photo sensor is needed. | |
| \$180 | SAM-30L-U-40-T3-UMB-BRZ | 31,480 | | 223 | | 4,000 | if not installed with time clock, a separate photo sensor is needed. | |
| \$180 | SAM-30L-U-40-T4-UMB-BRZ | 31,251 | | 223 | | 4,000 | if not installed with time clock, a separate photo sensor is needed. | |
| \$180 | SAM-30L-U-50-T2-UMB-BRZ | 31,185 | | 223 | | 5,000 | if not installed with time clock, a separate photo sensor is needed. | |
| \$180 | SAM-30L-U-50-T3-UMB-BRZ | 31,024 | | 223 | | 5,000 | if not installed with time clock, a separate photo sensor is needed. | |
| \$180 | SAM-30L-U-50-T4-UMB-BRZ | 30,799 | | 223 | | 5,000 | if not installed with time clock, a separate photo sensor is needed. | |
| \$180 | SAM-36L-U-30-T2-UMB-BRZ | 35,519 | | 238 | | 3,000 | if not installed with time clock, a separate photo sensor is needed. | |
| \$180 | SAM-36L-U-30-T3-UMB-BRZ | 35,336 | | 238 | | 3,000 | if not installed with time clock, a separate photo sensor is needed. | |
| \$180 | SAM-36L-U-30-T4-UMB-BRZ | 35,079 | | 238 | | 3,000 | if not installed with time clock, a separate photo sensor is needed. | |
| \$180 | SAM-36L-U-40-T2-UMB-BRZ | 37,211 | | 238 | | 4,000 | if not installed with time clock, a separate photo sensor is needed. | |
| \$180 | SAM-36L-U-40-T3-UMB-BRZ | 37,019 | | 238 | | 4,000 | if not installed with time clock, a separate photo sensor is needed. | |
| \$180 | SAM-36L-U-40-T4-UMB-BRZ | 36,750 | | 238 | | 4,000 | if not installed with time clock, a separate photo sensor is needed. | |
| \$180 | SAM-36L-U-50-T2-UMB-BRZ | 36,672 | | 238 | | 5,000 | if not installed with time clock, a separate photo sensor is needed. | |
| \$180 | SAM-36L-U-50-T3-UMB-BRZ | 36,483 | | 238 | | 5,000 | if not installed with time clock, a separate photo sensor is needed. | |
| \$180 | SAM-36L-U-50-T4-UMB-BRZ | 36,218 | | 238 | | 5,000 | if not installed with time clock, a separate photo sensor is needed. | |
| \$180 | SAM-42L-U-30-T2-UMB-BRZ | 39,561 | | 277 | | 3,000 | if not installed with time clock, a separate photo sensor is needed. | |
| \$180 | SAM-42L-U-30-T3-UMB-BRZ | 39,357 | | 277 | | 3,000 | if not installed with time clock, a separate photo sensor is needed. | |
| \$180 | SAM-42L-U-30-T4-UMB-BRZ | 39,071 | | 277 | | 3,000 | if not installed with time clock, a separate photo sensor is needed. | |
| \$180 | SAM-42L-U-40-T2-UMB-BRZ | 41,296 | | 276 | | 4,000 | if not installed with time clock, a separate photo sensor is needed. | |
| \$180 | SAM-42L-U-40-T3-UMB-BRZ | 41,157 | | 277 | | 4,000 | if not installed with time clock, a separate photo sensor is needed. | |
| \$180 | SAM-42L-U-40-T4-UMB-BRZ | 40,932 | | 277 | | 4,000 | if not installed with time clock, a separate photo sensor is needed. | |
| \$180 | SAM-42L-U-50-T2-UMB-BRZ | 40,846 | | 277 | | 5,000 | if not installed with time clock, a separate photo sensor is needed. | |
| \$180 | SAM-42L-U-50-T3-UMB-BRZ | 40,634 | | 277 | | 5,000 | if not installed with time clock, a separate photo sensor is needed. | |
| \$180 | SAM-42L-U-50-T4-UMB-BRZ | 40,339 | | 277 | | 5,000 | if not installed with time clock, a separate photo sensor is needed. | |
| \$180 | Keystone Technologies | KT-ALED290-L1-2-NM-840-VDIM | | 40,310 | 290 | 4,000 | The PS option would be needed if not being installed with time clock | |
| \$180 | | KT-ALED290-L1-2-NM-850-VDIM | | 40,890 | 290 | 5,000 | The PS option would be needed if not being installed with time clock | |
| \$180 | | KT-ALED290-L1-3-NM-840-VDIM | 843654131528 | 40,310 | 290 | 4,000 | The PS option would be needed if not being installed with time clock | |
| \$180 | | KT-ALED290-L1-3-NM-850-VDIM | 843654131535 | 40,890 | 290 | 5,000 | The PS option would be needed if not being installed with time clock | |
| \$180 | | KT-ALED290-L1-4-NM-840-VDIM | | 40,600 | 290 | 4,000 | The PS option would be needed if not being installed with time clock | |
| \$180 | | KT-ALED290-L1-4-NM-850-VDIM | | 41,180 | 290 | 5,000 | The PS option would be needed if not being installed with time clock | |
| \$180 | | KT-ALED290-L1-5-NM-840-VDIM | 843654131542 | 40,600 | 290 | 4,000 | The PS option would be needed if not being installed with time clock | |
| \$180 | | KT-ALED290-L1-5-NM-850-VDIM | 843654131559 | 41,180 | 290 | 5,000 | The PS option would be needed if not being installed with time clock | |
| \$180 | | KT-ALED290HV-L1-2-NM-840-VDIM | | 40,310 | 290 | 4,000 | The PS option would be needed if not being installed with time clock | |
| \$180 | | KT-ALED290HV-L1-2-NM-850-VDIM | | 40,890 | 290 | 5,000 | The PS option would be needed if not being installed with time clock | |
| \$180 | | KT-ALED290HV-L1-3-NM-840-VDIM | 843654131566 | 40,310 | 290 | 4,000 | The PS option would be needed if not being installed with time clock | |
| \$180 | | KT-ALED290HV-L1-3-NM-850-VDIM | 843654131573 | 40,890 | 290 | 5,000 | The PS option would be needed if not being installed with time clock | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-----------------------|--|----------------------------|-----------------------|------------------------|--------------|---|
| 87UDP | \$180 | Keystone Technologies | KT-ALED290HV-L1-4-NM-840-VDIM | | 40,600 | | 290 | 4,000 The PS option would be needed if not being installed with time clock |
| | \$180 | | KT-ALED290HV-L1-4-NM-850-VDIM | | 41,180 | | 290 | 5,000 The PS option would be needed if not being installed with time clock |
| | \$180 | | KT-ALED290HV-L1-5-NM-840-VDIM | 843654131580 | 40,600 | | 290 | 4,000 The PS option would be needed if not being installed with time clock |
| | \$180 | | KT-ALED290HV-L1-5-NM-850-VDIM | 843654131597 | 41,180 | | 290 | 5,000 The PS option would be needed if not being installed with time clock |
| | \$180 | | KT-ALED290PS-L2-OSB-PMA-8CSB-VDIM-P | 843654153124 | 36,540 | | 290 | 3,000 Must be installed with photo sensor or timeclock. Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$180 | | KT-ALED290PSHV-L2-OSA-NM-8CSB-VDIM | 843654153070 | 36,830 | | 290 | 3,000 Must be installed with photo sensor or timeclock. Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$180 | | KT-ALED290PSHV-L2-OSA-NM-8CSB-VDIM/3PN | 843654153070+843654131832 | 36,830 | | 290 | 3,000 Wattage & CCT Selectable, measure/incentive based on lowest wattage/lumen setting |
| | \$180 | | KT-ALED290-L2-OSA-NM-840-VDIM | 843654153049 | 41,470 | | 290 | 4,000 Must be installed with photo sensor or timeclock. |
| | \$180 | | KT-ALED290-L2-OSA-NM-840-VDIM/3PN | 843654153049+843654131825 | 41,470 | | 290 | 4,000 |
| | \$180 | | KT-ALED290-L2-OSA-NM-850-VDIM | 8843654153056 | 42,050 | | 290 | 5,000 Must be installed with photo sensor or timeclock. |
| | \$180 | | KT-ALED290-L2-OSA-NM-850-VDIM/3PN | 8843654153056+843654131825 | 42,050 | | 290 | 5,000 |
| | \$180 | LEDVANCE, LLC | AREAFLD2A/240HUV740/T3/BZ (65254) | 046135652547 | 30,354 | | 233 | 4,000 |
| | \$180 | | AREAFLD2A/240HUV740/T4/BZ (65255) | 046135652554 | 30,354 | | 233 | 4,000 |
| | \$180 | | AREAFLD2A/240HUV740/T5/BZ (65256) | 046135652561 | 30,358 | | 235 | 4,000 |
| | \$180 | | AREAFLD2A/240HUV750/T3/BZ (65257) | 046135652578 | 30,734 | | 233 | 5,000 |
| | \$180 | | AREAFLD2A/240HUV750/T4/BZ (65258) | 046135652585 | 30,734 | | 233 | 5,000 |
| | \$180 | | AREAFLD2A/240UNVD740/T3/BZ (65260) | 046135652608 | 31,697 | | 247 | 4,000 |
| | \$180 | | AREAFLD2A/240UNVD740/T4/BZ (65261) | 046135652615 | 31,371 | | 252 | 4,000 |
| | \$180 | | AREAFLD2A/240UNVD740/T5/BZ (65262) | 046135652622 | 31,479 | | 248 | 4,000 |
| | \$180 | | AREAFLD2A/240UNVD750/T3/BZ (65263) | 046135652639 | 31,989 | | 246 | 5,000 |
| | \$180 | | AREAFLD2A/240UNVD750/T4/BZ (65264) | 046135652646 | 31,678 | | 251 | 5,000 |
| | \$180 | | AREAFLD2A/240UNVD750/T5/BZ (65265) | 046135652653 | 31,963 | | 247 | 5,000 |
| | \$180 | | AREAFLD3A/300UNVD740/T3/BZ (61320) | | 40,628 | | 304 | 4,000 |
| | \$180 | | AREAFLD3A/300UNVD740/T5/BZ (61321) | | 39,880 | | 307 | 4,000 |
| | \$180 | | AREAFLD3A/300UNVD750/T3/BZ (61322) | | 41,074 | | 304 | 5,000 |
| | \$180 | | AREAFLD3A/300UNVD750/T5/BZ (61323) | | 40,104 | | 307 | 5,000 |
| | \$180 | | AREAFLD2A/240HUV740/T5/BZ (65259) | 046135652592 | 30,358 | | 235 | 4,000 |
| | \$180 | | AREAFLD4A/S290HUV830/T2/BZ (62947) | 046135629471 | 42,210 | | 278 | 3,000 Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$180 | | AREAFLD4A/S290HUV830/T3/BZ (62948) | 046135629488 | 42,271 | | 278 | 3,000 Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$180 | | AREAFLD4A/S290HUV830/T4/BZ (62949) | 046135629495 | 42,404 | | 278 | 3,000 Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$180 | | AREAFLD4A/S290HUV830/T5/BZ (62950) | 046135629501 | 41,967 | | 278 | 3,000 Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$180 | | AREAFLD4A/S290HUV840/T2/BZ (62951) | 046135629518 | 43,837 | | 277 | 4,000 Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$180 | | AREAFLD4A/S290HUV840/T3/BZ (62952) | 046135629525 | 43,900 | | 277 | 4,000 Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$180 | | AREAFLD4A/S290HUV840/T4/BZ (62953) | 046135629532 | 44,037 | | 277 | 4,000 Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$180 | | AREAFLD4A/S290HUV840/T5/BZ (62954) | 046135629549 | 43,584 | | 277 | 4,000 Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$180 | | AREAFLD4A/S290HUV850/T2/BZ (62955) | 046135629556 | 43,453 | | 277 | 5,000 Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$180 | | AREAFLD4A/S290HUV850/T3/BZ (62956) | 046135629563 | 43,403 | | 277 | 5,000 Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$180 | | AREAFLD4A/S290HUV850/T4/BZ (62957) | 046135629570 | 43,476 | | 277 | 5,000 Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|---------------------------|---|--------------|-----------------------|------------------------|--------------|---|
| 87UDP | \$180 | LEDVANCE, LLC | AREAFLD4A/S290HUV D850/T5/BZ (62958) | 046135629587 | 43,353 | 278 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$180 | | AREAFLD4A/S290UNVD830/T2/BZ (65761) | 046135657610 | 43,161 | 278 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$180 | | AREAFLD4A/S290UNVD830/T3/BZ (65762) | 046135657627 | 42,954 | 278 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$180 | | AREAFLD4A/S290UNVD830/T4/BZ (65763) | 046135657634 | 42,997 | 278 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$180 | | AREAFLD4A/S290UNVD830/T5/BZ (65764) | 046135657641 | 42,896 | 278 | 3,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$180 | | AREAFLD4A/S290UNVD840/T2/BZ (65765) | 046135657658 | 43,891 | 277 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$180 | | AREAFLD4A/S290UNVD840/T3/BZ (65766) | 046135657665 | 43,954 | 277 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$180 | | AREAFLD4A/S290UNVD840/T4/BZ (65767) | 046135657672 | 44,092 | 277 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$180 | | AREAFLD4A/S290UNVD840/T5/BZ (65768) | 046135657689 | 43,638 | 277 | 4,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$180 | | AREAFLD4A/S290UNVD850/T2/BZ (65769) | 046135657696 | 44,727 | 278 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$180 | | AREAFLD4A/S290UNVD850/T3/BZ (65770) | 046135657702 | 44,676 | 278 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$180 | | AREAFLD4A/S290UNVD850/T4/BZ (65771) | 046135657719 | 44,751 | 278 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$180 | | AREAFLD4A/S290UNVD850/T5/BZ (65772) | 046135657726 | 44,624 | 278 | 5,000 | Wattage/Lumen Selectable, measure/incentive based on lowest wattage/lumen setting. |
| | \$180 | Litetronics International | AL3003 | | 38,641 | 302 | 3,000 | CCT & Wattage Selectable. Measure code/incentive based on lowest wattage/lumen output. Must be installed with Photocell or timeclock to receive incentive |
| | \$180 | LSI Industries | MRM LED 36L SIL 2 UNV DIM 40 70CRI BLK | | 37,662 | 286 | 4,000 | |
| | \$180 | | MRM LED 36L SIL 2 UNV DIM 50 70CRI BLK | | 38,572 | 286 | 5,000 | |
| | \$180 | | MRM LED 36L SIL 3 UNV DIM 40 70CRI BLK | | 37,445 | 286 | 4,000 | |
| | \$180 | | MRM LED 36L SIL 3 UNV DIM 50 70CRI BLK | | 38,350 | 286 | 5,000 | |
| | \$180 | | MRM LED 36L SIL 5W UNV DIM 40 70CRI BLK | | 36,917 | 286 | 4,000 | |
| | \$180 | | MRM LED 36L SIL 5W UNV DIM 50 70CRI BLK | | 37,809 | 286 | 5,000 | |
| | \$180 | | MRM LED 36L SIL FT UNV DIM 40 70CRI BLK | | 37,137 | 286 | 4,000 | |
| | \$180 | | MRM LED 36L SIL FT UNV DIM 50 70CRI BLK | | 38,034 | 286 | 5,000 | |
| | \$180 | | MRM LED 42L SIL 2 UNV DIM 40 70CRI BLK | | 43,412 | 352 | 4,000 | |
| | \$180 | | MRM LED 42L SIL 2 UNV DIM 50 70CRI BLK | | 44,461 | 352 | 5,000 | |
| | \$180 | | MRM LED 42L SIL 3 UNV DIM 40 70CRI BLK | | 43,163 | 352 | 4,000 | |
| | \$180 | | MRM LED 42L SIL 3 UNV DIM 50 70CRI BLK | | 44,206 | 352 | 5,000 | |
| | \$180 | | MRM LED 42L SIL 5W UNV DIM 40 70CRI BLK | | 42,554 | 352 | 4,000 | |
| | \$180 | | MRM LED 42L SIL 5W UNV DIM 50 70CRI BLK | | 43,582 | 352 | 5,000 | |
| | \$180 | | MRM LED 42L SIL FT UNV DIM 40 70CRI BLK | | 42,807 | 352 | 4,000 | |
| | \$180 | | MRM LED 42L SIL FT UNV DIM 50 70CRI BLK | | 43,842 | 352 | 5,000 | |
| | \$180 | | MRM LED 48L SIL 2 UNV DIM 40 70CRI BLK | | 48,015 | 401 | 4,000 | |
| | \$180 | | MRM LED 48L SIL 2 UNV DIM 50 70CRI BLK | | 49,176 | 401 | 5,000 | |
| | \$180 | | MRM LED 48L SIL 3 UNV DIM 40 70CRI BLK | | 47,739 | 401 | 4,000 | |
| | \$180 | | MRM LED 48L SIL 3 UNV DIM 50 70CRI BLK | | 48,893 | 401 | 5,000 | |
| | \$180 | | MRM LED 48L SIL 5W UNV DIM 40 70CRI BLK | | 47,066 | 401 | 4,000 | |
| | \$180 | | MRM LED 48L SIL 5W UNV DIM 50 70CRI BLK | | 48,203 | 401 | 5,000 | |
| | \$180 | | MRM LED 48L SIL FT UNV DIM 40 70CRI BLK | | 47,346 | 401 | 4,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|----------------------|---|--------------|-----------------------|------------------------|--------------|--|
| 87UDP | \$180 | LSI Industries | MRM LED 48L SIL FT UNV DIM 50 70CRI BLK | | 48,490 | 401 | 5,000 | |
| | \$180 | | SMA LED 28L ACR 3 UNV DIM 50 BRZ PM | | 30,710 | 202 | 5,000 | |
| | \$180 | | SMA LED 28L ACR 5W UNV DIM 40 BRZ PM | | 30,129 | 198 | 4,000 | |
| | \$180 | | SMA LED 28L ACR 5W UNV DIM 50 BRZ PM | | 30,510 | 202 | 5,000 | |
| | \$180 | | SMA LED 42L ACR 3 UNV DIM 40 BRZ PM | | 44,950 | 301 | 4,000 | |
| | \$180 | | SMA LED 42L ACR 3 UNV DIM 50 BRZ PM | | 44,971 | 296 | 5,000 | |
| | \$180 | | SMA LED 42L ACR 5W UNV DIM 40 BRZ PM | | 43,708 | 295 | 4,000 | |
| | \$180 | | SMA LED 42L ACR 5W UNV DIM 50 BRZ PM | | 43,849 | 301 | 5,000 | |
| | \$180 | | SMA LED 42L ACR FT UNV DIM 40 BRZ PM | | 41,507 | 301 | 4,000 | |
| | \$180 | | SMA LED 42L ACR FT UNV DIM 50 BRZ PM | | 42,033 | 296 | 5,000 | |
| | \$180 | Morris Products Inc. | 74018C | 601986740180 | 35,298 | 240 | 5,000 | Must be installed with a time clock or photocell option to receive incentive |
| | \$180 | | 74026C | 601986740265 | 44,053 | 300 | 5,000 | Must be installed with a time clock or photocell option to receive incentive |
| | \$180 | | 74069C | | 42,083 | 300 | 5,000 | |
| | \$180 | | 74027C | | 40,453 | 301 | 5,000 | Must be installed with a timeclock or with the PC option to receive incentive. |
| | \$180 | | 74026B | | 41,813 | 305 | 5,000 | Must be installed with a timeclock or with the PC option to receive incentive. |
| | \$180 | | 74066C | | 33,809 | 239 | 5,000 | Must be installed with a timeclock or with the PC option to receive incentive. |
| | \$180 | | 74082C | | 42,083 | 300 | 5,000 | Must be installed with a timeclock or with the PC option to receive incentive. |
| | \$180 | | 77015A | | 97,279 | 751 | 5,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$180 | | 74019C | | 34,463 | 238 | 5,000 | Must be installed with a timeclock or with photocell to receive incentive. |
| | \$180 | | 74026D | | 40,555 | 297 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$180 | NICOR Inc. | OAL2300MV308BK3 | | 39,000 | 300 | 3,000 | |
| | \$180 | | OAL2300MV308BK37 | | 39,000 | 300 | 3,000 | |
| | \$180 | | OAL2300MV308BZ3 | | 39,000 | 300 | 3,000 | |
| | \$180 | | OAL2300MV308BZ37 | | 39,000 | 300 | 3,000 | |
| | \$180 | | OAL2300MV408BK3 | | 39,000 | 300 | 4,000 | |
| | \$180 | | OAL2300MV408BK37 | | 39,000 | 300 | 4,000 | |
| | \$180 | | OAL2300MV408BZ3 | | 39,000 | 300 | 4,000 | |
| | \$180 | | OAL2300MV408BZ37 | | 39,000 | 300 | 4,000 | |
| | \$180 | | OAL2300MV508BK3 | | 39,000 | 300 | 5,000 | |
| | \$180 | | OAL2300MV508BK37 | | 39,000 | 300 | 5,000 | |
| | \$180 | | OAL2300MV508BZ3 | | 39,000 | 300 | 5,000 | |
| | \$180 | | OAL2300MV508BZ37 | | 39,000 | 300 | 5,000 | |
| | \$180 | | OAL2300MV508WH3 | | 39,000 | 300 | 5,000 | |
| | \$180 | | OAL2300MV508WH37 | | 39,000 | 300 | 5,000 | |
| | \$180 | | OAL3300SHVSBK4 | | 38,669 | 311 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$180 | | OAL3300SHVSBK47 | | 38,669 | 311 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$180 | | OAL3300SHVSBK5 | | 39,370 | 311 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$180 | | OAL3300SHVSBK57 | | 39,370 | 311 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$180 | | OAL3300SHVSBZ4 | | 38,669 | 311 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$180 | | OAL3300SHVSBZ47 | | 38,669 | 311 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$180 | | OAL3300SHVSBZ5 | | 39,370 | 311 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$180 | | OAL3300SHVSBZ57 | | 39,370 | 311 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|---------------------------|---------------------------|-----|-----------------------|------------------------|--------------|--|
| 87UDP | \$180 | NICOR Inc. | OAL3300SHVSCC4 | | 38,669 | 311 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$180 | | OAL3300SHVSCC47 | | 38,669 | 311 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$180 | | OAL3300SHVSCC5 | | 39,370 | 311 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$180 | | OAL3300SHVSCC57 | | 39,370 | 311 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$180 | | OAL3300SHVSWH4 | | 38,669 | 311 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$180 | | OAL3300SHVSWH47 | | 38,669 | 311 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$180 | | OAL3300SHVSWH5 | | 39,370 | 311 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$180 | | OAL3300SHVSWH57 | | 39,370 | 311 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$180 | | OAL3300SUNVSBK4 | | 38,669 | 311 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$180 | | OAL3300SUNVSBK47 | | 38,669 | 311 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$180 | | OAL3300SUNVSBK5 | | 39,370 | 311 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$180 | | OAL3300SUNVSBK57 | | 39,370 | 311 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$180 | | OAL3300SUNVSBZ4 | | 38,669 | 311 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$180 | | OAL3300SUNVSBZ47 | | 38,669 | 311 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$180 | | OAL3300SUNVSBZ5 | | 39,370 | 311 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$180 | | OAL3300SUNVSBZ57 | | 39,370 | 311 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$180 | | OAL3300SUNVSCC4 | | 38,669 | 311 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$180 | | OAL3300SUNVSCC47 | | 38,669 | 311 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$180 | | OAL3300SUNVSCC5 | | 39,370 | 311 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$180 | | OAL3300SUNVSCC57 | | 39,370 | 311 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$180 | | OAL3300SUNVSWH4 | | 38,669 | 311 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$180 | | OAL3300SUNVSWH47 | | 38,669 | 311 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$180 | | OAL3300SUNVSWH5 | | 39,370 | 311 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$180 | | OAL3300SUNVSWH57 | | 39,370 | 311 | 3,000 | CCT & Wattage Selectable. Must be installed with photosensor or timeclock to receive incentive |
| | \$180 | Orion Energy Systems, Inc | ALLP1D1UNVFD8CSBRT23CRSP | | 38,637 | 311 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$180 | | ALLP1D1UNVFD8CSBRT33CRSP | | 38,619 | 311 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$180 | | ALLP1D1HMOVFD8CSBRT43CRSP | | 38,976 | 310 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|---------------------------|------------------------------------|--------------|-----------------------|------------------------|--------------|---|
| 87UDP | \$180 | Orion Energy Systems, Inc | ALLP1D1UNVFD8CSBRT53CRSP | | 38,670 | 311 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$180 | | ALLP1D1HMOVFD8CSBRT23CRSP | | 38,890 | 310 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$180 | | ALLP1D1HMOVFD8CSBRT33CRSP | | 38,845 | 310 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$180 | | ALLP1D1UNVFD8CSxxT43CRSP | | 38,716 | 309 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$180 | | ALLP1D1HMOVFD8CSxxT53CRSP | | 38,055 | 308 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$180 | P.Q.L. Inc. | STL3S-300W-5000K-C-MB-HC-P (84033) | 854432004446 | 38,850 | 306 | 5,000 | Must be installed with a timeclock to receive incentive or with photocell option |
| | \$180 | RAB Lighting | A17-3T240N/3PRS | | 35,175 | 241 | 4,000 | |
| | \$180 | | A17-3T300N/3PRS | | 43,954 | 299 | 4,000 | |
| | \$180 | | A17-3T375N/3PRS | | 52,986 | 371 | 4,000 | |
| | \$180 | | A17-4T240N/3PRS | | 34,355 | 241 | 4,000 | |
| | \$180 | | A17-4T300N/3PRS | | 43,592 | 300 | 4,000 | |
| | \$180 | | A17-4T375N/3PRS | | 51,005 | 371 | 4,000 | |
| | \$180 | | A17-3T300 | | 43,982 | 298 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$180 | | A17-3T375 | | 55,462 | 375 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$180 | | A17-4T300 | | 46,452 | 318 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$180 | | A17-4T375 | | 55,662 | 375 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | | | | | | | | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen |
| | \$180 | | A22-2T320 | | 41,083 | 322 | 3,000 | setting. Must be installed with a timeclock or photocell to receive incentive. |
| | | | | | | | | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen |
| | \$180 | | A22-320 | | 40,516 | 322 | 3,000 | setting. Must be installed with a timeclock or photocell to receive incentive. |
| | | | | | | | | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen |
| | \$180 | | A22-4T320 | | 39,603 | 322 | 3,000 | setting. Must be installed with a timeclock or photocell to receive incentive. |
| | | | | | | | | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen |
| | \$180 | | A22-5T320 | | 41,399 | 322 | 3,000 | setting. Must be installed with a timeclock or photocell to receive incentive. |
| | | | | | | | | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen |
| | \$180 | | A22-2T320/480 | | 40,867 | 302 | 3,000 | setting. Must be installed with a timeclock or photocell to receive incentive. |
| | | | | | | | | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen |
| | \$180 | | A22-320/480 | | 40,303 | 302 | 3,000 | setting. Must be installed with a timeclock or photocell to receive incentive. |
| | | | | | | | | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen |
| | \$180 | | A22-4T320/480 | | 39,395 | 302 | 3,000 | setting. Must be installed with a timeclock or photocell to receive incentive. |
| | | | | | | | | CCT & Wattage/lumen Selectable, measure/incentive based on lowest wattage/lumen |
| | \$180 | | A22-5T320/480 | | 41,182 | 302 | 3,000 | setting. Must be installed with a timeclock or photocell to receive incentive. |
| | \$180 | | ALEDXL4TSFN | | 50,871 | 372 | 4,000 | Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen output |
| | \$180 | | A17-3T300/480 | | 46,077 | 306 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$180 | | A17-3T375/480 | | 57,192 | 379 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$180 | | A17-4T300/480 | | 45,792 | 306 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$180 | | A17-4T375/480 | | 56,635 | 380 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$180 | | A17-5T300 | | 43,397 | 298 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$180 | | A17-5T300/480 | | 45,561 | 305 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$180 | | A17-5T375 | | 56,731 | 376 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$180 | | A17-5T375/480 | | 58,525 | 380 | 3,000 | CCT & Wattage Selectable. Measure code/Incentive based on lowest wattage/lumen outp |
| | \$180 | | A34T3XL | | 47,935 | 343 | 3,000 | |
| | \$180 | | A34T4XL | | 49,243 | 343 | 3,000 | |
| | \$180 | | A34T5XL | | 51,013 | 343 | 3,000 | |
| | \$180 | | A34T3XL/480 | | 48,021 | 329 | 3,000 | |
| | \$180 | | A34T4XL/480 | | 49,713 | 329 | 3,000 | |
| | \$180 | | A34T5XL/480 | | 51,172 | 329 | 3,000 | |
| | \$180 | Signify | ECF-L-96L-800-NW-G2-5-UNV | | 32,052 | 235 | 4,000 | |
| | \$180 | SLG | ALCL 350 T3 G1 4K SPAR PC-1 | | 34,000 | 250 | 4,000 | |
| | \$180 | | ALCL 350 T3 G1 5K SPAR PC-1 | | 34,500 | 250 | 5,000 | |
| | \$180 | | ALCL 350 T3 G1 HVU 4K SPAR PC-2 | | 34,000 | 250 | 4,000 | |

| Measure Code | Incentive | Manufacturer | Model Number | UPC | Reported Light Output | Reported Input Wattage | Reported CCT | Notes2 |
|--------------|-----------|-------------------------|-----------------------------------|--------------|-----------------------|------------------------|--------------|---|
| 87UDP | \$180 | SLG | ALCL 350 T3 G1 HVU 5K SPAR PC-2 | | 34,500 | 250 | 5,000 | |
| | \$180 | | ALCL 350 T4 G1 4K SPAR PC-1 | | 33,250 | 250 | 4,000 | |
| | \$180 | | ALCL 350 T4 G1 5K SPAR PC-1 | | 33,750 | 250 | 5,000 | |
| | \$180 | | ALCL 350 T4 G1 HVU 4K SPAR PC-2 | | 33,250 | 250 | 4,000 | |
| | \$180 | | ALCL 350 T4 G1 HVU 5K SPAR PC-2 | | 33,750 | 250 | 5,000 | |
| | \$180 | | ALCL 350 T5 G1 4K SPAR PC-1 | | 34,750 | 250 | 4,000 | |
| | \$180 | | ALCL 350 T5 G1 5K SPAR PC-1 | | 35,250 | 250 | 5,000 | |
| | \$180 | | ALCL 350 T5 G1 HVU 4K SPAR PC-2 | | 34,750 | 250 | 4,000 | |
| | \$180 | | ALCL 350 T5 G1 HVU 5K SPAR PC-2 | | 35,250 | 250 | 5,000 | |
| | \$180 | | ALCL 410 T3 G1 4K SPAR D PC-1 | | 40,500 | 300 | 4,000 | |
| | \$180 | | ALCL 410 T3 G1 5K SPAR D PC-1 | | 41,000 | 300 | 5,000 | |
| | \$180 | | ALCL 410 T3 G1 HVU 4K SPAR D PC-2 | | 41,500 | 300 | 4,000 | |
| | \$180 | | ALCL 410 T3 G1 HVU 5K SPAR D PC-2 | | 42,000 | 300 | 5,000 | |
| | \$180 | | ALCL 410 T4 G1 4K SPAR PC-1 | | 39,600 | 300 | 4,000 | |
| | \$180 | | ALCL 410 T4 G1 5K SPAR PC-1 | | 39,900 | 300 | 5,000 | |
| | \$180 | | ALCL 410 T4 G1 HVU 4K SPAR PC-2 | | 39,600 | 300 | 4,000 | |
| | \$180 | | ALCL 410 T4 G1 HVU 5K SPAR PC-2 | | 39,900 | 300 | 5,000 | |
| | \$180 | | ALCL 410 T5 G1 4K SPAR D PC-1 | | 40,500 | 300 | 4,000 | |
| | \$180 | | ALCL 410 T5 G1 5K SPAR D PC-1 | | 41,000 | 300 | 5,000 | |
| | \$180 | | ALCL 410 T5 G1 HVU 4K SPAR D PC-2 | | 41,500 | 300 | 4,000 | |
| | \$180 | | ALCL 410 T5 G1 HVU 5K SPAR D PC-2 | | 42,000 | 300 | 5,000 | |
| | \$180 | | ALCL 410 T4 G1 4K SPAR | | 39,600 | 300 | 4,000 | Must be installed with a time clock or photocell option to receive incentive |
| | \$180 | | ALCL 410 T4 G1 5K SPAR | | 39,900 | 300 | 5,000 | Must be installed with a time clock or photocell option to receive incentive |
| | \$180 | | ALCL 410 T4 G1 4K SFD | | 39,600 | 300 | 4,000 | |
| | \$180 | | ALCL 410 T4 G1 5K SFD | | 39,900 | 300 | 5,000 | |
| | \$180 | Topaz | ARL-480PCS-T3 | 032886310171 | 60,230 | 486 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$180 | | ARL-480PCS-T5 | 032886310188 | 61,779 | 486 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$180 | | ARL-480PCS-T3-HV | 032886310232 | 60,228 | 486 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$180 | | ARL-480PCS-T5-HV | 032886310249 | 61,364 | 488 | 3,000 | CCT & Wattage Selectable, measure/incentive based on lowest wattage/lumen setting. Must be installed with a timeclock or PC to receive incentive. |
| | \$180 | WESTGATE MFG | LFX-XXL-300-600W-30K-YK-TYPE3-dTN | | 77,120 | 595 | 3,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$180 | | LFX-XXL-300-600W-30K-TR-TYPE3-dTN | | 77,120 | 595 | 3,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$180 | | LFX-XXL-300-600W-30K-SF-TYPE3-dTN | | 77,120 | 595 | 3,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$180 | | LFX-XXL-300-600W-40K-YK-TYPE3-dTN | | 77,431 | 595 | 4,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$180 | | LFX-XXL-300-600W-40K-TR-TYPE3-dTN | | 77,431 | 595 | 4,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$180 | | LFX-XXL-300-600W-40K-SF-TYPE3-dTN | | 77,431 | 595 | 4,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$180 | | LFX-XXL-300-600W-50K-YK-TYPE3-dTN | | 77,741 | 595 | 5,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$180 | | LFX-XXL-300-600W-50K-TR-TYPE3-dTN | | 77,741 | 595 | 5,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| | \$180 | | LFX-XXL-300-600W-50K-SF-TYPE3-dTN | | 77,741 | 595 | 5,000 | Wattage selectable - measure code based on lowest wattage/lumen rating. |
| 87UDPC | \$205 | Atlas Lighting Products | SLPM36LFT45KIC | | 34,297 | 219 | 4,500 | Must be installed with timeclock or photocell to receive incentive |
| | \$205 | | SLPM36LFT4KIC | | 35,032 | 219 | 4,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$205 | | SLPM36LFT5KIC | | 34,297 | 219 | 5,000 | Must be installed with timeclock or photocell to receive incentive |
| | \$205 | | SLPM36LT245KIC | | 34,796 | 219 | 4,500 | Must be installed with timeclock or photocell to receive incentive |