

ON THE SPOT LIGHT Incentive Program

nationalgrid

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2	
1x4 Luminaires for Ambient Lighting of Interior Commercial Spaces									
88UBC	\$20	Universal Lighting Technologies	PLA14-24W830-UIFSB	076838672365	2,949	25	3,000	Must have IFSB control option to receive incentive	
	\$20		PLA14-24W835-UIFSB	076838672366	2,996	25	3,500	Must have IFSB control option to receive incentive	
	\$20		PLA14-24W840-UIFSB	076838672367	3,098	25	4,000	Must have IFSB control option to receive incentive	
	\$20		PLA14-24W850-UIFSB	076838672368	3,222	25	5,000	Must have IFSB control option to receive incentive	
88UBP	\$20	Acuity Brands Lighting	BLT4 40L ADP GZ10 LP840	190887465228	4,180	33	4,000		
	\$20		BLT4 40L ADP LP835	190887466218	4,114	32	3,500		
	\$20		BLT4 40LHE ADP GZ10 LP840	193047504065	4,260	30	4,000		
	\$20		CPX 1X4 3200LMHE 80CRI 35K A12 MIN10 ZT MVOLT	194995637171	3,492	28	3,500		
	\$20		CPX 1X4 3200LMHE 80CRI 35K SWL MIN10 ZT MVOLT	194995637577	3,622	28	3,500		
	\$20		CPX 1X4 3200LMHE 80CRI 40K A12 MIN10 ZT MVOLT	194995637607	3,590	28	4,000		
	\$20		CPX 1X4 3200LMHE 80CRI 40K SWL MIN10 ZT MVOLT	194995637621	3,724	28	4,000		
	\$20		CPX 1X4 3200LMHE 80CRI 50K A12 MIN10 ZT MVOLT	194995637645	3,664	28	5,000		
	\$20		CPX 1X4 3200LMHE 80CRI 50K SWL MIN10 ZT MVOLT	194995637102	3,800	28	5,000		
	\$20		EPANL 14 40LHE 35K	190887602746	3,922	31	3,500		
	\$20		EPANL 14 40LHE 40K	190887602760	3,857	30	4,000		
	\$20		GTL4 3700LM LP840	889804707090	3,844	31	4,000		
	\$20		Archipelago Lighting, Inc.	LBLP14-XX-A2		4,550	35	3,000	Wattage and CCT Selectable
	\$20		ASD Lighting Corp	ASD-BLP-14A35AC-PRM	810050731478	4,550	35	3,000	Wattage & CCT selectable
	\$20		Barron Lighting Group	LPA14-30-35KV	190622141500	3,742	29	3,500	
	\$20			LPA14-30-3KV	190622141490	3,698	29	3,000	
	\$20			LPA14-30-4KV	190622141510	3,786	29	4,000	
	\$20			LPA14-30-5KV	190622141520	3,918	29	5,000	
	\$20			LPA14-CP	190622143305	3,806	30	3,000	Selectable CCT & wattages of 20, 25, or 30
	\$20		EarthTronics Inc.	LTF1X44340D	840791110102	4,515	35	4,000	
\$20	LTF1X44350D	840791110119		4,550	35	5,000			
\$20	EATON	14CZ2-20-120V-L835-CD1-U		2,057	16	3,500			
\$20		14FP3035HE	080083823765	3,159	24	3,500			
\$20		14FP3040HE	080083823789	3,176	25	4,000			
\$20	Elite Lighting Co.	14-FPL1-LED-3000L/4000L/5000L-DIM10-MVOLT-40K-85	194672003817	5,000	40	4,000			
\$20		14-OD1V-LED-4000L-DIM10-MVOLT-30K-85		4,221	33	3,000			
\$20		14-OD1V-LED-4000L-DIM10-MVOLT-35K-85		4,221	33	3,500			
\$20		14-OD1V-LED-4000L-DIM10-MVOLT-40K-85		4,221	33	4,000			

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
88UBP	\$20	Elite Lighting Co.	14-OD1V-LED-4000L-DIM10-MVOLT-50K-85		4,221	33	5,000	
	\$20		14-OVHP-LED-4000L-DIM10-MVOLT-30K-85		3,850	30	3,000	
	\$20		14-OVHP-LED-4000L-DIM10-MVOLT-35K-85		3,850	30	3,500	
	\$20		14-OVHP-LED-4000L-DIM10-MVOLT-50K-85		3,850	30	5,000	
	\$20	Halco Lighting Technologies	14FSVPL/8DU	807154817795	4,095	29	3,500	Wattage and CCT Selectable
	\$20	Hubbell Lighting	LCAT14-40MLG-EDU	078531128944	4,903	38	3,951	
	\$20	Industrial Lighting Products	PAN14-20WLED-U-35		2,389	19	3,500	
	\$20		PAN14-20WLED-U-40		2,419	19	4,000	
	\$20		PAN14-30WLED-U-35		3,842	31	3,500	
	\$20		PAN14-30WLED-U-40		3,894	31	4,000	
	\$20	Keystone Technologies	KT-BPLED30-14-835-VDIM-P	843654128016	3,775	30	3,500	
	\$20		KT-BPLED30-14-840-VDIM-P	843654128023	3,800	30	4,000	
	\$20		KT-BPLED30-14-850-VDIM-P	843654128030	3,800	30	5,000	
	\$20		KT-CBLEDD34-14A-835-VDIM-P	843654122083	2,975	34	3,500	
	\$20		KT-CBLEDD34-14A-840-VDIM-P	843654122090	4,390	34	4,000	
	\$20		KT-CBLEDD34-14A-850-VDIM-P	843654122106	4,720	34	5,000	
	\$20	LEDVANCE, LLC	PANELF2B/020UNVD840/14G/WH	046135616464	2,500	20	4,000	
	\$20		PANELF2B/020UNVD850/14G/WH	046135603068	2,500	20	5,000	
	\$20		PANELF2B/026UNVD835/14G/WH	046135603075	3,250	26	3,500	
	\$20		PANELF2B/026UNVD840/14G/WH	046135603082	3,250	26	4,000	
	\$20		PANELF2B/026UNVD850/14G/WH	046135603099	3,250	26	5,000	
	\$20		PANELF3B018UNVD8SC714GWH (62316)	046135623165	2,400	18	3,500	CCT Selectable
	\$20		PANELF4B5036UNVD8SC714GWH (62317)	046135623172	4,500	36	3,500	CCT & Wattage Selectable
	\$20		VOLUME5AS/030UNVD835/14U/WH (61521)	046135615214	3,840	30	3,500	Selectable lumens for rated wattages of 20, 25, or 30
	\$20		VOLUME5AS/030UNVD835/14U/WH/E (61693)	046135616938	3,840	30	3,500	Selectable lumens for rated wattages of 20, 25, or 30
	\$20		VOLUME5AS/030UNVD840/14U/WH (61522)	046135615221	3,870	30	4,000	Selectable lumens for rated wattages of 20, 25, or 30
	\$20		VOLUME5AS/030UNVD840/14U/WH/E (61694)	046135616945	3,870	30	4,000	Selectable lumens for rated wattages of 20, 25, or 30
	\$20		VOLUME5AS/030UNVD850/14U/WH (61523)	046135615238	3,900	30	5,000	Selectable lumens for rated wattages of 20, 25, or 30
	\$20	VOLUME5AS/030UNVD850/14U/WH/E (61695)	046135616952	3,900	30	5,000	Selectable lumens for rated wattages of 20, 25, or 30	
	\$20	MaxLite Inc.	MLVT14D16CSCR	767627013621	1,950	16	3,500	
	\$20		MLVT14D16WCSCR	767627007552	3,750	30	3,500	
	\$20		MLVT14D2035/SB	767627071461	2,540	20	3,500	
	\$20		MLVT14D2040/SB	767627071492	2,600	20	4,000	
	\$20	P.Q.L. Inc.	55585	811768029499	5,000	40	3,000	Wattage & CCT selectable
	\$20	RAB Lighting	EZPANHE1X4-23N/D10	019813705910	3,324	25	4,000	
	\$20		EZPANHE1X4-23YN/D10	019813705927	3,094	24	3,200	
	\$20	TCP	DTF1UZD23CCT	762148283089	2,600	23	3,500	CCT Selectable
	\$20		DTF1UZD29CCT	762148283072	3,200	29	3,500	CCT Selectable
	\$20	Universal Lighting Technologies	PLA14-36W830-U	076838667480	4,489	36	3,000	
	\$20		PLA14-36W835-U	076838667485	4,559	36	3,500	
	\$20		PLA14-36W840-U	076838667490	4,715	36	4,000	
	\$20		PLA14-36W850-U	076838667495	4,904	36	5,000	
\$20	VGB14-20WS840S-UB2		076838672967	3,750	29	3,500	Wattage and CCT Selectable	
\$20	WESTGATE MFG	LTRE-1X4-MCTP-40W	845060057973	5,117	41	3,287	Wattage & CCT selectable	
\$20		LTRE-1X4-MCTP-26W		5,117	41	3,287	Wattage & CCT selectable	
\$20		LTRE-1X4-MCTP-32W		5,117	41	3,287	Wattage & CCT selectable	

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
88UBPC	\$30	Acuity Brands Lighting	CPX 1X4 3200LMHE 80CRI 35K A12 MIN10 ZT MVOLT JOT	194995637799	3,492	28	3,500	
	\$30		CPX 1X4 3200LMHE 80CRI 35K A12 MIN10 ZT MVOLT JOTVTX15	194995641147	3,492	28	3,500	
	\$30		CPX 1X4 3200LMHE 80CRI 35K A12 MIN10 ZT MVOLT VTX15	194995643868	3,492	28	3,500	
	\$30		CPX 1x4 3200LMHE 80CRI 35K SWL MIN10 ZT MVOLT JOT	194995637843	3,622	28	3,500	
	\$30		CPX 1X4 3200LMHE 80CRI 35K SWL MIN10 ZT MVOLT JOTVTX15	194995642250	3,622	28	3,500	
	\$30		CPX 1X4 3200LMHE 80CRI 35K SWL MIN10 ZT MVOLT VTX15	194995644469	3,622	28	3,500	
	\$30		CPX 1X4 3200LMHE 80CRI 40K A12 MIN10 ZT MVOLT JOT	194995638123	3,590	28	4,000	
	\$30		CPX 1X4 3200LMHE 80CRI 40K A12 MIN10 ZT MVOLT JOTVTX15	194995642304	3,590	28	4,000	
	\$30		CPX 1X4 3200LMHE 80CRI 40K A12 MIN10 ZT MVOLT VTX15	194995644629	3,590	28	4,000	
	\$30		CPX 1X4 3200LMHE 80CRI 40K SWL MIN10 ZT MVOLT JOT	194995638215	3,724	28	4,000	
	\$30		CPX 1X4 3200LMHE 80CRI 40K SWL MIN10 ZT MVOLT JOTVTX15	194995642335	3,724	28	4,000	
	\$30		CPX 1X4 3200LMHE 80CRI 40K SWL MIN10 ZT MVOLT VTX15	194995644681	3,724	28	4,000	
	\$30		CPX 1X4 3200LMHE 80CRI 50K A12 MIN10 ZT MVOLT JOT	194995638291	3,664	28	5,000	
	\$30		CPX 1X4 3200LMHE 80CRI 50K A12 MIN10 ZT MVOLT JOTVTX15	194995642359	3,664	28	5,000	
	\$30		CPX 1X4 3200LMHE 80CRI 50K A12 MIN10 ZT MVOLT VTX15	194995644735	3,664	28	5,000	
	\$30		CPX 1X4 3200LMHE 80CRI 50K SWL MIN10 ZT MVOLT JOT	194995637744	3,800	28	5,000	
	\$30		CPX 1X4 3200LMHE 80CRI 50K SWL MIN10 ZT MVOLT JOTVTX15	194995640980	3,800	28	5,000	
	\$30		CPX 1X4 3200LMHE 80CRI 50K SWL MIN10 ZT MVOLT VTX15	194995643189	3,800	28	5,000	
	\$30		Archipelago Lighting, Inc.	LBLP14-XX-A6		4,550	35	3,000
	\$30	LEDVANCE, LLC	PANELF4BS030UNVD8SC714GWHM (62255)	046135622557	3,819	31	3,500	Lumen/Wattage Selectable
\$30	MaxLite Inc.	MLVT14D2035/SBMS	767627071478	2,540	20	3,500		
\$30		MLVT14D2040/SBMS	767627071508	2,600	20	4,000		
\$30	Universal Lighting Technologies	PLA14-36W830-UIFSB	076838672373	4,489	36	3,000		
\$30		PLA14-36W835-UIFSB	076838672374	4,559	36	3,500		
\$30		PLA14-36W840-UIFSB	076838672375	4,715	36	4,000		
\$30		PLA14-36W850-UIFSB	076838672376	4,904	36	5,000		
\$30		VGB14-20WS840S-UB2-IFSB	076838673386	3,750	29	3,500		
2x2 Luminaires for Ambient Lighting of Interior Commercial Spaces								
88UBC	\$20	GE Current	LVT22B020MM835TTLTWHTTE		2,000	17	3,500	
	\$20		LVT22B020MM835TTLTWHTTEEL		2,000	17	3,500	
	\$20		LVT22B020MM835TTLTWHTTEELW5		2,000	17	3,500	
	\$20		LVT22B020MM835TTLTWHTTEW5		2,000	17	3,500	
	\$20		LVT22B020MM840TTLTWHTTE		2,000	17	4,000	
	\$20		LVT22B020MM840TTLTWHTTEEL		2,000	17	4,000	
	\$20		LVT22B020MM840TTLTWHTTEELW5		2,000	17	4,000	
	\$20		LVT22B020MM840TTLTWHTTEW5		2,000	17	4,000	
	\$20		LVT22B033MM835TTLTWHTTE		3,300	29	3,500	
	\$20		LVT22B033MM835TTLTWHTTEEL		3,300	29	3,500	
	\$20		LVT22B033MM835TTLTWHTTEELW5		3,300	29	3,500	
	\$20		LVT22B033MM835TTLTWHTTEW5		3,300	29	3,500	
	\$20		LVT22B033MM840TTLTWHTTE		3,300	29	4,000	
	\$20		LVT22B033MM840TTLTWHTTEEL		3,300	29	4,000	
	\$20		LVT22B033MM840TTLTWHTTEELW5		3,300	29	4,000	
	\$20		LVT22B033MM840TTLTWHTTEW5		3,300	29	4,000	
	\$20		LVT22B040MM835TTLTWHTTE		4,000	37	3,500	
	\$20		LVT22B040MM835TTLTWHTTEEL		4,000	37	3,500	
	\$20		LVT22B040MM835TTLTWHTTEELW5		4,000	37	3,500	
	\$20		LVT22B040MM835TTLTWHTTEW5		4,000	37	3,500	

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2	
88UBC	\$20	GE Current	LVT22B040MM840TTLTWHT		4,000	37	4,000		
	\$20		LVT22B040MM840TTLTWHTLWTEEL		4,000	37	4,000		
	\$20		LVT22B040MM840TTLTWHTLWTEELW5		4,000	37	4,000		
	\$20		LVT22B040MM840TTLTWHTLWTEW5		4,000	37	4,000		
	\$20		LVT22B050MM835TTLTWHT		5,000	41	3,500		
	\$20		LVT22B050MM835TTLTWHTLWTEEL		5,000	41	3,500		
	\$20		LVT22B050MM835TTLTWHTLWTEELW5		5,000	41	3,500		
	\$20		LVT22B050MM835TTLTWHTLWTEW5		5,000	41	3,500		
	\$20		LVT22B050MM840TTLTWHT		5,000	41	4,000		
	\$20		LVT22B050MM840TTLTWHTLWTEEL		5,000	41	4,000		
	\$20		LVT22B050MM840TTLTWHTLWTEELW5		5,000	41	4,000		
	\$20		LVT22B050MM840TTLTWHTLWTEW5		5,000	41	4,000		
	\$20		LVT22BD33MM835TTLTWHTHP		3,300	28	3,500		
	\$20		LVT22BD33MM835TTLTWHTHPW5		3,300	28	3,500		
	\$20		LVT22BD33MM840TTLTWHTHP		3,300	28	4,000		
	\$20		LVT22BD33MM840TTLTWHTHPW5		3,300	28	4,000		
	\$20		LVT22BD50MM835TTLTWHT		5,000	44	3,500		
	\$20		LVT22BD50MM835TTLTWHTLWTEW5		5,000	44	3,500		
	\$20		LVT22BD50MM840TTLTWHT		5,000	44	4,000		
	\$20		LVT22BD50MM840TTLTWHTLWTEW5		5,000	44	4,000		
	\$20		Signify	2FGG30L835-2-D-UNV-DIM-SWZDT	784197642310	2,949	24	3,500	
	\$20			2FGG30L840-2-D-UNV-DIM-SWZDT	784197366971	3,078	24	4,000	
	\$20			2FGG38L840-2-D-UNV-DIM-SWZDT	784197366988	3,800	31	4,000	
	\$20		Universal Lighting Technologies	PLA22-18W830-UIFSB	076838672381	2,219	18	3,000	Must have IFSB control option to receive incentive
	\$20			PLA22-18W835-UIFSB	076838672382	2,254	18	3,500	Must have IFSB control option to receive incentive
	\$20			PLA22-18W840-UIFSB	076838672383	2,331	18	4,000	Must have IFSB control option to receive incentive
	\$20			PLA22-18W850-UIFSB	076838672384	2,424	18	5,000	Must have IFSB control option to receive incentive
\$20	PLA22-25W830-UIFSB	076838672385		2,894	25	3,000	Must have IFSB control option to receive incentive		
\$20	PLA22-25W835-UIFSB	076838672386		2,940	25	3,500	Must have IFSB control option to receive incentive		
\$20	PLA22-25W840-UIFSB	076838672387		3,040	25	4,000	Must have IFSB control option to receive incentive		
\$20	PLA22-25W850-UIFSB	076838672388		3,162	25	5,000	Must have IFSB control option to receive incentive		
\$20	PLA22-32W830-UIFSB	076838672389		3,769	32	3,000	Must have IFSB control option to receive incentive		
\$20	PLA22-32W835-UIFSB	076838672390		3,828	32	3,500	Must have IFSB control option to receive incentive		
\$20	PLA22-32W840-UIFSB	076838672391		3,959	32	4,000	Must have IFSB control option to receive incentive		
\$20	PLA22-32W850-UIFSB	076838672392		4,117	32	5,000	Must have IFSB control option to receive incentive		
88UBP	\$20	Acuity Brands Lighting		2BLT2 20L ADP GZ10 LP840	191848788370	2,065	16	4,000	
	\$20		2BLT2 33L ADP LP835	190887529708	3,332	27	3,500		
	\$20		2BLT2 33L ADP LP840	190887529739	3,385	27	4,000		
	\$20		2BLT2 33LHE ADP GZ10 LP840	193047104678	3,446	25	4,000		
	\$20		2GTL2 3300LM LP840	889804702460	3,408	28	4,000		
	\$20		2GTL2 3700LM LP840	889804704242	3,850	31	4,000		
	\$20		CPX 2X2 3200LMHE 80CRI 35K A12 MIN10 ZT MVOLT	194995636730	3,499	27	3,500		
	\$20		CPX 2X2 3200LMHE 80CRI 35K SWL MIN10 ZT MVOLT	194995637027	3,629	27	3,500		
	\$20		CPX 2X2 3200LMHE 80CRI 40K A12 MIN10 ZT MVOLT	194995637652	3,598	27	4,000		
	\$20		CPX 2X2 3200LMHE 80CRI 40K SWL MIN10 ZT MVOLT	194995637560	3,732	27	4,000		

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
88UBP	\$20	Acuity Brands Lighting	CPX 2X2 3200LMHE 80CRI 50K A12 MIN10 ZT MVOLT	194995636839	3,672	27	5,000	
	\$20		CPX 2X2 3200LMHE 80CRI 50K SWL MIN10 ZT MVOLT	194995637331	3,808	27	5,000	
	\$20		EPANL 22 34LHE 35K	190887602661	3,357	26	3,500	
	\$20		EPANL 22 34LHE 40K	190887602685	3,361	26	4,000	
	\$20	Archipelago Lighting, Inc.	LBLP22-XX-A2		4,550	35	3,000	Wattage and CCT Selectable
	\$20	ASD Lighting Corp	ASD-BLP-22D2540-PRM	810050731447	3,225	25	4,000	
	\$20		ASD-BLP-22D2550-PRM	810050731546	3,250	25	5,000	
	\$20		ASD-BLP-22D25AC-PRM	810050734684	3,250	25	3,500	Lumen/Wattage & CCT Selectable
	\$20		ASD-BLP-22D35-CC-PRM	810050732475	4,550	35	3,000	CCT Selecable
	\$20	Barron Lighting Group	CBLS-22-CP	190622141875	4,500	36	3,500	
	\$20		LPA22-30-35KV	190622141540	3,770	29	3,500	
	\$20		LPA22-30-3KV	190622141530	3,703	29	3,000	
	\$20		LPA22-30-4KV	190622141550	3,836	29	4,000	
	\$20		LPA22-30-5KV	190622141560	4,034	30	5,000	
	\$20		LPA22-CP	190622140600	3,857	31	3,000	Selectable CCT & wattages of 20, 25, or 30
	\$20	Cree Lighting	ZR22MT-32L-40K-10V		2,950	24	4,000	
	\$20	EarthTronics Inc.	LTF2X23740D	840791108758	3,720	30	4,000	
	\$20		LTF2X23750D	840791108765	3,750	30	5,000	
	\$20	EATON	22CZ2-32-UNV-L830-CD1-U		3,158	25	3,000	
	\$20		22CZ2-34HE-UNV-L835-CD1-U	080083881222	3,426	24	3,000	
	\$20		22CZ2-34HE-UNV-L840-CD1-U	080083881260	3,490	24	3,000	
	\$20		22CZ-LD5-20-UNV-L83050-W2A1-U		2,041	17	3,000	
	\$20		22FP2535HE	080083824090	2,610	20	3,500	
	\$20		22FP2540HE	080083824113	2,551	20	4,000	
	\$20	Elite Lighting Co.	22-FPL1-LED-3000L/4000L/5000L-DIM10-MVOLT-40K-85	194672004562	5,000	40	4,000	
	\$20		22-OD1V-LED-3400L-DIM10-MVOLT-50K-85		3,588	25	5,072	
	\$20		22-OVHP-LED-3400L-DIM10-MVOLT-30K-85		3,403	27	3,007	
	\$20		22-OVHP-LED-3400L-DIM10-MVOLT-35K-85		3,443	27	3,488	
	\$20		22-OVHP-LED-3400L-DIM10-MVOLT-40K-85		3,524	28	4,449	
	\$20		22-OVHP-LED-3400L-DIM10-MVOLT-50K-85		3,564	29	4,929	
	\$20		22-OEVHP-LED-2000L/3000L/4000L-DIM10-MVOLT-35K/40K/50K-85		4,000	32	3,500	Wattage and CCT Selectable
	\$20	Green Ignite	GI-22RPD-C90-UL4	663546823504	5,000	40	5,000	
	\$20		GI-22RPD-D90-UL4	663546823498	5,000	40	4,000	
	\$20	Halco Lighting Technologies	22FSVPL/8DU	807154817801	4,077	29	3,500	Wattage and CCT Selectable
	\$20	Hubbell Lighting	CFP22-3335-HE	078531140571	3,461	27	3,364	
	\$20		CFP22-3340-HE	078531131753	3,449	27	4,000	
	\$20		CFP22-40/33/2840	078531140984	5,001	40	4,000	
	\$20	Industrial Lighting Products	PAN22-20WLED-U-35		2,617	21	3,500	
	\$20		PAN22-20WLED-U-40		2,619	20	4,000	
	\$20		PAN22-30WLED-U-35		3,915	31	3,500	
\$20	PAN22-30WLED-U-40			3,941	31	4,000		
\$20	Keystone Technologies	KT-BPLED20-22-835-VDIM-P	843654127897	2,525	20	3,500		
\$20		KT-BPLED20-22-840-VDIM-P	843654127903	2,550	20	4,000		
\$20		KT-BPLED20-22-850-VDIM-P	843654127910	2,550	20	5,000		
\$20		KT-BPLED30-22-835-VDIM-P	843654127927	3,775	30	3,500		
\$20		KT-BPLED30-22-840-VDIM-P	843654127934	3,800	30	4,000		
\$20		KT-BPLED30-22-850-VDIM-P	843654127941	3,800	30	5,000		
\$20				843654121901	2,300	18	3,500	
\$20								

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
88UBP	\$20	Keystone Technologies	KT-CBLED18-22A-840-VDIM-P	843654121918	4,215	18	4,000	
	\$20		KT-CBLED18-22A-850-VDIM-P	843654121925	3,000	18	5,000	
	\$20		KT-CBLED24-22A-835-VDIM-P	843654121932	3,025	24	3,500	
	\$20		KT-CBLED24-22A-840-VDIM-P	843654121949	3,050	24	4,000	
	\$20		KT-CBLED24-22A-850-VDIM-P	843654121956	3,025	24	5,000	
	\$20	LEDVANCE, LLC	PANELF2B/020UNVD835/22G/WH	046135616068	2,500	20	3,500	
	\$20		PANELF2B/020UNVD840/22G/WH	046135616075	2,500	20	4,000	
	\$20		PANELF2B/020UNVD850/22G/WH	046135616082	2,500	20	5,000	
	\$20		PANELF2B/026UNVD835/22G/WH (61612)	046135616129	3,250	26	3,500	
	\$20		PANELF2B/026UNVD840/22G/WH (61613 or 60314)	046135616136	3,250	26	4,000	
	\$20		PANELF2B/026UNVD850/22G/WH	046135603150	3,250	26	5,000	
	\$20		PANELF3B018UNVD8SC722GWH (62103)	046135621031	2,400	18	3,500 CCT Selectable	
	\$20		PANELF4B036UNVD8SC722GWH (62318)	046135623189	4,500	36	3,500 CCT & Wattage Selectable	
	\$20		VOLUME3A/028UNVD835/22G/WH	046135604447	3,500	28	3,500	
	\$20		VOLUME3A/028UNVD840/22G/WH	046135604454	3,500	28	4,000	
	\$20		VOLUME3A/028UNVD850/22G/WH	046135604461	3,500	28	5,000	
	\$20		VOLUME4A/026UNVD835/22G/WH (60869)	046135608698	3,050	25	3,500	
	\$20	VOLUME4A/026UNVD835/22G/WH/E (60863)	046135608636	3,050	25	3,500		
	\$20	VOLUME4A/026UNVD840/22G/WH (60870)	046135608704	3,050	25	4,000		
	\$20	VOLUME4A/026UNVD840/22G/WH/E (60864)	046135608643	3,050	25	4,000		
	\$20	VOLUME4A/026UNVD850/22G/WH (60871)	046135608711	3,050	25	5,000		
	\$20	VOLUME4A/026UNVD850/22G/WH/E (60865)	046135608650	3,050	25	5,000		
	\$20	VOLUME5AS/030UNVD835/22U/WH (61512)	046135615122	3,660	30	3,500 Selectable lumens for rated wattages of 20, 25, or 30		
	\$20	VOLUME5AS/030UNVD835/22U/WH/E (61684)	046135616846	3,660	30	3,500 Selectable lumens for rated wattages of 20, 25, or 30		
	\$20	VOLUME5AS/030UNVD840/22U/WH (61513)	046135615139	3,690	30	4,000 Selectable lumens for rated wattages of 20, 25, or 30		
	\$20	VOLUME5AS/030UNVD840/22U/WH/E (61685)	046135616853	3,690	30	4,000 Selectable lumens for rated wattages of 20, 25, or 30		
	\$20	VOLUME5AS/030UNVD850/22U/WH (61514)	046135615146	3,720	30	5,000 Selectable lumens for rated wattages of 20, 25, or 30		
	\$20	VOLUME5AS/030UNVD850/22U/WH/E (61686)	046135616860	3,720	30	5,000 Selectable lumens for rated wattages of 20, 25, or 30		
	\$20	MaxLite Inc.	MLVT22D16WCSCR	767627008306	3,674	30	3,500	
	\$20		MLVT22D2035/SB	767627071331	2,540	20	3,500	
	\$20		MLVT22D2040/SB	767627071362	2,600	20	4,000	
	\$20		MLVT22D20CSCR	767627013638	2,500	20	3,500	
	\$20		MLVT22D20WCSCR	767627008344	5,057	40	3,500	
	\$20	NICOR Inc.	T6C22HU35	767706173062	4,500	36	3,500	
	\$20		T6C22HU40	767706173086	4,536	36	4,000	
	\$20		T6C22HU50	767706173109	4,572	36	5,000	
	\$20		T6C22SU35	767706173000	3,500	28	3,500	
	\$20		T6C22SU40	767706173024	3,528	28	4,000	
	\$20		T6C22SU50	767706173048	3,556	28	5,000	
	\$20	P.Q.L. Inc.	55586	811768026306	4,500	36	3,000 Wattage & CCT selectable	
	\$20		55600	811768027273	5,000	40	3,500 Wattage & CCT selectable	
	\$20		55600-8WEM	811768027235	5,000	40	3,500 Wattage & CCT selectable	
	\$20		55075	811768020618	3,810	30	4,000	
	\$20		55559 (LED 2X2 PANEL/28W/35K/DIMM/120-277V)	811768027594	3,500	28	3,500	
	\$20		55560 (LED 2X2 PANEL/28W/40K/DIMM/120-277V)		3,528	28	4,000	
	\$20		55561 (LED 2X2 PANEL - 28W/50K/DIMM/120-277V)	811768029246	3,556	28	5,000	
	\$20		55410 (LED 2X2 PANEL/28W/35K/DIMM/120-277V)		3,500	28	3,500	
\$20	55411 (LED 2X2 PANEL/28W/40K/DIMM/120-277V)			3,550	28	4,000		

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
88UBP	\$20	P.Q.L. Inc.	55412 (LED 2X2 PANEL/28W/50K/DIMM/120-277V)	811768028171	3,600	28	5,000	
	\$20		55413 (LED 2X2 PANEL/36W/35K/DIMM/120-277V)		4,500	36	3,500	
	\$20		55414 (LED 2X2 PANEL/36W/40K/DIMM/120-277V)		4,600	36	4,000	
	\$20		55415 (LED 2X2 PANEL/36W/50K/DIMM/120-277V)	811768021738	4,700	36	5,000	
	\$20		55562 (LED 2X2 PANEL/36W/35K/DIMM/120-277V)	854432004347	4,500	36	3,500	
	\$20		55563 (LED 2X2 PANEL/36W/40K/DIMM/120-277V)	811768023299	4,536	36	4,000	
	\$20		55564(LED 2X2 PANEL/36W/50K/DIMM/120-277V)	811768023299	4,572	36	5,000	
	\$20	RAB Lighting	EZPANHE2X2-23/D10	019813706023	3,247	25	4,900	
	\$20		EZPANHE2X2-23N/D10	019813706030	3,227	24	4,000	
	\$20		EZPANHE2X2-23YN/D10	019813706047	3,071	24	3,400	
	\$20		EZPANHE2X2-30N/D10	019813706078	4,136	31	4,000	
	\$20		SWISH2X2-29N/D10	019813472966	4,039	30	4,000	
	\$20		SWISH2X2-29YN/D10	019813472973	4,114	30	3,500	
	\$20	SATCO	65/421	045923534218	3,724	29	3,500	
	\$20		65/422	045923534225	4,272	31	4,000	
	\$20		65/423	045923534232	4,316	31	5,000	
	\$20	SLG	TD 22 (25/30/40) G3 35K		3,750	30	3,500	
	\$20		TD 22 (25/30/40) G3 4K		3,780	30	4,000	
	\$20		TD 22 (25/30/40) G3 5K		3,810	30	5,000	
	\$20	TCP	HDTF2UZD2330K	762148278108	2,900	23	3,000	
	\$20		HDTF2UZD2335K	762148278115	2,900	23	3,500	
	\$20		HDTF2UZD2341K	762148278122	2,900	23	4,100	
	\$20		HDTF2UZD2350K	762148278139	2,900	23	5,000	
	\$20		HDTF2UZD2930K	762148278153	3,650	29	3,000	
	\$20		HDTF2UZD2935K	762148278160	3,650	29	3,500	
	\$20		HDTF2UZD2941K	762148278177	3,650	29	4,100	
	\$20		HDTF2UZD2950K	762148278184	3,650	29	5,000	
	\$20		HDTF2UZD3830K	762148278313	4,800	38	3,000 Wattage selectable	
	\$20		HDTF2UZD3835K	762148278320	4,800	38	3,500 Wattage selectable	
	\$20		HDTF2UZD3841K	762148278337	4,800	38	4,100 Wattage selectable	
	\$20		HDTF2UZD3850K	762148278344	4,800	38	5,000 Wattage selectable	
	\$20		TRV2UZD2330K	762148284369	3,100	23	3,000	
	\$20		TRV2UZD2335K	762148284376	3,100	23	3,500	
	\$20		TRV2UZD2341K	762148284383	3,100	23	4,100	
	\$20		TRV2UZD2350K	762148284390	3,100	23	5,000	
\$20	TRV2UZD23CCT		762148286110	2,990	23	3,500 CCT Selectable		
\$20	TRV2UZD2930K		762148284406	3,800	29	3,000		
\$20	TRV2UZD2935K		762148284413	3,800	29	3,500		
\$20	TRV2UZD2941K		762148284420	3,800	29	4,100		
\$20	TRV2UZD2950K		762148284437	3,800	29	5,000		
\$20	TRV2UZD29CCT		762148286134	3,770	29	3,500 CCT Selectable		
\$20	TRV2UZD3830K		762148284444	4,800	38	3,000 Wattage selectable		
\$20	TRV2UZD3835K		762148113508	4,800	38	3,500 Wattage selectable		
\$20	TRV2UZD3841K		762148152255	4,800	38	4,100 Wattage selectable		
\$20	TRV2UZD3850K	762148107859	4,800	38	5,000 Wattage selectable			

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
88UBP	\$20	TCP	TRV2UZD38CCT	762148286066	4,940	38	3,500	Wattage & CCT selectable
	\$20		TRV2UZDA130K	762148262732	4,800	38	3,000	Lumen/Wattage Selectable
	\$20		TRV2UZDA135K	762148262749	4,800	38	3,500	Lumen/Wattage Selectable
	\$20		TRV2UZDA141K	762148262756	4,800	38	4,100	Lumen/Wattage Selectable
	\$20		TRV2UZDA150K	762148262763	4,800	38	5,000	Lumen/Wattage Selectable
	\$20	Topaz Lighting Corp.	F-L22/30/835/D/HE2	751338019652	3,765	31	3,500	
	\$20		F-L22/30/840/D/HE2	751338019669	3,703	27	4,000	
	\$20		F-L22/35/CTS/D/BL-86	751338035133	4,547	34	3,500	
	\$20		F-L22/40WPCTS/D-79	751338038950	4,814	40	3,500	
	\$20		F-VTC22/30/835/D-79	751338038332	3,604	29	3,500	
	\$20		F-VTC22/30/835/D-86C	751338025028	3,649	30	3,500	
	\$20		F-VTC22/30/840/D-79	751338038349	3,653	29	4,000	
	\$20		F-VTC22/30/840/D-86C	751338025035	3,649	30	4,000	
	\$20		F-VTC22/30/850/D-86C	751338025134	3,715	30	5,000	
	\$20		F-VTC22/40/PCTS/D-86	751338039186	5,000	40	3,500	Wattage & CCT selectable
	\$20	Universal Lighting Technologies	PL22-35WPCTS-D	751338040281	4,262	33	3,500	Wattage & CCT selectable
	\$20		PLA22-36W830-U	076838667460	4,578	37	3,000	
	\$20		PLA22-36W835-U	076838667465	4,655	37	3,000	
	\$20		PLA22-36W840-U	076838667470	4,809	37	3,000	
	\$20		PLA22-36W850-U	076838667475	4,953	37	3,000	
	\$20	WESTGATE MFG	VGB22-20WS840S-UB2	076838672965	3,674	29	3,500	Wattage and CCT Selectable
	\$20		LTRE-2X2-MCTP-40W	845060054231	5,093	40	3,382	Wattage & CCT selectable
	\$20		LTRE-2X2-MCTP-26W		5,093	40	3,382	Wattage & CCT selectable
	\$20		LTRE-2X2-MCTP-32W		5,093	40	3,382	Wattage & CCT selectable
	\$20		LTRP-2X2-35W-30K-D		4,585	35	3,000	
	\$20		LTRP-2X2-35W-35K-D		4,655	35	3,500	
	\$20		LTRP-2X2-35W-40K-D		4,725	35	4,000	
\$20	LTRP-2X2-35W-45K-D			4,795	35	4,500		
\$20	LTRP-2X2-35W-50K-D			4,865	35	5,000		
88UBPC	\$30		Acuity Brands Lighting	CPX 2X2 3200LMHE 80CRI 35K A12 MIN10 ZT MVOLT JOT	194995637690	3,499	27	3,500
	\$30	CPX 2X2 3200LMHE 80CRI 35K A12 MIN10 ZT MVOLT JOTVTX15		194995640591	3,499	27	3,500	
	\$30	CPX 2X2 3200LMHE 80CRI 35K A12 MIN10 ZT MVOLT VTX15		194995642939	3,499	27	3,500	
	\$30	CPX 2X2 3200LMHE 80CRI 35K SWL MIN10 ZT MVOLT JOT		194995637713	3,629	27	3,500	
	\$30	CPX 2X2 3200LMHE 80CRI 35K SWL MIN10 ZT MVOLT JOTVTX15		194995640850	3,629	27	3,500	
	\$30	CPX 2X2 3200LMHE 80CRI 35K SWL MIN10 ZT MVOLT VTX15		194995643059	3,629	27	3,500	
	\$30	CPX 2X2 3200LMHE 80CRI 40K A12 MIN10 ZT MVOLT JOT		194995638345	3,598	27	4,000	
	\$30	CPX 2X2 3200LMHE 80CRI 40K A12 MIN10 ZT MVOLT JOTVTX15		194995642366	3,598	27	4,000	
	\$30	CPX 2X2 3200LMHE 80CRI 40K A12 MIN10 ZT MVOLT VTX15		194995644896	3,598	27	4,000	
	\$30	CPX 2X2 3200LMHE 80CRI 40K SWL MIN10 ZT MVOLT JOT		194995637836	3,732	27	4,000	
	\$30	CPX 2X2 3200LMHE 80CRI 40K SWL MIN10 ZT MVOLT JOTVTX15		194995641772	3,732	27	4,000	
	\$30	CPX 2X2 3200LMHE 80CRI 40K SWL MIN10 ZT MVOLT VTX15		194995644360	3,732	27	4,000	
	\$30	CPX 2X2 3200LMHE 80CRI 50K A12 MIN10 ZT MVOLT JOT		194995637706	3,672	27	5,000	
	\$30	CPX 2X2 3200LMHE 80CRI 50K A12 MIN10 ZT MVOLT JOTVTX15		194995640683	3,672	27	5,000	
	\$30	CPX 2X2 3200LMHE 80CRI 50K A12 MIN10 ZT MVOLT VTX15		194995642984	3,672	27	5,000	
	\$30	CPX 2X2 3200LMHE 80CRI 50K SWL MIN10 ZT MVOLT JOT		194995637829	3,808	27	5,000	
	\$30	CPX 2X2 3200LMHE 80CRI 50K SWL MIN10 ZT MVOLT JOTVTX15		194995641703	3,808	27	5,000	
	\$30	CPX 2X2 3200LMHE 80CRI 50K SWL MIN10 ZT MVOLT VTX15		194995644230	3,808	27	5,000	

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
88UBPC	\$30	Archipelago Lighting, Inc.	LBLP22-XX-A6		4,550	35	3,000	Wattage and CCT Selectable
	\$30	EATON	22CZ2-34HE-UNV-L835-CD1-SVPD1-U		3,184	24	3,500	
	\$30		22CZ2-34HE-UNV-L840-CD1-SVPD1-U		3,243	24	4,000	
	\$30	LEDVANCE, LLC	PANELF4BS045UNVD8SC722GWHM (62256)	046135622564	5,584	45	3,500	Lumen/Wattage Selectable
	\$30		VOLUME4A/026UNVD835/22G/WH/D (60875)	046135608759	3,050	25	3,500	
	\$30		VOLUME4A/026UNVD835/22G/WH/DE (60866)		3,050	25	3,500	
	\$30		VOLUME4A/026UNVD840/22G/WH/D (60876)	046135608766	3,050	25	4,000	
	\$30		VOLUME4A/026UNVD840/22G/WH/DE (60867)		3,050	25	4,000	
	\$30		VOLUME4A/026UNVD850/22G/WH/D (60877)	046135608773	3,050	25	5,000	
	\$30		VOLUME4A/026UNVD850/22G/WH/DE (60868)		3,050	25	5,000	
\$30	MaxLite Inc.	MLVT22D2040/SBMS	767627071379	2,600	20	4,000		
\$30	Universal Lighting Technologies	VGB22-20WS840S-UB2-IFSB	076838673387	3,674	29	3,500		
2x4 Luminaires for Ambient Lighting of Interior Commercial Spaces								
88UBP	\$20	WESTGATE MFG	LTRP-2X4-50W-30K-D		6,250	50	3,000	
	\$20		LTRP-2X4-50W-35K-D		6,350	50	3,500	
	\$20		LTRP-2X4-50W-40K-D		6,450	50	4,000	
	\$20		LTRP-2X4-50W-45K-D		6,550	50	4,500	
	\$20		LTRP-2X4-50W-50K-D		6,650	50	5,000	
88UCC	\$30	GE Current	LVT24B030MM835TTLTWHTTE		3,000	25	3,500	
	\$30		LVT24B030MM835TTLTWHTTEEL		3,000	25	3,500	
	\$30		LVT24B030MM835TTLTWHTTEELW5		3,000	25	3,500	
	\$30		LVT24B030MM835TTLTWHTTEW5		3,000	25	3,500	
	\$30		LVT24B030MM840TTLTWHTTE		3,000	25	4,000	
	\$30		LVT24B030MM840TTLTWHTTEEL		3,000	25	4,000	
	\$30		LVT24B030MM840TTLTWHTTEELW5		3,000	25	4,000	
	\$30		LVT24B030MM840TTLTWHTTEW5		3,000	25	4,000	
	\$30		LVT24B040MM835TTLTWHTTE		4,000	34	3,500	
	\$30		LVT24B040MM835TTLTWHTTEEL		4,000	34	3,500	
	\$30		LVT24B040MM835TTLTWHTTEELW5		4,000	34	3,500	
	\$30		LVT24B040MM835TTLTWHTTEW5		4,000	34	3,500	
	\$30		LVT24B040MM840TTLTWHTTE		4,000	34	4,000	
	\$30		LVT24B040MM840TTLTWHTTEEL		4,000	34	4,000	
	\$30		LVT24B040MM840TTLTWHTTEELW5		4,000	34	4,000	
	\$30		LVT24B040MM840TTLTWHTTEW5		4,000	34	4,000	
	\$30		LVT24B048MM835TTLTWHTTE		4,800	43	3,500	
	\$30		LVT24B048MM835TTLTWHTTEEL		4,800	43	3,500	
	\$30		LVT24B048MM835TTLTWHTTEELW5		4,800	43	3,500	
	\$30		LVT24B048MM835TTLTWHTTEW5		4,800	43	3,500	
	\$30		LVT24B048MM840TTLTWHTTE		4,800	43	4,000	
	\$30		LVT24B048MM840TTLTWHTTEEL		4,800	43	4,000	
	\$30		LVT24B048MM840TTLTWHTTEELW5		4,800	43	4,000	
	\$30		LVT24B048MM840TTLTWHTTEW5		4,800	43	4,000	
	\$30		LVT24B072MM835TTLTWHTTE		7,200	60	3,500	
	\$30		LVT24B072MM835TTLTWHTTEEL		7,200	60	3,500	
	\$30		LVT24B072MM835TTLTWHTTEELW5		7,200	60	3,500	
	\$30		LVT24B072MM835TTLTWHTTEW5		7,200	60	3,500	
\$30	LVT24B072MM840TTLTWHTTE		7,200	60	4,000			
\$30	LVT24B072MM840TTLTWHTTEEL		7,200	60	4,000			

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2	
88UCC	\$30	GE Current	LVT24B072MM840TTLTWHEELW5		7,200	60	4,000		
	\$30		LVT24B072MM840TTLTWHEW5		7,200	60	4,000		
	\$30		LVT24BD30MM835TTLTWHE		3,000	27	3,500		
	\$30		LVT24BD30MM835TTLTWHEW5		3,000	27	3,500		
	\$30		LVT24BD30MM840TTLTWHE		3,000	27	4,000		
	\$30		LVT24BD30MM840TTLTWHEW5		3,000	27	4,000		
	\$30		LVT24BD40MM835TTLTWHE		4,000	36	3,500		
	\$30		LVT24BD40MM835TTLTWHEW5		4,000	36	3,500		
	\$30		LVT24BD40MM840TTLTWHE		4,000	36	4,000		
	\$30		LVT24BD40MM840TTLTWHEW5		4,000	36	4,000		
	\$30		LVT24BD48MM835TTLTWHEHP		4,800	39	3,500		
	\$30		LVT24BD48MM835TTLTWHEHPW5		4,800	39	3,500		
	\$30		LVT24BD48MM840TTLTWHEHP		4,800	39	4,000		
	\$30		LVT24BD48MM840TTLTWHEHPW5		4,800	39	4,000		
	\$30		LVT24BD60MM835TTLTWHE		6,000	50	4,000		
	\$30		LVT24BD60MM835TTLTWHEW5		6,000	50	4,000		
	\$30		LVT24BD60MM840TTLTWHE		6,000	50	3,500		
	\$30		LVT24BD60MM840TTLTWHEW5		6,000	50	3,500		
	\$30		LVT24BD72MM835TTLTWHE		7,200	63	3,500		
	\$30		LVT24BD72MM835TTLTWHEW5		7,200	63	3,500		
	\$30		LVT24BD72MM840TTLTWHE		7,200	63	4,000		
	\$30		LVT24BD72MM840TTLTWHEW5		7,200	63	4,000		
	\$30		Signify	2FGG38L835-4-D-UNV-DIM-SWZDT	784197642327	3,691	33	3,500	
	\$30			2FGG38L840-4-D-UNV-DIM-SWZDT	784197367008	3,845	33	4,000	
	\$30	2FGG43L835-4-D-UNV-DIM-SWZDT		784197380595	4,301	36	3,500		
	\$30	2FGG43L840-4-D-UNV-DIM-SWZDT		784197367015	4,319	39	4,000		
	\$30	Universal Lighting Technologies	PLA24-25W830-UIFSB	076838672401	3,069	25	3,000		
	\$30		PLA24-25W835-UIFSB	076838672402	3,117	25	3,500		
	\$30		PLA24-25W840-UIFSB	076838672403	3,223	25	4,000		
	\$30		PLA24-25W850-UIFSB	076838672404	3,352	25	5,000		
	\$30		PLA24-28W830-UIFSB	076838672405	3,720	28	3,000		
	\$30		PLA24-28W835-UIFSB	076838672406	3,779	28	3,500		
	\$30		PLA24-28W840-UIFSB	076838672407	3,907	28	4,000		
	\$30		PLA24-28W850-UIFSB	076838672408	4,064	28	5,000		
	88UCP	\$30	Acuity Brands Lighting	2BLT4 30L ADP GZ10 LP840	191848788608	3,009	23	4,000	
		\$30		2BLT4 40L ADP LP835	190887470789	4,000	32	3,500	
\$30		2BLT4 40L ADP LP840		190887470765	4,064	32	4,000		
\$30		2BLT4 40LHE ADP GZ10 LP840		193047646123	4,150	29	4,000		
\$30		2BLT4 48L ADP GZ10 LP835		191848794234	4,960	38	3,500		
\$30		2BLT4 48L ADP GZ10 LP840		193047964500	5,039	38	4,000		
\$30		2BLT4 48LHE ADP GZ10 LP840		193047057868	4,846	35	4,000		
\$30		2GTL4 4400LM LP835		889804706598	4,391	34	3,500		
\$30		2GTL4 4400LM LP840		889804706956	4,567	34	4,000		
\$30		2GTL4 5000LM LP835		889804710366	4,867	39	3,500		
\$30		2GTL4 5000LM LP840		889804710458	5,062	39	4,000		
\$30		CPX 2X4 4000LMHE 80CRI 35K A12 MIN10 ZT MVOLT		194995637584	4,845	36	3,500		
\$30		CPX 2X4 4000LMHE 80CRI 35K SWL MIN10 ZT MVOLT		194995637256	5,026	36	3,500		
\$30		CPX 2X4 4000LMHE 80CRI 40K A12 MIN10 ZT MVOLT		194995637317	4,982	36	4,000		

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
88UCP	\$30	Acuity Brands Lighting	CPX 2X4 4000LMHE 80CRI 40K SWL MIN10 ZT MVOLT	194995636150	5,167	36	4,000	
	\$30		CPX 2X4 4000LMHE 80CRI 50K A12 MIN10 ZT MVOLT	194995637669	5,084	36	5,000	
	\$30		CPX 2X4 4000LMHE 80CRI 50K SWL MIN10 ZT MVOLT	194995637218	5,274	36	5,000	
	\$30		EPANL 24 40LHE 35K	190887602708	3,953	30	3,500	
	\$30		EPANL 24 40LHE 40K	190887602722	4,013	31	4,000	
	\$30		EPANL 2X4 4000LMHE 80CRI 40K MIN10 ZT MVOLT		4,042	31	4,000	
	\$30		EPANL 2X4 6000LM 80CRI 40K MIN10 ZT MVOLT	193048537253	6,548	50	4,000	
	\$30		2BLT4 A 48L ADP GZ10 LP840		5,039	38	4,000	
	\$30		STAKS 2X4 ALO6 SWW7		6,177	49	3,500 CCT & Lumen Selectable	
	\$30		2BLT4 48L ADPT EZ1 LP835 NLTAIR2 RIO	193047686556	4,894	38	3,500	
	\$30		STAKPAK 2X4 ALO6 35K CP2	194995081998	6,366	49	3,500 Lumen/Wattage Selectable. 2 fixtures	
	\$30	STAKPAK 2X4 ALO6 40K CP2	194995082049	6,380	49	4,000 Lumen/Wattage Selectable. 2 fixtures		
	\$30	Archipelago Lighting, Inc.	LBLP24-XX-A2		6,500	50	3,000 Wattage and CCT Selectable	
	\$30	ASD Lighting Corp	ASD-BLP-24D3240-PRM	810050731553	4,384	32	4,000	
	\$30		ASD-BLP-24D4040-PRM	810050731454	5,160	40	4,000	
	\$30		ASD-BLP-24D4050-PRM	810050734455	5,200	40	5,000	
	\$30		ASD-BLP-24D5040-PRM	810050731461	6,450	50	4,000	
	\$30		ASD-BLP-24D40AC-PRM	810050733656	5,200	40	3,500 Lumen/Wattage & CCT Selectable	
	\$30		ASD-BLP-24D50-CC-PRM	810050732482	6,500	50	3,000 CCT Seleccable	
	\$30	Barron Lighting Group	CBLS-24-CP	190622141905	6,250	50	3,500	
	\$30		LPA24-40-35KV	190622141580	5,251	39	3,500	
	\$30		LPA24-40-3KV	190622141570	5,197	39	3,000	
	\$30		LPA24-40-4KV	190622141590	5,306	39	4,000	
	\$30		LPA24-40-5KV	190622141600	5,469	39	5,000	
	\$30		LPA24-CP	190622140610	5,258	42	3,000 Selectable CCT & wattages of 30, 35, or 40	
	\$30	Cree Lighting	ZR24MT-40L-40K-10V		3,950	32	4,000	
	\$30	EarthTronics Inc.	LTF2X44240D	840791108789	4,318	34	4,000	
	\$30		LTF2X44250D	840791108796	4,352	34	5,000	
	\$30	EATON	24CZ2-30HE-120V-L83050-W2A1-U		2,745	21	3,000	
	\$30		24CZ2-30HE-UNV-L835-CD1-U		3,100	23	3,500	
	\$30		24CZ2-40HE-S-120V-L82765-W2A1-U		3,715	30	2,700	
	\$30		24CZ2-50HE-S-120V-L83050-W2A1-U		4,721	38	3,000	
	\$30		24CZ2-50HE-UNV-L835-CD1-U	080083881581	5,164	39	3,500	
\$30	24CZ2-50HE-UNV-L840-CD1-U		080083881604	5,143	39	4,000		
\$30	24CZ-LD5-30SE-UNV-L83050-W2A1-U			2,866	23	3,000		
\$30	24CZ-LD5-40-120V-L82765-W2A1-U			3,737	30	2,700		
\$30	24EN-LD2-45-UNV-L840-CD1			4,765	35	4,000		
\$30	24FP3835HE		080083858927	3,849	28	3,500		
\$30	24FP3840HE		080083858941	3,780	29	4,000		
\$30	Elite Lighting Co.	24-FPL1-LED-4000L/5000L/6000L-DIM10-MVOLT-40K-85	848070094457	6,250	50	4,000		
\$30		24-OD1V-LED-5000L-DIM10-MVOLT-30K-85		5,762	41	3,080		
\$30		24-OD1V-LED-5000L-DIM10-MVOLT-35K-85		5,850	41	3,500		
\$30		24-OD1V-LED-5000L-DIM10-MVOLT-40K-85		5,850	41	4,000		
\$30		24-OD1V-LED-5000L-DIM10-MVOLT-50K-85		5,850	41	5,000		
\$30		24-OVHP-LED-4000L-DIM10-MVOLT-30K-85		4,021	33	2,996		

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
88UCP	\$30	Elite Lighting Co.	24-OVHP-LED-4000L-DIM10-MVOLT-35K-85		4,068	32	3,502	
	\$30		24-OVHP-LED-4000L-DIM10-MVOLT-40K-85		4,115	32	4,009	
	\$30		24-OVHP-LED-4000L-DIM10-MVOLT-50K-85		4,210	32	5,021	
	\$30		24-OEVHP-LED-3000L/4000L/5000L-DIM10-MVOLT-35K/40K/50K-85		5,040	40	3,500	Wattage and CCT Selectable
	\$30	GE Current	LVT24B060MM835VQLTWHTE		6,000	47	4,000	
	\$30		LVT24B060MM835VQLTWHTEEL		6,000	47	4,000	
	\$30		LVT24B060MM835VQLTWHTEELW5		6,000	47	4,000	
	\$30		LVT24B060MM835VQLTWHTEW5		6,000	47	4,000	
	\$30		LVT24B060MM840VQLTWHTE		6,000	47	4,000	
	\$30		LVT24B060MM840VQLTWHTEEL		6,000	47	4,000	
	\$30		LVT24B060MM840VQLTWHTEELW5		6,000	47	4,000	
	\$30		LVT24B060MM840VQLTWHTEW5		6,000	47	4,000	
	\$30	Green Ignite	GI-24RPD-C120-UL4	663546823528	6,250	50	5,000	
	\$30		GI-24RPD-D120-UL4	663546823511	6,250	50	4,000	
	\$30	Halco Lighting Technologies	24FSVPL/8DU	807154817818	5,300	39	3,500	Wattage and CCT Selectable
	\$30	Hubbell Lighting	LCAT24-35MLG-EDU	078531125882	4,912	39	3,412	
	\$30		LCAT24-35MLG-EDU-CP	078531126995	4,912	39	3,412	
	\$30		LCAT24-35MLG-EDU-ELL14		4,912	39	3,412	
	\$30	Industrial Lighting Products	PAN24-30WLED-U-35		3,997	32	3,500	
	\$30		PAN24-30WLED-U-40		3,999	32	4,000	
	\$30		PAN24-36WLED-U-35		4,519	36	3,500	
	\$30		PAN24-36WLED-U-40		4,553	36	4,000	
	\$30		PAN24-50WLED-U-35		6,054	48	3,500	
	\$30		PAN24-50WLED-U-40		6,108	48	4,000	
	\$30		PAN24-60WLED-U-35		7,281	55	3,500	
	\$30		PAN24-60WLED-U-40		7,514	56	4,000	
	\$30	Keystone Technologies	KT-BPLED30-24-835-VDIM-P	843654127958	3,775	30	3,500	
	\$30		KT-BPLED30-24-840-VDIM-P	843654127965	3,800	30	4,000	
	\$30		KT-BPLED30-24-850-VDIM-P	843654127972	3,800	30	5,000	
	\$30		KT-BPLED40-24-835-VDIM-P	843654127989	5,050	40	3,500	
	\$30		KT-BPLED40-24-840-VDIM-P	843654127996	5,075	40	4,000	
	\$30		KT-BPLED40-24-850-VDIM-P	843654128009	5,075	40	5,000	
	\$30		KT-CBLED24-24A-835-VDIM-P		2,976	24	3,500	
	\$30		KT-CBLED24-24A-840-VDIM-P	843654121970	3,050	24	4,000	
	\$30		KT-CBLED24-24A-850-VDIM-P	843654121987	3,072	24	5,000	
	\$30		KT-CBLED30-24A-835-VDIM-P	843654121994	3,810	30	3,500	
	\$30		KT-CBLED30-24A-840-VDIM-P	843654122007	3,870	30	4,000	
	\$30		KT-CBLED30-24A-850-VDIM-P	843654122014	2,975	30	5,000	
	\$30		KT-CBLED38-24A-835-VDIM-P	843654122021	4,790	38	3,500	
	\$30		KT-CBLED38-24A-840-VDIM-P	843654122038	4,825	38	4,000	
	\$30		KT-CBLED38-24A-850-VDIM-P	843654122045	5,535	38	5,000	
	\$30	KT-CBLED45-24A-835-VDIM-P	843654122052	5,670	45	3,500		
	\$30	KT-CBLED45-24A-840-VDIM-P	843654122069	5,760	45	4,000		
\$30	KT-CBLED45-24A-850-VDIM-P	843654122076	3,720	45	5,000			

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2	
88UCP	\$30	LEDVANCE, LLC	PANELF2B/026UNVD835/24G/WH	046135616150	3,380	26	3,500		
	\$30		PANELF2B/026UNVD840/24G/WH (60320)	046135616167	3,380	26	4,000		
	\$30		PANELF2B/026UNVD850/24G/WH	046135616174	3,380	26	5,000		
	\$30		PANELF2B/032UNVD835/24G/WH (60295)	046135602955	4,160	32	3,500		
	\$30		PANELF2B/032UNVD840/24G/WH (61619 or 60296)	046135616198	4,160	32	4,000		
	\$30		PANELF2B/032UNVD850/24G/WH (60297)	046135602979	4,160	32	5,000		
	\$30		PANELF2B/050UNVD835/24G/WH (60280)	046135602801	6,000	48	3,500		
	\$30		PANELF2B/050UNVD835/24G/WH	046135616211	6,250	50	3,500		
	\$30		PANELF2B/050UNVD840/24G/WH (60344)	046135603440	6,250	50	4,000		
	\$30		PANELF2B/050UNVD850/24G/WH	046135616235	6,250	50	5,000		
	\$30		PANELF3B024UNVD835/24G/WH (62102)	046135621024	3,200	24	3,500 CCT Selectable		
	\$30		PANELF4B5050UNVD835/24G/WH (62319)	046135623196	6,250	50	3,500 CCT & Wattage Selectable		
	\$30		VOLUME3A/036UNVD835/24G/WH	046135604386	4,500	36	3,500		
	\$30		VOLUME3A/036UNVD840/24G/WH	046135604393	4,500	36	4,000		
	\$30		VOLUME3A/036UNVD850/24G/WH	046135604409	4,500	36	5,000		
	\$30		VOLUME4A/034UNVD835/24G/WH (60878)	046135608780	4,300	35	3,500		
	\$30		VOLUME4A/034UNVD835/24G/WH/E (60858)	046135608582	4,300	35	3,500		
	\$30		VOLUME4A/034UNVD840/24G/WH (60879)	046135608797	4,300	35	4,000		
	\$30		VOLUME4A/034UNVD840/24G/WH/E (60857)	046135608575	4,300	35	4,000		
	\$30		VOLUME4A/034UNVD850/24G/WH (60880)	046135608803	4,300	35	5,000		
	\$30		VOLUME4A/034UNVD850/24G/WH/E (60859)	046135608599	4,300	35	5,000		
	\$30		VOLUME5AS/034UNVD835/24U/WH (61515)	046135615153	4,216	34	3,500 Selectable lumens for rated wattages of 25, 30, or 34		
	\$30		VOLUME5AS/034UNVD835/24U/WH/E (61687)	046135616877	4,216	34	3,500 Selectable lumens for rated wattages of 25, 30, or 34		
	\$30		VOLUME5AS/034UNVD840/24U/WH (61516)	046135615160	4,250	34	4,000 Selectable lumens for rated wattages of 25, 30, or 34		
	\$30		VOLUME5AS/034UNVD840/24U/WH/E (61688)	046135616884	4,250	34	4,000 Selectable lumens for rated wattages of 25, 30, or 34		
	\$30		VOLUME5AS/034UNVD850/24U/WH (61517)	046135615177	4,284	34	5,000 Selectable lumens for rated wattages of 25, 30, or 34		
	\$30		VOLUME5AS/034UNVD850/24U/WH/E (61689)	046135616891	4,284	34	5,000 Selectable lumens for rated wattages of 25, 30, or 34		
	\$30		VOLUME5AS/045UNVD835/24U/WH (61518)	046135615184	5,760	45	3,500 Selectable lumens for rated wattages of 34, 38, or 45		
	\$30		VOLUME5AS/045UNVD835/24U/WH/E (61690)	046135616907	5,760	45	3,500 Selectable lumens for rated wattages of 34, 38, or 45		
	\$30		VOLUME5AS/045UNVD840/24U/WH (61519)	046135615191	5,805	45	4,000 Selectable lumens for rated wattages of 34, 38, or 45		
	\$30		VOLUME5AS/045UNVD840/24U/WH/E (61691)	046135616914	5,805	45	4,000 Selectable lumens for rated wattages of 34, 38, or 45		
	\$30		VOLUME5AS/045UNVD850/24U/WH (61520)	046135615207	5,850	45	5,000 Selectable lumens for rated wattages of 34, 38, or 45		
	\$30		VOLUME5AS/045UNVD850/24U/WH/E (61692)	046135616921	5,850	45	5,000 Selectable lumens for rated wattages of 34, 38, or 45		
	\$30		MaxLite Inc.	MLVT24D25WCSCR	767627008597	4,482	35	3,500	
	\$30			MLVT24D3035/SB	767627071393	3,810	30	3,500	
	\$30			MLVT24D30CSCR	767627013645	3,750	30	3,500	
	\$30			MLVT24D30WCSCR	767627008634	6,300	50	3,500	
	\$30		NICOR Inc.	T6C24HU35	767706173185	5,750	46	3,500	
	\$30			T6C24HU40	767706173208	5,796	46	4,000	
	\$30			T6C24HU50	767706173222	5,842	46	5,000	
\$30	T6C24SU35	767706173123		4,500	36	3,500			
\$30	T6C24SU40	767706173147		4,536	36	4,000			
\$30	T6C24SU50	767706173161		4,572	36	5,000			
\$30	P.Q.L. Inc.	55587	811768027549	6,250	50	3,000 Wattage & CCT selectable			
\$30		55602	811768020632	5,715	45	3,500 Wattage & CCT selectable			
\$30		55602-8WEM	811768026733	5,715	45	3,500 Wattage & CCT selectable			
\$30		55079		4,318	34	4,000			
\$30		55565 (LED 2X4 PANEL/40W/35K/DIMM/120-277V)	811768027723	5,000	40	3,500			

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2	
88UCP	\$30	P.Q.L. Inc.	55566 (LED 2X4 PANEL/40W/40K/DIMM/120-277V)	811768020878	5,040	40	4,000		
	\$30		55567 (LED 2X4 PANEL/40W/50K/DIMM/120-277V)	811768027969	5,080	40	5,000		
	\$30		55416 (LED 2X4 PANEL/40W/35K/DIMM/120-277V)	899645001875	5,000	40	3,500		
	\$30		55417 (LED 2X4 PANEL/40W/40K/DIMM/120-277V)		5,050	40	4,000		
	\$30		55418 (LED 2X4 PANEL/40W/50K/DIMM/120-277V)	811768028355	5,100	40	5,000		
	\$30		55419 (LED 2X4 PANEL/55W/35K/DIMM/120-277V)	811768026597	6,875	55	3,500		
	\$30		55420 (LED 2X4 PANEL/55W/40K/DIMM/120-277V)	811768026580	6,875	55	4,000		
	\$30		55421 (LED 2X4 PANEL/55W/50K/DIMM/120-277V)	811768020717	6,875	55	5,000		
	\$30		RAB Lighting	EZPANHE2X4-30/D10	019813706146	4,123	30	4,900	
	\$30			EZPANHE2X4-30N/D10	019813706153	4,133	31	4,000	
	\$30	EZPANHE2X4-30YN/D10		019813706160	4,000	30	3,500		
	\$30	EZPANHE2X4-46N/D10		019813706191	6,150	46	4,000		
	\$30	SWISH2X4-39N/D10		019813472997	5,436	38	4,000		
	\$30	SWISH2X4-39YN/D10		019813473000	5,334	38	3,500		
	\$30	SWISH2X4-49N/D10		019813473024	7,187	51	4,000		
	\$30	SWISH2X4-49YN/D10		019813473031	7,340	51	3,500		
	\$30	EZPANHE2X4-46/D10			6,001	45	4,900		
	\$30	SATCO		65/427	045923534270	5,563	39	3,500	
	\$30		65/428	045923534287	5,483	39	4,000		
	\$30		65/429	045923534294	5,526	38	5,000		
	\$30		65/430	045923534300	6,562	47	3,500		
	\$30		65/431	045923534317	6,550	47	4,000		
	\$30		65/432	045923534324	6,942	47	5,000		
	\$30	SLG	TD 24 (45/50/60) G3 35K		5,715	45	3,500		
	\$30		TD 24 (45/50/60) G3 4K		5,760	45	4,000		
	\$30		TD 24 (45/50/60) G3 5K		5,805	45	5,000		
	\$30		TD 24 70 G3 35K		6,985	55	3,500		
	\$30		TD 24 70 G3 4K		7,040	55	4,000		
	\$30		TD 24 70 G3 5K		7,095	55	5,000		
	\$30	TCP	DTF4UZDA130K	762148277804	4,750	38	3,000	Lumen/Wattage Selectable	
	\$30		DTF4UZDA135K	762148277811	4,750	38	3,500	Lumen/Wattage Selectable	
	\$30		DTF4UZDA141K	762148277828	4,750	38	4,100	Lumen/Wattage Selectable	
	\$30		DTF4UZDA150K	762148277835	4,750	38	5,000	Lumen/Wattage Selectable	
	\$30		HDTF4UZD2330K	762148277941	2,900	23	3,000		
	\$30		HDTF4UZD2335K	762148277958	2,900	23	3,500		
	\$30		HDTF4UZD2341K	762148277965	2,900	23	4,100		
	\$30		HDTF4UZD2350K	762148277972	2,900	23	5,000		
	\$30		HDTF4UZD2930K	762148277996	3,650	29	3,000		
	\$30		HDTF4UZD2935K	762148278009	3,650	29	3,500		
	\$30		HDTF4UZD2941K	762148278016	3,650	29	4,100		
\$30	HDTF4UZD2950K		762148278023	3,650	29	5,000			
\$30	HDTF4UZD3830K		762148278269	4,800	38	3,000			
\$30	HDTF4UZD3835K		762148278276	4,800	38	3,500			
\$30	HDTF4UZD3841K		762148278283	4,800	38	4,100			
\$30	HDTF4UZD3850K		762148278290	4,800	38	5,000			
\$30	TRV4UZD2330K		762148284482	3,100	23	3,000			
\$30	TRV4UZD2335K		762148284499	3,100	23	3,500			
\$30	TRV4UZD2341K		762148284505	3,100	23	4,100			

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2	
88UCP	\$30	TCP	TRV4UZD2350K	762148284512	3,100	23	5,000		
	\$30		TRV4UZD23CCT	762148286172	2,990	23	3,500 CCT Selectable		
	\$30		TRV4UZD2930K	762148284529	4,000	29	3,000		
	\$30		TRV4UZD29CCT	762148286073	3,770	29	3,500 CCT Selectable		
	\$30		TRV4UZD3830K	762148284567	5,200	38	3,000 Wattage selectable		
	\$30		TRV4UZD3835K	762148152224	5,200	38	3,500 Wattage selectable		
	\$30		TRV4UZD3841K	762148112495	5,200	38	4,100 Wattage selectable		
	\$30		TRV4UZD3850K	762148107903	5,200	38	5,000 Wattage selectable		
	\$30		TRV4UZD38CCT	762148286165	4,940	38	3,500 Wattage & CCT selectable		
	\$30		TRV4UZD39CCT	762148283034	5,070	39	3,500 CCT Selectable		
	\$30		TRV4UZD4630K	762148284604	6,000	46	3,000		
	\$30		TRV4UZD46CCT	762148286196	5,980	46	3,500 Wattage & CCT selectable		
	\$30		TRV4UZDA130K	762148262770	6,000	46	3,000		
	\$30		TRV4UZDA135K	762148262787	6,000	46	3,500		
	\$30		TRV4UZDA141K		6,000	46	4,100		
	\$30		TRV4UZDA150K		6,000	46	5,000		
	\$30		HDTF4UZD3841KEB	762148288350	4,800	38	4,100		
	\$30		Topaz Lighting Corp.	F-L24/40/835/D/HE2	751335019683	4,828	38	3,500	
	\$30			F-L24/40/840/D/HE2	751335019690	5,510	40	4,000	
	\$30	F-L24/45/CTS/D/BL-86		751338035140	5,969	44	3,500		
	\$30	F-L24/55WPCTS/D-79		751338038967	6,559	53	3,500		
	\$30	F-VTC24/40/835/D-79		751338038356	4,954	40	3,500		
	\$30	F-VTC24/40/840/D-79		751338038363	4,984	40	4,000		
	\$30	F-VTC24/45/835/D-86C		751338025011	5,553	45	3,500		
	\$30	F-VTC24/45/840/D-86C		751338023543	5,553	45	4,000		
	\$30	F-VTC24/45/850/D-86C		751338023550	5,870	45	5,000		
	\$30	F-VTC24/50/PCTS/D-86		751338039193	6,250	50	3,500 Wattage & CCT selectable		
	\$30	PL24-50WPCTS-D	751338040304	6,099	49	3,500 Wattage & CCT selectable			
	\$30	Universal Lighting Technologies	PLA24-33W830-U	076838667420	4,256	33	3,000		
	\$30		PLA24-33W835-U	076838667425	4,323	33	3,500		
	\$30		PLA24-33W840-U	076838667430	4,470	33	4,000		
	\$30		PLA24-33W850-U	076838667435	4,649	33	5,000		
	\$30		PLA24-46W830-U	076838667440	5,753	46	3,000		
	\$30		PLA24-46W835-U	076838667445	5,844	46	3,500		
	\$30		PLA24-46W840-U	076838667450	6,043	46	4,000		
	\$30		PLA24-46W850-U	076838667455	6,285	46	5,000		
\$30	VGB24-30WS840S-UB2	076838672966	4,482	35	3,500 Wattage and CCT Selectable				
\$30	WESTGATE MFG	LTRE-2X4-MCTP-50W	845060054248	6,209	49	3,419 Wattage & CCT selectable			
\$30		LPNG-2X4-7KLM-35K-D		7,490	60	3,500			
\$30		LPNG-2X4-7KLM-40K-D		7,476	59	4,000			
\$30		LPNG-2X4-7KLM-45K-D		7,462	59	4,500			
\$30		LPNG-2X4-7KLM-50K-D		7,435	59	5,000			
\$30		LTRE-2X4-MCTP-32W		6,209	49	3,419 Wattage & CCT selectable			
\$30	LTRE-2X4-MCTP-40W		6,209	49	3,419 Wattage & CCT selectable				

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2	
88UCPC	\$40	Acuity Brands Lighting	CPX 2x4 4000LMHE 80CRI 35K A12 MIN10 ZT MVOLT JOT	194995637850	4,845	36	3,500		
	\$40		CPX 2X4 4000LMHE 80CRI 35K A12 MIN10 ZT MVOLT JOTVTX15	194995642274	4,845	36	3,500		
	\$40		CPX 2X4 4000LMHE 80CRI 35K A12 MIN10 ZT MVOLT VTX15	194995644582	4,845	36	3,500		
	\$40		CPX 2X4 4000LMHE 80CRI 35K SWL MIN10 ZT MVOLT JOT	194995637768	5,026	36	3,500		
	\$40		CPX 2X4 4000LMHE 80CRI 35K SWL MIN10 ZT MVOLT JOTVTX15	194995641000	5,026	36	3,500		
	\$40		CPX 2X4 4000LMHE 80CRI 35K SWL MIN10 ZT MVOLT VTX15	194995643349	5,026	36	3,500		
	\$40		CPX 2X4 4000LMHE 80CRI 40K A12 MIN10 ZT MVOLT JOT	194995637812	4,982	36	4,000		
	\$40		CPX 2X4 4000LMHE 80CRI 40K A12 MIN10 ZT MVOLT JOTVTX15	194995641628	4,982	36	4,000		
	\$40		CPX 2X4 4000LMHE 80CRI 40K A12 MIN10 ZT MVOLT VTX15	194995644148	4,982	36	4,000		
	\$40		CPX 2X4 4000LMHE 80CRI 40K SWL MIN10 ZT MVOLT JOT	194995637683	5,167	36	4,000		
	\$40		CPX 2X4 4000LMHE 80CRI 40K SWL MIN10 ZT MVOLT JOTVTX15	194995640171	5,167	36	4,000		
	\$40		CPX 2X4 4000LMHE 80CRI 40K SWL MIN10 ZT MVOLT VTX15	194995642403	5,167	36	4,000		
	\$40		CPX 2X4 4000LMHE 80CRI 50K A12 MIN10 ZT MVOLT JOT	194995638598	5,084	36	5,000		
	\$40		CPX 2X4 4000LMHE 80CRI 50K A12 MIN10 ZT MVOLT JOTVTX15	194995642380	5,084	36	5,000		
	\$40		CPX 2X4 4000LMHE 80CRI 50K A12 MIN10 ZT MVOLT VTX15	194995645046	5,084	36	5,000		
	\$40		CPX 2X4 4000LMHE 80CRI 50K SWL MIN10 ZT MVOLT JOT	194995637805	5,274	36	5,000		
	\$40		CPX 2X4 4000LMHE 80CRI 50K SWL MIN10 ZT MVOLT JOTVTX15	194995641536	5,274	36	5,000		
	\$40		CPX 2X4 4000LMHE 80CRI 50K SWL MIN10 ZT MVOLT VTX15	194995644049	5,274	36	5,000		
	\$40		Archipelago Lighting, Inc.	LBLP24-XX-A6		6,500	50	3,000	Wattage and CCT Selectable
	\$40		EATON	24CZ2-40HE-UNV-L835-CD1-SVPD1-U		4,052	31	3,500	
	\$40	24CZ2-50HE-UNV-L835-CD1-SVPD1-U			5,049	39	3,500		
	\$40	GE Current	LVT24B060MM835TTLTWHTTE		6,000	47	4,000		
	\$40		LVT24B060MM835TTLTWHTTEEL		6,000	47	4,000		
	\$40		LVT24B060MM835TTLTWHTTEELW5		6,000	47	4,000		
	\$40		LVT24B060MM835TTLTWHTTEW5		6,000	47	4,000		
	\$40		LVT24B060MM840TTLTWHTTE		6,000	47	3,500		
	\$40		LVT24B060MM840TTLTWHTTEEL		6,000	47	3,500		
	\$40		LVT24B060MM840TTLTWHTTEELW5		6,000	47	3,500		
	\$40		LVT24B060MM840TTLTWHTTEW5		6,000	47	3,500		
	\$40	LEDVANCE, LLC	PANELF4BS055UNVD8SC724GWHM (62257)	046135622571	7,107	57	3,500	Lumen/Wattage Selectable	
	\$40		VOLUME4A/034UNVD835/24G/WH/D (60884)	046135608841	4,300	35	3,500		
	\$40		VOLUME4A/034UNVD835/24G/WH/DE (60860)		4,300	35	3,500		
	\$40		VOLUME4A/034UNVD840/24G/WH/D (60885)	046135608858	4,300	35	4,000		
	\$40		VOLUME4A/034UNVD840/24G/WH/DE (60861)		4,300	35	4,000		
	\$40		VOLUME4A/034UNVD850/24G/WH/D (60886)	046135608865	4,300	35	5,000		
	\$40		VOLUME4A/034UNVD850/24G/WH/DE (60862)		4,300	35	5,000		
	\$40	Universal Lighting Technologies	PLA24-33W830-UIFSB	076838672409	4,256	33	3,000		
	\$40		PLA24-33W835-UIFSB	076838672410	4,323	33	3,500		
	\$40		PLA24-33W840-UIFSB	076838672411	4,470	33	4,000		
	\$40		PLA24-33W850-UIFSB	076838672412	4,649	33	5,000		
	\$40		PLA24-46W830-UIFSB	076838672417	5,753	46	3,000		
\$40	PLA24-46W835-UIFSB		076838672418	5,844	46	3,500			
\$40	PLA24-46W840-UIFSB		076838672419	6,043	46	4,000			
\$40	PLA24-46W850-UIFSB		076838672420	6,285	46	5,000			
\$40			VGB24-30WS840S-UB2-IFSB	076838673388	4,482	35	3,500		

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
Architectural Flood and Spot Luminaires								
87UAP	\$60	Acuity Brands Lighting	DSXF1 LED P1 40K FL 120 THK PE DDBXD	190887684612	2,965	21	4,000	
	\$60		DSXF1 LED P1 40K FL 277 THK PE DDBXD	191723575569	2,965	21	4,000	
	\$60		DSXF1 LED P1 50K WFL 120 THK PE DDBXD	190887676044	3,058	21	5,000	
	\$60		DSXF1 LED P1 50K WFL 277 THK PE DDBXD	190887879766	3,058	21	5,000	
	\$60	ASD Lighting Corp	ASD-FL-MV-30D50A-BK-PRM	819201029891	4,214	29	5,000	Must be installed with a timeclock to receive incentive
	\$60		ASD-FL-MV-90D50Y-BK- PRM	819201027590	12,758	94	5,000	Must be installed with a timeclock to receive incentive
	\$60	Hubbell Lighting	RFL2-25-4K-PC	078598844351	3,327	26	4,000	
	\$60		RFL2-25-5K-PC	078598844368	3,245	26	5,000	
	\$60	Keystone Technologies	KT-FLED15-R1A-UNV-8CSB-VDIM	843654128948	2,100	15	5,000	Lumen & CCT selectable - measure code based on lowest lumen rating
	\$60		KT-FLED35-R1A-UNV-8CSB-VDIM	843654128962	4,900	35	5,000	Lumen & CCT selectable - measure code based on lowest lumen rating
	\$60	LEDVANCE, LLC	FLOODLT1A/015UNVD8SC2/WF/BZ (61325)	046135613258	2,097	15	3,000	CCT Selectable
	\$60		FLOODLT1A/025UNVD8SC2/WF/BZ (61326)	046135613265	3,485	26	3,000	CCT Selectable
	\$60		FLOODLT1A/035UNVD8SC2/WF/BZ (61327)	046135613272	4,642	36	3,000	CCT Selectable
	\$60	MaxLite Inc.	FMS20UN-40BKTPC	767627251375	2,400	19	4,000	
	\$60		FMS20UN-40BTSPC	767627251382	2,400	19	4,000	
	\$60		FMS20UN-50BKTPC	767627251405	2,400	19	5,000	
	\$60		FMS20UN-50BTSPC	767627251412	2,400	19	5,000	
	\$60		FMS20UW-40BKTPC	767627125256	2,300	19	4,000	
	\$60		FMS20UW-40BTSPC	767627251399	2,300	19	4,000	
	\$60		FMS20UW-50BKTPC	767627125270	2,300	19	5,000	
	\$60		FMS20UW-50BTSPC	767627251429	2,300	19	5,000	
	\$60		FMS30UN-40BKTPC	767627251450	3,600	29	4,000	
	\$60		FMS30UN-40BTSPC	767627251443	3,600	29	4,000	
	\$60		FMS30UN-50BKTPC	767627251474	3,600	29	5,000	
	\$60		FMS30UN-50BTSPC	767627251481	3,600	29	5,000	
	\$60		FMS30UW-40BKTPC	767627125287	3,480	29	4,000	
	\$60		FMS30UW-40BTSPC	767627251467	3,480	29	4,000	
	\$60		FMS30UW-50BKTPC	767627125294	3,480	29	5,000	
	\$60		FMS30UW-50BTSPC	767627251498	3,480	29	5,000	
	\$60	P.Q.L. Inc.	84132 [Wide Distribution Only]	811768021882	2,620	20	4,000	Must be installed with a timeclock to receive incentive
	\$60		84134 [Wide Distribution Only]	811768020052	3,670	30	4,000	Must be installed with a timeclock to receive incentive
	\$60	RAB Lighting	PIP30/D10/PCU	019813494999	4,162	31	5,028	
	\$60		PIP30N/D10/PCU	019813495002	4,265	31	4,014	
	\$60		X17FA15		2,097	15	3,000	CCT Selectable
	\$60		X17FA35		4,642	36	3,000	CCT Selectable
	\$60		X17XFU35		4,642	36	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$60		X17XFU60		7,782	60	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$60		X17FA15W	192552004060	2,097	16	3,000	CCT Selectable
	\$60		X17FA35W	192552004077	4,642	36	3,000	CCT Selectable
	\$60		X17XFU35W	192552014960	4,642	36	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$60		X17XFU60SF		7,782	60	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$60		X17XFU60T		7,782	60	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$60		X17XFU60W	192552014984	7,782	60	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$60		X17XFU60SF		7,782	60	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$60		X17XFU60TW		7,782	60	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
87UAP	\$60	WESTGATE MFG	LFX-MD-15-50W-30K-KN		6,017	47	3,000	Wattage selectable - measure code based on lowest wattage/lumen rating.
	\$60		LFX-MD-15-50W-30K-TR		6,017	47	3,000	Wattage selectable - measure code based on lowest wattage/lumen rating.
	\$60		LFX-MD-15-50W-40K-KN		6,118	47	4,000	Wattage selectable - measure code based on lowest wattage/lumen rating.
	\$60		LFX-MD-15-50W-40K-TR		6,118	47	4,000	Wattage selectable - measure code based on lowest wattage/lumen rating.
	\$60		LFX-MD-15-50W-50K-KN	845060072518	6,219	47	5,000	Wattage selectable - measure code based on lowest wattage/lumen rating.
	\$60		LFX-MD-15-50W-50K-TR		6,219	47	5,000	Wattage selectable - measure code based on lowest wattage/lumen rating.
	\$60		LFX-MD-15-50W-MCTP-KN		6,419	50	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$60		LFX-MD-15-50W-MCTP-TR	845060073102	6,419	50	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$60		LFX-SM-10-30W-30K-KN		3,973	30	3,000	Wattage selectable - measure code based on lowest wattage/lumen rating.
	\$60		LFX-SM-10-30W-30K-TR		3,973	30	3,000	Wattage selectable - measure code based on lowest wattage/lumen rating.
	\$60		LFX-SM-10-30W-40K-KN		4,007	30	4,000	Wattage selectable - measure code based on lowest wattage/lumen rating.
	\$60		LFX-SM-10-30W-40K-TR		4,007	30	4,000	Wattage selectable - measure code based on lowest wattage/lumen rating.
	\$60		LFX-SM-10-30W-50K-KN		4,041	30	5,000	Wattage selectable - measure code based on lowest wattage/lumen rating.
	\$60		LFX-SM-10-30W-50K-TR		4,041	30	5,000	Wattage selectable - measure code based on lowest wattage/lumen rating.
	\$60		LF4-30W-30K-D-TR		4,140	29	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$60		LF4-30W-30K-D-KN		4,140	29	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$60		LF4-30W-40K-D-TR		4,187	30	4,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$60		LF4-30W-40K-D-KN		4,187	30	4,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$60		LF4-30W-50K-D-TR		4,234	30	5,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$60		LF4-30W-50K-D-KN		4,234	30	5,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$60		LF4-50W-30K-D-TR		6,345	46	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$60		LF4-50W-30K-D-KN		6,345	46	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$60		LF4-50W-40K-D-TR		6,377	47	4,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$60		LF4-50W-40K-D-KN		6,377	47	4,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$60		LF4-50W-50K-D-TR		6,408	47	5,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$60		LF4-50W-50K-D-KN	845060074437	6,408	47	5,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$60		LFX-SM-10-30W-MCTP-TR		3,879	30	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$60		LFX-SM-10-30W-MCTP-KN	845060073089	3,879	30	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$60		LFX-XS-15W-30K-TR		1,863	15	3,000	
	\$60		LFX-XS-15W-30K-KN		1,863	15	3,000	
	\$60		LFX-XS-15W-40K-TR		1,900	15	4,000	
	\$60		LFX-XS-15W-40K-KN		1,900	15	4,000	
\$60	LFX-XS-15W-50K-TR		1,938	15	5,000			
\$60	LFX-XS-15W-50K-KN		1,938	15	5,000			
87UBP	\$100	Acuity Brands Lighting	DSXF1 LED P2 40K WFL 120 THK PE DDBXD	191723328899	5,573	42	4,000	
	\$100		DSXF1 LED P2 40K WFL 277 THK PE DDBXD		5,573	42	4,000	
	\$100		DSXF1 LED P2 50K WFL 120 THK PE DDBXD	190887810905	5,573	42	5,000	
	\$100		DSXF1 LED P2 50K WFL 277 THK PE DDBXD		5,573	42	5,000	
	\$100		DSXF2 LED P1 40K WFL 120 THK PE DDBXD	190887879681	7,793	54	4,000	
	\$100		DSXF2 LED P1 40K WFL 277 THK PE DDBXD		7,793	54	4,000	
	\$100		DSXF2 LED P1 50K WFL 120 THK PE DDBXD	190887661699	7,793	54	5,000	
	\$100		DSXF2 LED P1 50K WFL 277 THK PE DDBXD		7,793	54	5,000	
	\$100		RSXF1 LED P1 40K WFL MVOLT IS PE DDBXD		7,174	51	4,000	
	\$100		RSXF1 LED P1 50K WFL MVOLT IS PE DDBXD	194994054979	7,174	51	5,000	
	\$100		RSXF1 LED P2 40K WFL MVOLT IS PE DDBXD	19304777872	9,947	73	4,000	
	\$100		RSXF1 LED P2 50K WFL MVOLT IS PE DDBXD	193048626438	9,947	73	5,000	
	\$100		ASD Lighting Corp	ASD-FL-MV-70D50A-BK-PRM	819201027552	10,030	74	5,000
\$100	ASD Lighting Corp	ASD-FL-MV-50D50Y-BK-PRM	819201029938	7,210	51	5,000	Must be installed with a timeclock to receive incentive	

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2		
87UBP	\$100	Barron Lighting Group	FXA-70-W-VS-4K-BR-TR-PC		8,900	70	4,000			
	\$100		FXA-70-W-VS-5K-BR-TR-PC		8,900	70	5,000			
	\$100	Hubbell Lighting	RFL3-50-4K-PC	078598844436	4,461	34	4,000			
	\$100		RFL3-50-5K-PC	078598844443	4,351	34	5,000			
	\$100	Keystone Technologies	KT-FLED60-R1A-UNV-8CSB-VDIM	843654128986	8,040	60	5,000	Lumen & CCT selectable - measure code based on lowest wattage/lumen rating		
	\$100		KT-FLED75-R1A-UNV-8CSB-VDIM	843654130293	10,050	75	5,000	Lumen & CCT selectable - measure code based on lowest lumen rating		
	\$100	LEDVANCE, LLC	FLOODLT1B/060UNVD8SC2/WF/BZ (61328)	046135613289	7,782	60	3,000	CCT Selectable		
	\$100	MaxLite Inc.	FMM50UN-40BKTPC	767627251504	6,900	51	4,000			
	\$100		FMM50UN-40BSKPC	767627251511	6,900	51	4,000			
	\$100		FMM50UN-40BTSPC	767627251528	6,900	51	4,000			
	\$100		FMM50UN-50BKTPC	767627251610	6,900	51	5,000			
	\$100		FMM50UN-50BSKPC	767627251627	6,900	51	5,000			
	\$100		FMM50UN-50BTSPC	767627251634	6,900	51	5,000			
	\$100		FMM50UW-40BKTPC	767627125324	6,900	53	4,000			
	\$100		FMM50UW-40BSKPC	767627251566	6,900	53	4,000			
	\$100		FMM50UW-40BTSPC	767627251573	6,900	53	4,000			
	\$100		FMM50UW-50BKTPC	767627125331	6,900	53	5,000			
	\$100		FMM50UW-50BSKPC	767627251672	6,900	53	5,000			
	\$100		FMM50UW-50BTSPC	767627130519	6,900	53	5,000			
	\$100		FMM80UN-40BKTPC	767627251719	9,900	75	4,000			
	\$100		FMM80UN-40BSKPC	767627251726	9,900	75	4,000			
	\$100		FMM80UN-40BTSPC	767627251733	9,900	75	4,000			
	\$100		FMM80UN-50BKTPC	767627251825	9,900	75	5,000			
	\$100		FMM80UN-50BSKPC	767627251832	9,900	75	5,000			
	\$100		FMM80UN-50BTSPC	767627251849	9,900	75	5,000			
	\$100		FMM80UW-40BKTPC	767627125348	9,900	75	4,000			
	\$100		FMM80UW-40BSKPC	767627251771	9,900	75	4,000			
	\$100		FMM80UW-40BTSPC	767627251788	9,900	75	4,000			
	\$100		FMM80UW-50BKTPC	767627125362	9,900	75	5,000			
	\$100		FMM80UW-50BSKPC	767627251887	9,900	75	5,000			
	\$100		FMM80UW-50BTSPC	767627251894	9,900	75	5,000			
	\$100		P.Q.L. Inc.	84136 [Wide Distribution Only]	811768023954	6,600	50	4,000	Must be installed with a timeclock to receive incentive	
	\$100			84138 [Wide Distribution Only]	811768020915	9,000	70	4,000	Must be installed with a timeclock to receive incentive	
	\$100		RAB Lighting	FFLED39/PC	019813031613	5,666	42	4,975		
	\$100			FFLED39SF/PC	019813102627	5,666	42	4,975		
	\$100			PIP45/D10/PCU	019813265704	6,728	49	5,000		
	\$100			PIP45N/D10/PCU	019813265711	6,636	50	4,000		
	\$100			X17FA60T			7,782	60	3,000	CCT Selectable
	\$100			X17FA60SF			7,782	60	3,000	CCT Selectable
	\$100			X17XFU80		192552004282	10,712	82	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$100	FFLED39Y/PCU				5,518	42	2,983		
	\$100	FFLED39SFY/PCU				5,518	42	2,983		
	\$100	FFLED39TY/PCU				5,518	42	2,983		
	\$100	FXLED78SFY/PCT				9,844	78	3,006		
	\$100	FXLED78TY/PCT				9,844	78	3,006		
	\$100	X17FA60			192552003902	7,782	60	3,000	CCT Selebtable	
	\$100	X17FA60W			192552004084	7,782	60	3,000	CCT Selebtable	
\$100	X17FA60SFW				7,782	60	3,000	CCT Selebtable		

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
87UBP	\$100	RAB Lighting	X17FA60TW		7,782	60	3,000	CCT Selebtable
	\$100		X17XFU80SF	192552019224	10,712	82	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$100		X17XFU80W	192552014991	10,712	82	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$100		X17XFU80SFW		10,712	82	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$100		X17XFU105SF	192552015004	13,243	104	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$100		X17XFU105T	192552015028	13,243	104	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$100		X17XFU105SFW	192552015011	13,243	104	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$100		X17XFU105TW	192552015035	13,243	104	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$100		X17XFU140SF	192552015042	17,894	140	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$100		X17XFU140T	192552015080	17,894	140	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$100		X17XFU140SFW	192552015073	17,894	140	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$100		X17XFU140TW	192552015097	17,894	140	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$100		X17XFU140SF/480	192552015059	18,292	143	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$100		X17XFU140T/480		18,292	143	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$100		X17XFU140SFW/480	192552015066	18,292	143	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$100		X17XFU140TW/480		18,292	143	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$100		SLG	FDCL 93 G1 HVU 35K D WFL SFD P		9,100	70	3,500
	\$100	FDCL 93 G1 HVU 3K D WFL SFD P			9,100	70	3,000	
	\$100	FDCL 93 G1 HVU 4K D WFL SFD P			9,300	70	4,000	
	\$100	FDCL 93 G1 HVU 5K D WFL SFD P			9,300	70	5,000	
	\$100	FDCM 80 G1 HVU 4K D WFL P			7,800	60	4,000	
	\$100	FDCM 80 G1 HVU 5K D WFL P			7,800	60	5,000	
	\$100	FFCS 60 WFL G1 4K SFD P-1 B			5,600	40	4,000	
	\$100	FFCS 60 WFL G1 5K SFD P-1 B			5,720	40	5,000	
	\$100	FFCS 96 WFL G1 5K SFD P-1 B		9,800	70	5,000		
	\$100	Topaz Lighting Corp.	F-FL/70/40K/KN/BZ-87	751338036451	9,409	70	4,000	Must include a photocell
	\$100		F-FL/70/40K/SF/BZ-87	751338036468	9,409	70	4,000	Must include a photocell
\$100	F-FL/70/40K/TR/BZ-87		751338036482	9,409	70	4,000	Must include a photocell	
\$100	F-FL/70/50K/KN/BZ-87		751338036499	9,175	70	5,000	Must include a photocell	
\$100	F-FL/70/50K/SF/BZ-87		751338036505	9,175	70	5,000	Must include a photocell	
\$100	F-FL/70/50K/TR/BZ-87		751338036512	9,175	70	5,000	Must include a photocell	
87UCC	\$185	Green Ignite	GI-FLF-C400-UL370 B M B77 [TR,SP,YK,WM]		13,400	105	5,000	if not installed with time clock, a separate photo sensor is needed.
	\$185		GI-FLF-D400-UL370 B M B77 [TR,SP,YK,WM]		13,400	105	4,000	if not installed with time clock, a separate photo sensor is needed.
	\$185		GI-FLF-WD400-UL370 B M B77 [TR,SP,YK,WM]		13,000	105	3,500	if not installed with time clock, a separate photo sensor is needed.
87UCP	\$185	Acuity Brands Lighting	DSXF2 LED P2 40K WFL 120 THK PE DDBXD	190887752168	10,678	78	4,000	
	\$185		DSXF2 LED P2 40K WFL 120 YKC62 PE DDBXD	190887851427	10,678	78	4,000	
	\$185		DSXF2 LED P2 40K WFL 277 THK PE DDBXD		10,678	78	4,000	
	\$185		DSXF2 LED P2 40K WFL 277 YKC62 PE DDBXD		10,678	78	4,000	
	\$185		DSXF2 LED P2 50K WFL 120 THK PE DDBXD	190887887648	10,678	78	5,000	
	\$185		DSXF2 LED P2 50K WFL 120 YKC62 PE DDBXD	190887651980	10,678	78	5,000	
	\$185		DSXF2 LED P2 50K WFL 277 THK PE DDBXD		10,678	78	5,000	
	\$185		DSXF2 LED P2 50K WFL 277 YKC62 PE DDBXD		10,678	78	5,000	
	\$185		DSXF2 LED P3 50K WFL 120 THK PEX DDBXD		12,648	102	5,000	
	\$185		DSXF2 LED P3 50K WFL 277 THK PEX DDBXD		12,648	102	5,000	
	\$185		DSXF3 LED 6 P1 40K 70CRI WFL MVOLT IS PE DDBXD		17,458	111	4,000	
	\$185		DSXF3 LED 6 P1 50K 70CRI WFL MVOLT IS PE DDBXD		17,776	111	5,000	
	\$185		DSXF3 LED 6 P2 40K 70CRI FL MVOLT IS PE DDBXD		19,681	138	4,000	
	\$185		DSXF3 LED 6 P2 50K 70CRI FL MVOLT IS PE DDBXD		20,039	138	5,000	

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
87UCP	\$185	Acuity Brands Lighting	DSXF3 LED 6 P3 40K 70CRI WFL MVOLT IS PE DDBXD	194994507598	24,343	165	4,000	
	\$185		DSXF3 LED 6 P3 50K 70CRI WFL MVOLT IS PE DDBXD		24,786	165	5,000	
	\$185		DSXF3 LED 6 P4 40K 70CRI WFL MVOLT IS PE DDBXD		27,233	189	4,000	
	\$185		DSXF3 LED 6 P4 50K 70CRI WFL MVOLT IS PE DDBXD		27,729	189	5,000	
	\$185		RSXF1 LED P2 40K MFL MVOLT IS PE DDBXD		10,226	73	4,000	
	\$185		RSXF1 LED P2 50K MFL MVOLT IS PE DDBXD		10,226	73	5,000	
	\$185		RSXF1 LED P3 40K WFL MVOLT IS PE DDBXD	193047681643	14,163	109	4,000	
	\$185		RSXF1 LED P3 50K WFL MVOLT IS PE DDBXD	193048490848	14,163	109	5,000	
	\$185		RSXF1 LED P4 40K WFL MVOLT IS PE DDBXD	193047601320	16,457	133	4,000	
	\$185		RSXF1 LED P4 50K WFL MVOLT IS PE DDBXD	193047817134	16,457	133	5,000	
	\$185		RSXF2 LED P1 40K WFL MVOLT IS PE DDBXD		10,408	72	4,000	
	\$185		RSXF2 LED P1 50K WFL MVOLT IS PE DDBXD		10,408	72	5,000	
	\$185		RSXF2 LED P2 40K WFL MVOLT IS PE DDBXD	193048729498	16,258	114	4,000	
	\$185		RSXF2 LED P2 50K WFL MVOLT IS PE DDBXD		16,258	114	5,000	
	\$185		RSXF2 LED P3 40K WFL MVOLT IS PE DDBXD	193047568036	20,473	150	4,000	
	\$185		RSXF2 LED P3 50K WFL MVOLT IS PE DDBXD		20,473	150	5,000	
	\$185		RSXF2 LED P4 40K WFL MVOLT IS PE DDBXD	193048013344	24,746	190	4,000	
	\$185		RSXF2 LED P4 50K WFL MVOLT IS PE DDBXD		24,746	190	5,000	
	\$185		RSXF2 LED P5 40K WFL MVOLT IS PE DDBXD		26,629	213	4,000	
	\$185		RSXF2 LED P5 50K WFL MVOLT IS PE DDBXD	193047659727	26,629	213	5,000	
	\$185		RSXF2 LED P6 40K WFL MVOLT IS PE DDBXD	193037865340	29,768	247	4,000	
	\$185		RSXF2 LED P6 50K WFL MVOLT IS PE DDBXD		29,768	247	5,000	
	\$185		RSXF3 LED P1 40K WFL MVOLT IS PE DDBXD		26,799	195	4,000	
	\$185		RSXF3 LED P1 50K WFL MVOLT IS PE DDBXD	193047458795	26,799	195	5,000	
	\$185		RSXF3 LED P2 40K WFL MVOLT IS PE DDBXD	194994395065	30,097	223	4,000	
	\$185		RSXF3 LED P2 50K WFL MVOLT IS PE DDBXD	193048252408	30,097	223	5,000	
	\$185		RSXF3 LED P3 40K WFL MVOLT IS PE DDBXD		34,897	267	4,000	
	\$185		RSXF3 LED P3 50K WFL MVOLT IS PE DDBXD	193048010718	34,897	267	5,000	
	\$185		RSXF3 LED P4 40K WFL MVOLT IS PE DDBXD	193047789516	39,459	312	4,000	
	\$185		RSXF3 LED P4 50K WFL MVOLT IS PE DDBXD	193047458931	39,459	312	5,000	
	\$185		RSXF4 LED P1 40K WFL MVOLT IS PE DDBXD		40,312	275	4,000	
	\$185		RSXF4 LED P1 50K WFL MVOLT IS PE DDBXD		40,312	275	5,000	
	\$185		RSXF4 LED P2 40K WFL MVOLT IS PE DDBXD		45,858	320	4,000	
	\$185		RSXF4 LED P2 50K WFL MVOLT IS PE DDBXD		45,858	320	5,000	
	\$185		RSXF4 LED P3 40K WFL MVOLT IS PE DDBXD		51,146	369	4,000	
	\$185		RSXF4 LED P3 50K WFL MVOLT IS PE DDBXD		51,146	369	5,000	
	\$185		RSXF4 LED P4 40K WFL MVOLT IS PE DDBXD		56,254	431	4,000	
	\$185		RSXF4 LED P4 50K WFL MVOLT IS PE DDBXD		56,254	431	5,000	
	\$185		RSXF4 LED P5 40K WFL MVOLT IS PE DDBXD		62,657	483	4,000	
	\$185		RSXF4 LED P5 50K WFL MVOLT IS PE DDBXD		62,657	483	5,000	
	\$185		RSXF4 LED P6 40K WFL MVOLT IS PE DDBXD		69,690	546	4,000	
	\$185		RSXF4 LED P6 50K WFL MVOLT IS PE DDBXD		69,690	546	5,000	
	\$185		RSXF4 LED P7 40K WFL MVOLT IS PE DDBXD		71,181	520	4,000	
	\$185		RSXF4 LED P7 50K WFL MVOLT IS PE DDBXD		71,181	520	5,000	
	\$185		RSXF4 LED P8 40K WFL MVOLT IS PE DDBXD		82,896	646	4,000	
	\$185		RSXF4 LED P8 50K WFL MVOLT IS PE DDBXD		82,896	646	5,000	

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
87UCP	\$185	Barron Lighting Group	FXA-100-W-VS-4K-BR-TR-PC		13,300	100	4,000	
	\$185		FXA-100-W-VS-5K-BR-TR-PC		13,300	100	5,000	
	\$185		FXA-135-W-VS-4K-BR-TR-PC		18,000	135	4,000	
	\$185		FXA-135-W-VS-5K-BR-TR-PC		18,000	135	5,000	
	\$185		FXA-200-W-VS-4K-BR-TR-PC		26,200	200	4,000	
	\$185		FXA-200-W-VS-5K-BR-TR-PC		26,200	200	5,000	
	\$185		FXA-350-W-VS-4K-BR-YK-PC		50,000	350	4,000	
	\$185		FXA-350-W-VS-5K-BR-YK-PC		50,000	350	5,000	
	\$185	EATON	NFFLD-C25-D-UNV-66-S-CB-PER		10,674	85	4,089	
	\$185		NFFLD-C25-D-UNV-66-T-CB-PER		10,674	85	4,089	
	\$185		NFFLD-L-C100-D-UNV-66-S-CB-PER		38,580	251	4,000	
	\$185		NFFLD-L-C100-D-UNV-66-T-CB-PER		38,580	251	4,000	
	\$185	Green Ignite	GI-FLF-C1000-UL370 B B77 [TR,SP,WM,YK]	663546822583	42,300	300	5,000	if not installed with time clock, a separate photo sensor is needed. Must select r
	\$185		GI-FLF-D1000-UL370 B B77 [TR,SP,WM,YK]	663546823986	42,000	300	4,000	if not installed with time clock, a separate photo sensor is needed. Must select r
	\$185	Halco Lighting Technologies	SFL-150-CS-U-TR	807154249015	18,500	154	3,000	CCT selectable. Must be installed with 3PR (807154249114) option or with a time
	\$185		SFL-150-CS-U-KN	807154249015	18,500	154	3,000	CCT selectable. Must be installed with 3PR (807154249114) option or with a time
	\$185		SFL-200-CS-U-TR	807154249039	25,608	207	3,000	CCT selectable. Must be installed with 3PR (807154249114) option or with a time
	\$185		SFL-200-CS-U-KN	807154249039	25,608	207	3,000	CCT selectable. Must be installed with 3PR (807154249114) option or with a time
	\$185		SFL-300-40-U-TR	807154249053	42,761	297	4,000	Must be installed with 3PR (807154249114) option or with a time clock to receive
	\$185		SFL-300-40-U-KN	807154249053	42,761	297	4,000	Must be installed with 3PR (807154249114) option or with a time clock to receive
	\$185		SFL-300-50-U-TR	807154249077	43,184	297	5,000	Must be installed with 3PR (807154249114) option or with a time clock to receive
	\$185		SFL-300-50-U-KN	807154249077	43,184	297	5,000	Must be installed with 3PR (807154249114) option or with a time clock to receive
	\$185	Keystone Technologies	KT-FLED100-R1A-UNV-8CSB-VDIM	843654129006	13,400	100	5,000	Lumen & CCT selectable - measure code based on lowest lumen rating
	\$185	LEDVANCE, LLC	FLOODLT1B/080UNVD8SC2/WF/BZ (61329)	046135613296	10,712	82	3,000	CCT Selectable
	\$185		FLOODLT1C/105UNVD8SC2/WF/BZ (61330)	046135613302	13,243	104	3,000	CCT Selectable
	\$185		FLOODLT1C/140UNVD8SC2/WF/BZ (61331)	046135613319	17,894	140	3,000	CCT Selectable
	\$185		FLOODLT1D/205UNVD7SC2/WF/BZ (61332)		28,333	212	3,000	CCT Selectable
	\$185		FLOODLT1D/255UNVD7SC2/WF/BZ (61333)		33,804	248	3,000	CCT Selectable
	\$185		FLOODLT1E/290UNVD7SC2/WF/BZ (61334)		39,653	296	3,000	CCT Selectable
	\$185		FLOODLT1E/330UNVD7SC2/WF/BZ (61335)		45,684	334	3,000	CCT Selectable
	\$185	MaxLite Inc.	FML120UW-40BSKRPC	767627125447	14,300	110	4,000	
	\$185		FML120UW-40BTSRPC	767627125485	14,300	110	4,000	
	\$185		FML120UW-50BSKRPC	767627125478	14,300	110	5,000	
	\$185		FML120UW-50BTSRPC	767627125492	14,300	110	5,000	
	\$185		FMX200UW-40BSKRPC	767627125508	29,500	218	4,000	
	\$185		FMX200UW-40BTSRPC	767627125522	29,500	218	4,000	
	\$185		FMX200UW-50BSKRPC	767627125515	29,500	218	5,000	
	\$185		FMX200UW-50BTSRPC	767627125539	29,500	218	5,000	
	\$185		FMX310UW-40BSKRPC	767627125546	39,600	307	4,000	
	\$185		FMX310UW-40BTSRPC	767627125591	39,600	307	4,000	
\$185	FMX310UW-50BSKRPC	767627125584	39,600	307	5,000			
\$185	FMX310UW-50BTSRPC	767627125607	39,600	307	5,000			
\$185	Morris Products Inc.	74030B		41,902	302	5,000		
\$185	P.Q.L. Inc.	84140 [Wide Distribution Optic]	811768023886	19,500	150	4,000	Must be installed with a timeclock to receive incentive	
\$185		84142	811768023749	24,600	200	4,000	Must be installed with a timeclock to receive incentive	
\$185		RSTL-300-D-EV-50K (84246)	811768026542	48,841	299	5,000	Must be installed with a timeclock to receive incentive	
\$185		RSTL-300-D-MV-50K (84229)	811768020038	49,709	308	5,000	Must be installed with a timeclock to receive incentive	
\$185		RSTL-400-D-EV-50K (84248)	811768028102	63,239	398	5,000	Must be installed with a timeclock to receive incentive	

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
87UCP	\$185	P.Q.L. Inc.	RSTL-400-D-MV-50K (84231)	899645001806	63,076	399	5,000	Must be installed with a timeclock to receive incentive
	\$185		RSTL-500-D-EV-50K (84250)		77,598	497	5,000	Must be installed with a timeclock to receive incentive
	\$185		RSTL-500-D-MV-50K (84233)	811768020229	76,525	496	5,000	Must be installed with a timeclock to receive incentive
	\$185		RSTL-600-D-EV-50K (84252)	854432004705	90,756	603	5,000	Must be installed with a timeclock to receive incentive
	\$185		RSTL-600-D-MV-50K (84235)	811768020595	87,489	602	5,000	Must be installed with a timeclock to receive incentive
	\$185	RAB Lighting	A17-3T200/3PRS		29,757	200	5,000	if not installed with time clock, a separate photo sensor is needed.
	\$185		FFLED230T/D10/PCT	019813674971	33,506	238	5,094	
	\$185		FXLED105SF	019813926421	14,029	109	4,844	
	\$185		FXLED105T	019813926360	14,029	109	4,844	
	\$185		FXLED150SF/480/PCT4	019813398921	21,105	158	4,849	
	\$185		FXLED150SF/PCT	019813399164	20,686	164	4,878	
	\$185		FXLED150T/480/PCT4	019813398938	21,105	158	4,849	
	\$185		FXLED150T/PCT	019813399171	20,686	164	4,878	
	\$185		FXLED300SF/D10/PCT		45,171	326	5,030	
	\$185		FXLED300SFN/D10/PCT		45,338	319	3,931	
	\$185		FXLED300SFYD10/PCT		44,954	324	3,061	
	\$185		FXLED300T/D10/PCT	019813250458	45,171	326	5,030	
	\$185		FXLED300TN/D10/PCT		45,338	319	3,931	
	\$185		FXLED300TY/D10/PCT		44,954	324	3,061	
	\$185		FXLED78SF/PCT	019813399348	15,238	97	5,000	
	\$185		FXLED78T/PCT	019813399355	10,230	76	4,842	
	\$185		PIPXL100SF/D10/PCU	019813565972	15,238	97	5,000	
	\$185		PIPXL100SFN/D10/PCU	019813565989	15,630	106	4,000	
	\$185		PIPXL100T/D10/PCU	019813566030	15,238	97	5,000	
	\$185		PIPXL70SF/D10/PCU	019813564890	11,191	72	5,000	
	\$185		PIPXL70SFN/D10/PCU	019813564906	11,106	72	4,000	
	\$185		PIPXL70T/D10/PCU	019813564951	11,191	72	5,000	
	\$185		X17FA105T		13,243	104	3,000	CCT Selectable
	\$185		X17FA140T	192552004022	17,894	140	3,000	CCT Selectable
	\$185		X17FA80T	192552003926	10,712	82	3,000	CCT Selectable
	\$185		X17FA80SF		10,712	82	3,000	CCT Selectable
	\$185		X17FA105SF		13,243	104	3,000	CCT Selectable
	\$185		X17FA140SF	192552003957	17,894	140	3,000	CCT Selectable
	\$185		A17-3T200N/3PRS		29,420	200	4,000	
	\$185		X17FA80	192552003919	10,712	82	3,000	CCT Selectable
	\$185		X17FA80W	192552004091	10,712	82	3,000	CCT Selectable
	\$185		X17FA80SFW		10,712	82	3,000	CCT Selectable
	\$185		X17FA80TW		10,712	82	3,000	CCT Selectable
	\$185		X17FA105		13,243	104	3,000	CCT Selectable
	\$185		X17FA105W		13,243	104	3,000	CCT Selectable
\$185	X17FA105SFW	192552004121	13,243	104	3,000	CCT Selectable		
\$185	X17FA105TW	192552004169	13,243	104	3,000	CCT Selectable		
\$185	X17FA140		17,894	140	3,000	CCT Selectable		
\$185	X17FA140W		17,894	140	3,000	CCT Selectable		
\$185	X17FA140SFW	192552004138	17,894	140	3,000	CCT Selectable		
\$185	X17FA140TW	192552004176	17,894	140	3,000	CCT Selectable		
\$185	X17XFU205SF/PCT	192552015110	28,333	212	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating		
\$185	X17XFU205T/PCT	192552015127	28,333	212	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating		

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
87UCP	\$185	RAB Lighting	X17XFU330SF/PCT	192552015141	45,684	334	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$185		X17XFU330T/PCT	192552015158	45,684	334	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$185		X17PA450SF/PCT	192552015165	64,549	439	5,000	Wattage selectable - measure code based on lowest wattage/lumen rating.
	\$185		X17PA450T/PCT	192552015202	64,549	439	5,000	Wattage selectable - measure code based on lowest wattage/lumen rating.
	\$185		X17PA450NSF/PCT	192552015189	64,305	439	4,000	Wattage selectable - measure code based on lowest wattage/lumen rating.
	\$185		X17PA450NT/PCT	192552015219	64,305	439	4,000	Wattage selectable - measure code based on lowest wattage/lumen rating.
	\$185		X17PA450SF/480/PCT	192552015172	63,558	434	5,000	Wattage selectable - measure code based on lowest wattage/lumen rating.
	\$185		X17PA450T/480/PCT		63,558	434	5,000	Wattage selectable - measure code based on lowest wattage/lumen rating.
	\$185		X17PA450NSF/480/PCT	192552015196	62,987	434	4,000	Wattage selectable - measure code based on lowest wattage/lumen rating.
	\$185		X17PA450NT/480/PCT		62,987	434	4,000	Wattage selectable - measure code based on lowest wattage/lumen rating.
	\$185	SLG	FDCH 480 G1 35K D D Y P		48,000	350	3,500	
	\$185		FDCH 480 G1 3K D D Y P		48,000	350	3,000	
	\$185		FDCH 480 G1 4K D D Y P		50,000	350	4,000	
	\$185		FDCH 480 G1 5K D D Y P		50,000	350	5,000	
	\$185		FDCH 480 G1 HVU 35K D D Y P		48,000	350	3,500	
	\$185		FDCH 480 G1 HVU 3K D D Y P		48,000	350	3,000	
	\$185		FDCH 480 G1 HVU 4K D D Y P		50,000	350	4,000	
	\$185		FDCH 480 G1 HVU 5K D D Y P		50,000	350	5,000	
	\$185		FDCH 480 NFL G1 35K D D Y P		48,000	350	3,500	
	\$185		FDCH 480 NFL G1 3K D D Y P		48,000	350	3,000	
	\$185		FDCH 480 NFL G1 4K D D Y P		49,500	350	4,000	
	\$185		FDCH 480 NFL G1 5K D D Y P		49,500	350	5,000	
	\$185		FDCH 480 NFL G1 HVU 35K D D Y P		48,000	350	3,500	
	\$185		FDCH 480 NFL G1 HVU 3K D D Y P		48,000	350	3,000	
	\$185		FDCH 480 NFL G1 HVU 4K D D Y P		49,500	350	4,000	
	\$185		FDCH 480 NFL G1 HVU 5K D D Y P		49,500	350	5,000	
	\$185		FDCL 130 G1 35K D WFL SFD P		13,100	100	3,500	
	\$185		FDCL 130 G1 3K D WFL SFD P		13,100	100	3,000	
	\$185		FDCL 130 G1 4K D WFL SFD P		13,500	100	4,000	
	\$185		FDCL 130 G1 5K D WFL SFD P		13,500	100	5,000	
	\$185		FDCL 130 G1 HVU 35K D WFL SFD P		13,000	90	3,500	
	\$185		FDCL 130 G1 HVU 3K D WFL SFD P		13,000	90	3,000	
	\$185		FDCL 130 G1 HVU 4K D WFL SFD P		13,400	90	4,000	
	\$185		FDCL 130 G1 HVU 5K D WFL SFD P		13,400	90	5,000	
	\$185		FDCX 180 G1 35K D WFL S P		17,700	135	3,500	
	\$185		FDCX 180 G1 4K D WFL S P		18,000	135	4,000	
	\$185		FDCX 180 G1 5K D WFL S P		18,000	135	5,000	
	\$185		FDCX 180 NFL G1 35K D D S P		17,500	135	3,500	
	\$185		FDCX 180 NFL G1 3K D D S P		17,500	135	3,000	
	\$185		FDCX 180 NFL G1 4K D D S P		18,000	135	4,000	
	\$185		FDCX 180 NFL G1 5K D D S P		18,000	135	5,000	
	\$185		FDCX 180 NFL G1 HVU 35K D D S P		17,500	135	3,500	
	\$185		FDCX 180 NFL G1 HVU 3K D D S P		17,500	135	3,000	
	\$185		FDCX 180 NFL G1 HVU 4K D D S P		18,000	135	4,000	
	\$185		FDCX 180 NFL G1 HVU 5K D D S P		18,000	135	5,000	
\$185	FDCX 260 G1 35K D WFL S P		25,500	200	3,500			
\$185	FDCX 260 G1 3K D WFL S P		25,300	200	3,000			
\$185	FDCX 260 G1 4K D WFL S P		26,200	200	4,000			

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
87UCP	\$185	SLG	FDCX 260 G1 5K D WFL S P		26,200	200	5,000	
	\$185		FDCX 260 NFL G1 35K D D S P		26,000	200	3,500	
	\$185		FDCX 260 NFL G1 3K D D S P		26,000	200	3,000	
	\$185		FDCX 260 NFL G1 4K D D S P		26,500	200	4,000	
	\$185		FDCX 260 NFL G1 5K D D S P		26,500	200	5,000	
	\$185		FDCX 260 NFL G1 HVU 35K D D S P		26,000	200	3,500	
	\$185		FDCX 260 NFL G1 HVU 3K D D S P		26,000	200	3,000	
	\$185		FDCX 260 NFL G1 HVU 4K D D S P		26,500	200	4,000	
	\$185		FDCX 260 NFL G1 HVU 5K D D S P		26,500	200	5,000	
	\$185		FFCL 350 WFL G1 4K SFD PC-1 B		34,750	250	4,000	
	\$185		FFCL 350 WFL G1 5K SFD PC-1 B		35,250	250	5,000	
	\$185		FFCL 350 WFL G1 HVU 4K SFD PC-2 B		34,750	250	4,000	
	\$185		FFCL 350 WFL G1 HVU 5K SFD PC-2 B		35,250	250	5,000	
	\$185		FFCL 410 WFL G1 4K SFD D PC-1 B		40,500	300	4,000	
	\$185		FFCL 410 WFL G1 5K SFD D PC-1 B		41,000	300	5,000	
	\$185		FFCL 410 WFL G1 HVU 4K SFD D PC-2 B		41,500	300	4,000	
	\$185		FFCL 410 WFL G1 HVU 5K SFD D PC-2 B		42,000	300	5,000	
	\$185		FFCM 210 WFL G1 4K SFD D PC-1 B		20,500	150	4,000	
	\$185		FFCM 210 WFL G1 5K SFD D PC-1 B		20,800	150	5,000	
	\$185		FFCM 210 WFL G1 HVU 4K SFD D PC-2 B		21,000	150	4,000	
	\$185		FFCM 210 WFL G1 HVU 5K SFD D PC-2 B		21,000	150	5,000	
	\$185		FFCS 140 WFL G1 4K SFD PC-1 B		13,800	100	4,000	
	\$185		FFCS 140 WFL G1 5K SFD PC-1 B		13,900	100	5,000	
	\$185		FFL 350 WFL G2 4K SFD PC-1		35,000	250	4,000	
	\$185		FFL 350 WFL G2 5K SFD PC-1		35,250	250	5,000	
	\$185		FFL 350 WFL G2 HVU 4K SFD PC-2		35,000	250	4,000	
	\$185		FFL 350 WFL G2 HVU 5K SFD PC-2		35,250	250	5,000	
	\$185		FFL 420 WFL G2 4K SFD PC-1		42,000	300	4,000	
	\$185		FFL 420 WFL G2 5K SFD PC-1		42,300	300	5,000	
	\$185		FFL 420 WFL G2 HVU 4K SFD PC-2		42,000	300	4,000	
	\$185		FFL 420 WFL G2 HVU 5K SFD PC-2		42,300	300	5,000	
	\$185		FFM 210 WFL G2 4K SFD PC-1		21,000	150	4,000	
	\$185		FFM 210 WFL G2 5K SFD PC-1		21,150	150	5,000	
	\$185		FFM 210 WFL G2 HVU 4K SFD PC-2		21,000	150	4,000	
	\$185		FFM 210 WFL G2 HVU 5K SFD PC-2		21,150	150	5,000	
	\$185		FFM 270 WFL G2 4K SFD PC-1		27,000	200	4,000	
	\$185		FFM 270 WFL G2 5K SFD PC-1		27,200	200	5,000	
	\$185		FFM 270 WFL G2 HVU 4K SFD PC-2		27,000	200	4,000	
	\$185		FFM 270 WFL G2 HVU 5K SFD PC-2		27,200	200	5,000	
	\$185	Topaz Lighting Corp.	F-FL/90/40K/KN/BZ-87	751338034952	11,828	90	4,000	Must include a photocell
	\$185		F-FL/90/40K/SF/BZ-87	751338034976	11,828	90	4,000	Must include a photocell
	\$185		F-FL/90/40K/TR/BZ-87	751338034990	11,828	90	4,000	Must include a photocell
	\$185		F-FL/90/50K/KN/BZ-87	751338034969	11,984	90	5,000	Must include a photocell
	\$185		F-FL/90/50K/SF/BZ-87	751338034983	11,984	90	5,000	Must include a photocell
	\$185		F-FL/90/50K/TR/BZ-87	751338035003	11,984	90	5,000	Must include a photocell
	\$185		F-ARL/150/50K/TR-80C	751338031401	20,800	150	5,000	

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
87UCP	\$185	WESTGATE MFG	LFXPRO-XL-150-300W-MCTP-SF-90120		19,017	152	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$185		LFXPRO-XL-150-300W-MCTP-TR-90120		19,017	152	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$185		LFXPRO-XL-150-300W-MCTP-YK-90120		19,017	152	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
87UCPC	\$205	SLG	FFCL 350 WFL G1 4K SFD FSP-212		34,750	250	4,000	
	\$205		FFCL 350 WFL G1 5K SFD FSP-212		35,250	250	5,000	
	\$205		FFCL 350 WFL G1 HVU 4K SFD FSP-212		34,750	250	4,000	
	\$205		FFCL 350 WFL G1 HVU 5K SFD FSP-212		35,250	250	5,000	
	\$205		FFCL 410 WFL G1 4K SFD D FSP-212		40,500	300	4,000	
	\$205		FFCL 410 WFL G1 5K SFD D FSP-212		41,000	300	5,000	
	\$205		FFCL 410 WFL G1 HVU 4K SFD D FSP-212		41,500	300	4,000	
	\$205		FFCL 410 WFL G1 HVU 5K SFD D FSP-212		42,000	300	5,000	
	\$205		FFCM 210 WFL G1 4K SFD D FSP-212		20,500	150	4,000	
	\$205		FFCM 210 WFL G1 5K SFD D FSP-212		20,800	150	5,000	
	\$205		FFCM 210 WFL G1 HVU 4K SFD D FSP-212		21,000	150	4,000	
	\$205		FFCM 210 WFL G1 HVU 5K SFD D FSP-212		21,000	150	5,000	
	\$205		FFCS 140 WFL G1 4K SFD FSP-212		13,800	100	4,000	
	\$205		FFCS 140 WFL G1 5K SFD FSP-212		13,900	100	5,000	
	\$205		FFL 350 WFL G2 4K SFD FSP-212		35,000	250	4,000	
	\$205		FFL 350 WFL G2 5K SFD FSP-212		35,250	250	5,000	
	\$205		FFL 350 WFL G2 HVU 4K SFD FSP-212		35,000	250	4,000	
	\$205		FFL 350 WFL G2 HVU 5K SFD FSP-212		35,250	250	5,000	
	\$205		FFL 420 WFL G2 4K SFD FSP-212		42,000	300	4,000	
	\$205		FFL 420 WFL G2 5K SFD FSP-212		42,300	300	5,000	
	\$205		FFL 420 WFL G2 HVU 4K SFD FSP-212		42,000	300	4,000	
	\$205		FFL 420 WFL G2 HVU 5K SFD FSP-212		42,300	300	5,000	
	\$205		FFM 210 WFL G2 4K SFD FSP-212		21,000	150	4,000	
	\$205		FFM 210 WFL G2 5K SFD FSP-212		21,150	150	5,000	
	\$205		FFM 210 WFL G2 HVU 4K SFD FSP-212		21,000	150	4,000	
	\$205		FFM 210 WFL G2 HVU 5K SFD FSP-212		21,150	150	5,000	
	\$205		FFM 270 WFL G2 4K SFD FSP-212		27,000	200	4,000	
	\$205		FFM 270 WFL G2 5K SFD FSP-212		27,200	200	5,000	
	\$205		FFM 270 WFL G2 HVU 4K SFD FSP-212		27,000	200	4,000	
	\$205		FFM 270 WFL G2 HVU 5K SFD FSP-212		27,200	200	5,000	
Direct Linear Ambient Luminaires								
89UAC	\$15	Barron Lighting Group	VPA-2-25-C-SC		2,969	24	3,500	
	\$15		VPA-4-40-C-SC	190622144104	5,199	41	3,500	
89UAP	\$15	Acuity Brands Lighting	CLX L48 5000LM SEF FDL MVOLT GZ10 40K 80CRI WH		4,940	32	4,000	
	\$15		CLX L48 5000LM SEF FDL MVOLT GZ10 50K 80CRI WH	191723525908	4,926	32	5,000	
	\$15		CLX L48 5000LM SEF RDL MVOLT GZ10 40K 80CRI WH	191723525854	5,020	32	4,000	
	\$15		CLX L48 5000LM SEF RDL MVOLT GZ10 50K 80CRI WH	191723525946	5,006	32	5,000	
	\$15		CLX L48 7000LM SEF FDL MVOLT GZ10 40K 80CRI WH	191723700510	7,156	47	4,000	
	\$15		CLX L48 7000LM SEF FDL MVOLT GZ10 50K 80CRI WH	191723795455	7,136	47	5,000	
	\$15		CLX L48 7000LM SEF RDL MVOLT GZ10 40K 80CRI WH	191723795479	7,272	47	4,000	
	\$15		CLX L48 7000LM SEF RDL MVOLT GZ10 50K 80CRI WH	191723810424	7,251	47	5,000	
	\$15		LBL4 LP835	190887819199	4,188	33	3,500	
	\$15		LBL4 LP840	190887819359	4,253	33	4,000	
	\$15		ZL1N L48 5000LM FST MVOLT 40K 80CRI WH	190887789027	4,585	34	4,000	

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
89UAP	\$15	ASD Lighting Corp	ASD-LVP2SM-4D3140PRM	857622006497	3,968	31	4,000	
	\$15		ASD-LVP2SM-4D3150PRM	857622006503	3,999	31	5,000	
	\$15	Barron Lighting Group	SLS-2-20-C	190622144722	2,755	20	3,500	
	\$15		SLS-4-40-C	190622145002	5,375	41	3,500	
	\$15		SLS-4-50-CP	190622144746	6,378	48	3,500	
	\$15		TSL-2-20-35K	190622123260	2,787	20	3,500	
	\$15		TSL-2-20-4K	190622123270	2,830	20	4,000	
	\$15		TSL-2-20-5K	190622123280	2,918	20	5,000	
	\$15		TSL-4-24-35K	190622123290	2,909	22	3,500	
	\$15		TSL-4-24-4K	190622123300	3,194	24	4,000	
	\$15	EarthTronics Inc.	LVT44450D	840791109038	4,223	30	4,812	
	\$15	EATON	4SNLED-LD5-48SL-L835-CD1-U		4,851	31	3,500	
	\$15		4SNLED-LD5-60SL-L835-CD1-U		6,079	40	3,500	
	\$15	Elite Lighting Co.	2-OC1-LED-3000L-DIM10-MVOLT-30K-85		3,100	23	3,000	
	\$15		2-OC1-LED-3000L-DIM10-MVOLT-35K-85		3,100	23	3,500	
	\$15		2-OC1-LED-3000L-DIM10-MVOLT-40K-85	848070063637	3,100	23	4,000	
	\$15		2-OC1-LED-3000L-DIM10-MVOLT-50K-85		3,039	23	5,105	
	\$15		2-OEC-LED-2000L/3000L/4000L-DIM10-MVOLT-35K/40K/50K-85	194672003992	4,192	32	3,500	
	\$15		4-OEC-LED-3000L/4000L/5000L-DIM10-MVOLT-35K/40K/50K-85	194672003145	5,160	40	3,500	
	\$15	GE Current	ALV204T04T481DSQVQSTKQW1PK		3,920	26	4,000	
	\$15		ALV204T04T581DSQVQSTKQW1PK		4,000	26	5,000	
	\$15		ALV204T06T481DSQVQSTKQW1PK		5,782	41	4,000	
	\$15	Halco Lighting Technologies	LS4/36U40	807154102402	4,903	36	4,000	
	\$15		LS4/36U50	807154102419	4,910	36	5,000	
	\$15		LWA-D23U2-40	807154103003	3,073	23	4,000	
	\$15		LWA-D23U2-50	807154103058	3,125	23	5,000	
	\$15		LWA-D46U4-40	807154103010	6,242	46	4,000	
	\$15		LWA-D46U4-50	807154103065	6,293	46	5,000	
	\$15		Hubbell Lighting	CRW4-LSCS	840141400228	5,200	40	3,500
	\$15	CVT4-LS40		840141400242	7,297	48	4,000	Wattage selectable
	\$15	Industrial Lighting Products	SS4-3L-U-35-FRL		3,341	25	3,500	
	\$15		SS4-3L-U-40-FRL		3,375	25	4,000	
	\$15		SS4-3L-U-50-FRL		3,378	25	5,000	
	\$15		SS4-4L-U-35-FRL		4,415	33	3,500	
	\$15		SS4-4L-U-40-FRL		4,438	33	4,000	
	\$15		SS4-4L-U-50-FRL		4,505	33	5,000	
	\$15		VS2-2L-U-35-FRL		2,477	19	3,500	
	\$15		VS2-2L-U-40-FRL		2,485	19	4,000	
	\$15		VS2-2L-U-50-FRL		2,501	19	5,000	
	\$15		VS4-3L-U-35-FRL		3,211	24	3,500	
	\$15		VS4-3L-U-40-FRL		3,279	24	4,000	
	\$15		VS4-3L-U-50-FRL		3,278	24	5,000	
	\$15		VS4-4L-U-35-FRL		4,374	33	3,500	
	\$15		VS4-4L-U-40-FRL		4,383	33	4,000	
	\$15		VS4-4L-U-50-FRL		4,478	33	5,000	

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2		
89UAP	\$15	Industrial Lighting Products	WTZ2-2L-U-35-RAFL		2,431	19	3,500			
	\$15		WTZ2-2L-U-40-RAFL		2,532	19	4,000			
	\$15		WTZ4-3L-U-40-RAFL		3,034	21	4,000			
	\$15		WTZ4-3L-U-50-RAFL		3,034	21	5,000			
89UAP	\$15	Keystone Technologies	KT-CWLED40-4-835-VDIM-P	843654100968	5,200	40	3,500			
	\$15		KT-CWLED40-4-840-VDIM-P	843654101002	5,240	40	4,000			
	\$15		KT-CWLED40-4-850-VDIM-P	843654101019	5,280	40	5,000			
	\$15		KT-MSLED18-4-835-VDIM-P	843654101057	2,340	18	3,500			
	\$15		KT-MSLED18-4-840-VDIM-P	843654101064	2,358	18	4,000			
	\$15		KT-MSLED18-4-850-VDIM-P	843654101187	2,376	18	5,000			
	\$15		KT-MSLED19-2-835-VDIM-P	843654101026	2,470	19	3,500			
	\$15		KT-MSLED19-2-840-VDIM-P	843654101033	2,489	19	4,000			
	\$15		KT-MSLED19-2-850-VDIM-P	843654101040	2,508	19	5,000			
	\$15		KT-MSLED28-4-830-VDIM-P	843654123394	3,528	28	3,000			
	\$15		KT-MSLED28-4-835-VDIM-P	843654101248	3,584	28	3,500			
	\$15		KT-MSLED28-4-840-VDIM-P	843654101309	3,640	28	4,000			
	\$15		KT-MSLED28-4-850-VDIM-P	843654101484	3,696	28	5,000			
	\$15		KT-MSLED44-4-835-VDIM-P	843654101491	5,632	44	3,500			
	\$15		KT-MSLED44-4-840-VDIM-P	843654101507	5,720	44	4,000			
	\$15		KT-MSLED44-4-850-VDIM-P	843654101651	5,764	44	5,000			
	\$15		KT-VTLED18-4A-840-VDIM-P	843654122137	2,300	18	4,000			
	\$15		KT-VTLED18-4A-850-VDIM-P	843654122144	2,340	18	5,000			
	\$15		KT-WLED33-4-835-VDIM-P	843654100753	4,220	33	3,500			
	\$15		KT-WLED33-4-840-VDIM-P	843654100852	4,257	33	4,000			
	\$15		KT-WLED33-4-850-VDIM-P	843654100937	4,290	33	5,000			
	\$15		KT-VTLED44-4A-840-VDIM-P	843654122175	5,630	44	4,000			
	\$15		KT-VTLED44-4A-850-VDIM-P	843654122182	5,720	44	5,000			
	\$15		KT-VTLED19-2A-840-VDIM-P	843654122113	2,430	19	4,000			
	\$15		KT-VTLED19-2A-850-VDIM-P	843654122120	2,465	19	5,000			
	\$15		KT-VTLED28-4A-840-VDIM-P	843654122151	3,580	28	4,000			
	\$15		KT-VTLED28-4A-850-VDIM-P	843654122168	3,640	28	5,000			
	\$15		KT-VTLED63-4A-840-VDIM-P	843654122199	8,065	63	4,000			
	\$15		KT-VTLED63-4A-850-VDIM-P	843654122205	8,190	63	5,000			
	89UAP		\$15	LEDVANCE, LLC	STRIP2A/022UNHD835/24U/WH (65209)	046135652097	2,878	22	3,500	
			\$15		STRIP2A/022UNHD835/48U/WH (65176)	046135651762	3,131	22	3,500	
			\$15		STRIP2A/022UNHD840/24U/WH (65210)	046135652103	2,882	22	4,000	
			\$15		STRIP2A/022UNHD840/48U/WH (65177)	046135651779	3,146	22	4,000	
			\$15		STRIP2A/022UNHD850/24U/WH (65211)	046135652110	2,904	22	5,000	
			\$15		STRIP2A/022UNHD850/48U/WH (65178)	046135651786	3,190	22	5,000	
\$15		STRIP2A/022UNVD835/48U/WH/E (65182)	046135651823		3,084	22	3,500			
\$15		STRIP2A/022UNVD840/48U/WH/E (65183)	046135651830		3,102	22	4,000			
\$15		STRIP2A/022UNVD850/48U/WH/E (65184)	046135651847		3,146	22	5,000			
\$15		STRIP2A/034UNHD835/48U/WH (65212)	046135652127		4,580	34	3,500			
\$15		STRIP2A/034UNHD840/48U/WH (65213)	046135652134		4,590	34	4,000			
\$15		STRIP2A/034UNHD850/48U/WH (65214)	046135652141		4,658	34	5,000			
\$15		STRIP2A/034UNVD835/48U/WH/E (65155)	046135651557		4,570	34	3,500			
\$15		STRIP2A/034UNVD840/48U/WH/E (65156)	046135651564		4,590	34	4,000			
\$15		STRIP2A/034UNVD850/48U/WH/E (65157)	046135651571		4,658	34	5,000			

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2	
89UAP	\$15	LEDVANCE, LLC	STRIP2A/044UNVD835/48U/WH (65215)	046135652158	5,724	44	3,500		
	\$15		STRIP2A/044UNVD835/48U/WH/E (65158)	046135651588	5,724	44	3,500		
	\$15		STRIP2A/044UNVD840/48U/WH (65216)	046135652165	5,764	44	4,000		
	\$15		STRIP2A/044UNVD840/48U/WH/E (65159)	046135651595	5,764	44	4,000		
	\$15		STRIP2A/044UNVD850/48U/WH (65217)	046135652172	5,808	44	5,000		
	\$15		STRIP2A/044UNVD850/48U/WH/E (65160)	046135651601	5,808	44	5,000		
	\$15		VAPOR1A/025UNVD840/24EC/GR	046135745300	3,120	24	4,000		
	\$15		VAPOR1A/025UNVD850/24EC/GR	046135745317	3,120	24	5,000		
	\$15		VAPOR1B/020UNVD840/48EC/GR	046135745348	2,600	20	4,000		
	\$15		VAPOR1B/020UNVD850/48EC/GR	046135745355	2,600	20	5,000		
	\$15		VAPOR1B/040UNVD840/48EC/GR	046135743764	5,400	40	4,000		
	\$15		VAPOR1B/040UNVD850/48EC/GR	046135743771	5,400	40	5,000		
	\$15		VAPOR2B/040UNVD840/48EC/GR	046135600470	5,200	40	4,000		
	\$15		VAPOR2B/040UNVD850/48EC/GR	046135600487	5,200	40	5,000		
	\$15		WRAP2A/022UNVD8SC7/24U/WH (62176)	046135621765	2,792	22	3,500		
	\$15		WRAP2A/022UNVD8SC7/48U/WH (62177)	046135621772	2,957	22	3,500		
	\$15		WRAP2A/022UNVD8SC7/48U/WH/E (65607)	046135656071	2,957	22	3,500		
	\$15		WRAP2A/068UNVD8SC7/48U/WH (62179)	046135621796	8,731	68	3,500		
	\$15		WRAP2A/068UNVD8SC7/48U/WH/E (65609)	046135656095	8,731	68	3,500		
	\$15		WRAP2A/S044UNVD8SC7/48U/WH (62178)	046135621789	6,063	44	3,500		
	\$15		WRAP2A/S044UNVD8SC7/48U/WH/E (65608)	046135656088	6,063	44	3,500		
	\$15		MaxLite Inc.	LS2-2U20WCSCR	767627008405	3,879	30	3,500	
	\$15			LS2-4U23WCSCR	767627008467	6,481	49	3,500	
	\$15			LSU4U23WCSCR		6,426	48	3,500	Wattage & CCT selectable
	\$15			LM-4860UF-40		7,923	59	3,981	
	\$15		NICOR Inc.	LSCS12U	767706170313	2,600	20	3,500	Lumen and CCT Selectable
	\$15			LSCS14U	767706170337	5,200	40	3,500	Lumen and CCT Selectable
	\$15		P.Q.L. Inc.	55458	811768023541	2,620	20	4,000	
	\$15			55461	811768028843	2,502	18	4,000	
	\$15			55462	811768027266	2,520	18	5,000	
	\$15			55464	899645001042	4,585	35	4,000	
	\$15			55465	811768023947	4,620	35	5,000	
	\$15			55611	811768026498	5,895	45	3,500	Wattage & CCT selectable
	\$15			55605-8WEM	811768023022	4,522	34	3,500	Wattage & CCT selectable
	\$15			55610-8WEM	899645001035	3,900	30	3,500	Wattage & CCT selectable
	\$15	55605		854432004996	4,522	34	3,500	Wattage & CCT selectable	
	\$15	55606		854432004682	5,850	45	3,500	Wattage & CCT selectable	
	\$15	55617		811768022872	5,320	40	3,500	Wattage & CCT selectable	
	\$15	55371		811768024050	2,620	20	4,000		
	\$15	55372		899645001370	2,640	20	5,000		
	\$15	55374		811768029260	4,420	34	4,000		
	\$15	55375		811768025811	4,454	34	5,000		
	\$15	55377	811768028973	6,760	52	4,000			
	\$15	55378	811768023565	6,812	52	5,000			

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
89UAP	\$15	RAB Lighting	GUS4-36NW/D10	019813424194	4,827	37	3,922	
	\$15		GUS4-36W/D10	019813493015	4,853	36	5,020	
	\$15		GUS4-50W/D10	019813493022	6,166	46	5,008	
	\$15		STRP210-835U	019813949963	1,345	10	3,434	
	\$15		STRP210-840U	019813949956	1,409	10	3,936	
	\$15		STRP220-835U	019813949994	2,538	19	3,416	
	\$15		STRP220-840U	019813949987	2,658	19	3,936	
	\$15		STRP420-835U	019813828299	2,676	19	3,442	
	\$15		STRP420-840U	019813950013	2,731	19	3,961	
	\$15		STRP440-835U	019813828305	5,427	39	3,444	
	\$15		STRP440-840U	019813950068	5,539	39	3,961	
	\$15	STRP440-850U	019813950020	5,508	39	5,049		
	\$15	SATCO	65/1133	045923682018	4,909	39	5,055	
	\$15		65/1136	045923682032	4,909	39	5,055	
	\$15		65/1143	045923682056	4,909	39	5,055	
	\$15		65/1146	045923682070	4,909	39	5,055	
	\$15		65/1153	045923682094	4,909	39	5,055	
	\$15		65/1156	045923682117	4,909	39	5,055	
	\$15	SLG	TR 4 39 G2 35K	728943427059	3,900	30	3,500	
	\$15		TR 4 39 G2 4K	728943427059	3,930	30	4,000	
	\$15		TR 4 39 G2 5K	728943427066	3,960	30	5,000	
	\$15		TR 4 52 G2 35K	728943427080	5,200	40	3,500	
	\$15		TR 4 52 G2 4K	728943427073	5,240	40	4,000	
	\$15		TR 4 52 G2 5K	728943427080	5,280	40	5,000	
	\$15		TSC 4 30 G1 35K		3,275	25	3,500	
	\$15		TSC 4 30 G1 4K		3,300	25	4,000	
	\$15		TSC 4 30 G1 5K		3,325	25	5,000	
	\$15		TSC 4 45 G1 35K		4,550	35	3,500	
	\$15		TSC 4 45 G1 4K		4,585	35	4,000	
	\$15		TSC 4 45 G1 5K		4,620	35	5,000	
	\$15		TSC 4 60 G1 35K		5,850	45	3,500	
	\$15		TSC 4 60 G1 4K		5,895	45	4,000	
	\$15		TSC 4 60 G1 5K		5,940	45	5,000	
	\$15		VTC 4 50 G1 35K		4,826	38	3,500	
	\$15		VTC 4 50 G1 4K		4,940	38	4,000	
	\$15		VTC 4 50 G1 5K		4,978	38	5,000	
	\$15		VTC 4 70 G1 35K		6,656	52	3,500	
	\$15	VTC 4 70 G1 4K		6,760	52	4,000		
	\$15	VTC 4 70 G1 5K		6,812	52	5,000		
	\$15	Starco Lighting	SLLB-25S4F3065-DC		3,500	25	3,000	
	\$15		SLLB-25S4F3065-DH		3,500	25	3,000	
	\$15		SLLB-25S4F3565-DC		3,500	25	3,500	
	\$15		SLLB-25S4F3565-DH		3,500	25	3,500	
	\$15		SLLB-25S4F4065-DC		3,850	25	4,000	
	\$15		SLLB-25S4F4065-DH		3,850	25	4,000	
\$15	SLLB-25S4F5065-DC			3,850	25	5,000		
\$15	SLLB-25S4F5065-DH			3,850	25	5,000		
\$15	SLLB-35S4F3065-DC			4,935	35	3,000		

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2	
89UAP	\$15	Starco Lighting	SLLB-35S4F3065-DH		4,935	35	3,000		
	\$15					5,355	35	5,000	
	\$15		SLLB-35S4F3565-DC		4,935	35	3,500		
	\$15		SLLB-35S4F3565-DH		4,935	35	3,500		
	\$15		SLLB-35S4F4065-DC		5,355	35	4,000		
	\$15		SLLB-35S4F4065-DH		5,355	35	4,000		
	\$15		SLLB-35S4F5065-DC		5,355	35	5,000		
	\$15		SLLB-45S4F3065-DC		6,120	45	3,000		
	\$15		SLLB-45S4F3065-DH		6,120	45	3,000		
	\$15		SLLB-45S4F3565-DC		6,120	45	3,500		
	\$15		SLLB-45S4F3565-DH		6,120	45	3,500		
	\$15		SLLB-45S4F4065-DC		6,750	45	4,000		
	\$15		SLLB-45S4F4065-DH		6,750	45	4,000		
	\$15		SLLB-45S4F5065-DC		6,750	45	5,000		
	\$15		SLLB-45S4F5065-DH		6,750	45	5,000		
	\$15		TCP	LWR2300135	762148275633	3,500	23	3,500	
	\$15	LWR2300140		762148279679	3,500	23	4,100		
	\$15	LWR2300150		762148275886	3,500	23	5,000		
	\$15	LWR3500135		762148301264	5,250	35	3,500		
	\$15	LWR3500140		762148301233	5,250	35	4,000		
	\$15	LWR3500150		762148301257	5,250	35	5,000		
	\$15	TCPGPS2UZDA835K		762148077107	2,600	20	3,500		
	\$15	TCPGPS2UZDA840K		762148074687	2,600	20	4,000		
	\$15	TCPGPS2UZDA850K		762148074700	2,600	20	5,000		
	\$15	TCPGPS2UZDA8CCT		762148302223	2,600	20	3,500		
	\$15	TCPGPS4HZDA835K		762148123514	4,160	32	3,500		
	\$15	TCPGPS4HZDA840K		762148120759	4,224	32	4,000		
	\$15	TCPGPS4HZDA850K		762148120919	4,288	32	5,000		
	\$15	TCPGPS4UZDA835K		762148077336	4,200	32	3,500		
	\$15	TCPGPS4UZDA840K		762148074595	4,200	32	4,000		
	\$15	TCPGPS4UZDA850K		762148074601	4,200	32	5,000		
	\$15	TCPGPS4UZDA8CCT		762148302179	4,200	32	3,500		
	\$15	TCPGPS4UZDB835K		762148283867	2,300	18	3,500		
	\$15	TCPGPS4UZDB840K		762148120582	2,300	18	4,000		
	\$15	TCPGPS4UZDB850K		762148118251	2,300	18	5,000		
	\$15	TCPGPS4UZDE835K	762148231073	5,200	40	3,500			
\$15	TCPGPS4UZDE840K	762148233381	5,200	40	4,000				
\$15	TCPGPS4UZDE850K	762148231561	5,200	40	5,000				
\$15	TCPGPS4UZDE8CCT	762148302193	5,200	40	3,500				
\$15	VTF2UZDA140K	762148262817	3,120	24	4,000				
\$15	VTF2UZDA150K	762148262824	3,120	24	5,000				
\$15	VTF4UZDA140K	762148262831	2,600	20	4,000				
\$15	VTF4UZDA150K	762148262855	2,600	20	5,000				
\$15	VTF4UZDA240K	762148262879	5,200	40	4,000				
\$15	VTF4UZDA250K	762148262886	5,200	40	5,000				
\$15	TCPGPS4UZDB840KEB	762148086901	2,300	18	4,000				

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
89UAP	\$15	Topaz Lighting Corp.	F-L4/40W/40K/D-87	751338029514	5,036	40	4,000	
	\$15		F-L4/40W/CTS/D-87	751338036741	5,375	41	3,500	
	\$15		F-VT4/50W/40-86	751338023420	6,500	50	4,000	
	\$15		F-VT4/50W/50-86	751338023437	6,500	50	5,000	
	\$15	Universal Lighting Technologies	VTL4-33L835-U	076838658519	4,908	39	3,500	
	\$15		VTL4-33L840-U	076838658520	4,908	39	4,000	
	\$15		VTL4-33L850-U	076838658765	5,190	39	5,000	
	\$15		VTLS4-LL835-U-33L		3,023	23	3,500	
	\$15		VTLS4-LL840-U-33L		3,023	23	4,000	
	\$15		VTLS4-LL850-U-33L		3,105	24	5,000	
	\$15	WESTGATE MFG	VTLS4-ML850-U-44L		4,347	32	5,000	
	\$15		LLVT2-4FT-36W-MCT-D-F	845060045963	4,577	35	3,500 CCT Selectable	
	\$15		LSS-2FT-20W-MCT	845060049442	2,600	20	3,500 CCT Selectable	
	\$15		LSS-4FT-32W-MCT	845060049411	4,260	32	3,500 CCT Selectable	
	\$15		LSS-4FT-34W-MCTP	845060058932	4,600	34	3,500 Wattage & CCT selectable	
	\$15		LSS-4FT-46W-MCTP	845060058949	6,150	46	3,500 Wattage & CCT selectable	
	\$15		LLVT2-4FT-36W-35K-D-F		4,600	36	3,500	
	\$15		LLVT2-4FT-36W-40K-D-F		4,620	36	4,000	
	\$15		LLVT2-4FT-36W-50K-D-F		4,680	36	5,000	
	\$15		LSL-4FT-32W-35K-D		4,160	32	3,500	
89UAPC	\$25	Barron Lighting Group	SSF-2-CP-SC	190622143664	3,967	31	3,000	
	\$25		SSF-4-CP-SC	190622143688	5,211	40	3,000	
	\$25	LEDVANCE, LLC	STRIP2A/022UNHD835/24U/WH/D (65128)	046135651281	2,878	22	3,500	
	\$25		STRIP2A/022UNHD835/48U/WH/D (65179)	046135651793	3,131	22	3,500	
	\$25		STRIP2A/022UNHD840/24U/WH/D (65129)	046135651298	2,882	22	4,000	
	\$25		STRIP2A/022UNHD840/48U/WH/D (65180)	046135651809	3,146	22	4,000	
	\$25		STRIP2A/022UNHD850/24U/WH/D (65130)	046135651304	2,904	22	5,000	
	\$25		STRIP2A/022UNHD850/48U/WH/D (65181)	046135651816	3,190	22	5,000	
	\$25		STRIP2A/022UNVD835/48U/WH/DE (65185)	046135651854	3,084	22	3,500	
	\$25		STRIP2A/022UNVD840/48U/WH/DE (65186)	046135651861	3,102	22	4,000	
	\$25		STRIP2A/022UNVD850/48U/WH/DE (65187)	046135651878	3,146	22	5,000	
	\$25		STRIP2A/034UNHD835/48U/WH/D (65131)	046135651311	4,580	34	3,500	
	\$25		STRIP2A/034UNHD840/48U/WH/D (65132)	046135651328	4,590	34	4,000	
	\$25		STRIP2A/034UNHD850/48U/WH/D (65133)	046135651335	4,658	34	5,000	
	\$25		STRIP2A/034UNVD835/48U/WH/DE (65188)	046135651885	4,570	34	3,500	
	\$25		STRIP2A/034UNVD840/48U/WH/DE (65189)	046135651892	4,590	34	4,000	
	\$25		STRIP2A/034UNVD850/48U/WH/DE (65190)	046135651908	4,658	34	5,000	
	\$25		STRIP2A/044UNVD835/48U/WH/D (65134)	046135651342	5,724	44	3,500	
	\$25		STRIP2A/044UNVD835/48U/WH/DE (65191)	046135651915	5,724	44	3,500	
	\$25		STRIP2A/044UNVD840/48U/WH/D (65135)	046135651359	5,764	44	4,000	
\$25	STRIP2A/044UNVD840/48U/WH/DE (65192)	046135651922	5,764	44	4,000			
\$25	STRIP2A/044UNVD850/48U/WH/D (65136)	046135651366	5,808	44	5,000			
\$25	STRIP2A/044UNVD850/48U/WH/DE (65193)	046135651939	5,808	44	5,000			
\$25	VAPOR1B/020UNVD840/48EC/GR/D	046135745348	2,600	20	4,000			
\$25	VAPOR1B/020UNVD850/48EC/GR/D	046135745355	2,600	20	5,000			
\$25	VAPOR1B/025UNVD840/24EC/GR/D	046135745324	3,120	24	4,000			

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2	
89UAPC	\$25	LEDVANCE, LLC	VAPOR1B/025UNVD850/24EC/GR/D	046135745331	3,120	24	5,000		
	\$25		VAPOR1B/040UNVD840/48EC/GR/D	046135743788	5,400	40	4,000		
	\$25		VAPOR1B/040UNVD850/48EC/GR/D	046135743771	5,400	40	5,000		
	\$25		VAPOR2B/040UNVD840/48EC/GR/D	046135600470	5,200	40	4,000		
	\$25		VAPOR2B/040UNVD850/48EC/GR/D	046135600487	5,200	40	5,000		
	\$25		WRAP2A/022UNVD8SC7/24U/WH/D (65603)	046135656033	2,792	22	3,500		
	\$25		WRAP2A/022UNVD8SC7/48U/WH/D (65604)	046135656040	2,957	22	3,500		
	\$25		WRAP2A/022UNVD8SC7/48U/WH/DE (65610)		2,957	22	3,500		
	\$25		WRAP2A/068UNVD8SC7/48U/WH/D (65606)	046135656064	8,731	68	3,500		
	\$25		WRAP2A/068UNVD8SC7/48U/WH/DE (65612)		8,731	68	3,500		
	\$25		WRAP2A/S044UNVD8SC7/48U/WH/D (65605)	046135656057	6,063	44	3,500		
	\$25		WRAP2A/S044UNVD8SC7/48U/WH/DE (65611)	046135656118	6,063	44	3,500		
	\$25		RAB Lighting	STRP440-840U/MVS	019813950082	5,539	39	3,961	
89UBC	\$30	Barron Lighting Group	VPA-8-80-C-SC	190622144142	10,336	82	3,500		
89UBP	\$30	Acuity Brands Lighting	CLX L96 10000LM SEF FDL MVOLT GZ10 40K 80CRI WH	191723525922	9,880	64	4,000		
	\$30		CLX L96 10000LM SEF FDL MVOLT GZ10 50K 80CRI WH	191723525830	9,852	64	5,000		
	\$30		CLX L96 10000LM SEF RDL MVOLT GZ10 40K 80CRI WH	191723525953	10,040	64	4,000		
	\$30		CLX L96 10000LM SEF RDL MVOLT GZ10 50K 80CRI WH	191723525847	10,012	64	5,000		
	\$30		CLX L96 14000LM SEF FDL MVOLT GZ10 40K 80CRI WH	191723700480	14,311	93	4,000		
	\$30		CLX L96 14000LM SEF FDL MVOLT GZ10 50K 80CRI WH	191723795615	14,271	93	5,000		
	\$30		CLX L96 14000LM SEF RDL MVOLT GZ10 40K 80CRI WH	191723893793	14,544	93	4,000		
	\$30		CLX L96 14000LM SEF RDL MVOLT GZ10 50K 80CRI WH	191723862218	14,503	93	5,000		
	\$30		CLX L96 6000LM SEF FDL MVOLT GZ10 40K 80CRI WH	191723525861	5,971	37	4,000		
	\$30		CLX L96 6000LM SEF FDL MVOLT GZ10 50K 80CRI WH	191723525915	5,954	37	5,000		
	\$30		CLX L96 6000LM SEF RDL MVOLT GZ10 40K 80CRI WH	191723525878	6,068	37	4,000		
	\$30		CLX L96 6000LM SEF RDL MVOLT GZ10 50K 80CRI WH	191723525823	6,050	37	5,000		
	\$30		ASD Lighting Corp	ASD-LVP2SM-8D6040PRM	857622006527	7,980	60	4,000	
	\$30			ASD-LVP2SM-8D6050PRM	857622006534	8,040	60	5,000	
	\$30		Barron Lighting Group	SLS-8-64-C	190622144784	8,121	62	3,500	
	\$30			SLS-8-64-C-SC	190622144814	8,832	64	3,500	
	\$30		Elite Lighting Co.	8-OEC-LED-6000L/8000L/10000L-DIM10-MVOLT-35K/40K/50K-85	194672003985	9,675	75	3,500	
	\$30		GE Current	ALV208T08T481DSQVQSTKQW1PK		7,742	52	4,000	
	\$30			ALV208T08T581DSQVQSTKQW1PK		7,900	52	5,000	
	\$30		Halco Lighting Technologies	LS8/72U40	807154102433	9,806	72	4,000	
	\$30			LS8/72U50	807154102440	9,820	72	5,000	
	\$30		Keystone Technologies	KT-MSLED54-8-830-VDIM-P	843654123387	7,000	54	3,000	
	\$30			KT-MSLED54-8-835-VDIM-P	843654101668	7,290	54	3,500	
	\$30			KT-MSLED54-8-840-VDIM-P	843654101705	7,344	54	4,000	
	\$30			KT-MSLED54-8-850-VDIM-P	843654101712	7,398	54	5,000	
	\$30			KT-VTLED90-8A-840-VDIM-P	843654122236	11,520	90	4,000	
	\$30			KT-VTLED90-8A-850-VDIM-P	843654122243	11,700	90	5,000	
	\$30			KT-VTLED54-8A-840-VDIM-P	843654122212	6,910	54	4,000	
	\$30			KT-VTLED54-8A-850-VDIM-P	843654122229	7,020	54	5,000	
	\$30		LEDVANCE, LLC	STRIP2A/044UNVD835/96U/WH (65218)	046135652189	6,169	44	3,500	
\$30	STRIP2A/044UNVD835/96U/WH/E (65161)	046135651618		6,169	44	3,500			
\$30	STRIP2A/044UNVD840/96U/WH (65219)	046135652196		6,204	44	4,000			
\$30	STRIP2A/044UNVD840/96U/WH/E (65162)	046135651625		6,204	44	4,000			
\$30	STRIP2A/044UNVD850/96U/WH (65220)	046135652202		6,292	44	5,000			

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
89UBP	\$30	LEDVANCE, LLC	STRIP2A/044UNVD850/96U/WH/E (65163)	046135651632	6,292	44	5,000	
	\$30		STRIP2A/068UNHD835/96U/WH (65224)	046135652240	9,160	68	3,500	
	\$30		STRIP2A/068UNHD840/96U/WH (65225)	046135652257	9,180	68	4,000	
	\$30		STRIP2A/068UNHD850/96U/WH (65226)	046135652264	9,316	68	5,000	
	\$30		STRIP2A/068UNVD835/96U/WH/E (65167)	046135651670	9,139	68	3,500	
	\$30		STRIP2A/068UNVD840/96U/WH/E (65168)	046135651687	9,180	68	4,000	
	\$30		STRIP2A/068UNVD850/96U/WH/E (65169)	046135651694	9,316	68	5,000	
	\$30		STRIP2A/096UNVD835/96U/WH (65230)	046135652301	12,787	96	3,500	
	\$30		STRIP2A/096UNVD835/96U/WH/E (65173)	046135651731	12,787	96	3,500	
	\$30		STRIP2A/096UNVD840/96U/WH (65231)	046135652318	12,960	96	4,000	
	\$30		STRIP2A/096UNVD840/96U/WH/E (65174)	046135651748	12,960	96	4,000	
	\$30		STRIP2A/096UNVD850/96U/WH (65232)	046135652325	13,056	96	5,000	
	\$30		STRIP2A/096UNVD850/96U/WH/E (65175)	046135651755	13,056	96	5,000	
	\$30		VAPOR1B/065UNVD840/96EC/GR	046135603556	8,775	65	4,000	
	\$30		VAPOR1B/065UNVD850/96EC/GR	046135603563	8,775	65	5,000	
	\$30	MaxLite Inc.	LS2-8U65WCSCR	767627008528	12,446	95	3,500	
	\$30				12,446	95	3,500	Wattage & CCT selectable
	\$30		LS2-9665U-50	767627133848	8,645	65	5,000	
	\$30		LS2-9690U-40	767627133855	11,880	90	4,000	
	\$30		LS2-9690U-50	767627133862	11,970	90	5,000	
	\$30	NICOR Inc.	LSA-1-6-I-U-35-W-I-P		6,830	51	3,446	
	\$30		LSA-1-6-I-U-35-W-I-S		6,830	51	3,446	
	\$30		LSA-1-6-I-U-40-W-I-P		7,100	51	4,037	
	\$30		LSA-1-6-I-U-40-W-I-S		7,100	51	4,037	
	\$30		LSA-1-6-I-U-50-W-I-P		7,369	51	4,828	
	\$30		LSA-1-6-I-U-50-W-I-S		7,369	51	4,828	
	\$30		LSCS18U	767706170351	8,450	65	3,500	Lumen and CCT Selectable
	\$30	P.Q.L. Inc.	55467	811768027242	5,282	38	4,000	
	\$30		55470	811768023473	8,515	65	4,000	
	\$30		55471	811768026283	8,580	65	5,000	
	\$30		55612	811768028218	7,020	54	3,500	Wattage & CCT selectable
	\$30		55613	811768025934	11,790	90	3,500	Wattage & CCT selectable
	\$30		55612-8WEM	854432004545	7,020	54	3,500	Wattage & CCT selectable
	\$30		55613-16WEM	811768021028	11,790	90	3,500	Wattage & CCT selectable
	\$30		55608	811768029888	11,700	90	3,500	Wattage & CCT selectable
	\$30		55380	854432004408	9,750	75	4,000	
	\$30		55381	854432004453	9,825	75	5,000	
	\$30	SLG	TSC 8 100 G1 35K		9,750	75	3,500	
	\$30		TSC 8 100 G1 4K		9,825	75	4,000	
	\$30		TSC 8 100 G1 5K		9,900	75	5,000	
	\$30		TSC 8 85 G1 35K		8,450	65	3,500	
	\$30		TSC 8 85 G1 4K		8,515	65	4,000	
	\$30		TSC 8 85 G1 5K		8,580	65	5,000	
	\$30		VTC 8 120 G1 35K		11,430	90	3,500	
	\$30		VTC 8 120 G1 4K		11,700	90	4,000	
\$30	VTC 8 120 G1 5K			11,790	90	5,000		

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2	
89UBP	\$30	TCP	TCPGPS8HZDA835K	762148123477	8,450	65	3,500		
	\$30		TCPGPS8HZDA840K	762148123507	8,580	65	4,000		
	\$30		TCPGPS8HZDA850K	762148123491	8,710	65	5,000		
	\$30		TCPGPS8UZDA835K	762148077404	8,500	65	3,500		
	\$30		TCPGPS8UZDA840K	762148074618	8,500	65	4,000		
	\$30		TCPGPS8UZDA850K	762148074625	8,500	65	5,000		
	\$30		TCPGPS8UZDA8CCT	762148302216	8,500	65	3,500		
	\$30		TCPGPS8UZDB835K	762148237266	4,900	38	3,500		
	\$30		TCPGPS8UZDB840K	762148114246	4,900	38	4,000		
	\$30		TCPGPS8UZDB850K	762148114826	4,900	38	5,000		
	\$30		TCPGPS8UZDE835K	762148285243	10,400	80	3,500		
	\$30		TCPGPS8UZDE840K	762148285656	10,400	80	4,000		
	\$30		TCPGPS8UZDE850K	762148285649	10,400	80	5,000		
	\$30		VTF8UZDA140K	762148262893	8,450	65	4,000		
	\$30		VTF8UZDA150K	762148262923	8,450	65	5,000		
	\$30		Topaz Lighting Corp.	F-L8/64W/CTS/D-87	751338036772	8,121	62	3,500	
	\$30		Universal Lighting Technologies	VTL8-12K835-U	076838658537	16,450	120	3,500	
	\$30		WESTGATE MFG	LLVT-8FT-100W-40K-D-C		13,750	100	4,000	
	\$30			LLVT-8FT-100W-50K-D-C	845060032642	13,850	100	5,000	
	\$30			LLVT-8FT-65W-40K-D-C	845060032611	9,250	65	4,000	
	\$30			LLVT-8FT-65W-50K-D-C	845060032628	9,300	65	5,000	
	\$30			LSS-8FT-65W-MCT	845060045758	9,350	65	3,500 CCT Selectable	
	\$30			LLVT-8FT-100W-35K-D-C		13,700	100	3,500	
	\$30			LLVT-8FT-65W-35K-D-C		9,200	65	3,500	
	\$30			LSL-8FT-64W-35K-D		8,320	64	3,500	
\$30	LSL-8FT-64W-40K-D			8,320	64	4,000			
\$30	LSL-8FT-64W-50K-D			8,320	64	5,000			
89UBPC	\$40	Acuity Brands Lighting		CLX L96 10000LM SEF FDL MVOLT GZ10 40K 80CRI WH LSXR		9,880	64	4,000	LSXR must be configured with either P, ADC, or ANL occ. & photocell control.
	\$40	Keystone Technologies		KT-VTLED90-8A-840-VDIM-P/MW3		11,520	90	4,000	
	\$40			KT-VTLED54-8A-840-VDIM-P/MW3		6,910	54	4,000	
	\$40	LEDVANCE, LLC	STRIP2A/044UNVD835/96U/WH/D (65137)	046135651373	6,169	44	3,500		
	\$40		STRIP2A/044UNVD835/96U/WH/DE (65194)	046135651946	6,169	44	3,500		
	\$40		STRIP2A/044UNVD840/96U/WH/D (65138)	046135651380	6,204	44	4,000		
	\$40		STRIP2A/044UNVD840/96U/WH/DE (65195)	046135651953	6,204	44	4,000		
	\$40		STRIP2A/044UNVD850/96U/WH/D (65139)	046135651397	6,292	44	5,000		
	\$40		STRIP2A/044UNVD850/96U/WH/DE (65196)	046135651960	6,292	44	5,000		
	\$40		STRIP2A/068UNHD835/96U/WH/D (65143)	046135651434	9,160	68	3,500		
	\$40		STRIP2A/068UNHD840/96U/WH/D (65144)	046135651441	9,180	68	4,000		
	\$40		STRIP2A/068UNHD850/96U/WH/D (65145)	046135651458	9,316	68	5,000		
	\$40		STRIP2A/068UNVD835/96U/WH/DE (65200)	046135652004	9,139	68	3,500		
	\$40		STRIP2A/068UNVD840/96U/WH/DE (65201)	046135652011	9,180	68	4,000		
	\$40		STRIP2A/068UNVD850/96U/WH/DE (65202)	046135652028	9,316	68	5,000		
	\$40		STRIP2A/096UNVD835/96U/WH/D (65149)	046135651496	12,787	96	3,500		
	\$40		STRIP2A/096UNVD835/96U/WH/DE (65206)	046135652066	12,787	96	3,500		

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
89UBPC	\$40	LEDVANCE, LLC	STRIP2A/096UNVD840/96U/WH/D (65150)	046135651502	12,960	96	4,000	
	\$40		STRIP2A/096UNVD840/96U/WH/DE (65207)	046135652073	12,960	96	4,000	
	\$40		STRIP2A/096UNVD850/96U/WH/D (65151)	046135651519	13,056	96	5,000	
	\$40		STRIP2A/096UNVD850/96U/WH/DE (65208)	046135652080	13,056	96	5,000	
	\$40		VAPOR1B/065UNVD840/96EC/GR/D	046135603556	8,775	65	4,000	
	\$40		VAPOR1B/065UNVD850/96EC/GR/D	046135603563	8,775	65	5,000	
High-Bay Luminaires for Commercial and Industrial Buildings								
86UAC	\$65	Universal Lighting Technologies	BLC48-65W830-HRV-OS	768386657811	9,494	65	3,000	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V or OSFLA-14V
	\$65		BLC48-65W835-HRV-OS	768386657820	9,494	65	3,500	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V or OSFLA-14V
	\$65		BLC48-65W840-HRV-OS	768386657835	10,059	65	4,000	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V or OSFLA-14V
	\$65		BLC48-65W850-HRV-OS	768386657842	10,080	65	5,000	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V or OSFLA-14V
86UAP	\$50	Halco Lighting Technologies	LHB-1-WS-40-U	807154302802	14,652	110	4,000	Wattage selectable - measure code based on lowest wattage/lumen rating.
	\$50		LHB-1-WS-50-U	807154302819	14,850	110	5,000	Wattage selectable - measure code based on lowest wattage/lumen rating.
	\$50	MaxLite Inc.	LS2-8U65WCSCR		12,446	95	3,500	Wattage & CCT selectable, Measure/incentive based on min. lumen level
	\$50	Universal Lighting Technologies	BLC48-65W830-U	076838665765	9,359	62	3,000	
			BLC48-65W835-U	076838665766	9,359	62	3,500	
			BLC48-65W840-U	076838665767	9,916	62	4,000	
			BLC48-65W850-U	076838665768	10,040	62	5,000	
	\$50	WESTGATE MFG	UHX-150W-MP-40K	845060074260	20,640	149	4,000	Wattage selectable - measure code based on lowest wattage/lumen rating.
UHX-150W-MP-50K			845060062984	20,568	144	5,000	Wattage selectable - measure code based on lowest wattage/lumen rating.	
86UAPC	\$80	Halco Lighting Technologies	LHB-1-WS-40-U-LVMS	807154302802+80715	14,652	110	4,000	Wattage selectable - measure code based on lowest wattage/lumen rating.
	\$80		LHB-1-WS-50-U-LVMS	807154302819+80715	14,850	110	5,000	Wattage selectable - measure code based on lowest wattage/lumen rating.
	\$80	MaxLite Inc.	LS2-8U65WCSCRMS		12,446	95	3,500	Wattage & CCT selectable, Measure/incentive based on min. lumen level
	\$80	Universal Lighting Technologies	BLC48-65W830-U-OS	768386657650	9,359	62	3,000	Must include Occ sensor option - OSFLA-ITW for UNV & 347V
			BLC48-65W835-U-OS	768386657668	9,359	62	3,500	Must include Occ sensor option - OSFLA-ITW for UNV & 347V
			BLC48-65W840-U-OS	768386657670	9,916	62	4,000	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V
			BLC48-65W850-U-OS	768386657682	10,040	62	5,000	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V
86UBC	\$90	GE Current	ABC1018471DQASTKQW1PK		16,364	126	4,000	
			ABC1018471QQASTAQW1PK		16,364	126	4,000	
			ABC1018481DQASTKQW1PK		15,397	126	4,000	
			ABC1018571DQA42QW1PK		16,380	126	5,000	
			ABC1018571DQASTKQW1PK		16,380	126	5,000	
			ABC1018581DQASTKQW1PK		15,725	126	5,000	
	\$90	Keystone Technologies	KT-HBLED105-2F-840-VDIM-P/PIR	890949018859	13,550	105	4,000	DLC V5, Standard
			KT-HBLED105-2F-850-VDIM-P/PIR	890949018866	13,650	105	5,000	DLC V5, Standard
			KT-HBLED135-2F-840-VDIM-P/PIR	890949018873	17,600	135	4,000	DLC V5, Standard
			KT-HBLED90-2F-840-VDIM-P/PIR	890949018835	11,700	90	4,000	DLC V5, Standard
	\$90	NICOR Inc.	HBL3110UNV40KDR		14,300	110	4,000	
	\$90	TCP	QHB2UZDA250KLS1		14,850	110	5,000	
			QHB2UZDA250KLS1D		14,850	110	5,000	
	\$90	Universal Lighting Technologies	BLC48-130W830-HRV-OS	768386657897	17,830	133	3,000	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V or OSFLA-14V
			BLC48-130W830-HRV-OS + BLC48-ACC-LEN48X11	768386657897 +Lens	16,500	130	3,000	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V or OSFLA-14V
			BLC48-130W830-U-OS	768386657730	17,650	128	3,000	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V
BLC48-130W830-U-OS + BLC48-ACC-LEN48X11			768386657730 +Lens	16,680	128	3,000	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V (Lens SKU#76)	
BLC48-130W835-HRV-OS				17,830	133	3,500	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V or OSFLA-14V	
BLC48-130W835-HRV-OS + BLC48-ACC-LEN48X11				16,500	130	3,500	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V or OSFLA-14V	
BLC48-130W835-U-OS				17,650	128	3,500	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V	
BLC48-130W835-U-OS + BLC48-ACC-LEN48X11				16,680	128	3,500	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V (Lens SKU#76)	

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
86UBC	\$90	Universal Lighting Technologies	BLC48-130W840-HRV-OS	768386657910	18,890	133	4,000	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V or OSFLA-14V
	\$90		BLC48-130W840-HRV-OS + BLC48-ACC-LEN48X11	768386657910 +Lens	17,481	130	4,000	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V or OSFLA-14V
	\$90		BLC48-130W840-U-OS	768386657750	18,700	128	4,000	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V
	\$90		BLC48-130W840-U-OS + BLC48-ACC-LEN48X11	768386657750 +Lens	17,672	128	4,000	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V (Lens SKU#76
	\$90		BLC48-130W850-HRV-OS	768386657920	19,030	133	5,000	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V or OSFLA-14V
	\$90		BLC48-130W850-HRV-OS + BLC48-ACC-LEN48X11	768386657920 +Lens	17,910	130	5,000	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V or OSFLA-14V
	\$90		BLC48-130W850-U-OS	768386657760	19,180	128	5,000	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V
	\$90		BLC48-130W850-U-OS + BLC48-ACC-LEN48X11	768386657760 +Lens	18,280	128	5,000	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V (Lens SKU#76
	\$90		BLC48-90W830-HRV-OS	768386657859	12,920	91	3,000	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V or OSFLA-14V
	\$90		BLC48-90W830-HRV-OS + BLC48-ACC-LEN48X11	768386657859 +Lens	12,170	89	3,000	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V or OSFLA-14V
	\$90		BLC48-90W830-U-OS	768386657699	12,910	89	3,000	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V
	\$90		BLC48-90W830-U-OS + BLC48-ACC-LEN48X11	768386657699 +Lens	12,120	89	3,000	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V (Lens SKU#76
	\$90		BLC48-90W835-HRV-OS	768386657866	12,920	91	3,500	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V or OSFLA-14V
	\$90		BLC48-90W835-HRV-OS + BLC48-ACC-LEN48X11	768386657866 +Lens	12,170	89	3,500	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V or OSFLA-14V
	\$90		BLC48-90W835-U-OS	768386657705	12,910	89	3,500	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V
	\$90		BLC48-90W835-U-OS + BLC48-ACC-LEN48X11	768386657705 +Lens	12,120	89	3,500	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V (Lens SKU#76
	\$90		BLC48-90W840-HRV-OS	768386657873	13,688	91	4,000	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V or OSFLA-14V
	\$90		BLC48-90W840-HRV-OS + BLC48-ACC-LEN48X11	768386657873 +Lens	12,894	89	4,000	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V or OSFLA-14V
	\$90		BLC48-90W840-U-OS	768386657710	13,678	89	4,000	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V
	\$90		BLC48-90W840-U-OS + BLC48-ACC-LEN48X11	768386657710 +Lens	12,841	89	4,000	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V (Lens SKU#76
\$90	BLC48-90W850-HRV-OS	768386657880	13,930	91	5,000	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V or OSFLA-14V		
\$90	BLC48-90W850-HRV-OS + BLC48-ACC-LEN48X11	768386657880 +Lens	13,440	89	5,000	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V or OSFLA-14V		
\$90	BLC48-90W850-U-OS	768386657729	13,860	89	5,000	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V		
\$90	BLC48-90W850-U-OS + BLC48-ACC-LEN48X11	768386657729 +Lens	13,570	89	5,000	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V (Lens SKU#76		
\$90	WESTGATE MFG	LLVT-4FT-75W-MCT-D-OPT-SEN-2MDR-36	845060054767	10,145	76	5,000	CCT Selectable. Must include sensor to receive incentive.	
86UBP	\$80	Acuity Brands Lighting	CLX L96 14000LM SEF FDL MVOLT GZ10 40K 80CRI WH	191723700480	13,340	95	4,000	
	\$80		CLX L96 14000LM SEF FDL MVOLT GZ10 50K 80CRI WH	191723795615	13,657	95	5,000	
	\$80		CLX L96 14000LM SEF RDL MVOLT GZ10 40K 80CRI WH	191723893793	13,732	95	4,000	
	\$80		CLX L96 14000LM SEF RDL MVOLT GZ10 50K 80CRI WH	191723862218	14,058	95	5,000	
	\$80		CPHB 12LM MVOLT 40K	194994608325	12,100	88	4,000	
	\$80		CPHB 12LM MVOLT 50K	194994429548	12,256	88	5,000	
	\$80		CPHB 15LM MVOLT 40K	194994429562	14,721	104	4,000	
	\$80		CPHB 15LM MVOLT 50K	194994429593	14,910	104	5,000	
	\$80		CPHB 18LM MVOLT 40K	194994608295	18,481	133	4,000	
	\$80		CPHB 18LM MVOLT 50K	194994429630	18,719	133	5,000	
	\$80		IBE L48 18000LM ATC MD MVOLT GZ10 40K 80CRI DWH	191848608692	18,354	128	4,000	
	\$80		IBG 12L MVOLT	194994009313	11,966	77	4,000	
	\$80		IBG 12L MVOLT 5K	194994009160	12,006	77	5,000	
	\$80		IBG 15L MVOLT	194994009184	14,941	95	4,000	
	\$80		IBG 15L MVOLT 5K	194994009061	14,990	95	5,000	
	\$80		IBG 18000LM HEF PCL GND MVOLT GZ10 50K 80CRI DWH		18,013	100	5,000	
	\$80		IBG 18L MVOLT	194994009078	17,329	113	4,000	
	\$80		IBG 18L MVOLT 5K	194994009177	17,967	113	5,000	
	\$80		JEBL 12000LM GL MVOLT 40K 80CRI DWHXD		13,286	92	4,000	
	\$80		JEBL 12000LM GL MVOLT 50K 80CRI DWHXD		13,382	92	5,000	
\$80	JEBL 12L 40K 80CRI WH	191848153840	12,838	92	4,101			
\$80	JEBL 18000LM GL MVOLT 40K 80CRI DWHXD		19,680	136	4,000			
\$80	JEBL 18000LM GL MVOLT 50K 80CRI DWHXD		19,822	136	5,000			

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
86UBP	\$80	Acuity Brands Lighting	JEBL 18L 40K 80CRI WH	191848153895	19,164	137	4,117	
	\$80		JEBL 18L 50K 80CRI WH	191848153888	19,251	137	5,280	
	\$80		XIB L24 18000LM AFMD MVOLT GZ10 40K 80CRI DWHXD	193048816662	18,002	113	4,000	
	\$80		IBE 15LM MVOLT 40K	191848194133	13,967	104	4,000	
	\$80		IBE 15LM MVOLT 50K	191848491058	14,395	104	5,000	
	\$80	ASD Lighting Corp	ASD-UHB2-100D40W-PRM	810050733281	14,700	100	4,000	
	\$80		ASD-UHB2-100D50-PRM	819201023486	14,800	100	5,000	
	\$80		ASD-UHB2-100D50W-PRM	810050733298	14,800	100	5,000	
	\$80		ASD-UHB2-FS-100D50		14,600	100	5,000	
	\$80		ASD-WHB5M-2D11040	810050734899	15,180	110	4,000	
	\$80	ASD-WHB5M-2D11050	810050734912	15,290	110	5,000		
	\$80	Barron Lighting Group	EHB-130-D-VS-4K	190622126560	18,000	130	4,000	
	\$80		EHB-130-D-VS-5K	190622126570	18,500	130	5,000	
	\$80		EQHB-130-D-VS-4K	190622145835	18,500	130	4,000	
	\$80		EQHB-130-D-VS-5K	190622145842	18,500	130	5,000	
	\$80		EQHB-90-D-VS-4K	190622145811	12,600	90	4,000	
	\$80		EQHB-90-D-VS-5K	190622145828	12,600	90	5,000	
	\$80		RHL-135-VS-4K-WH	190622140320	19,400	135	4,000	
	\$80		RHL-135-VS-5K-WH	190622140330	19,400	135	5,000	
	\$80	EarthTronics Inc.	HBL10550WH1	840791112748	13,755	105	5,000	
	\$80		HBL1500050WH4	840791108482	14,410	110	5,000	
	\$80		HBL510550WH1	840791114513	14,280	105	5,000	
	\$80		HBU10050B1	840791114735	14,786	101	5,000	
	\$80		HBU10050BK1	840791111611	13,195	97	5,000	
	\$80		HBU1300040BK4	840791109069	13,141	99	3,948	
	\$80		HBU15040BK4	840791111789	19,925	147	4,000	
	\$80	EATON	LHB-12-UNV-L840-CD-U	080083859160	12,390	86	4,000	
	\$80		LHB-18-UNV-L840-CD-U	080083859207	18,500	131	4,000	
	\$80		OHB-12SE-W-UNV-L840-CD-U	080083137909	12,071	75	4,000	
	\$80		OHB-18SE-W-UNV-L840-CD-U	080083903023	18,140	111	4,000	
	\$80		UHB-12-UNV-L840-CD-U	080083885862	13,208	98	4,000	
	\$80		UHB-18-UNV-L840-CD-U	080083885909	19,473	146	4,000	
	\$80		VHB-12-W-UNV-L840-CD-U	080083785971	12,430	87	4,000	
	\$80		VHB-15-W-UNV-L840-CD-U		15,417	115	4,000	
	\$80		VHB-18-W-UNV-L840-CD-U	080083785919	18,647	137	4,000	
	\$80		Elite Lighting Co.	CB2-LED-13000L-DIM10-MVOLT-WD-40K-85	848070048665	11,475	85	4,000
	\$80	CB2-LED-13000L-DIM10-MVOLT-WD-50K-85			11,560	85	5,000	
	\$80	CB2-LED-18000L-DIM10-MVOLT-WD-40K-85		848070078297	17,550	130	4,000	
	\$80	CB2-LED-18000L-DIM10-MVOLT-WD-50K-85			17,680	130	5,000	
	\$80	GE Current	ABC1012581DQVSTKQW1PK		10,265	78	5,000	
\$80	ABC1D18471QQVSTAQW1PK			17,982	124	4,000		
\$80	ABC1D18571QQVSTAQW1PK			18,000	124	5,000		
\$80	ABV3018T481DQVSTKQW1PK			15,103	114	4,000		
\$80	ARC014488LQVSTAQB			14,368	101	4,000		
\$80	Green Ignite	GI-22SLHB-C400-UL3CD	663546822620	18,000	130	5,000		
\$80		GI-22SLHB-D400-UL3CD	663546824082	17,800	130	4,000		
\$80		GI-HBUM-C400HO-UL4B W	663546824068	14,000	100	5,000		
\$80		GI-HBUM-D400HO-UL4B W	670875446182	14,000	100	4,000		

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
86UBP	\$80	Halco Lighting Technologies	LHB1/111/850/UNV/LED2	807154996490	15,152	111	5,000	
	\$80		HRHB-100-CS-U-BL	807154302512	14,726	103	4,000 CCT Selectable	
	\$80		HRHB-100-CS-U-WH	807154302505	14,726	103	4,000 CCT Selectable	
	\$80		HRHB-100-CS-U-BL-DCMS	807154302512+80715	14,726	103	4,000 CCT Selectable	
	\$80		HRHB-100-CS-U-WH-DCMS	807154302505+80715	14,726	103	4,000 CCT Selectable	
	\$80		LHB-2-WS-40-U	807154302826	21,360	160	4,000 Wattage selectable - measure code based on lowest wattage/lumen rating.	
	\$80		LHB-2-WS-50-U	807154302833	21,600	160	5,000 Wattage selectable - measure code based on lowest wattage/lumen rating.	
	\$80	Hubbell Lighting	CLB2-40LX-W-EDU	840141402871	10,489	76	4,000	
	\$80		CLB2-50LX-W-EDU	840141402949	10,747	76	5,000	
	\$80	Industrial Lighting Products	SS8-12L-U-35-FRL		12,085	90	3,500	
	\$80		SS8-12L-U-40-FRL		12,185	90	4,000	
	\$80		SS8-12L-U-50-FRL		12,289	90	5,000	
	\$80		VS8-12L-U-35-FRL		11,981	90	3,500	
	\$80		VS8-12L-U-40-FRL		12,130	90	4,000	
	\$80		VS8-12L-U-50-FRL		12,230	90	5,000	
	\$80		WTZ4-12L-U-50-RAFL		13,010	93	5,000	
	\$80		WTZ8-12L-U-35-RAFL		11,321	81	3,500	
	\$80		WTZ8-12L-U-40-RAFL		11,793	81	4,000	
	\$80		WTZ8-12L-U-50-RAFL		11,793	81	5,000	
	\$80		WTZ8-14L-U-35-RAFL		13,903	103	3,500	
	\$80		WTZ8-14L-U-40-RAFL		14,482	103	4,000	
	\$80		WTZ8-14L-U-50-RAFL		14,482	103	5,000	
	\$80		Keystone Technologies	KT-HBLED135-2F-840-VDIM-P	890949018873	17,700	135	5,000
	\$80	KT-HBLED135-2F-850-VDIM-P		890949018880	17,700	135	5,000	
	\$80	KT-HBLED215PS-2FB-8CSD-VDIM-P			30,100	215	5,000 Wattage & CCT selectable - measure code based on lowest wattage/lumen rating	
	\$80	KT-HBLED90-2F-850-VDIM-P		890949018842	11,800	90	5,000	
	\$80	KT-RHLED100-12C-840-VDIM-P /G2		843654133188	15,700	100	4,000	
	\$80	KT-RHLED100-12C-850-VDIM-P /G2		843654133195	15,900	100	5,000	
	\$80	KT-RHLED200PS-14C-8CSB-VDIM-P		843654132938	30,135	200	3,000 Wattage & CCT selectable - measure code based on lowest wattage/lumen rating	
	\$80	KT-RHLED200PS-14C-8CSB-VDIM-P-W			30,135	200	3,000 Wattage & CCT selectable - measure code based on lowest wattage/lumen rating	
	\$80	KT-HBLED80-1.5F-840-VDIM-P /G2		843654136820	12,000	80	4,000	
	\$80	KT-HBLED80-1.5F-850-VDIM-P /G2		843654136837	12,080	80	5,000	
	\$80	KT-HBLED90-1.5F-840-VDIM-P /G2		843654136844	13,500	90	4,000	
	\$80	KT-HBLED90-1.5F-850-VDIM-P /G2		843654136851	13,590	90	5,000	
	\$80	KT-HBLED115-1.5F-840-VDIM-P /G2		843654136721	17,250	115	4,000	
	\$80	KT-HBLED115-1.5F-850-VDIM-P /G2		843654136738	17,365	115	5,000	
\$80	KT-HBLED105PS-2FB-8CSD-VDIM-P		15,200	105	4,000 Wattage & CCT selectable - measure code based on lowest wattage/lumen rating			
\$80	LEDVANCE, LLC	LNHIBA3A/105UNVD840/12W/WH (61982)	046135619823	14,175	105	4,000		
\$80		LNHIBA3A/105UNVD850/12W/WH (61983)	046135619830	14,280	105	5,000		
\$80		LNHIBA3A/130UNVD840/12W/WH (61984)	046135619847	17,550	130	4,000		
\$80		LNHIBA3A/130UNVD850/12W/WH (61985)	046135619854	17,680	130	5,000		
\$80		STRIP2A/096UNVD835/96U/WH (65230)	046135652301	12,787	96	3,500		
\$80		STRIP2A/096UNVD835/96U/WH/E (65173)	046135651731	12,787	96	3,500		
\$80		STRIP2A/096UNVD840/96U/WH (65231)	046135652318	12,960	96	4,000		
\$80		STRIP2A/096UNVD840/96U/WH/E (65174)	046135651748	12,960	96	4,000		
\$80		STRIP2A/096UNVD850/96U/WH (65232)	046135652325	13,056	96	5,000		
\$80		STRIP2A/096UNVD850/96U/WH/E (65175)	046135651755	13,056	96	5,000		
\$80		UFOHIBA1A/100HUV835/WH	046135611339	13,966	99	3,500		

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2	
86UBP	\$80	LEDVANCE, LLC	UFOHIBA1A/100HUV840/WH	046135611346	13,424	99	4,000		
	\$80		UFOHIBA1A/100HUV850/WH	046135611353	13,622	100	5,000		
	\$80		UFOHIBA1A/100UNVD840/WH	046135611223	13,249	99	4,000		
	\$80		UFOHIBA1A/100UNVD850/WH	046135611230	13,350	100	5,000		
	\$80		UFOHIBA1A/150HUV835/WH	046135611360	20,074	149	3,500		
	\$80		UFOHIBA1A/150HUV840/WH	046135611377	19,196	146	4,000		
	\$80		UFOHIBA1A/150HUV850/WH	046135611384	19,478	147	5,000		
	\$80		UFOHIBA1A/150UNVD840/WH	046135611254	19,865	149	4,000		
	\$80		UFOHIBA1A/150UNVD850/WH	046135611261	20,076	149	5,000		
	\$80		UFOHIBA2A/100HUV840/WH (62081)	046135620812	14,815	103	4,000		
	\$80		UFOHIBA2A/100HUV850/WH (62082)	046135620829	14,734	103	5,000		
	\$80		UFOHIBA2A/100UNVD840/WH (62069)	046135620690	14,385	103	4,000		
	\$80		UFOHIBA2A/100UNVD850/WH (62070)	046135620706	14,196	103	5,000		
	\$80		WVAP1A/S090UNVD8SC7/48EC/GR (65414)	046135654145	13,374	90	3,500 CCT & Lumen Selectable		
	\$80		WVAP1A/S090UNVD8SC7/48EC/GR/E (65520)	046135655203	13,374	90	3,500 CCT & Lumen Selectable		
	\$80		WVAP1A/S180UNVD8SC7/48EC/GR (65415)	046135654152	26,658	180	3,500 CCT & Lumen Selectable, measure code based on minimum lumens		
	\$80		WVAP1A/S180UNVD8SC7/48EC/GR/E (65521)	046135655210	26,658	180	3,500 CCT & Lumen Selectable, measure code based on minimum lumens		
	\$80		UFOHIBA2A/100UNVD840/BL (62320)	046135623202	14,385	103	4,000		
	\$80		MaxLite Inc.	BLHE2-090DHF-50	767627360886	11,522	87	5,000	
	\$80			BLHE2-090DUF-50	767627115103	11,790	90	5,000	
	\$80	BLHE2-135DUF-50		767627115721	17,685	135	5,000		
	\$80	BLHE3-085UF-40		767627005893	11,475	85	4,000		
	\$80	BLHE3-085UF-50		767627005909	11,560	85	5,000		
	\$80	BLHE3-130UF-40		767627005930	17,550	130	4,000		
	\$80	BLHE3-130UF-50		767627005947	17,680	130	5,000		
	\$80	Morris Products Inc.	74097A		19,082	131	5,000		
	\$80	NICOR Inc.	HBC3100SUNV40K8		15,369	103	4,000		
	\$80		HBC3100SUNV50K8		15,423	103	5,000		
	\$80		HBG116U408A	767706181982	16,000	100	4,000		
	\$80		HBG116U408D	767706185256	15,400	100	4,000		
	\$80		HBG116U508A	767706181999	16,100	100	5,000		
	\$80		HBG116U508D	767706185263	15,500	100	5,000		
	\$80		HBL3110UNV40K		14,740	110	4,000		
	\$80		HBL3110UNV50K		14,850	110	5,000		
	\$80	HBL3110UNV50KD		14,410	110	5,000			
	\$80	P.Q.L. Inc.	90344	811768023374	14,861	99	5,000		
	\$80		CHB-100-50K (84021)	811768020083	13,906	99	5,000		
	\$80		CHB3-100-D-MV-50K (90300)	811768028096	14,208	98	5,000		
	\$80	RAB Lighting	ARBAY2-120	019813507507	16,039	117	5,030		
	\$80		ARBAY2-120N	019813507514	15,969	116	3,923		
	\$80		ARBAY2-145	019813507521	19,939	147	5,030		
	\$80		ARBAY2-145N	019813507538	19,852	146	3,933		
\$80	ARBAY2-95		019813507484	13,360	98	5,030			
\$80	ARBAY2-95N		019813507491	13,301	97	3,925			

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
86UBP	\$80	RAB Lighting	HAYBAY100/D10		14,897	102	5,000	
	\$80		HAYBAY100N/D10		14,892	101	4,000	
	\$80		HAYBAY130/D10		18,454	137	5,000	
	\$80		HAYBAY130N/D10		19,294	134	4,000	
	\$80		H17	192552022026	21,483	149	4,000	Wattage & CCT selectable, Measure/incentive based on min. lumen level
	\$80	SATCO	65/181	045923738104	13,152	99	4,000	
	\$80		65/182	045923738111	13,463	101	5,000	
	\$80		65/501	045923535017	10,347	77	4,000	
	\$80		65/502	045923682391	10,495	76	5,000	
	\$80		65/503	045923535031	15,909	104	4,000	
	\$80		65/504	046135600470	16,073	104	5,000	
	\$80		65/770	045923665677	17,668	124	3,000	Wattage & CCT selectable
	\$80		65/781	045923665691	14,385	103	4,000	
	\$80		65/782	045923665707	14,196	103	5,000	
	\$80		65/791	045923662898	14,385	103	4,000	
	\$80		65/792	045923662904	14,196	103	5,000	
	\$80		65/801	045923666308	14,815	103	4,000	
	\$80		65/802	045923665868	14,734	103	5,000	
	\$80		65/781R1	045923661914	15,536	104	4,000	
	\$80		65/782R1	045923661921	15,484	105	5,000	
	\$80		65/791R1	045923661990	15,536	104	4,000	
	\$80	65/792R1	045923662003	15,484	105	5,000		
	\$80	Signify	FBY12L840-UNV	784197653125	12,135	88	4,000	
	\$80		FBY12L850-UNV	784197655891	12,135	88	5,000	
	\$80		FBY18L840-UNV	784197653118	18,790	133	4,000	
	\$80		FBY18L850-UNV	784197655907	18,790	133	5,000	
	\$80		FCX15L840-UNV-DIM	784197631895	15,303	103	4,000	
	\$80	SLG	HE 120 G2 4K	728943426502	12,600	90	4,000	
	\$80		HE 120 G2 5K	728943426519	12,600	90	5,000	
	\$80		HE 170 G2 4K	728943424584	18,500	130	4,000	
	\$80		HE 170 G2 5K	728943424676	18,500	130	5,000	
	\$80		HL 185 G2 4K	728943428131	18,000	130	4,000	
	\$80		HL 185 G2 5K	728943428131	18,500	130	5,000	
	\$80		HL 185 G2 HVU 4K	728943428209	18,000	130	4,000	
	\$80		HL 185 G2 HVU 5K	728943428209	18,500	130	5,000	
	\$80		HR 190 WD G3 4K	728943426359	19,400	135	4,000	
	\$80		HR 190 WD G3 5K	728943426359	19,400	135	5,000	
	\$80		HR 190 WD G3 HVU 4K	728943426373	19,400	135	4,000	
	\$80		HR 190 WD G3 HVU 5K	728943426373	19,400	135	5,000	
	\$80		HCL 120 G1 4K		12,200	90	4,000	
	\$80		HCL 120 G1 5K		12,200	90	5,000	
	\$80		HCL 120 G1 HVU 4K		12,200	90	4,000	
	\$80		HCL 120 G1 HVU 5K		12,200	90	5,000	
	\$80		HCL 140 G1 4K		14,000	100	4,000	
\$80	HCL 140 G1 5K			14,000	100	5,000		
\$80	HCL 140 G1 HVU 4K			14,000	100	4,000		
\$80	HCL 140 G1 HVU 5K		14,000	100	5,000			

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2	
86UBP	\$80	Starco Lighting	SLHB-100R1D30-DOC		14,800	100	3,000		
	\$80		SLHB-100R1D30-DOH		14,800	100	3,000		
	\$80		SLHB-100R1D35-DOC		14,800	100	3,500		
	\$80		SLHB-100R1D35-DOH		14,800	100	3,500		
	\$80		SLHB-100R1D40-DOC		17,300	100	4,000		
	\$80		SLHB-100R1D40-DOH		17,300	100	4,000		
	\$80		SLHB-100R1D50-DOC		17,300	100	5,000		
	\$80		SLHB-100R1D50-DOH		17,300	100	5,000		
	\$80		SLHB-120R1D30-DOC		17,400	120	3,000		
	\$80		SLHB-120R1D30-DOH		17,400	120	3,000		
	\$80		SLHB-120R1D35-DOC		17,400	120	3,500		
	\$80		SLHB-120R1D35-DOH		17,400	120	3,500		
	\$80		SLHB-120R2D30-DOC		18,720	120	3,000		
	\$80		SLHB-120R2D30-DOH		18,720	120	3,000		
	\$80		SLHB-120R2D35-DOC		18,720	120	3,500		
	\$80		SLHB-120R2D35-DOH		18,720	120	3,500		
	\$80		SLHB-75R1D30-DOC		11,250	75	3,000		
	\$80		SLHB-75R1D30-DOH		11,250	75	3,000		
	\$80		SLHB-75R1D35-DOC		11,250	75	3,500		
	\$80		SLHB-75R1D35-DOH		11,250	75	3,500		
	\$80	SLHB-75R1D40-DOC		13,050	75	4,000			
	\$80	SLHB-75R1D40-DOH		13,050	75	4,000			
	\$80	SLHB-75R1D50-DOC		13,050	75	5,000			
	\$80	SLHB-75R1D50-DOH		13,050	75	5,000			
	\$80	TCP	HB10500140	819816020122	14,175	105	4,000		
	\$80		HB10500150	819816020139	14,175	105	5,000		
	\$80		HB9000140	762148280057	12,150	90	4,000		
	\$80		HB9000150	762148243410	12,150	90	5,000		
	\$80		HBRHZDA240K	762148185802	14,501	100	4,000		
	\$80		HBRHZDA250K	762148185284	14,775	100	5,000		
	\$80		HBRUZDA240K	762148186069	14,423	96	4,000		
	\$80		HBRUZDA250K	762148184669	14,696	96	5,000		
	\$80		IB2UZDA140K	762148118022	14,175	105	4,000		
	\$80		IB2UZDA150K	762148132882	14,175	105	5,000		
	\$80		IB2UZDE140K	762148185109	12,150	90	4,000		
	\$80		IB2UZDE150K	762148185963	12,150	90	5,000		
	\$80		RHBUZDA140K	762148281061	14,127	86	4,000		
	\$80		RHBUZDA150K	762148281146	14,177	86	5,000		
	\$80		RHBUZDA240K	762148154563	16,883	103	4,000		
	\$80		RHBUZDA250K	762148154570	16,942	103	5,000		
	\$80		UFOUZDB140K	762148252580	14,500	100	4,000		
	\$80		UFOUZDB150K	762148252603	14,500	100	5,000		
	\$80		HB9000140B			12,150	90	4,000	
	\$80		HB9000150B			12,150	90	5,000	
	\$80	HB10500140B			14,175	105	4,000		
\$80	HB10500150B			14,175	105	5,000			

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2	
86UBP	\$80	Topaz Lighting Corp.	F-LHB110W/40K/F-96	751338035805	15,050	108	4,000		
	\$80		F-LHB110W/50K/F-96	751338035577	15,219	108	5,000		
	\$80		F-LHB90W/40K/F-96	751338035799	13,174	93	4,000		
	\$80		F-LHB90W/50K/F-96	751338035553	13,308	93	5,000		
	\$80		F-LUHB/90W/50K	751338032347	14,363	91	5,000		
	\$80	Universal Lighting Technologies	RHBB100-840-HRV-133-90		14,400	100	4,000		
	\$80		RHBB100-840-UNV-133-90	076838673512	14,400	100	4,000		
	\$80		RHBB100-840-UNV-133-AF		13,500	100	4,000		
	\$80		RHBB100-850-HRV-133-90		14,400	100	5,000		
	\$80		RHBB100-850-UNV-133-90	076838673513	14,400	100	5,000		
	\$80		VTL8-12K835-U	076838658537	16,450	120	3,500		
	\$80		VTL8-12K840-U	076838658538	16,450	120	4,000		
	\$80		VTL8-12K850-U	076838658774	17,320	121	5,000		
	\$80	WESTGATE MFG	UHX-230W-MP-40K	845060074307	33,458	243	4,000	Wattage selectable - measure code based on lowest wattage/lumen rating.	
	\$80		UHX-230W-MP-50K	845060062991	34,813	242	5,000	Wattage selectable - measure code based on lowest wattage/lumen rating.	
	\$80		LLHB4-100W-30K-D		16,350	100	3,000		
	\$80		LLHB4-100W-40K-D		16,350	100	4,000		
	\$80		LLHB4-100W-50K-D		16,350	100	5,000		
	\$80		LOHB-4FT-120W-30K		15,354	117	3,000		
	\$80		LOHB-4FT-120W-40K		15,514	117	4,000		
\$80	LOHB-4FT-120W-50K			15,673	118	5,000			
\$80		UHX-100W-MP-50K		14,807	101	5,000			
86UBPC	\$105	Acuity Brands Lighting	CPHB 12000LM SEF GCL MD MVOLT GZ10 40K 80CRI LXR6 DWH	194995141388	12,273	88	4,000		
	\$105		CPHB 12000LM SEF GCL MD MVOLT GZ10 40K 80CRI NLTAIR2 RLSXR6 DWH	194995154425	12,273	88	4,000		
	\$105		CPHB 12000LM SEF GCL MD MVOLT GZ10 50K 80CRI [All Options excluding WGX] DWH	194995158164	12,354	88	5,000		
	\$105		CPHB 12000LM SEF GCL MD MVOLT GZ10 50K 80CRI LXR6 DWH	194995158102	12,354	88	5,000		
	\$105		CPHB 15000LM SEF GCL MD MVOLT GZ10 40K 80CRI LXR6 DWH	194995158348	15,343	105	4,000		
	\$105		CPHB 15000LM SEF GCL MD MVOLT GZ10 40K 80CRI NLTAIR2 RLSXR6 DWH	194995158393	15,343	105	4,000		
	\$105		CPHB 15000LM SEF GCL MD MVOLT GZ10 50K 80CRI LXR6 DWH	194995158928	15,444	105	5,000		
	\$105		CPHB 15000LM SEF GCL MD MVOLT GZ10 50K 80CRI NLTAIR2 RLSXR6 DWH	194995158959	15,444	105	5,000		
	\$105		CPHB 18000LM SEF GCL MD MVOLT GZ10 40K 80CRI LXR6 DWH	194995156139	18,199	133	4,000		
	\$105		CPHB 18000LM SEF GCL MD MVOLT GZ10 40K 80CRI NLTAIR2 RLSXR6 DWH	194995159710	18,199	133	4,000		
	\$105		CPHB 18000LM SEF GCL MD MVOLT GZ10 50K 80CRI LXR6 DWH	194995159307	18,319	133	5,000		
	\$105		CPHB 18000LM SEF GCL MD MVOLT GZ10 50K 80CRI NLTAIR2 RLSXR6 DWH	194995159482	18,319	133	5,000		
	\$105			IBE L24 18000LM ATC MD 120 GZ10 40K 80CRI LAOZU DWH	191848714973	18,059	136	4,000	
	\$105			IBE L24 18000LM ATC MD 277 GZ10 40K 80CRI LAOZU DWH	193048019032	18,059	136	4,000	
	\$105		ASD Lighting Corp	ASD-WHB5-2D11050W-MSR-PRM	810050734967	15,844	110	5,000	
	\$105	ASD-WHB5M-2D11050-MSR		810050734943	15,290	110	5,000		
	\$105	Barron Lighting Group	EHB-130-D-VS-4K-SC	190622141340	18,000	130	4,000		
	\$105		EHB-130-D-VS-5K-SC	190622140500	18,500	130	5,000		
	\$105		EQHB-130-D-VS-4K-SC		18,500	130	4,000		
	\$105		EQHB-130-D-VS-5K-SC		18,500	130	5,000		
	\$105		EQHB-90-D-VS-4K-SC		12,600	90	4,000		
	\$105		EQHB-90-D-VS-5K-SC		12,600	90	5,000		
	\$105		RHL-135-VS-4K-WH-SC	190622144050	19,400	135	4,000		
	\$105		RHL-135-VS-5K-WH-SC	190622144270	19,400	135	5,000		

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
86UBPC	\$105	Elite Lighting Co.	CB2-LED-13000L-DIM10-MVOLT-WD-50K-85-MS		11,560	85	5,000	
	\$105		CB2-LED-18000L-DIM10-MVOLT-WD-40K-85-MS		17,550	130	4,000	
	\$105		CB2-LED-18000L-DIM10-MVOLT-WD-50K-85-MS		17,680	130	5,000	
	\$105	GE Current	ABC1018571QQASTAQW1PK		18,000	126	5,000	
	\$105		ABV3018T481DFBSTKQW1PK		15,103	114	4,000	
	\$105		ARC014488LQVSTAQB (w/sensor 93142316)		14,368	101	4,000	Must be sold and installed with sensor option - 93142316 to receive incentive
	\$105	Halco Lighting Technologies	LHB-2-WS-40-U-LVMS	807154302826+80715	21,360	160	4,000	Wattage selectable - measure code based on lowest wattage/lumen rating.
	\$105		LHB-2-WS-50-U-LVMS	807154302833+80715	21,600	160	5,000	Wattage selectable - measure code based on lowest wattage/lumen rating.
	\$105	Keystone Technologies	KT-HBLED135-2F-850-VDIM-P/PIR	890949018880	17,700	135	5,000	
	\$105		KT-HBLED215PS-2FB-8CSD-VDIM-P/MW		30,100	215	5,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$105		KT-HBLED215PS-2FB-8CSD-VDIM-P/PIR		30,100	215	5,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$105		KT-HBLED90-2F-850-VDIM-P/PIR	890949018842	11,800	90	5,000	
	\$105		KT-RHLED100-12C-840-VDIM-P /G2 [/MW, /MW-A, /MW-B, /PIR, /PIR-A, /PIR-B]	843654133188	15,700	100	4,000	Select one occ. sensor option to qual. for incent. (UPCs: 843654135212-MW, 843654136820+84365)
	\$105		KT-RHLED100-12C-850-VDIM-P /G2 [/MW, /MW-A, /MW-B, /PIR, /PIR-A, /PIR-B]	843654133195	15,900	100	5,000	Select one occ. sensor option to qual. for incent. (UPCs: 843654135212-MW, 843654136820+84365)
	\$105		KT-RHLED200PS-14C-8CSB-VDIM-P [/MW, /MW-A, /MW-B, /PIR, /PIR-A, /PIR-B]		30,135	200	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$105		KT-RHLED200PS-14C-8CSB-VDIM-P-W [/MW, /MW-A, /MW-B, /PIR, /PIR-A, /PIR-B]		30,135	200	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$105		KT-HBLED80-1.5F-840-VDIM-P /G2/HBFC1	843654136820+84365	12,000	80	4,000	
	\$105		KT-HBLED80-1.5F-850-VDIM-P /G2/HBFC1	843654136837+84365	12,080	80	5,000	
	\$105		KT-HBLED90-1.5F-840-VDIM-P /G2/HBFC1	843654136844+84365	13,500	90	4,000	
	\$105		KT-HBLED90-1.5F-850-VDIM-P /G2/HBFC1	843654136851+84365	13,590	90	5,000	
	\$105		KT-HBLED115-1.5F-840-VDIM-P /G2/HBFC1	843654136721+84365	17,250	115	4,000	
	\$105		KT-HBLED115-1.5F-850-VDIM-P /G2/HBFC1	843654136738+84365	17,365	115	5,000	
	\$105		KT-HBLED80-1.5F-840-VDIM-P /G2/FC3	843654136820+84365	12,000	80	4,000	
	\$105		KT-HBLED80-1.5F-850-VDIM-P /G2/FC3	843654136837+84365	12,080	80	5,000	
	\$105	KT-HBLED90-1.5F-840-VDIM-P /G2/FC3	843654136844+84365	13,500	90	4,000		
	\$105	KT-HBLED90-1.5F-850-VDIM-P /G2/FC3	843654136851+84365	13,590	90	5,000		
	\$105	KT-HBLED115-1.5F-840-VDIM-P /G2/FC3	843654136721+84365	17,250	115	4,000		
	\$105	KT-HBLED115-1.5F-850-VDIM-P /G2/FC3	843654136738+84365	17,365	115	5,000		
	\$105	KT-HBLED80-1.5F-840-VDIM-P /G2/PIR	843654136820+84365	12,000	80	4,000		
	\$105	KT-HBLED80-1.5F-850-VDIM-P /G2/PIR	843654136837+84365	12,080	80	5,000		
	\$105	KT-HBLED90-1.5F-840-VDIM-P /G2/PIR	843654136844+84365	13,500	90	4,000		
	\$105	KT-HBLED90-1.5F-850-VDIM-P /G2/PIR	843654136851+84365	13,590	90	5,000		
	\$105	KT-HBLED115-1.5F-840-VDIM-P /G2/PIR	843654136721+84365	17,250	115	4,000		
	\$105	KT-HBLED115-1.5F-850-VDIM-P /G2/PIR	843654136738+84365	17,365	115	5,000		
	\$105	KT-HBLED80-1.5F-840-VDIM-P /G2/PIR-A	843654136820+84365	12,000	80	4,000		
	\$105	KT-HBLED80-1.5F-850-VDIM-P /G2/PIR-A	843654136837+84365	12,080	80	5,000		
	\$105	KT-HBLED90-1.5F-840-VDIM-P /G2/PIR-A	843654136844+84365	13,500	90	4,000		
	\$105	KT-HBLED90-1.5F-850-VDIM-P /G2/PIR-A	843654136851+84365	13,590	90	5,000		
	\$105	KT-HBLED115-1.5F-840-VDIM-P /G2/PIR-A	843654136721+84365	17,250	115	4,000		
	\$105	KT-HBLED115-1.5F-850-VDIM-P /G2/PIR-A	843654136738+84365	17,365	115	5,000		
\$105	KT-HBLED80-1.5F-840-VDIM-P /G2/PIR-B	843654136820+84365	12,000	80	4,000			
\$105	KT-HBLED80-1.5F-850-VDIM-P //PIR-B	843654136837+84365	12,080	80	5,000			
\$105	KT-HBLED90-1.5F-840-VDIM-P /G2/PIR-B	843654136844+84365	13,500	90	4,000			
\$105	KT-HBLED90-1.5F-850-VDIM-P /G2/PIR-B	843654136851+84365	13,590	90	5,000			
\$105	KT-HBLED115-1.5F-840-VDIM-P /G2/PIR-B	843654136721+84365	17,250	115	4,000			
\$105	KT-HBLED115-1.5F-850-VDIM-P /G2/PIR-B	843654136738+84365	17,365	115	5,000			
\$105	KT-HBLED80-1.5F-840-VDIM-P /G2/MW3-A	843654136820+84365	12,000	80	4,000			
\$105	KT-HBLED80-1.5F-850-VDIM-P /G2/MW3-A	843654136837+84365	12,080	80	5,000			

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
86UBPC	\$105	Keystone Technologies	KT-HBLED90-1.5F-840-VDIM-P /G2/MW3-A	843654136844+84365	13,500	90	4,000	
	\$105		KT-HBLED90-1.5F-850-VDIM-P /G2/MW3-A	843654136851+84365	13,590	90	5,000	
	\$105		KT-HBLED115-1.5F-840-VDIM-P /G2/MW3-A	843654136721+84365	17,250	115	4,000	
	\$105		KT-HBLED115-1.5F-850-VDIM-P /G2/MW3-A	843654136738+84365	17,365	115	5,000	
	\$105		KT-HBLED80-1.5F-840-VDIM-P /G2/MW3-B	843654136820+84365	12,000	80	4,000	
	\$105		KT-HBLED80-1.5F-850-VDIM-P /G2/MW3-B	843654136837+84365	12,080	80	5,000	
	\$105		KT-HBLED90-1.5F-840-VDIM-P /G2/MW3-B	843654136844+84365	13,500	90	4,000	
	\$105		KT-HBLED90-1.5F-850-VDIM-P /G2/MW3-B	843654136851+84365	13,590	90	5,000	
	\$105		KT-HBLED115-1.5F-840-VDIM-P /G2/MW3-B	843654136721+84365	17,250	115	4,000	
	\$105		KT-HBLED115-1.5F-850-VDIM-P /G2/MW3-B	843654136738+84365	17,365	115	5,000	
	\$105	KT-HBLED105PS-2FB-8CSD-VDIM-P/MW		15,200	105	4,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating	
	\$105	KT-HBLED105PS-2FB-8CSD-VDIM-P/PIR		15,200	105	4,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating	
	\$105	LEDVANCE, LLC	LNHIBA3A/105UNVD840/12W/WH/D (61996)	046135619960	14,175	105	4,000	
	\$105		LNHIBA3A/105UNVD850/12W/WH/D (61997)	046135619977	14,280	105	5,000	
	\$105		LNHIBA3A/130UNVD840/12W/WH/D (61998)	046135619984	17,550	130	4,000	
	\$105		LNHIBA3A/130UNVD850/12W/WH/D (61999)	046135619991	17,680	130	5,000	
	\$105		STRIP2A/096UNVD835/96U/WH/D (65149)	046135651496	12,787	96	3,500	
	\$105		STRIP2A/096UNVD835/96U/WH/DE (65206)	046135652066	12,787	96	3,500	
	\$105		STRIP2A/096UNVD840/96U/WH/D (65150)	046135651502	12,960	96	4,000	
	\$105		STRIP2A/096UNVD840/96U/WH/DE (65207)	046135652073	12,960	96	4,000	
	\$105		STRIP2A/096UNVD850/96U/WH/D (65151)	046135651519	13,056	96	5,000	
	\$105		STRIP2A/096UNVD850/96U/WH/DE (65208)	046135652080	13,056	96	5,000	
	\$105		UFOHIBA1A/100HUV840/WH/D (61158)	046135611582	13,424	99	4,000	
	\$105		UFOHIBA1A/100HUV850/WH/D (61159)	046135611599	13,622	100	5,000	
	\$105		UFOHIBA1A/100UNVD835/WH/D (61145)	046135611452	12,916	98	3,500	
	\$105		UFOHIBA1A/100UNVD840/WH/D (61146)	046135611469	13,249	99	4,000	
	\$105		UFOHIBA1A/100UNVD850/WH/D (61147)	046135611476	13,350	100	5,000	
	\$105		UFOHIBA1A/150HUV840/WH/D (61161)	046135611612	19,196	146	4,000	
	\$105		UFOHIBA1A/150HUV850/WH/D (61162)	046135611629	19,478	147	5,000	
	\$105		UFOHIBA1A/150UNVD835/WH/D (61148)	046135611483	19,831	149	3,500	
	\$105		UFOHIBA1A/150UNVD840/WH/D (61149)	046135611490	19,865	149	4,000	
	\$105		UFOHIBA1A/150UNVD850/WH/D (61150)	046135611506	20,076	149	5,000	
	\$105		UFOHIBA2A/100HUV840/WH (62081+65622)	046135620812+04613	14,815	103	4,000	Must be sold with accessory 65622 - Field Installed occ/daylight sensor
	\$105		UFOHIBA2A/100HUV850/WH (62082+65622)	046135620829+04613	14,734	103	5,000	Must be sold with accessory 65622 - Field Installed occ/daylight sensor
	\$105		UFOHIBA2A/100UNVD840/WH (62069+65622)	046135620690+04613	14,385	103	4,000	Must be sold with accessory 65622 - Field Installed occ/daylight sensor
\$105	UFOHIBA2A/100UNVD850/WH (62070+65622)		046135620706+04613	14,196	103	5,000	Must be sold with accessory 65622 - Field Installed occ/daylight sensor	
\$105	WVAP1A/S090UNVD8SC7/48EC/GR/D (65518)		046135655180	13,374	90	3,500	CCT & Lumen Selectable	
\$105	WVAP1A/S090UNVD8SC7/48EC/GR/DE (62132)	046135655326	13,374	90	3,500	CCT & Lumen Selectable		
\$105	WVAP1A/S180UNVD8SC7/48EC/GR/D (65519)	046135655197	26,658	180	3,500	CCT & Lumen Selectable, measure code based on minimum lumens		
\$105	WVAP1A/S180UNVD8SC7/48EC/GR/DE (62133)	046135655333	26,658	180	3,500	CCT & Lumen Selectable, measure code based on minimum lumens		
\$105	MaxLite Inc.	BLHE2-135DUF-50MS	767627118319	17,685	135	5,000		
\$105		BLHE3-085UF-40MS	767627006357	11,475	85	4,000		
\$105		BLHE3-085UF-50MS	767627006364	11,560	85	5,000		
\$105		BLHE3-130UF-40MS	767627006418	17,550	130	4,000		
\$105		BLHE3-130UF-50MS	767627006425	17,680	130	5,000		

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2	
86UBPC	\$105	NICOR Inc.	HBC3100SUNV40K8R	767706172447	15,369	103	4,000		
	\$105		HBC3100SUNV50K8R	767706172454	15,423	103	5,000		
	\$105		HBG116U408AR		16,000	100	4,000		
	\$105		HBG116U408DR		15,400	100	4,000		
	\$105		HBG116U508AR		16,100	100	5,000		
	\$105		HBG116U508DR		15,500	100	5,000		
	\$105		HBL3110UNV40KR		14,740	110	4,000		
	\$105		HBL3110UNV50KDR		14,410	110	5,000		
	\$105		HBL3110UNV50KR		14,850	110	5,000		
	\$105		RAB Lighting	ARBAY2-145/PIR		19,939	147	5,030	
	\$105			ARBAY2-95/PIR	019813509969	13,360	98	5,030	
	\$105			ARBAY2-95N/PIR		13,301	97	3,925	
	\$105			RAIL150W/D10/WS2	019813299051	17,907	134	5,000	
	\$105			RAIL95W/D10/WS2	019813298900	12,252	91	5,000	
	\$105		H17/PIR	192552022026+19255	21,483	149	4,000	Wattage & CCT selectable, Measure/incentive based on min. lumen level	
	\$105	SATCO	65/781 (With Add-on Sensor 86/218)	045923665691+04592	14,385	103	4,000	Sale must include LED UPC: 045923665691 & sensor UPC: 045923666353 to receive Tier 2 incentive. Sensor item #86/218 to receive Tier 2 incentive.	
	\$105		65/782 (With Add-on Sensor 86/218)	045923665707+04592	14,196	103	5,000	Sale must include LED UPC: 045923665707 & sensor UPC: 045923666353 to receive Tier 2 incentive. Sensor item #86/218 to receive Tier 2 incentive.	
	\$105		65/770 (With Add-on Sensor 86/218)	045923665677+04592	17,668	124	3,000	Wattage & CCT selectable. Sale of LED must include sensor item #86/218 to receive Tier 2 incentive. Sensor item #86/218 to receive Tier 2 incentive.	
	\$105		65/781R1 (With Add-on Sensor 86/218)	045923661914+04592	15,536	104	4,000	Sale of LED must include sensor item #86/218 to receive Tier 2 incentive. Sensor item #86/218 to receive Tier 2 incentive.	
	\$105		65/782R1 (With Add-on Sensor 86/218)	045923661921+04592	15,484	105	5,000	Sale of LED must include sensor item #86/218 to receive Tier 2 incentive. Sensor item #86/218 to receive Tier 2 incentive.	
	\$105		65/791R1 (With Add-on Sensor 86/218)	045923661990+04592	15,536	104	4,000	Sale of LED must include sensor item #86/218 to receive Tier 2 incentive. Sensor item #86/218 to receive Tier 2 incentive.	
	\$105		65/792R1 (With Add-on Sensor 86/218)	045923662003+04592	15,484	105	5,000	Sale of LED must include sensor item #86/218 to receive Tier 2 incentive. Sensor item #86/218 to receive Tier 2 incentive.	
	\$105	Signify	FBY12L840-UNV-MD360		12,135	90	4,000		
	\$105	SLG	HC 140 G1 4K FSP-212	728943426397	14,000	100	4,000		
	\$105		HC 140 G1 5K FSP-212	728943426403	14,000	100	5,000		
	\$105		HE 120 G2 4K HBP-117-L7-OEM	728943426502	12,600	90	4,000		
	\$105		HE 120 G2 5K HBP-117-L7-OEM	728943426519	12,600	90	5,000		
	\$105		HE 170 G2 4K HBP-117-L7-OEM	728943424584	18,500	130	4,000		
	\$105		HE 170 G2 5K HBP-117-L7-OEM	728943424676	18,500	130	5,000		
	\$105		HL 185 G2 4K HBP-117-L7-OEM		18,000	130	4,000		
	\$105		HL 185 G2 5K HBP-117-L7-OEM		18,500	130	5,000		
	\$105		HL 185 G2 HVU 4K HBP-117-L7-OEM		18,000	130	4,000		
	\$105		HL 185 G2 HVU 5K HBP-117-L7-OEM		18,500	130	5,000		
	\$105		HR 190 WD G3 4K FSP-212		19,400	135	4,000		
	\$105		HR 190 WD G3 5K FSP-212		19,400	135	5,000		
	\$105		HR 190 WD G3 HVU 4K FSP-212		19,400	135	4,000		
	\$105		HR 190 WD G3 HVU 5K FSP-212		19,400	135	5,000		
	\$105		HCL 120 G1 4K MS-BRI619		12,200	90	4,000		
	\$105		HCL 120 G1 5K MS-BRI619		12,200	90	5,000		
	\$105	HCL 140 G1 4K MS-BRI619		14,000	100	4,000			
	\$105	HCL 140 G1 5K MS-BRI619		14,000	100	5,000			
	\$105	Starco Lighting	SLHB-100R1D30-DMC		14,800	100	3,000		
	\$105		SLHB-100R1D30-DMH		14,800	100	3,000		
	\$105		SLHB-100R1D35-DMC		14,800	100	3,500		
	\$105		SLHB-100R1D35-DMH		14,800	100	3,500		
\$105	SLHB-100R1D40-DMC			17,300	100	4,000			
\$105	SLHB-100R1D40-DMH			17,300	100	4,000			
\$105	SLHB-100R1D50-DMC			17,300	100	5,000			

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2	
86UBPC	\$105	Starco Lighting	SLHB-100R1D50-DMH		17,300	100	5,000		
	\$105		SLHB-120R1D30-DMC		17,400	120	3,000		
	\$105		SLHB-120R1D30-DMH		17,400	120	3,000		
	\$105		SLHB-120R1D35-DMC		17,400	120	3,500		
	\$105		SLHB-120R1D35-DMH		17,400	120	3,500		
	\$105		SLHB-120R2D30-DMC		18,720	120	3,000		
	\$105		SLHB-120R2D30-DMH		18,720	120	3,000		
	\$105		SLHB-120R2D35-DMC		18,720	120	3,500		
	\$105		SLHB-120R2D35-DMH		18,720	120	3,500		
	\$105		SLHB-75R1D30-DMC		11,250	75	3,000		
	\$105		SLHB-75R1D30-DMH		11,250	75	3,000		
	\$105		SLHB-75R1D35-DMC		11,250	75	3,500		
	\$105		SLHB-75R1D35-DMH		11,250	75	3,500		
	\$105		SLHB-75R1D40-DMC		13,050	75	4,000		
	\$105		SLHB-75R1D40-DMH		13,050	75	4,000		
	\$105		SLHB-75R1D50-DMC		13,050	75	5,000		
	\$105		SLHB-75R1D50-DMH		13,050	75	5,000		
	\$105		TCP	HB9000140LS1		12,150	90	4,000	
	\$105			HB9000150LS1		12,150	90	5,000	
	\$105	HB9000140BLS1			12,150	90	4,000		
\$105	HB9000150BLS1			12,150	90	5,000			
\$105	HB10500140LS1	762148107286		14,175	105	4,000			
\$105	HB10500150LS1			14,175	105	5,000			
\$105	HB10500140BLS1			14,175	105	4,000			
\$105	HB10500150BLS1			14,175	105	5,000			
86UCC	\$120	EarthTronics Inc.	HBL3100040WH4	840791107539	28,990	223	4,000	Must be sold with option OSFHU-ITW or -I4W PIR sensor to receive incentive	
	\$120		HBL4400040WH4	840791107546	41,730	321	4,000	Must be sold with option OSFHU-ITW or -I4W PIR sensor to receive incentive	
	\$120	GE Current	ABC1024471DQASTKQW1PK		21,455	161	4,000		
	\$120		ABC1024471QQASTAQW1PK		21,455	161	4,000		
	\$120		ABC1024481DQASTKQW1PK		20,187	161	4,000		
	\$120		ABC1024571DQASTKQW1PK		21,476	161	5,000		
	\$120		ABC1024571QQASTAQW1PK		21,476	161	5,000		
	\$120		ABC1024581DQASTKQW1PK		20,617	161	5,000		
	\$120	Keystone Technologies	KT-HBLED215-2F-840-VDIM-P/PIR	890949018910	28,000	215	4,000	DLC V5, Standard	
	\$120	NICOR Inc.	HBL3162UNV40KDR		21,060	162	4,000		
	\$120		HBL3223UNV40KDR		28,990	223	4,000		
	\$120		HBL3321UNV40KDR		41,730	321	4,000		
	\$120	TCP	QHB2UZDA350KLS1		22,275	165	5,000		
	\$120		QHB2UZDA350KLS1D		22,275	165	5,000		
	\$120	Universal Lighting Technologies	BLC48-180W830-HRV-OS	768386657934	25,090	180	3,000	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V or OSFLA-14V	
	\$120		BLC48-180W830-HRV-OS + BLC48-ACC-LEN48X16	768386657934 +Lens	23,740	180	3,000	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V or OSFLA-14V	
	\$120		BLC48-180W830-U-OS	768386657770	24,910	179	3,000	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V	
	\$120		BLC48-180W830-U-OS + BLC48-ACC-LEN48X16	768386657770 +Lens	23,390	178	3,000	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V (Lens SKU#76	
	\$120		BLC48-180W835-HRV-OS		25,090	180	3,500	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V or OSFLA-14V	
	\$120		BLC48-180W835-HRV-OS + BLC48-ACC-LEN48X16		23,740	180	3,500	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V or OSFLA-14V	
\$120	BLC48-180W835-U-OS		768386657780	24,910	179	3,500	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V		
\$120	BLC48-180W835-U-OS + BLC48-ACC-LEN48X16		768386657780 +Lens	23,390	178	3,500	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V (Lens SKU#76		
\$120		BLC48-180W840-HRV-OS	768386657958	26,582	180	4,000	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V or OSFLA-14V		

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2	
86UCC	\$120	Universal Lighting Technologies	BLC48-180W840-HRV-OS + BLC48-ACC-LEN48X16	768386657958 +Lens	25,152	180	4,000	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V or OSFLA-14V	
	\$120		BLC48-180W840-U-OS	768386657798	26,391	179	4,000	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V	
	\$120		BLC48-180W840-U-OS + BLC48-ACC-LEN48X16	768386657798 +Lens	24,781	178	4,000	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V (Lens SKU#76)	
	\$120		BLC48-180W850-HRV-OS	768386657960	26,830	180	5,000	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V or OSFLA-14V	
	\$120		BLC48-180W850-HRV-OS + BLC48-ACC-LEN48X16	768386657960 +Lens	25,870	180	5,000	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V or OSFLA-14V	
	\$120		BLC48-180W850-U-OS	768386657800	26,810	179	5,000	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V	
	\$120		BLC48-180W850-U-OS + BLC48-ACC-LEN48X16	768386657800 +Lens	26,670	178	5,000	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V (Lens SKU#76)	
86UCP	\$110	Acuity Brands Lighting	CPHB 24LM MVOLT 40K	194994429685	24,662	170	4,000		
	\$110		CPHB 24LM MVOLT 50K	194994429753	24,979	170	5,000		
	\$110		CPHB 30LM MVOLT 40K	194994429746	29,395	212	4,000		
	\$110		CPHB 30LM MVOLT 50K	194994429784	29,803	212	5,000		
	\$110		IBE 22LM MVOLT 40K	191848491195	22,892	164	4,000		
	\$110		IBE 22LM MVOLT 50K	191848491133	21,712	165	5,000		
	\$110		IBG 24L MVOLT	194994009085	23,768	150	4,000		
	\$110		IBG 24L MVOLT 5K	194994009207	23,847	150	5,000		
	\$110		IBG 3600LM HEF PCL GND MVOLT GZ10 50K 80CRI DWH		36,124	214	5,000		
	\$110		JEBL 2400LM GL MVOLT 40K 80CRI DWHXD		26,559	181	4,000		
	\$110		JEBL 2400LM GL MVOLT 50K 80CRI DWHXD		26,750	181	5,000		
	\$110		JEBL 24L 40K 80CRI WH	191848153918	25,950	186	4,100		
	\$110		JEBL 24L 50K 80CRI WH	191848153956	25,588	186	5,254		
	\$110		JEBL 3000LM GL MVOLT 40K 80CRI DWHXD		31,423	218	4,000		
	\$110		JEBL 3000LM GL MVOLT 50K 80CRI DWHXD		31,649	218	5,000		
	\$110		JEBL 30L 40K 80CRI WH	191848153925	29,688	218	4,088		
	\$110		JEBL 30L 50K 80CRI WH	191848153932	31,011	219	5,265		
	\$110		XIB L24 2400LM FRGL MVOLT GZ10 40K 80CRI DWHXD	193048930917	25,186	155	4,000		
	\$110		ASD Lighting Corp	ASD-UHB2-150D40W-PRM	810050733304	22,050	150	4,000	
	\$110			ASD-UHB2-150D50-PRM	819201023493	22,200	150	5,000	
	\$110	ASD-UHB2-150D50W-PRM		810050733311	22,200	150	5,000		
	\$110	ASD-UHB2-200D40W-PRM		810050733328	29,400	200	4,000		
	\$110	ASD-UHB2-200D50-PRM		819201023509	29,600	200	5,000		
	\$110	ASD-UHB2-200D50W-PRM		810050733335	29,600	200	5,000		
	\$110	ASD-UHB2-240D50-PRM		819201024018	35,520	240	5,000		
	\$110	ASD-UHB2-300D50-PRM		819201025855	40,854	304	5,000		
	\$110	ASD-UHB2-FS-150D50		810050734424	21,900	150	5,000		
	\$110	ASD-UHB2-FS-200D50		810050734431	29,200	200	5,000		
	\$110	ASD-WHB5M-2D16540		810050734905	22,440	165	4,000		
	\$110	ASD-WHB5M-2D16550		810050734929	22,605	165	5,000		
	\$110	ASD-WHB5M-2D22040		810050736152	30,360	220	4,000		
	\$110	ASD-WHB5M-2D22050		810050734936	30,580	220	5,000		
	\$110	ASD-WHB5M-4D22050		810050735087	30,580	220	5,000		
	\$110	ASD-WHB5M-4D32050		810050735094	43,520	320	5,000		
	\$110	Atlas Lighting Products		IRH24L		24,019	176	5,281	
	\$110	Barron Lighting Group		EHB-180-D-VS-4K	190622126580	24,000	180	4,000	
	\$110		EHB-180-D-VS-5K	190622127020	24,500	180	5,000		
	\$110		EHB-205-D-VS-4K	190622126590	28,400	205	4,000		
	\$110		EHB-205-D-VS-5K	190622126600	29,000	205	5,000		
	\$110		EQHB-180-D-VS-4K	190622145859	25,200	180	4,000		
\$110	EQHB-180-D-VS-5K		190622145866	25,200	180	5,000			

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
86UCP	\$110	Barron Lighting Group	EQHB-210-D-VS-4K	190622145569	29,000	210	4,000	
	\$110		EQHB-210-D-VS-5K	190622145781	29,000	210	5,000	
	\$110		EQHB-270-D-VS-4K	190622145873	37,000	270	4,000	
	\$110		EQHB-270-D-VS-5K	190622145880	37,000	270	5,000	
	\$110		EQHB-300-D-VS-4K	190622145897	41,500	300	4,000	
	\$110		EQHB-300-D-VS-5K	190622145903	41,500	300	5,000	
	\$110		RHL-175-VS-4K-WH	190622140340	25,600	175	4,000	
	\$110		RHL-175-VS-5K-WH	190622140350	25,600	175	5,000	
	\$110		RHL-200-VS-4K-WH	190622140360	29,800	200	4,000	
	\$110		RHL-200-VS-5K-WH	190622140370	29,800	200	5,000	
	\$110	EarthTronics Inc.	HBL3100050WH4	840791107355	29,213	223	5,000	
	\$110		HBL4400050WH4	840791107362	42,051	321	5,000	
	\$110		HBL515550WH1	840791114551	21,080	155	5,000	
	\$110		HBL521050WH1	840791114599	28,560	210	5,000	
	\$110		HBL530050WH1	840791114636	40,800	300	5,000	
	\$110		HBU15040BK1	840791111628	20,569	151	4,000	
	\$110		HBU15050B1	840791114759	22,389	152	5,000	
	\$110		HBU2000040BK4	840791109106	20,094	149	3,960	
	\$110		HBU20050B1	840791114773	29,971	202	5,000	
	\$110		HBU20050BK1	840791111659	27,038	199	5,000	
	\$110	HBU24050B1	840791114797	35,947	243	5,000		
	\$110	HBU2700040BK4	840791109144	26,797	200	3,985		
	\$110	HBU3200040BK4	840791109199	31,701	239	3,993		
	\$110	HBW15050GR1	840791111710	21,297	153	5,000		
	\$110	EATON	LHB-24-UNV-L840-CD-U	080083859245	23,760	171	4,000	
	\$110		LHB-36-UNV-L840-CD-U	080083859283	37,230	263	4,000	
	\$110		OHB-24SE-W-UNV-L840-CD-U	080083902972	23,680	150	4,000	
	\$110		UHB-24-UNV-L840-CD-U	080083885947	26,497	196	4,000	
	\$110		UHB-30-UNV-L840-CD-U	080083885985	32,295	237	4,000	
	\$110		VHB-24-W-UNV-L840-CD-U	080083815708	23,057	174	4,000	
	\$110	Elite Lighting Co.	CB2-LED-26000L-DIM10-MVOLT-WD-40K-85	848070048672	22,950	170	4,000	
	\$110		CB2-LED-26000L-DIM10-MVOLT-WD-50K-85		23,120	170	5,000	
	\$110		CB2-LED-30000L-DIM10-MVOLT-WD-50K-85	194672007587	28,560	210	5,000	
	\$110		CB2-LED-38000L-DIM10-MVOLT-WD-40K-85	848070083949	34,425	255	4,000	
	\$110		CB2-LED-38000L-DIM10-MVOLT-WD-50K-85		34,680	255	5,000	
	\$110		CB2-LED-45000L-DIM10-MVOLT-WD-40K-85	194672007600	40,500	300	4,000	
	\$110		CB2-LED-45000L-DIM10-MVOLT-WD-50K-85		40,800	300	5,000	
	\$110		CB2-LED-58000L-DIM10-MVOLT-WD-40K-85	194672007624	54,000	400	4,000	
	\$110		CB2-LED-58000L-DIM10-MVOLT-WD-50K-85		54,400	400	5,000	
	\$110	GE Current	ABC1D24471QQVSTAQW1PK		23,576	159	4,000	
	\$110		ABC1D24571QQVSTAQW1PK		23,600	159	5,000	
	\$110		ABV3024T481DQVSTKQW1PK		20,080	143	4,000	
	\$110		ABV3030T481DQVSTKQW1PK		26,086	190	4,000	
	\$110		ARC021488LQVSTAQB		20,048	142	4,000	
	\$110		ARC021588LQVSTAQB		20,287	142	5,000	
	\$110		ARC028488LQVSTAQB		28,236	200	4,000	

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
86UCP	\$110	GE Current	ARC028588LQVSTAQB		28,573	200	5,000	
	\$110		ARC033488LQVSTAQB		33,761	242	4,000	
	\$110		ARC033588LQVSTAQB		34,163	242	5,000	
	\$110	Halco Lighting Technologies	LHB2/161/850/UNV/LED2	807154996506	22,025	161	5,000	
	\$110		LHB3/221/850/UNV/LED2	807154996513	30,189	221	5,000	
	\$110		HRHB-150-CS-U-BL	807154302536	22,164	155	4,000	CCT Selectable
	\$110		HRHB-150-CS-U-WH	807154302529	22,164	155	4,000	CCT Selectable
	\$110		HRHB-200-CS-U-BL	807154302550	27,271	198	4,000	CCT Selectable
	\$110		HRHB-200-CS-U-WH	807154302543	27,271	198	4,000	CCT Selectable
	\$110		HRHB-240-CS-U-BL	807154302574	34,267	241	4,000	CCT Selectable
	\$110		HRHB-240-CS-U-WH	807154302567	34,267	241	4,000	CCT Selectable
	\$110		HRHB-150-CS-U-BL-DCMS	807154302536+80715	22,164	155	4,000	CCT Selectable
	\$110		HRHB-150-CS-U-WH-DCMS	807154302529+80715	22,164	155	4,000	CCT Selectable
	\$110		HRHB-200-CS-U-BL-DCMS	807154302550+80715	27,271	198	4,000	CCT Selectable
	\$110		HRHB-200-CS-U-WH-DCMS	807154302543+80715	27,271	198	4,000	CCT Selectable
	\$110		HRHB-240-CS-U-BL-DCMS	807154302574+80715	34,267	241	4,000	CCT Selectable
	\$110		HRHB-240-CS-U-WH-DCMS	807154302567+80715	34,267	241	4,000	CCT Selectable
	\$110		LHB-3-WS-40-U	807154302840	29,634	220	4,000	Wattage selectable - measure code based on lowest wattage/lumen rating.
	\$110		LHB-3-WS-50-U	807154302857	29,920	220	5,000	Wattage selectable - measure code based on lowest wattage/lumen rating.
	\$110		LHB-4-WS-40-U	807154302864	42,848	320	4,000	Wattage selectable - measure code based on lowest wattage/lumen rating.
	\$110	LHB-4-WS-50-U	807154302871	43,200	320	5,000	Wattage selectable - measure code based on lowest wattage/lumen rating.	
	\$110	Hubbell Lighting	CLB2-40MH-W-EDU	840141402895	21,754	149	4,000	
	\$110		CLB2-40MV-W-EDU	840141402901	27,570	204	4,000	
	\$110		CLB2-50MH-W-EDU	840141402963	22,499	149	5,000	
	\$110		CLB2-50MV-W-EDU	840141402970	28,246	204	5,000	
	\$110		CLB4-40HH-W-EDU	840141402932	58,688	419	4,000	
	\$110		CLB4-40HM-W-EDU	840141402925	44,953	308	4,000	
	\$110		CLB4-40MX-W-EDU	840141402918	34,805	249	4,000	
	\$110		CLB4-50HH-W-EDU	840141403007	60,543	419	5,000	
	\$110		CLB4-50HM-W-EDU	840141402994	46,493	308	5,000	
	\$110		CLB4-50MX-W-EDU	840141402987	35,905	249	5,000	
	\$110		CRB-40MM-EDU	840141401478	21,445	152	4,000	
	\$110		CRB-40MV-EDU	840141401485	28,739	201	4,000	
	\$110		CRB-40MX-EDU	840141401492	34,638	243	4,000	
	\$110		CRB-50MM-EDU	840141401515	21,668	152	5,000	
	\$110		CRB-50MV-EDU	840141401522	29,074	201	5,000	
	\$110		CRB-50MX-EDU	840141401539	34,920	242	5,000	
	\$110		CRN2-50HM-EDU-FP		38,507	271	5,000	
	\$110	CRN2-50MM-EDU-FP	840141400402	22,083	151	5,000		
	\$110	CRN2-50MV-EDU-FP		28,284	199	5,000		
\$110	CRN2-50MX-EDU-FP	840141400440	34,705	244	5,000			
\$110	Keystone Technologies	KT-HBLED175-2F-840-VDIM-P	890949018897	23,000	175	4,000		
\$110		KT-HBLED175-2F-850-VDIM-P	890949018903	23,100	175	5,000		
\$110		KT-HBLED215-2F-850-VDIM-P	890949018927	28,200	215	5,000		
\$110		KT-HBLED320-4F-840-VDIM-P	843654109916	41,817	320	4,000		
\$110		KT-HBLED320-4F-850-VDIM-P	843654109954	42,000	320	5,000		
\$110		KT-RHLED150-12C-840-VDIM-P /G2	843654133201	23,400	150	4,000		
\$110		KT-RHLED150-12C-850-VDIM-P /G2	843654133218	23,600	150	5,000		

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
86UCP	\$110	Keystone Technologies	KT-RHLED200-14C-840-VDIM-P /G2	843654133225	31,800	200	4,000	
	\$110		KT-RHLED200-14C-850-VDIM-P /G2		32,000	200	5,000	
	\$110		KT-RHLED200-14C-857-VDIM-P /G2	843654133232	32,200	200	5,700	
	\$110		KT-HBLED155-2F-840-VDIM-P /G2	843654136745	23,250	155	4,000	
	\$110		KT-HBLED155-2F-850-VDIM-P /G2	843654136752	23,405	155	5,000	
	\$110		KT-HBLED185-2F-840-VDIM-P /G2	843654136769	27,750	185	4,000	
	\$110		KT-HBLED185-2F-850-VDIM-P /G2	843654136776	27,935	185	5,000	
	\$110		KT-HBLED230-4F-840-VDIM-P /G2	843654136783	34,500	230	4,000	
	\$110		KT-HBLED230-4F-850-VDIM-P /G2	843654136790	34,730	230	5,000	
	\$110		KT-HBLED270-4F-840-VDIM-P /G2	843654136806	40,500	270	4,000	
	\$110	KT-HBLED270-4F-850-VDIM-P /G2	843654136813	40,770	270	5,000		
	\$110	LEDVANCE, LLC	LNHIBA3A/155UNVD840/12W/WH (61986)	046135619861	20,925	155	4,000	
	\$110		LNHIBA3A/155UNVD850/12W/WH (61987)	046135619878	21,080	155	5,000	
	\$110		LNHIBA3A/210UNVD840/22W/WH (61988)	046135619885	28,350	210	4,000	
	\$110		LNHIBA3A/210UNVD850/22W/WH (61989)	046135619892	28,560	210	5,000	
	\$110		LNHIBA3A/255UNVD840/24W/WH (61990)	046135619908	34,425	255	4,000	
	\$110		LNHIBA3A/255UNVD850/24W/WH (61991)	046135619915	34,680	255	5,000	
	\$110		LNHIBA3A/300UNVD840/24W/WH (61992)	046135619922	40,500	300	4,000	
	\$110		LNHIBA3A/300UNVD850/24W/WH (61993)	046135619939	40,800	300	5,000	
	\$110		UFOHIBA1A/200HUV835/WH	046135611391	28,779	201	3,500	
	\$110		UFOHIBA1A/200HUV840/WH	046135611407	26,578	200	4,000	
	\$110		UFOHIBA1A/200HUV850/WH	046135611414	26,802	199	5,000	
	\$110		UFOHIBA1A/200UNVD840/WH	046135611285	27,217	200	4,000	
	\$110		UFOHIBA1A/200UNVD850/WH	046135611292	27,567	201	5,000	
	\$110		UFOHIBA1A/240HUV835/WH	046135611421	32,688	240	3,500	
	\$110		UFOHIBA1A/240HUV840/WH	046135611438	32,313	236	4,000	
	\$110		UFOHIBA1A/240HUV850/WH	046135611445	32,638	237	5,000	
	\$110		UFOHIBA1A/240UNVD840/WH	046135611315	32,207	239	5,000	
	\$110		UFOHIBA1A/240UNVD850/WH	046135611322	32,613	240	4,000	
	\$110		UFOHIBA2A/150HUV840/WH (62084)	046135620843	21,008	150	4,000	
	\$110		UFOHIBA2A/150HUV850/WH (62085)	046135620850	20,920	149	5,000	
	\$110		UFOHIBA2A/150UNVD840/WH (62072)	046135620720	20,798	150	4,000	
	\$110		UFOHIBA2A/150UNVD850/WH (62073)	046135620737	20,748	151	5,000	
	\$110		UFOHIBA2A/200HUV840/WH (62087)		28,832	203	4,000	
	\$110		UFOHIBA2A/200HUV850/WH (62088)	046135620881	28,730	203	5,000	
	\$110		UFOHIBA2A/200UNVD840/WH (62075)	046135620751	28,173	202	4,000	
	\$110		UFOHIBA2A/200UNVD850/WH (62076)	046135620768	28,108	202	5,000	
	\$110		UFOHIBA2A/240HUV840/WH (62090)	046135620904	34,052	241	4,000	
	\$110		UFOHIBA2A/240HUV850/WH (62091)	046135620911	33,999	242	5,000	
	\$110		UFOHIBA2A/240UNVD840/WH (62078)	046135620782	33,778	241	4,000	
	\$110		UFOHIBA2A/240UNVD850/WH (62079)	046135620799	33,459	241	5,000	
	\$110	LNHIBA4A/220HUV840/12W/WH (62294)	046135622946	30,584	216	4,000		
\$110	MaxLite Inc.	BLHE2-178DUF-50	767627115813	23,318	178	5,000		
\$110		BLHE2-223DUF-50	767627119422	29,213	223	5,000		
\$110		BLHE2-265DUF-50	767627116353	34,715	265	5,000		
\$110		BLHE2-321DUF-50	767627116360	42,051	321	5,000		
\$110		BLHE2-425DHF-50	767627361555	56,067	428	5,000		
\$110		BLHE2-425DUF-50	767627141355	55,675	425	5,000		

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2	
86UCP	\$110	MaxLite Inc.	BLHE3-170UF-40	767627005978	22,950	170	4,000		
	\$110		BLHE3-170UF-50	767627005985	23,120	170	5,000		
	\$110		BLHE3-210UF-40	767627006012	28,350	210	4,000		
	\$110		BLHE3-210UF-50	767627006029	28,560	210	5,000		
	\$110		BLHE3-255UF-40	767627006050	34,425	255	4,000		
	\$110		BLHE3-255UF-50	767627006067	34,680	255	5,000		
	\$110		BLHE3-300UF-40	767627006098	40,500	300	4,000		
	\$110		BLHE3-300UF-50	767627006104	40,800	300	5,000		
	\$110		BLHE3-400UF-40	767627006135	54,000	400	4,000		
	\$110		BLHE3-400UF-50	767627006142	54,400	400	5,000		
	\$110	NICOR Inc.	HBC3150SUNV40K8	767706172461	22,743	154	4,000		
	\$110		HBC3150SUNV50K8	767706172478	22,823	154	5,000		
	\$110		HBC3200SUNV40K8	767706172485	27,787	190	4,000		
	\$110		HBC3200SUNV50K8	767706172492	27,884	190	5,000		
	\$110		HBG123U408A	767706182002	23,200	145	4,000		
	\$110		HBG123U408D	767706185256	22,330	145	4,000		
	\$110		HBG123U508A	767706182019	23,345	145	5,000		
	\$110		HBG123U508D	767706185263	22,475	145	5,000		
	\$110		HBG133U408A	767706182033	32,800	205	4,000		
	\$110		HBG133U408D	767706185294	31,570	205	4,000		
	\$110		HBG133U508A	767706185300	33,005	205	5,000		
	\$110		HBG133U508D	767706185263	31,775	205	5,000		
	\$110		HBL3162UNV40K	767706133691	21,708	162	4,000		
	\$110		HBL3162UNV50K	767706133707	21,870	162	5,000		
	\$110		HBL3162UNV50KD	767706143508	21,222	162	5,000		
	\$110		HBL3223UNV40K	767706133714	29,882	223	4,000		
	\$110		HBL3223UNV50K	767706133721	30,105	223	5,000		
	\$110		HBL3223UNV50KD	767706143249	29,213	223	5,000		
	\$110		HBL3321UNV40K	767706133738	43,014	321	4,000		
	\$110		HBL3321UNV50K	767706133745	43,335	321	5,000		
	\$110		HBL3321UNV50KD	767706142709	42,051	321	5,000		
	\$110		P.Q.L. Inc.	90346	811768027280	22,351	150	5,000	
	\$110			90340	811768022155	28,111	204	5,000	
	\$110			90349		35,305	238	5,000	
	\$110			90388		811768029178	66,099	504	5,000
	\$110	CHB-150-50K (84023)			811768029376	20,510	150	5,000	
	\$110	CHB-200-50K (84025)			811768022131	26,922	197	5,000	
	\$110	CHB-240-50K (84027)			811768028003	33,286	239	5,000	
	\$110	CHB3-150-D-MV-50K (90302)			811768022483	22,319	150	5,000	
	\$110	CHB3-200-D-MV-50K (90304)			811768020779	28,841	200	5,000	
	\$110	CHB3-240-D-MV-50K (90306)			811768021325	35,856	248	5,000	
	\$110	RAB Lighting	ARBAY2-160	019813507545	21,922	159	5,030		
	\$110		ARBAY2-160N	019813507576	21,826	158	3,938		
	\$110		ARBAY3-215	019813507583	29,100	214	5,060		
	\$110		ARBAY3-215N	019813507590	29,178	216	3,934		
\$110	ARBAY3-275		019813507606	36,747	268	5,060			
\$110	ARBAY3-275N		019813507620	36,846	269	3,940			
\$110	ARBAY4-315		019813507637	43,148	311	5,058			

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2	
86UCP	\$110	RAB Lighting	ARBAY4-315N	019813507644	42,406	307	3,917		
	\$110		ARBAY4-360	019813507651	48,678	359	5,058		
	\$110		ARBAY4-360N	019813507675	47,841	355	3,944		
	\$110		HAYBAY150/D10		21,705	156	5,000		
	\$110		HAYBAY150N/D10		22,088	155	4,000		
	\$110		HAYBAY180/D10		25,313	180	5,000		
	\$110		HAYBAY180N/D10		25,450	179	4,000		
	\$110		H17XL		192552022033	33,823	237	4,000	Wattage & CCT selectable, Measure/incentive based on min. lumen level
	\$110		SATCO	62/1074	045923410741	27,243	208	4,000	
	\$110	65/183		045923738128	21,228	152	4,000		
	\$110	65/184		045923738135	20,090	153	5,000		
	\$110	65/185		045923738142	29,094	208	4,000		
	\$110	65/186		045923738159	29,144	207	5,000		
	\$110	65/505		045923535055	20,741	154	4,000		
	\$110	65/506		045923682414	23,215	154	5,000		
	\$110	65/507		045923535079	31,433	213	4,000		
	\$110	65/508		045923682421	32,042	214	5,000		
	\$110	65/771		045923665684	29,337	204	3,000	Wattage & CCT selectable	
	\$110	65/783		045923666186	20,881	151	4,000		
	\$110	65/784		045923666193	20,893	151	5,000		
	\$110	65/785		045923662850	28,173	202	4,000		
	\$110	65/786		045923662867	28,108	202	5,000		
	\$110	65/787		045923662874	33,778	241	4,000		
	\$110	65/788		045923662881	33,459	241	5,000		
	\$110	65/793		045923662911	20,881	151	4,000		
	\$110	65/794		045923665806	20,893	151	5,000		
	\$110	65/795		045923666261	28,173	202	4,000		
	\$110	65/796		045923666278	28,108	202	5,000		
	\$110	65/797		045923666285	33,778	241	4,000		
\$110	65/798	045923666292		33,459	241	5,000			
\$110	65/803	045923665875		21,008	150	4,000			
\$110	65/804	045923665882		20,920	149	5,000			
\$110	65/805	045923665899		28,832	203	4,000			
\$110	65/806	045923665905		28,730	203	5,000			
\$110	65/807	045923666315		34,052	241	4,000			
\$110	65/808	045923666322		33,999	242	5,000			
\$110	65/783R1	045923661938		22,699	157	4,000			
\$110	65/784R1	045923661945	22,674	157	5,000				
\$110	65/785+[@[Model Number]]R1	045923661952	30,540	211	4,000				
\$110	65/786R1	045923661969	30,537	211	5,000				
\$110	65/787R1	045923661976	34,583	241	4,000				
\$110	65/788R1	045923661983	34,716	241	5,000				
\$110	65/793R1	045923662096	22,699	157	4,000				
\$110	65/794R1	045923662102	22,674	157	5,000				
\$110	65/795R1	045923662119	30,540	211	4,000				
\$110	65/796R1	045923662126	30,537	211	5,000				
\$110	65/797R1	045923662133	34,583	241	4,000				
\$110	65/798R1	045923662140	34,716	241	5,000				

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
86UCP	\$110	Signify	FBY24L840-UNV	784197653101	24,740	176	4,000	
	\$110		FBY24L850-UNV	784197655914	24,740	176	5,000	
	\$110		FBY30L840-UNV		30,425	208	4,000	
	\$110		FBY30L850-UNV		30,425	208	5,000	
	\$110		FCX22L840-UNV-DIM	784197631871	22,440	155	4,000	
	\$110	SLG	HC 250 G1 4K	728943426410	25,000	180	4,000	
	\$110		HC 250 G1 5K	728943426427	25,000	180	5,000	
	\$110		HE 240 G2 4K	728943425383	25,200	180	4,000	
	\$110		HE 240 G2 5K	728943425390	25,200	180	5,000	
	\$110		HE 290 G2 4K	728943428728	29,000	210	4,000	
	\$110		HE 290 G2 5K	728943426526	29,000	210	5,000	
	\$110		HE 360 G2 4K	728943426533	37,000	270	4,000	
	\$110		HE 360 G2 5K	728943426533	37,000	270	5,000	
	\$110		HE 400 G2 4K	728943426540	41,500	300	4,000	
	\$110		HE 400 G2 5K	728943426540	41,500	300	5,000	
	\$110		HE 500 G2 4K		50,500	370	4,000	
	\$110		HE 500 G2 5K		50,500	370	5,000	
	\$110		HL 240 G2 4K	728943428148	23,500	160	4,000	
	\$110		HL 240 G2 5K	728943428148	24,000	160	5,000	
	\$110		HL 240 G2 HVU 4K	728943428216	23,900	170	4,000	
	\$110		HL 240 G2 HVU 5K	728943428216	24,500	170	5,000	
	\$110		HL 300 G2 4K	728943428155	29,500	200	4,000	
	\$110		HL 300 G2 5K	728943428155	30,000	200	5,000	
	\$110		HL 300 G2 HVU 4K	728943428223	30,400	220	4,000	
	\$110		HL 300 G2 HVU 5K	728943428223	31,000	220	5,000	
	\$110		HL 360 G2 4K	728943428162	35,500	250	4,000	
	\$110		HL 360 G2 5K	728943428162	36,000	250	5,000	
	\$110		HL 360 G2 HVU 4K	728943428230	35,500	250	4,000	
	\$110		HL 360 G2 HVU 5K	728943428230	36,000	250	5,000	
	\$110		HL 480 G2 4K	728943428179	47,000	320	4,000	
	\$110		HL 480 G2 5K	728943428179	48,000	320	5,000	
	\$110		HL 480 G2 HVU 4K	728943428247	49,000	350	4,000	
	\$110		HL 480 G2 HVU 5K	728943428247	50,000	350	5,000	
	\$110		HL 600 G2 4K	728943428186	58,500	400	4,000	
	\$110		HL 600 G2 5K	728943428186	60,000	400	5,000	
	\$110		HL 600 G2 HVU 4K	728943428254	60,000	420	4,000	
	\$110		HL 600 G2 HVU 5K	728943428254	61,000	420	5,000	
	\$110		HR 250 WD G3 4K	728943426366	25,600	175	4,000	
	\$110		HR 250 WD G3 5K	728943426366	25,600	175	5,000	
	\$110		HR 250 WD G3 HVU 4K	728943426380	25,000	175	4,000	
\$110	HR 250 WD G3 HVU 5K		728943426380	25,000	175	5,000		
\$110	HR 290 WD G3 4K		29,800	200	4,000			
\$110	HR 290 WD G3 5K		29,800	200	5,000			
\$110	HR 290 WD G3 HVU 4K		30,000	200	4,000			
\$110	HR 290 WD G3 HVU 5K		30,000	200	5,000			
\$110	HX 320 WD G1 4K		32,300	200	4,000			
\$110	HX 320 WD G1 5K		32,800	200	5,000			
\$110	HX 320 WD G1 HVU 4K		32,500	200	4,000			

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2	
86UCP	\$110	SLG	HX 320 WD G1 HVU 5K		33,000	200	5,000		
	\$110		HX 390 WD G1 4K		40,000	250	4,000		
	\$110		HX 390 WD G1 5K		40,100	250	5,000		
	\$110		HX 390 WD G1 HVU 4K		40,300	250	4,000		
	\$110		HX 390 WD G1 HVU 5K		41,000	250	5,000		
	\$110		HX 480 WD G1 4K		48,500	300	4,000		
	\$110		HX 480 WD G1 5K		49,500	300	5,000		
	\$110		HX 480 WD G1 HVU 4K		48,500	300	4,000		
	\$110		HX 480 WD G1 HVU 5K		49,500	300	5,000		
	\$110		HX 540 WD G1 4K		54,300	340	4,000		
	\$110		HX 540 WD G1 5K		55,500	340	5,000		
	\$110		HX 540 WD G1 HVU 4K		54,300	340	4,000		
	\$110		HX 540 WD G1 HVU 5K		55,500	340	5,000		
	\$110		HCL 240 G1 4K		24,300	180	4,000		
	\$110		HCL 240 G1 5K		24,300	180	5,000		
	\$110		HCL 240 G1 HVU 4K		24,300	180	4,000		
	\$110		HCL 240 G1 HVU 5K		24,300	180	5,000		
	\$110		Starco Lighting	SLHB-120R1D40-DOC		20,040	120	4,000	
	\$110			SLHB-120R1D40-DOH		20,040	120	4,000	
	\$110			SLHB-120R1D50-DOC		20,040	120	5,000	
	\$110			SLHB-120R1D50-DOH		20,040	120	5,000	
	\$110			SLHB-120R2D40-DOC		20,760	120	4,000	
	\$110			SLHB-120R2D40-DOH		20,760	120	4,000	
	\$110			SLHB-120R2D50-DOC		20,760	120	5,000	
	\$110			SLHB-120R2D50-DOH		20,760	120	5,000	
	\$110			SLHB-150R2D30-DOC		23,550	150	3,000	
	\$110			SLHB-150R2D30-DOH		23,550	150	3,000	
	\$110			SLHB-150R2D35-DOC		23,550	150	3,500	
	\$110			SLHB-150R2D35-DOH		23,550	150	3,500	
	\$110			SLHB-150R2D40-DOC		26,100	150	4,000	
	\$110			SLHB-150R2D40-DOH		26,100	150	4,000	
	\$110			SLHB-150R2D50-DOC		26,100	150	5,000	
	\$110			SLHB-150R2D50-DOH		26,100	150	5,000	
	\$110	SLHB-200R2D30-DOC			29,400	200	3,000		
	\$110	SLHB-200R2D30-DOH		29,400	200	3,000			
	\$110	SLHB-200R2D35-DOC		29,400	200	3,500			
	\$110	SLHB-200R2D35-DOH		29,400	200	3,500			
	\$110	SLHB-200R2D40-DOC		33,200	200	4,000			
	\$110	SLHB-200R2D40-DOH		33,200	200	4,000			
	\$110	SLHB-200R2D50-DOC		33,200	200	5,000			
\$110	SLHB-200R2D50-DOH		33,200	200	5,000				
\$110	TCP	HB15000140	819816021921	20,250	150	4,000			
\$110		HB15000140B	762148152286	20,250	150	4,000			
\$110		HB15000150	819816021945	20,250	150	5,000			
\$110		HB15000150B	762148153788	20,250	150	5,000			
\$110		HB17500140	762148280682	23,625	175	4,000			
\$110		HB17500150	762148280552	23,625	175	5,000			
\$110		HB21000140	819816020146	30,500	210	4,000			

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2	
86UCP	\$110	TCP	HB21000150	819816020153	30,500	210	5,000		
	\$110		HBMUZDA440K90D	762148284741	30,000	200	4,000		
	\$110		HBMUZDA450K90D	762148284734	30,000	200	5,000		
	\$110		HBRHZDA340K	762148185444	21,868	150	4,000		
	\$110		HBRHZDA350K	762148186052	22,282	150	5,000		
	\$110		HBRHZDA440K	762148185918	29,365	202	4,000		
	\$110		HBRHZDA450K	762148185512	29,920	202	5,000		
	\$110		HBRHZDA540K	762148185925	36,000	240	4,000		
	\$110		HBRHZDA550K	762148186007	36,000	240	5,000		
	\$110		HBRUZDA340K	762148186144	20,963	146	4,000		
	\$110		HBRUZDA350K	762148185994	21,359	146	5,000		
	\$110		HBRUZDA440K	762148185079	28,807	197	4,000		
	\$110		HBRUZDA450K	762148186038	29,352	197	5,000		
	\$110		HBRUZDA540K	762148185086	36,000	240	4,000		
	\$110		HBRUZDA550K	762148185338	36,000	240	5,000		
	\$110		IB2UZDA240K	762148124719	20,250	150	4,000		
	\$110		IB2UZDA250K	762148124610	20,250	150	5,000		
	\$110		IB2UZDA340K	762148120605	28,350	210	4,000		
	\$110		IB2UZDA350K	762148124764	28,350	210	5,000		
	\$110		IB2UZDE240K	762148186120	23,625	175	4,000		
	\$110		IB2UZDE250K	762148186076	23,625	175	5,000		
	\$110		IB3UZDA440K	762148124801	41,850	310	4,000		
	\$110		IB3UZDA450K	762148124726	41,850	310	5,000		
	\$110		IB4UZDA540K	762148184621	55,350	410	4,000		
	\$110		IB4UZDA550K	762148186106	55,350	410	5,000		
	\$110		RHBUZDA340K	762148275152	24,777	150	4,000		
	\$110		RHBUZDA350K	762148275381	24,863	150	5,000		
	\$110		RHBUZDA440K	762148275206	31,293	191	4,000		
	\$110		RHBUZDA450K	762148275398	31,403	191	5,000		
	\$110		UFOUZDB240K	762148252856	21,750	150	4,000		
	\$110		UFOUZDB250K	762148252863	21,750	150	5,000		
	\$110		UFOUZDB340K	762148252924	29,000	200	4,000		
	\$110		UFOUZDB350K	762148253044	29,000	200	5,000		
	\$110		UFOUZDB440K	762148253167	34,800	240	4,000		
	\$110		UFOUZDB450K	762148253259	34,800	240	5,000		
	\$110		UFOUZDB540K	762148253266	43,500	300	4,000		
	\$110		UFOUZDB550K	762148253273	43,500	300	5,000		
	\$110		HB21000140B			30,500	210	4,000	
	\$110		HB21000150B			30,500	210	5,000	
	\$110		HB17500140B			23,625	175	4,000	
\$110	HB17500150B			23,625	175	5,000			
\$110	Topaz Lighting Corp.	F-LHB165W/40K/F-96	751338035812	22,064	163	4,000			
\$110		F-LHB165W/50K/F-96	751338035591	22,331	163	5,000			
\$110		F-LHB220W/40K/F-96	751338035836	29,860	213	4,000			
\$110		F-LHB220W/50K/F-96	751338035607	30,191	213	5,000			
\$110		F-LHB300W/40K/F-96	751338035843	41,698	301	4,000			
\$110		F-LHB300W/50K/F-96	751338035775	42,321	301	5,000			
\$110		F-LUHB/135W/50K	751338032293		20,875	135	5,000		

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
86UCP	\$110	Topaz Lighting Corp.	F-LUHB/150W/50K	751338032149	20,140	152	5,000	
	\$110		F-LUHB/150W/50K/480	751338032156	20,139	148	5,000	
	\$110		F-LUHB/200W/50K	751338032293	30,504	192	5,000	
	\$110		F-LUHB/240/5K/G2	751338035911	33,684	235	5,000	
	\$110		F-LUHB/240W/50K	751338032170	32,138	242	5,000	
	\$110	Universal Lighting Technologies	RHBB150-840-HRV-175-90		21,600	150	4,000	
	\$110		RHBB150-840-HRV-184-90		21,600	150	4,000	
	\$110		RHBB150-840-UNV-175-90	076838673516	21,600	150	4,000	
	\$110		RHBB150-840-UNV-184-90	076838673517	21,600	150	4,000	
	\$110		RHBB150-850-HRV-175-90	076838673514	21,600	150	5,000	
	\$110		RHBB150-850-HRV-184-90	076838673515	21,600	150	5,000	
	\$110		RHBB150-850-UNV-175-90		21,600	150	5,000	
	\$110		RHBB150-850-UNV-184-90		21,600	150	5,000	
	\$110		RHBB200-840-HRV-216-90		27,200	200	4,000	
	\$110		RHBB200-840-HRV-240-90		27,200	200	4,000	
	\$110		RHBB200-840-UNV-216-90	076838673520	27,200	200	4,000	
	\$110		RHBB200-840-UNV-240-90	076838673521	27,200	200	4,000	
	\$110		RHBB200-850-HRV-216-90	076838673518	27,200	200	5,000	
	\$110		RHBB200-850-HRV-240-90	076838673519	27,200	200	5,000	
	\$110		RHBB200-850-UNV-216-90		27,200	200	5,000	
	\$110		RHBB200-850-UNV-240-90		27,200	200	5,000	
	\$110		RHBB240-840-UNV-259-60		34,080	240	4,000	
	\$110		RHBB240-840-UNV-259-90		32,640	240	4,000	
	\$110	RHBB240-840-UNV-259-AF		32,400	240	4,000		
	\$110	RHBB240-840-UNV-259-PF		32,400	240	4,000		
	\$110	RHBB240-850-UNV-259-AF		32,400	240	5,000		
	\$110	WESTGATE MFG	LLHB4-150W-30K-D		24,750	150	3,000	
	\$110		LLHB4-150W-40K-D		24,750	150	4,000	
	\$110		LLHB4-150W-50K-D		24,750	150	5,000	
	\$110		LLHB4-200W-30K-D		33,000	200	3,000	
	\$110		LLHB4-200W-40K-D		33,000	200	4,000	
	\$110		LLHB4-200W-50K-D		33,000	200	5,000	
	\$110		UHX-300W-MP-40K		40,031	295	4,000	
\$110	UHX-300W-MP-50K		41,502	301	5,000			
86UCPC	\$110	TCP	HB15000140LS1		20,250	150	4,000	
	\$110		HB15000140BLS1		20,250	150	4,000	
	\$110		HB15000150LS1		20,250	150	5,000	
	\$110		HB15000150BLS1		20,250	150	5,000	
	\$110		HB17500140LS1		23,625	175	4,000	
	\$110		HB17500150LS1		23,625	175	5,000	
	\$110		HB17500140BLS1		23,625	175	4,000	
	\$110		HB17500150BLS1		23,625	175	5,000	
	\$110		HB21000140LS1		30,500	210	4,000	
	\$110		HB21000150LS1		30,500	210	5,000	
	\$110		HB21000140BLS1		30,500	210	4,000	
	\$110		HB21000150BLS1		30,500	210	5,000	

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
86UCPC	\$135	Acuity Brands Lighting	CPHB 24000LM SEF GCL MD MVOLT GZ10 40K 80CRI LSXR6 DWH	194995155958	24,873	174	4,000	
	\$135		CPHB 24000LM SEF GCL MD MVOLT GZ10 40K 80CRI NLTAIR2 RLSXR6 DWH	194995160167	24,873	174	4,000	
	\$135		CPHB 24000LM SEF GCL MD MVOLT GZ10 50K 80CRI LSXR6 DWH	194995160044	25,037	174	5,000	
	\$135		CPHB 24000LM SEF GCL MD MVOLT GZ10 50K 80CRI NLTAIR2 RLSXR6 DWH	194995156788	25,037	174	5,000	
	\$135		CPHB 30000LM SEF GCL MD MVOLT GZ10 40K 80CRI LSXR6 DWH	194995163687	29,825	210	4,000	
	\$135		CPHB 30000LM SEF GCL MD MVOLT GZ10 40K 80CRI NLTAIR2 RLSXR6 DWH	194995163762	29,825	210	4,000	
	\$135		CPHB 30000LM SEF GCL MD MVOLT GZ10 50K 80CRI LSXR6 DWH	194995163915	30,081	210	5,000	
	\$135		CPHB 30000LM SEF GCL MD MVOLT GZ10 50K 80CRI NLTAIR2 RLSXR6 DWH	194995164189	30,081	210	5,000	
	\$135		IBE L24 22000LM ATC MD 277 GZ10 40K 80CRI LAOZU DWH	193047150644	22,892	164	4,000	
	\$135	ASD Lighting Corp	ASD-WHB5-2D16550W-MSR-PRM	819201026982	23,439	162	5,000	
	\$135		ASD-WHB5-2D22050W-MSR-PRM	819201027507	32,399	220	5,000	
	\$135		ASD-WHB5M-2D16550-MSR	810050734950	22,605	165	5,000	
	\$135		ASD-WHB5M-2D22050-MSR	810050734967	30,580	220	5,000	
	\$135		ASD-WHB5M-4D22050-MSR	810050735070	30,580	220	5,000	
	\$135		ASD-WHB5M-4D32050-MSR	810050736916	43,520	320	5,000	
	\$135	Barron Lighting Group	EHB-180-D-VS-4K-SC	190622138580	24,000	180	4,000	
	\$135		EHB-180-D-VS-5K-SC	190622138790	24,500	180	5,000	
	\$135		EHB-205-D-VS-4K-SC	190622141800	28,400	205	4,000	
	\$135		EHB-205-D-VS-5K-SC	190622140820	29,000	205	5,000	
	\$135		EQHB-180-D-VS-4K-SC		25,200	180	4,000	
	\$135		EQHB-180-D-VS-5K-SC	190622145729	25,200	180	5,000	
	\$135		EQHB-210-D-VS-4K-SC		29,000	210	4,000	
	\$135		EQHB-210-D-VS-5K-SC		29,000	210	5,000	
	\$135		EQHB-270-D-VS-4K-SC		37,000	270	4,000	
	\$135		EQHB-270-D-VS-5K-SC		37,000	270	5,000	
	\$135		EQHB-300-D-VS-4K-SC		41,500	300	4,000	
	\$135		EQHB-300-D-VS-5K-SC		41,500	300	5,000	
	\$135		RHL-175-VS-4K-WH-SC	190622144190	25,600	175	4,000	
	\$135		RHL-175-VS-5K-WH-SC	190622144590	25,600	175	5,000	
	\$135		RHL-200-VS-4K-WH-SC	190622142360	29,800	200	4,000	
	\$135	RHL-200-VS-5K-WH-SC	190622144600	29,800	200	5,000		
	\$135	EarthTronics Inc.	HBU24050B1 + 11480		35,947	243	5,000	
	\$135	Elite Lighting Co.	CB2-LED-26000L-DIM10-MVOLT-WD-40K-85-MS		22,950	170	4,000	
	\$135		CB2-LED-26000L-DIM10-MVOLT-WD-50K-85-MS		23,120	170	5,000	
	\$135		CB2-LED-30000L-DIM10-MVOLT-WD-50K-85-MS		28,560	210	5,000	
	\$135		CB2-LED-38000L-DIM10-MVOLT-WD-40K-85-MS		34,425	255	4,000	
	\$135		CB2-LED-38000L-DIM10-MVOLT-WD-50K-85-MS		34,680	255	5,000	
	\$135		CB2-LED-45000L-DIM10-MVOLT-WD-40K-85-MS		40,500	300	4,000	
	\$135		CB2-LED-45000L-DIM10-MVOLT-WD-50K-85-MS		40,800	300	5,000	
	\$135		CB2-LED-58000L-DIM10-MVOLT-WD-40K-85-MS		54,000	400	4,000	
	\$135		CB2-LED-58000L-DIM10-MVOLT-WD-50K-85-MS		54,400	400	5,000	
	\$135	GE Current	ABV3024T481DFBSTKQW1PK		20,080	143	4,000	
\$135	ABV3030T481DFBSTKQW1PK			26,086	190	4,000		
\$135	ARC021488LQVSTAQB (w/sensor 93142316)			20,048	142	4,000	Must be sold and installed with sensor option - 93142316 to receive incentive	
\$135	ARC021588LQVSTAQB (w/sensor 93142316)			20,287	142	5,000	Must be sold and installed with sensor option - 93142316 to receive incentive	
\$135	ARC028488LQVSTAQB (w/sensor 93142316)			28,236	200	4,000	Must be sold and installed with sensor option - 93142316 to receive incentive	

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
86UCPC	\$135	GE Current	ARC028588LQVSTAQB (w/sensor 93142316)		28,573	200	5,000	Must be sold and installed with sensor option - 93142316 to receive incentive
	\$135		ARC033488LQVSTAQB (w/sensor 93142316)		33,761	242	4,000	Must be sold and installed with sensor option - 93142316 to receive incentive
	\$135		ARC033588LQVSTAQB (w/sensor 93142316)		34,163	242	5,000	Must be sold and installed with sensor option - 93142316 to receive incentive
	\$135	Halco Lighting Technologies	LHB-3-WS-40-U-LVMS	807154302840+80715	29,634	220	4,000	Wattage selectable - measure code based on lowest wattage/lumen rating.
	\$135		LHB-3-WS-50-U-LVMS	807154302857+80715	29,920	220	5,000	Wattage selectable - measure code based on lowest wattage/lumen rating.
	\$135		LHB-4-WS-40-U-LVMS	807154302864+80715	42,848	320	4,000	Wattage selectable - measure code based on lowest wattage/lumen rating.
	\$135		LHB-4-WS-50-U-LVMS	807154302871+80715	43,200	320	5,000	Wattage selectable - measure code based on lowest wattage/lumen rating.
	\$135	Keystone Technologies	KT-HBLED175-2F-840-VDIM-P/PIR	890949018897	23,000	175	4,000	
	\$135		KT-HBLED175-2F-850-VDIM-P/PIR	890949018903	23,100	175	5,000	
	\$135		KT-HBLED215-2F-850-VDIM-P/PIR	890949018927	28,200	215	5,000	
	\$135		KT-HBLED320-4F-840-VDIM-P/PIR	843654109916	41,817	320	4,000	
	\$135		KT-HBLED320-4F-850-VDIM-P/PIR	843654109954	42,000	320	5,000	
	\$135		KT-RHLED150-12C-840-VDIM-P /G2 [/MW, /MW-A, /MW-B, /PIR, /PIR-A, /PIR-B]	843654133201	23,400	150	4,000	Select one occ. sensor option to qual. for incent. (UPCs: 843654135212-MW, 843654135212-MW-A, 843654135212-MW-B)
	\$135		KT-RHLED150-12C-850-VDIM-P /G2 [/MW, /MW-A, /MW-B, /PIR, /PIR-A, /PIR-B]	843654133218	23,600	150	5,000	Select one occ. sensor option to qual. for incent. (UPCs: 843654135212-MW, 843654135212-MW-A, 843654135212-MW-B)
	\$135		KT-RHLED200-14C-840-VDIM-P /G2 [/MW, /MW-A, /MW-B, /PIR, /PIR-A, /PIR-B]	843654133225	31,800	200	4,000	Select one occ. sensor option to qual. for incent. (UPCs: 843654135212-MW, 843654135212-MW-A, 843654135212-MW-B)
	\$135		KT-RHLED200-14C-850-VDIM-P /G2 [/MW, /MW-A, /MW-B, /PIR, /PIR-A, /PIR-B]		32,000	200	5,000	Select one occ. sensor option to qual. for incent. (UPCs: 843654135212-MW, 843654135212-MW-A, 843654135212-MW-B)
	\$135		KT-RHLED200-14C-857-VDIM-P /G2 [/MW, /MW-A, /MW-B, /PIR, /PIR-A, /PIR-B]	843654133232	32,200	200	5,700	Select one occ. sensor option to qual. for incent. (UPCs: 843654135212-MW, 843654135212-MW-A, 843654135212-MW-B)
	\$135		KT-HBLED155-2F-840-VDIM-P /G2/HBFC1	843654136745+84365	23,250	155	4,000	
	\$135		KT-HBLED155-2F-850-VDIM-P /G2/HBFC1	843654136752+84365	23,405	155	5,000	
	\$135		KT-HBLED185-2F-840-VDIM-P /G2/HBFC1	843654136769+84365	27,750	185	4,000	
	\$135		KT-HBLED185-2F-850-VDIM-P /G2/HBFC1	843654136776+84365	27,935	185	5,000	
	\$135		KT-HBLED230-4F-840-VDIM-P /G2/HBFC1	843654136783+84365	34,500	230	4,000	
	\$135		KT-HBLED230-4F-850-VDIM-P /G2/HBFC1	843654136790+84365	34,730	230	5,000	
	\$135		KT-HBLED270-4F-840-VDIM-P /G2/HBFC1	843654136806+84365	40,500	270	4,000	
	\$135		KT-HBLED270-4F-850-VDIM-P /G2/HBFC1	843654136813+84365	40,770	270	5,000	
	\$135		KT-HBLED155-2F-840-VDIM-P /G2/FC3	843654136745+84365	23,250	155	4,000	
	\$135		KT-HBLED155-2F-850-VDIM-P /G2/FC3	843654136752+84365	23,405	155	5,000	
	\$135		KT-HBLED185-2F-840-VDIM-P /G2/FC3	843654136769+84365	27,750	185	4,000	
	\$135		KT-HBLED185-2F-850-VDIM-P /G2/FC3	843654136776+84365	27,935	185	5,000	
	\$135		KT-HBLED230-4F-840-VDIM-P /G2/FC3	843654136783+84365	34,500	230	4,000	
	\$135		KT-HBLED230-4F-850-VDIM-P /G2/FC3	843654136790+84365	34,730	230	5,000	
	\$135		KT-HBLED270-4F-840-VDIM-P /G2/FC3	843654136806+84365	40,500	270	4,000	
	\$135		KT-HBLED270-4F-850-VDIM-P /G2/FC3	843654136813+84365	40,770	270	5,000	
	\$135		KT-HBLED155-2F-840-VDIM-P /G2/PIR	843654136745+84365	23,250	155	4,000	
	\$135		KT-HBLED155-2F-850-VDIM-P /G2/PIR	843654136752+84365	23,405	155	5,000	
	\$135		KT-HBLED185-2F-840-VDIM-P /G2/PIR	843654136769+84365	27,750	185	4,000	
	\$135		KT-HBLED185-2F-850-VDIM-P /G2/PIR	843654136776+84365	27,935	185	5,000	
	\$135		KT-HBLED230-4F-840-VDIM-P /G2/PIR	843654136783+84365	34,500	230	4,000	
	\$135		KT-HBLED230-4F-850-VDIM-P /G2/PIR	843654136790+84365	34,730	230	5,000	
	\$135		KT-HBLED270-4F-840-VDIM-P /G2/PIR	843654136806+84365	40,500	270	4,000	
	\$135		KT-HBLED270-4F-850-VDIM-P /G2/PIR	843654136813+84365	40,770	270	5,000	
	\$135		KT-HBLED155-2F-840-VDIM-P /G2/PIR-A	843654136745+84365	23,250	155	4,000	
	\$135		KT-HBLED155-2F-850-VDIM-P /G2/PIR-A	843654136752+84365	23,405	155	5,000	
	\$135		KT-HBLED185-2F-840-VDIM-P /G2/PIR-A	843654136769+84365	27,750	185	4,000	
	\$135		KT-HBLED185-2F-850-VDIM-P /G2/PIR-A	843654136776+84365	27,935	185	5,000	
	\$135		KT-HBLED230-4F-840-VDIM-P /G2/PIR-A	843654136783+84365	34,500	230	4,000	
	\$135		KT-HBLED230-4F-850-VDIM-P /G2/PIR-A	843654136790+84365	34,730	230	5,000	
	\$135		KT-HBLED270-4F-840-VDIM-P /G2/PIR-A	843654136806+84365	40,500	270	4,000	

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2	
86UCPC	\$135	Keystone Technologies	KT-HBLED270-4F-850-VDIM-P /G2/PIR-A	843654136813+84365	40,770	270	5,000		
	\$135		KT-HBLED155-2F-840-VDIM-P /G2/PIR-B	843654136745+84365	23,250	155	4,000		
	\$135		KT-HBLED155-2F-850-VDIM-P /G2/PIR-B	843654136752+84365	23,405	155	5,000		
	\$135		KT-HBLED185-2F-840-VDIM-P /G2/PIR-B	843654136769+84365	27,750	185	4,000		
	\$135		KT-HBLED185-2F-850-VDIM-P /G2/PIR-B	843654136776+84365	27,935	185	5,000		
	\$135		KT-HBLED230-4F-840-VDIM-P /G2/PIR-B	843654136783+84365	34,500	230	4,000		
	\$135		KT-HBLED230-4F-850-VDIM-P /G2/PIR-B	843654136790+84365	34,730	230	5,000		
	\$135		KT-HBLED270-4F-840-VDIM-P /G2/PIR-B	843654136806+84365	40,500	270	4,000		
	\$135		KT-HBLED270-4F-850-VDIM-P /G2/PIR-B	843654136813+84365	40,770	270	5,000		
	\$135		KT-HBLED155-2F-840-VDIM-P /G2/MW3-A	843654136745+84365	23,250	155	4,000		
	\$135		KT-HBLED155-2F-850-VDIM-P /G2/MW3-A	843654136752+84365	23,405	155	5,000		
	\$135		KT-HBLED185-2F-840-VDIM-P /G2/MW3-A	843654136769+84365	27,750	185	4,000		
	\$135		KT-HBLED185-2F-850-VDIM-P /G2/MW3-A	843654136776+84365	27,935	185	5,000		
	\$135		KT-HBLED230-4F-840-VDIM-P /G2/MW3-A	843654136783+84365	34,500	230	4,000		
	\$135		KT-HBLED230-4F-850-VDIM-P /G2/MW3-A	843654136790+84365	34,730	230	5,000		
	\$135		KT-HBLED270-4F-840-VDIM-P /G2/MW3-A	843654136806+84365	40,500	270	4,000		
	\$135		KT-HBLED270-4F-850-VDIM-P /G2/MW3-A	843654136813+84365	40,770	270	5,000		
	\$135		KT-HBLED155-2F-840-VDIM-P /G2/MW3-B	843654136745+84365	23,250	155	4,000		
	\$135		KT-HBLED155-2F-850-VDIM-P /G2/MW3-B	843654136752+84365	23,405	155	5,000		
	\$135		KT-HBLED185-2F-840-VDIM-P /G2/MW3-B	843654136769+84365	27,750	185	4,000		
	\$135		KT-HBLED185-2F-850-VDIM-P /G2/MW3-B	843654136776+84365	27,935	185	5,000		
	\$135		KT-HBLED230-4F-840-VDIM-P /G2/MW3-B	843654136783+84365	34,500	230	4,000		
	\$135		KT-HBLED230-4F-850-VDIM-P /G2/MW3-B	843654136790+84365	34,730	230	5,000		
	\$135		KT-HBLED270-4F-840-VDIM-P /G2/MW3-B	843654136806+84365	40,500	270	4,000		
	\$135		KT-HBLED270-4F-850-VDIM-P /G2/MW3-B	843654136813+84365	40,770	270	5,000		
	\$135		LEDVANCE, LLC	LNHIBA3A/155UNVD840/12W/WH/D (62000)	046135620003	20,925	155	4,000	
	\$135			LNHIBA3A/155UNVD850/12W/WH/D (62001)	046135620010	21,080	155	5,000	
	\$135			LNHIBA3A/210UNVD840/22W/WH/D (62002)	046135620027	28,350	210	4,000	
	\$135			LNHIBA3A/210UNVD850/22W/WH/D (62003)	046135620034	28,560	210	5,000	
	\$135			LNHIBA3A/255UNVD840/24W/WH/D (62004)	046135620041	34,425	255	4,000	
	\$135			LNHIBA3A/255UNVD850/24W/WH/D (62005)	046135620058	34,680	255	5,000	
	\$135			LNHIBA3A/300UNVD840/24W/WH/D (62006)	046135620065	40,500	300	4,000	
\$135	LNHIBA3A/300UNVD850/24W/WH/D (62007)	046135620072		40,800	300	5,000			
\$135	UFOHIBA1A/200HUV840/WH/D (61164)	046135611643		26,578	200	4,000			
\$135	UFOHIBA1A/200HUV850/WH/D (61165)	046135611650		26,802	199	5,000			
\$135	UFOHIBA1A/200UNVD840/WH/D (61152)	046135611520		27,217	200	4,000			
\$135	UFOHIBA1A/200UNVD850/WH/D (61153)	046135611537		27,567	201	5,000			
\$135	UFOHIBA1A/240HUV840/WH/D (61167)	046135611674		32,313	236	4,000			
\$135	UFOHIBA1A/240HUV850/WH/D (61168)	046135611681		32,638	237	5,000			
\$135	UFOHIBA1A/240UNVD840/WH/D (61155)	046135611551		32,207	239	5,000			
\$135	UFOHIBA1A/240UNVD850/WH/D (61156)	046135611568		32,613	240	4,000			
\$135	UFOHIBA2A/150HUV840/WH (62084+65622)	046135620843+04613		21,008	150	4,000	Must be sold with accessory 65622 - Field Installed occ/daylight sensor		
\$135	UFOHIBA2A/150HUV850/WH (62085+65622)	046135620850+04613		20,920	149	5,000	Must be sold with accessory 65622 - Field Installed occ/daylight sensor		
\$135	UFOHIBA2A/150UNVD840/WH (62072+65622)	046135620720+04613		20,798	150	4,000	Must be sold with accessory 65622 - Field Installed occ/daylight sensor		
\$135	UFOHIBA2A/150UNVD850/WH (62073+65622)	046135620737+04613		20,748	151	5,000	Must be sold with accessory 65622 - Field Installed occ/daylight sensor		
\$135	UFOHIBA2A/200HUV840/WH (62087+65622)			28,832	203	4,000	Must be sold with accessory 65622 - Field Installed occ/daylight sensor		
\$135	UFOHIBA2A/200HUV850/WH (62088+65622)	046135620881+04613		28,730	203	5,000	Must be sold with accessory 65622 - Field Installed occ/daylight sensor		
\$135	UFOHIBA2A/200UNVD840/WH (62075+65622)	046135620751+04613		28,173	202	4,000	Must be sold with accessory 65622 - Field Installed occ/daylight sensor		

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
86UCPC	\$135	LEDVANCE, LLC	UFOHIBA2A/200UNVD850/WH (62076+65622)	046135620768+04613	28,108	202	5,000	Must be sold with accessory 65622 - Field Installed occ/daylight sensor
	\$135		UFOHIBA2A/240HUV840/WH (62090+65622)	046135620904+04613	34,052	241	4,000	Must be sold with accessory 65622 - Field Installed occ/daylight sensor
	\$135		UFOHIBA2A/240HUV850/WH (62091+65622)	046135620911+04613	33,999	242	5,000	Must be sold with accessory 65622 - Field Installed occ/daylight sensor
	\$135		UFOHIBA2A/240UNVD840/WH (62078+65622)	046135620782+04613	33,778	241	4,000	Must be sold with accessory 65622 - Field Installed occ/daylight sensor
	\$135		UFOHIBA2A/240UNVD850/WH (62079+65622)	046135620799+04613	33,459	241	5,000	Must be sold with accessory 65622 - Field Installed occ/daylight sensor
	\$135	MaxLite Inc.	BLHE2-178DUF-50MS	767627118371	23,318	178	5,000	
	\$135		BLHE2-223DUF-50MS	767627119439	29,213	223	5,000	
	\$135		BLHE2-321DUF-50MS	767627118432	42,051	321	5,000	
	\$135		BLHE2-321DUF-50MS-C2		42,051	321	5,000	
	\$135		BLHE3-170UF-40MS	767627006470	22,950	170	4,000	
	\$135		BLHE3-170UF-50MS	767627006487	23,120	170	5,000	
	\$135		BLHE3-210UF-40MS	767627006531	28,350	210	4,000	
	\$135		BLHE3-210UF-50MS	767627006548	28,560	210	5,000	
	\$135		BLHE3-255UF-40MS	767627006593	34,425	255	4,000	
	\$135		BLHE3-255UF-50MS	767627006609	34,680	255	5,000	
	\$135		BLHE3-300UF-40MS	767627006654	40,500	300	4,000	
	\$135		BLHE3-300UF-50MS	767627006661	40,800	300	5,000	
	\$135		BLHE3-400UF-40MS	767627006715	54,000	400	4,000	
	\$135		BLHE3-400UF-50MS	767627006722	54,400	400	5,000	
	\$135		NICOR Inc.	HBC3150SUNV40K8R		22,743	154	4,000
	\$135	HBC3150SUNV50K8R			22,823	154	5,000	
	\$135	HBC3200SUNV40K8R			27,787	190	4,000	
	\$135	HBC3200SUNV50K8R			27,884	190	5,000	
	\$135	HBG123U408AR			23,200	145	4,000	
	\$135	HBG123U408DR			22,330	145	4,000	
	\$135	HBG123U508AR			23,345	145	5,000	
	\$135	HBG123U508DR			22,475	145	5,000	
	\$135	HBG133U408AR			32,800	205	4,000	
	\$135	HBG133U408DR			31,570	205	4,000	
	\$135	HBG133U508AR			33,005	205	5,000	
	\$135	HBG133U508DR			31,775	205	5,000	
	\$135	HBL3162UNV40KR			21,708	162	4,000	
	\$135	HBL3162UNV50KDR			21,222	162	5,000	
	\$135	HBL3162UNV50KR			21,870	162	5,000	
	\$135	HBL3223UNV40KR			29,882	223	4,000	
	\$135	HBL3223UNV50KDR			29,213	223	5,000	
	\$135	HBL3223UNV50KR			30,105	223	5,000	
	\$135	HBL3321UNV40KR			43,014	321	4,000	
	\$135	HBL3321UNV50KDR			42,051	321	5,000	
	\$135	HBL3321UNV50KR		43,335	321	5,000		
	\$135	RAB Lighting	ARBAY2-160/PIR	019813509976	21,922	159	5,030	
	\$135		ARBAY2-160N/PIR	01981383603	21,826	158	3,938	
\$135	ARBAY3-215/PIR		019813509983	29,100	214	5,060		
\$135	ARBAY3-215N/PIR			29,178	216	3,934		
\$135	RAIL185W/D10/WS2		019813638003	21,806	164	5,000		
\$135	RAIL225W/D10/WS2		019813638034	26,731	196	5,000		
\$135	RAIL400W/D10/WS2		019813667973	53,141	394	5,000		
\$135	H17XL/PIR		192552022033+19255	33,823	237	4,000	Wattage & CCT selectable, Measure/incentive based on min. lumen level	

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2	
86UCPC	\$135	SATCO	65/783 (With Add-on Sensor 86/218)	045923666186+04592	20,881	151	4,000	Sale must include LED UPC: 045923666186 & sensor UPC: 045923666353 to receive Tier 2 incentive. Sensor item #86/218 to receive Tier 2 incentive.	
	\$135		65/784 (With Add-on Sensor 86/218)	045923666193+04592	20,893	151	5,000	Sale must include LED UPC: 045923666193 & sensor UPC: 045923666353 to receive Tier 2 incentive. Sensor item #86/218 to receive Tier 2 incentive.	
	\$135		65/785 (With Add-on Sensor 86/218)	045923662850+04592	28,173	202	4,000	Sale must include LED UPC: 045923662850 & sensor UPC: 045923666353 to receive Tier 2 incentive. Sensor item #86/218 to receive Tier 2 incentive.	
	\$135		65/786 (With Add-on Sensor 86/218)	045923662867+04592	28,108	202	5,000	Sale must include LED UPC: 045923662867 & sensor UPC: 045923666353 to receive Tier 2 incentive. Sensor item #86/218 to receive Tier 2 incentive.	
	\$135		65/787 (With Add-on Sensor 86/218)	045923662874+04592	33,778	241	4,000	Sale must include LED UPC: 045923662874 & sensor UPC: 045923666353 to receive Tier 2 incentive. Sensor item #86/218 to receive Tier 2 incentive.	
	\$135		65/788 (With Add-on Sensor 86/218)	045923662881+04592	33,459	241	5,000	Sale must include LED UPC: 045923662881 & sensor UPC: 045923666353 to receive Tier 2 incentive. Sensor item #86/218 to receive Tier 2 incentive.	
	\$135		65/771 (With Add-on Sensor 86/218)	045923665684+04592	29,337	204	3,000	Wattage & CCT selectable. Sale of LED must include sensor item #86/218 to receive Tier 2 incentive. Sensor item #86/218 to receive Tier 2 incentive.	
	\$135		65/783R1 (With Add-on Sensor 86/218)	045923661938+04592	22,699	157	4,000	Sale of LED must include sensor item #86/218 to receive Tier 2 incentive. Sensor item #86/218 to receive Tier 2 incentive.	
	\$135		65/784R1 (With Add-on Sensor 86/218)	045923661945+04592	22,674	157	5,000	Sale of LED must include sensor item #86/218 to receive Tier 2 incentive. Sensor item #86/218 to receive Tier 2 incentive.	
	\$135		65/785R1 (With Add-on Sensor 86/218)	045923661952+04592	30,540	211	4,000	Sale of LED must include sensor item #86/218 to receive Tier 2 incentive. Sensor item #86/218 to receive Tier 2 incentive.	
	\$135		65/786R1 (With Add-on Sensor 86/218)	045923661969+04592	30,537	211	5,000	Sale of LED must include sensor item #86/218 to receive Tier 2 incentive. Sensor item #86/218 to receive Tier 2 incentive.	
	\$135		65/787R1 (With Add-on Sensor 86/218)	045923661976+04592	34,583	241	4,000	Sale of LED must include sensor item #86/218 to receive Tier 2 incentive. Sensor item #86/218 to receive Tier 2 incentive.	
	\$135		65/788R1 (With Add-on Sensor 86/218)	045923661983+04592	34,716	241	5,000	Sale of LED must include sensor item #86/218 to receive Tier 2 incentive. Sensor item #86/218 to receive Tier 2 incentive.	
	\$135		65/793R1 (With Add-on Sensor 86/218)	045923662096+04592	22,699	157	4,000	Sale of LED must include sensor item #86/218 to receive Tier 2 incentive. Sensor item #86/218 to receive Tier 2 incentive.	
	\$135		65/794R1 (With Add-on Sensor 86/218)	045923662102+04592	22,674	157	5,000	Sale of LED must include sensor item #86/218 to receive Tier 2 incentive. Sensor item #86/218 to receive Tier 2 incentive.	
	\$135		65/795R1 (With Add-on Sensor 86/218)	045923662119+04592	30,540	211	4,000	Sale of LED must include sensor item #86/218 to receive Tier 2 incentive. Sensor item #86/218 to receive Tier 2 incentive.	
	\$135		65/796R1 (With Add-on Sensor 86/218)	045923662126+04592	30,537	211	5,000	Sale of LED must include sensor item #86/218 to receive Tier 2 incentive. Sensor item #86/218 to receive Tier 2 incentive.	
	\$135		65/797R1 (With Add-on Sensor 86/218)	045923662133+04592	34,583	241	4,000	Sale of LED must include sensor item #86/218 to receive Tier 2 incentive. Sensor item #86/218 to receive Tier 2 incentive.	
	\$135		65/798R1 (With Add-on Sensor 86/218)	045923662140+04592	34,716	241	5,000	Sale of LED must include sensor item #86/218 to receive Tier 2 incentive. Sensor item #86/218 to receive Tier 2 incentive.	
	\$135		Signify	FBY24L840-UNV-MD360		24,740	188	4,000	
	\$135			FBY30L840-UNV-MD360		30,425	220	4,000	
	\$135	FBY30L850-UNV-MD360			30,425	208	5,000		
	\$135	SLG	HC 250 G1 4K FSP-212		25,000	180	4,000		
	\$135		HC 250 G1 5K FSP-212		25,000	180	5,000		
	\$135		HE 240 G2 4K HBP-117-L7-OEM		25,200	180	4,000		
	\$135		HE 240 G2 5K HBP-117-L7-OEM		25,200	180	5,000		
	\$135		HE 290 G2 4K HBP-117-L7-OEM		29,000	210	4,000		
	\$135		HE 290 G2 5K HBP-117-L7-OEM		29,000	210	5,000		
	\$135		HE 360 G2 4K HBP-117-L7-OEM		37,000	270	4,000		
	\$135		HE 360 G2 5K HBP-117-L7-OEM		37,000	270	5,000		
	\$135		HE 400 G2 4K HBP-117-L7-OEM		41,500	300	4,000		
	\$135		HE 400 G2 5K HBP-117-L7-OEM		41,500	300	5,000		
	\$135		HE 500 G2 4K HBP-117-L7-OEM		50,500	370	4,000		
	\$135		HE 500 G2 5K HBP-117-L7-OEM		50,500	370	5,000		
	\$135		HL 240 G2 4K HBP-117-L7-OEM		23,500	160	4,000		
	\$135		HL 240 G2 5K HBP-117-L7-OEM		24,000	160	5,000		
	\$135		HL 240 G2 HVU 4K HBP-117-L7-OEM		23,900	170	4,000		
	\$135		HL 240 G2 HVU 5K HBP-117-L7-OEM		24,500	170	5,000		
	\$135		HL 300 G2 4K HBP-117-L7-OEM		29,500	200	4,000		
	\$135		HL 300 G2 HVU 4K HBP-117-L7-OEM		30,400	220	4,000		
	\$135		HL 300 G2 HVU 5K HBP-117-L7-OEM		31,000	220	5,000		
	\$135		HL 360 G2 4K HBP-117-L7-OEM		35,500	250	4,000		
\$135	HL 360 G2 5K HBP-117-L7-OEM			36,000	250	5,000			
\$135	HL 360 G2 HVU 4K HBP-117-L7-OEM		35,500	250	4,000				
\$135	HL 360 G2 HVU 5K HBP-117-L7-OEM		36,000	250	5,000				
\$135	HL 480 G2 4K HBP-117-L7-OEM		47,000	320	4,000				
\$135	HL 480 G2 5K HBP-117-L7-OEM		48,000	320	5,000				
\$135	HL 480 G2 HVU 4K HBP-117-L7-OEM		49,000	350	4,000				

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
86UCPC	\$135	SLG	HL 480 G2 HVU 5K HBP-117-L7-OEM		50,000	350	5,000	
	\$135		HL 600 G2 4K HBP-117-L7-OEM		58,500	400	4,000	
	\$135		HL 600 G2 5K HBP-117-L7-OEM		60,000	400	5,000	
	\$135		HL 600 G2 HVU 4K HBP-117-L7-OEM		60,000	420	4,000	
	\$135		HL 600 G2 HVU 5K HBP-117-L7-OEM		61,000	420	5,000	
	\$135		HR 250 WD G3 4K FSP-212		25,600	175	4,000	
	\$135		HR 250 WD G3 5K FSP-212		25,600	175	5,000	
	\$135		HR 250 WD G3 HVU 4K FSP-212		25,000	175	4,000	
	\$135		HR 250 WD G3 HVU 5K FSP-212		25,000	175	5,000	
	\$135		HR 290 WD G3 4K FSP-212		29,800	200	4,000	
	\$135		HR 290 WD G3 5K FSP-212		29,800	200	5,000	
	\$135		HR 290 WD G3 HVU 4K FSP-212		30,000	200	4,000	
	\$135		HR 290 WD G3 HVU 5K FSP-212		30,000	200	5,000	
	\$135		HX 320 WD G1 4K FSP-212		32,300	200	4,000	
	\$135		HX 320 WD G1 HVU 4K FSP-212		40,300	250	4,000	
	\$135		HX 320 WD G1 HVU 5K FSP-212		33,000	200	5,000	
	\$135		HX 390 WD G1 4K FSP-212		40,000	250	4,000	
	\$135		HX 390 WD G1 5K FSP-212		40,100	250	5,000	
	\$135		HX 390 WD G1 HVU 4K FSP-212		40,300	250	4,000	
	\$135		HX 390 WD G1 HVU 5K FSP-212		41,000	250	5,000	
	\$135		HX 480 WD G1 5K FSP-212		49,500	300	5,000	
	\$135				55,500	340	5,000	Fitted with accessory for field adjustable lumen levels
	\$135		HX 480 WD G1 HVU 4K FSP-212		54,300	340	4,000	
	\$135		HX 480 WD G1 HVU 5K FSP-212		49,500	300	5,000	
	\$135		HX 540 WD G1 4K FSP-212		54,300	340	4,000	
	\$135		HX 540 WD G1 5K FSP-212		55,500	340	5,000	
	\$135		HX 540 WD G1 HVU 4K FSP-212		54,300	340	4,000	
	\$135		HX 540 WD G1 HVU 5K FSP-212		55,500	340	5,000	
	\$135		HCL 240 G1 4K MS-BRI619		24,300	180	4,000	
	\$135		HCL 240 G1 5K MS-BRI619		24,300	180	5,000	
	\$135	Starco Lighting	SLHB-120R1D40-DMC		20,040	120	4,000	
	\$135		SLHB-120R1D40-DMH		20,040	120	4,000	
	\$135		SLHB-120R1D50-DMC		20,040	120	5,000	
	\$135		SLHB-120R1D50-DMH		20,040	120	5,000	
	\$135		SLHB-120R2D40-DMC		20,760	120	4,000	
	\$135		SLHB-120R2D40-DMH		20,760	120	4,000	
	\$135		SLHB-120R2D50-DMC		20,760	120	5,000	
	\$135		SLHB-120R2D50-DMH		20,760	120	5,000	
	\$135		SLHB-150R2D30-DMC		23,550	150	3,000	
	\$135		SLHB-150R2D30-DMH		23,550	150	3,000	
	\$135		SLHB-150R2D35-DMC		23,550	150	3,500	
	\$135		SLHB-150R2D35-DMH		23,550	150	3,500	
	\$135		SLHB-150R2D40-DMC		26,100	150	4,000	
	\$135		SLHB-150R2D40-DMH		26,100	150	4,000	
	\$135		SLHB-150R2D50-DMC		26,100	150	5,000	
	\$135		SLHB-150R2D50-DMH		26,100	150	5,000	
	\$135		SLHB-200R2D30-DMC		29,400	200	3,000	
	\$135		SLHB-200R2D30-DMH		29,400	200	3,000	

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
86UCPC	\$135	Starco Lighting	SLHB-200R2D35-DMC		29,400	200	3,500	
	\$135		SLHB-200R2D35-DMH		29,400	200	3,500	
	\$135		SLHB-200R2D40-DMC		33,200	200	4,000	
	\$135		SLHB-200R2D40-DMH		33,200	200	4,000	
	\$135		SLHB-200R2D50-DMC		33,200	200	5,000	
	\$135		SLHB-200R2D50-DMH		33,200	200	5,000	
	\$135	Topaz Lighting Corp.	F-LUHB/150W/50K/MS	751338032163	20,140	152	5,000	
Integrated Retrofit Kits for 1x4 Luminaires								
88UBC	\$20	Universal Lighting Technologies	PRK14-18W830-UIFSB	076838672217	2,238	18	3,000	Must have IFSB control option to receive incentive
	\$20		PRK14-18W835-UIFSB	076838672218	2,274	18	3,500	
	\$20		PRK14-18W840-UIFSB	076838672219	2,351	18	4,000	
	\$20		PRK14-18W850-UIFSB	076838672220	2,445	18	5,000	
	\$20		PRK14-24W830-UIFSB	076838672221	2,939	24	3,000	
	\$20		PRK14-24W835-UIFSB	076838672222	2,986	24	3,500	
	\$20		PRK14-24W840-UIFSB	076838672223	3,088	24	4,000	
	\$20		PRK14-24W850-UIFSB	076838672224	3,211	24	5,000	
	\$20		PRK14-28W830-UIFSB	076838672225	3,663	28	3,000	
	\$20		PRK14-28W835-UIFSB	076838672226	3,721	28	3,500	
	\$20		PRK14-28W840-UIFSB	076838672227	3,848	28	4,000	
	\$20		PRK14-28W850-UIFSB	076838672228	4,002	28	5,000	
	\$20		PRK14-50W830-UIFSB	076838672233	6,023	49	3,000	
	\$20		PRK14-50W835-UIFSB	076838672234	6,118	49	3,500	
	\$20		PRK14-50W840-UIFSB	076838672235	6,326	49	4,000	
	\$20		PRK14-50W850-UIFSB	076838672236	6,579	49	5,000	
	\$20		TRK14-26L835-U-IFS		2,321	18	3,500	
	\$20		TRK14-26L840-U-IFS		2,321	18	4,000	
	\$20		TRK14-26L850-U-IFS		2,404	18	5,000	
	\$20		TRK14-32L835-U-IFS		2,891	23	3,500	
	\$20		TRK14-32L840-U-IFS		2,891	23	4,000	
	\$20		TRK14-32L850-U-IFS		2,926	22	5,000	
	\$20		TRK14-42L835-U-IFS		3,814	30	3,500	
	\$20		TRK14-42L840-U-IFS		3,814	30	4,000	
	\$20		TRK14-42L850-U-IFS		3,930	30	5,000	
	\$20		TRK14-50L835-U-IFS		4,536	37	3,500	
	\$20		TRK14-50L840-U-IFS		4,536	37	4,000	
	\$20		TRK14-50L850-U-IFS		4,718	37	5,000	
	\$20		TRK14-60L835-U-IFS		5,469	47	3,500	
	\$20		TRK14-60L840-U-IFS		5,469	47	4,000	
	\$20		TRK14-60L850-U-IFS		5,697	47	5,000	
	88UBP		\$20	Acuity Brands Lighting	BLT4R 40L ADP LP835	190887551013	4,073	32
\$20		BLT4R 40L ADP LP840	193047066228		4,138	32	4,000	
\$20		LEDVANCE, LLC	RDORKIT5AS/030UNVD835/14U/WH (61534)	046135615344	3,720	30	3,500	Selectable lumens for rated wattages of 20, 25, or 30
\$20			RDORKIT5AS/030UNVD835/14U/WH/E (61705)	046135617058	3,720	30	3,500	Selectable lumens for rated wattages of 20, 25, or 30
\$20			RDORKIT5AS/030UNVD840/14U/WH (61535)	046135615351	3,750	30	4,000	Selectable lumens for rated wattages of 20, 25, or 30
\$20			RDORKIT5AS/030UNVD840/14U/WH/E (61706)	046135617065	3,750	30	4,000	Selectable lumens for rated wattages of 20, 25, or 30
\$20			RDORKIT5AS/030UNVD850/14U/WH (61536)	046135615368	3,780	30	5,000	Selectable lumens for rated wattages of 20, 25, or 30
\$20			RDORKIT5AS/030UNVD850/14U/WH/E (61707)	046135617072	3,780	30	5,000	Selectable lumens for rated wattages of 20, 25, or 30
\$20			MaxLite Inc.	TRK14D20WCSCR	767627007217	3,750	30	3,500

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
88UBP	\$20	RAB Lighting	RTLED1X4-29NW/D10	019813601151	3,991	29	4,049	
	\$20	Signify	520239 EvoKit CLKE 1x4 32L 24W 840 UNV 0-10 P1		3,200	24	4,000	
	\$20		521286 EvoKit CLKE 1x4 32L 24W 835 UNV 0-10 P1		3,200	24	3,500	
	\$20	Universal Lighting Technologies	PRK14-36W830-U	076838666749	4,489	36	3,000	
	\$20		PRK14-36W835-U	076838666750	4,559	36	3,500	
	\$20		PRK14-36W840-U	076838666751	4,715	36	4,000	
	\$20		PRK14-36W850-U	076838666752	4,904	36	5,000	
88UBPC	\$30	RAB Lighting	RTLED1X4-29NW/D10/MVS	019813602134	3,991	29	4,049	
	\$30	Universal Lighting Technologies	PRK14-36W830-UIFSB	076838672229	4,489	36	3,000	
	\$30		PRK14-36W835-UIFSB	076838672230	4,559	36	3,500	
	\$30		PRK14-36W840-UIFSB	076838672231	4,715	36	4,000	
	\$30		PRK14-36W850-UIFSB	076838672232	4,904	36	5,000	
Integrated Retrofit Kits for 2x2 Luminaires								
88UBC	\$20	Universal Lighting Technologies	PRK22-18W830-UIFSB	076838672237	2,227	18	3,000	
	\$20		PRK22-18W835-UIFSB	076838672238	2,262	18	3,500	
	\$20		PRK22-18W840-UIFSB	076838672239	2,339	18	4,000	
	\$20		PRK22-18W850-UIFSB	076838672240	2,432	18	5,000	
	\$20		PRK22-25W830-UIFSB	076838672241	2,894	25	3,000	
	\$20		PRK22-25W835-UIFSB	076838672242	2,940	25	3,500	
	\$20		PRK22-25W840-UIFSB	076838672243	3,040	25	4,000	
	\$20		PRK22-25W850-UIFSB	076838672244	3,162	25	5,000	
	\$20		PRK22-32W830-UIFSB	076838672245	3,769	32	3,000	
	\$20		PRK22-32W835-UIFSB	076838672246	3,828	32	3,500	
	\$20		PRK22-32W840-UIFSB	076838672247	3,959	32	4,000	
	\$20		PRK22-32W850-UIFSB	076838672248	4,117	32	5,000	
	\$20		TRK22-20L835-UIFS	768386731840	1,893	15	3,500	
	\$20		TRK22-20L840-UIFS	768386731830	1,893	15	4,000	
	\$20		TRK22-20L850-UIFS	768386731820	2,288	15	5,000	
	\$20		TRK22-26L835-UIFS	768386728000	2,493	19	3,500	
	\$20		TRK22-26L840-UIFS	768386727990	2,493	19	4,000	
	\$20		TRK22-26L850-UIFS	768386727980	2,537	20	5,000	
	\$20		TRK22-32L835-UIFS	768386724710	2,963	24	3,500	
	\$20		TRK22-32L840-UIFS	768386724700	2,963	24	4,000	
	\$20		TRK22-32L850-UIFS	768386724690	3,228	24	5,000	
88UBP	\$20	Acuity Brands Lighting	2BLT2R 33L ADP LP835	193047066037	3,351	27	3,500	
	\$20		2BLT2R 33L ADP LP840	190887550931	3,405	27	4,000	
	\$20	Halco Lighting Technologies	RVMW22/29U35	807154104000	4,080	29	3,500	Wattage selectable
	\$20	Keystone Technologies	KT-RKIT23-22D-835-VDIM	890949016572	2,930	23	3,500	
	\$20		KT-RKIT23-22D-840-VDIM	890949016589	2,980	23	4,000	
	\$20		KT-RKIT23-22D-850-VDIM	890949016596	3,070	23	5,000	
	\$20	LEDVANCE, LLC	RDORKIT3A023UNVD84022UWH	046135606175	2,900	22	4,000	
	\$20		RDORKIT3A023UNVD85022UWH	046135606182	2,900	22	5,000	
	\$20		RDORKIT3A033UNVD83524UWH	046135606205	2,900	22	3,500	
	\$20		RDORKIT5AS/030UNVD835/22U/WH (61525)	046135615252	3,660	30	3,500	Selectable lumens for rated wattages of 20, 25, or 30
\$20	RDORKIT5AS/030UNVD835/22U/WH/E (61696)		046135616969	3,660	30	3,500	Selectable lumens for rated wattages of 20, 25, or 30	

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2	
88UBP	\$20	LEDVANCE, LLC	RDORKIT5AS/030UNVD840/22U/WH (61526)	046135615269	3,690	30	4,000	Selectable lumens for rated wattages of 20, 25, or 30	
	\$20		RDORKIT5AS/030UNVD840/22U/WH/E (61697)	046135616976	3,690			Selectable lumens for rated wattages of 20, 25, or 30	
	\$20		RDORKIT5AS/030UNVD850/22U/WH (61527)	046135615276	3,720			Selectable lumens for rated wattages of 20, 25, or 30	
	\$20		RDORKIT5AS/030UNVD850/22U/WH/E (61698)	046135616983	3,720			Selectable lumens for rated wattages of 20, 25, or 30	
	\$20	MaxLite Inc.	TRK22D1840CR	767627007972	2,250	18	4,000		
	\$20		TRK22D20WCSCR	767627007934	3,750	30	3,500		
	\$20		TRK22D2335	767627946110	2,967	23	3,500		
	\$20		TRK22D2340	767627946127	2,990	23	4,000		
	\$20	P.Q.L. Inc.	55620	811768024029	5,040	40	3,500	Wattage & CCT selectable	
	\$20	RAB Lighting	RTLED2X2-29NW/D10	019813601076	3,801	29	4,049		
	\$20	Signify	515940(EVOKIT2X2P32L24W84020-107G4)	781087148839	3,200	24	4,000		
	\$20		516005(EVOKIT2X2P32L24W83520-107G4)	781087148792	3,127	24	3,506		
	\$20		518324(EvoKit 2X2 P 32L 24W 840 2 SWZDT 7 G4)	781087148884	3,200	24	4,000		
	\$20		518332(EvoKit 2X2 P 32L 25W 835 2 SWZDT 7 G4)	781087148877	3,225	25	3,500		
	\$20		520247(EvoKit CLKE 2X2 32L 24W 840 UNV 0-10)	781087157985	3,200	24	4,000		
	\$20		520254 EvoKit CLKE 2x2 32L 25W 840 UNV SR P1		3,200	25	4,000		
	\$20		521336(EvoKit CLKE 2X2 23L 16W 835 UNV 0-10)	781087159132	2,300	16	3,500		
	\$20		521344(EvoKit CLKE 2X2 23L 16W 840 UNV 0-10)	781087159149	2,300	16	4,000		
	\$20		521385(EvoKit CLKE 2X2 32L 25W 835 UNV SR P1)		3,200	25	3,500		
	\$20		523464(EvoKit CLKE 2X2 32L 24W 835 UNV SWZ)	781087161906	3,200	24	3,500		
	\$20		523472(EvoKit CLKE 2X2 32L 24W 840 UNV SWZ)	781087161913	3,200	24	4,000		
	\$20		521377 EvoKit CLKE 2X2 32L 24W 835 UNV 0-10 P1	781087159170	3,200	24	3,500		
	\$20		Universal Lighting Technologies	PRK22-36W830-U	076838666729	4,552	37	3,000	
	\$20			PRK22-36W835-U	076838666730	4,623	37	3,000	
	\$20			PRK22-36W840-U	076838666731	4,781	37	3,000	
	\$20			PRK22-36W850-U	076838666732	4,972	37	3,000	
	\$20	WESTGATE MFG	LRT-HL-2X2-40W-35K-D		4,708	38	3,500		
	\$20		LRT-HL-2X2-40W-40K-D		4,708	38	4,000		
	\$20		LRT-HL-2X2-40W-50K-D		4,874	38	5,000		
	88UBPC	\$30	MaxLite Inc.	TRK22D2335MS	767627205613	2,944	23	3,500	
		\$30		TRK22D2340MS	767627205620	2,967	23	4,000	
		\$30	RAB Lighting	RTLED2X2-29NW/D10/MVS	019813602035	3,801	29	4,049	
Integrated Retrofit Kits for 2x4 Luminaires									
88UCC	\$30	Universal Lighting Technologies	PRK24-25W830-UIFSB		3,108	26	3,000		
	\$30		PRK24-25W835-UIFSB	076838672258	3,157	26	3,500		
	\$30		PRK24-25W840-UIFSB	076838672259	3,265	26	4,000		
	\$30		PRK24-25W850-UIFSB	076838672260	3,396	26	5,000		
	\$30		PRK24-28W830-UIFSB	076838672261	3,714	28	3,000		
	\$30		PRK24-28W835-UIFSB	076838672262	3,772	28	3,500		
	\$30		PRK24-28W840-UIFSB	076838672263	3,901	28	4,000		
	\$30		PRK24-28W850-UIFSB	076838672264	4,057	28	5,000		
	\$30		PRK24-36W830-UIFSB	076838672269	4,551	36	3,000		
	\$30		PRK24-36W835-UIFSB	076838672270	4,623	36	3,500		
	\$30		PRK24-36W840-UIFSB	076838672271	4,781	36	4,000		
	\$30		PRK24-36W850-UIFSB	076838672272	4,972	36	5,000		
	\$30		PRK24-52W830-UIFSB	076838672277	6,870	52	3,000		
	\$30		PRK24-52W835-UIFSB	076838672278	6,978	52	3,500		
	\$30		PRK24-52W840-UIFSB	076838672279	7,216	52	4,000		

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
88UCC	\$30	Universal Lighting Technologies	PRK24-52W850-UIFSB	076838672280	7,505	52	5,000	
	\$30		PRK24-60W830-UIFSB	076838672281	7,650	60	3,000	
	\$30		PRK24-60W835-UIFSB	076838672282	7,771	60	3,500	
	\$30		PRK24-60W840-UIFSB	076838672283	8,036	60	4,000	
	\$30		PRK24-60W850-UIFSB	076838672284	8,357	60	5,000	
	\$30		PRK24-70W830-UIFSB	076838672285	8,763	68	3,000	
	\$30		PRK24-70W835-UIFSB	076838672286	8,901	68	3,500	
	\$30		PRK24-70W840-UIFSB	076838672287	9,204	68	4,000	
	\$30		PRK24-70W850-UIFSB	076838672288	9,573	68	5,000	
	\$30		TRK24-32L835-UIFS	768386724440	3,034	22	3,500	
	\$30		TRK24-32L840-UIFS	768386724430	3,034	22	4,000	
	\$30		TRK24-32L850-UIFS	768386724420	3,134	22	5,000	
	\$30		TRK24-42L835-UIFS	768386724410	4,006	31	3,500	
	\$30		TRK24-42L840-UIFS	768386724400	4,006	31	4,000	
	\$30		TRK24-42L850-UIFS	768386724390	4,190	31	5,000	
	\$30		TRK24-50L835-UIFS	768386724380	4,844	38	3,500	
	\$30		TRK24-50L840-UIFS	768386724370	4,844	38	4,000	
	\$30		TRK24-50L850-UIFS	768386724360	5,019	38	5,000	
	\$30		TRK24-60L835-UIFS	768386724350	5,853	48	3,500	
	\$30		TRK24-60L840-UIFS	768386724340	5,853	48	4,000	
\$30	TRK24-60L850-UIFS	768386724330	6,021	47	5,000			
88UCP	\$30	Acuity Brands Lighting	2BLT4R 40L ADP LP840	190887550979	4,023	32	4,000	
	\$30		2BLT4R 48L ADP GZ10 LP835	191848794234	4,910	38	3,500	
	\$30		2BLT4R 48L ADP GZ10 LP840	193047964500	4,989	38	4,000	
	\$30		2BLT4R 48L ADP LP835		4,910	38	3,500	
	\$30		2BLT4R 48L ADP LP840		4,989	38	4,000	
	\$30	Halco Lighting Technologies	RVMW24/39U35	807154104031	5,308	39	3,500	Wattage selectable
	\$30	Keystone Technologies	KT-RKIT30-24D-835-VDIM	890949016510	3,750	30	3,500	
	\$30		KT-RKIT30-24D-840-VDIM	890949016527	3,800	30	4,000	
	\$30		KT-RKIT30-24D-850-VDIM	890949016534	3,910	30	5,000	
	\$30	LEDVANCE, LLC	RDORKIT3A023UNVD83522UWH	046135606168	4,100	32	3,500	
	\$30		RDORKIT3A033UNVD84024UWH	046135606199	4,100	32	4,000	
	\$30		RDORKIT3A033UNVD85024UWH	046135606212	4,100	32	5,000	
	\$30		RDORKIT5AS/034UNVD835/24U/WH (61528)	046135615283	4,250	34	3,500	Selectable lumens for rated wattages of 25, 30, or 34
	\$30		RDORKIT5AS/034UNVD835/24U/WH/E (61699)	046135616990	4,250	34	3,500	Selectable lumens for rated wattages of 25, 30, or 34
	\$30		RDORKIT5AS/034UNVD840/24U/WH (61529)	046135615290	4,284	34	4,000	Selectable lumens for rated wattages of 25, 30, or 34
	\$30		RDORKIT5AS/034UNVD840/24U/WH/E (61700)	046135617003	4,284	34	4,000	Selectable lumens for rated wattages of 25, 30, or 34
	\$30		RDORKIT5AS/034UNVD850/24U/WH (61530)	046135615306	4,318	34	5,000	Selectable lumens for rated wattages of 25, 30, or 34
	\$30		RDORKIT5AS/034UNVD850/24U/WH/E (61701)	046135617010	4,318	34	5,000	Selectable lumens for rated wattages of 25, 30, or 34
	\$30		RDORKIT5AS/045UNVD835/24U/WH (61531)	046135615313	5,760	45	3,500	Selectable lumens for rated wattages of 34, 38, or 45
	\$30		RDORKIT5AS/045UNVD835/24U/WH/E (61702)	046135617027	5,760	45	3,500	Selectable lumens for rated wattages of 34, 38, or 45
\$30	RDORKIT5AS/045UNVD840/24U/WH (61532)		046135615320	5,805	45	4,000	Selectable lumens for rated wattages of 34, 38, or 45	
\$30	RDORKIT5AS/045UNVD840/24U/WH/E (61703)		046135617034	5,805	45	4,000	Selectable lumens for rated wattages of 34, 38, or 45	
\$30	RDORKIT5AS/045UNVD850/24U/WH (61533)		046135615337	5,850	45	5,000	Selectable lumens for rated wattages of 34, 38, or 45	
\$30	RDORKIT5AS/045UNVD850/24U/WH/E (61704)		046135617041	5,850	45	5,000	Selectable lumens for rated wattages of 34, 38, or 45	

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
88UCP	\$30	MaxLite Inc.	TRK24D25WCSCR	767627007958	4,250	34	3,500	
	\$30		TRK24D2840CR	767627007996	3,500	28	4,000	
	\$30		TRK24D3335	767627946196	4,224	33	3,500	
	\$30		TRK24D3340	767627946202	4,323	33	4,000	
	\$30	P.Q.L. Inc.	55622	811768024371	5,805	45	3,500	Wattage & CCT selectable
	\$30	RAB Lighting	RTLED2X4-39NW/D10	019813601199	5,269	39	4,049	
	\$30		RTLED2X4-39YNW/D10	019813601205	4,970	40	3,496	
	\$30	Signify	516286(EVOKIT2X4P36L27W8352 0-107G4)	781087149133	3,478	26	3,543	
	\$30		516328(EVOKIT2X4P36L26W84020-107G4)	781087149201	3,600	26	4,000	
	\$30		516369(EVOKIT2X4P42L31W84020-107G4)	781087149249	4,200	31	4,000	
	\$30		516427(EVOKIT2X4P42L32W83520-107G4)	781087149218	4,200	32	3,500	
	\$30		520288(EvoKit CLKE 2X4 42L 30W 835 UNV 0-10)	781087158029	4,200	30	3,500	
	\$30		520296(EvoKit CLKE 2X4 42L 30W 840 UNV 0-10)	781087158036	4,200	30	4,000	
	\$30		520304(EvoKit CLKE 2X4 42L 32W 840 UNV SR P1)		4,200	32	4,000	
	\$30		521534 EvoKit CLKE 2X4 42L 32W 835 UNV SR P1		4,200	32	3,500	
	\$30		523498(EvoKit CLKE 2X4 42L 29W 835 UNV SWZ)	781087161937	4,200	29	3,500	
	\$30		523506(EvoKit CLKE 2X4 42L 29W 840 UNV SWZ)	781087161937	4,200	29	4,000	
	\$30	Universal Lighting Technologies	PRK24-33W830-U	076838666693	4,249	33	3,000	
	\$30		PRK24-33W835-U	076838666694	4,316	33	3,500	
	\$30		PRK24-33W840-U	076838666695	4,463	33	4,000	
	\$30		PRK24-33W850-U	076838666696	4,642	33	5,000	
	\$30		PRK24-46W830-U	076838666701	5,805	46	3,000	
	\$30		PRK24-46W835-U	076838666702	5,897	46	3,500	
	\$30		PRK24-46W840-U	076838666703	6,098	46	4,000	
	\$30		PRK24-46W850-U	076838666704	6,342	46	5,000	
	\$30	WESTGATE MFG	LRT-HL-2X4-50W-35K-D		6,047	46	3,500	
	\$30		LRT-HL-2X4-50W-40K-D		6,047	46	4,000	
\$30	LRT-HL-2X4-50W-50K-D			6,226	47	5,000		
88UCPC	\$40	MaxLite Inc.	TRK24D3335MS	767627205644	4,224	33	3,500	
	\$40		TRK24D3340MS	767627205651	4,257	33	4,000	
	\$40	RAB Lighting	RTLED2X4-39NW/D10/MVS	019813602172	5,269	39	4,049	
	\$40	Universal Lighting Technologies	PRK24-33W830-UIFSB	076838672265	4,249	33	3,000	
	\$40		PRK24-33W835-UIFSB	076838672266	4,316	33	3,500	
	\$40		PRK24-33W840-UIFSB	076838672267	4,463	33	4,000	
	\$40		PRK24-33W850-UIFSB	076838672268	4,642	33	5,000	
	\$40		PRK24-46W830-UIFSB	076838672273	5,805	46	3,000	
	\$40		PRK24-46W835-UIFSB	076838672274	5,897	46	3,500	
	\$40		PRK24-46W840-UIFSB	076838672275	6,098	46	4,000	
\$40	PRK24-46W850-UIFSB		076838672276	6,342	46	5,000		
Low-Bay Luminaires for Commercial and Industrial Buildings								
86UAC	\$65	Universal Lighting Technologies	BLC48-65W830-HRV-OS + BLC48-ACC-LEN48X11	768386657811 +Lens	8,784	64	3,000	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V or OSFLA-14V
	\$65		BLC48-65W830-U-OS + BLC48-ACC-LEN48X11	768386657650 +Lens	8,866	63	3,000	Must include Occ sensor option - OSFLA-ITW for UNV & 347V (Lens SKU #768386657650)
	\$65		BLC48-65W835-HRV-OS + BLC48-ACC-LEN48X11	768386657820 +Lens	8,784	64	3,500	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V or OSFLA-14V
	\$65		BLC48-65W835-U-OS + BLC48-ACC-LEN48X11	768386657668 +Lens	8,866	63	3,500	Must include Occ sensor option - OSFLA-ITW for UNV & 347V (Lens SKU #768386657668)
	\$65		BLC48-65W840-HRV-OS + BLC48-ACC-LEN48X11	768386657835 +Lens	9,306	64	4,000	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V or OSFLA-14V
	\$65		BLC48-65W840-U-OS + BLC48-ACC-LEN48X11	768386657670 +Lens	9,393	63	4,000	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V (Lens SKU #768386657670)
	\$65		BLC48-65W850-HRV-OS + BLC48-ACC-LEN48X11	768386657842 +Lens	9,580	64	5,000	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V or OSFLA-14V
	\$65		BLC48-65W850-U-OS + BLC48-ACC-LEN48X11	768386657682 +Lens	9,909	63	5,000	Must include Occ sensor option - either OSFLA-ITW for UNV & 347V (Lens SKU #768386657682)

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
86UAP	\$50	Acuity Brands Lighting	CLX L48 5000LM SEF FDL MVOLT GZ10 50K 80CRI WH	191723525908	4,812	35	5,000	
	\$50		CLX L48 5000LM SEF RDL MVOLT GZ10 40K 80CRI WH	191723525854	4,839	35	4,000	
	\$50		CLX L48 5000LM SEF RDL MVOLT GZ10 50K 80CRI WH	191723525946	4,954	35	5,000	
	\$50		CLX L48 7000LM SEF FDL MVOLT GZ10 40K 80CRI WH	191723700510	6,809	49	4,000	
	\$50		CLX L48 7000LM SEF FDL MVOLT GZ10 50K 80CRI WH	191723795455	6,971	49	5,000	
	\$50		CLX L48 7000LM SEF RDL MVOLT GZ10 40K 80CRI WH	191723795479	7,009	49	4,000	
	\$50		CLX L48 7000LM SEF RDL MVOLT GZ10 50K 80CRI WH	191723810424	7,176	49	5,000	
	\$50		CLX L96 10000LM SEF RDL MVOLT GZ10 40K 80CRI WH		10,040	64	4,000	
	\$50		CLX L96 10000LM SEF RDL MVOLT GZ10 50K 80CRI WH	191723525847	9,627	66	5,000	
	\$50		CLX L96 6000LM SEF FDL MVOLT GZ10 40K 80CRI WH	191723525861	5,535	38	4,000	
	\$50		CLX L96 6000LM SEF FDL MVOLT GZ10 50K 80CRI WH	191723525915	5,666	38	5,000	
	\$50		CLX L96 6000LM SEF RDL MVOLT GZ10 40K 80CRI WH	191723525878	5,697	38	4,000	
	\$50		CLX L96 6000LM SEF RDL MVOLT GZ10 50K 80CRI WH	191723525823	5,832	38	5,000	
	\$50		CLX L48 5000LM SEF RDL MVOLT EZ1 35K 80CRI WH		4,710	35	3,500	
	\$50	Barron Lighting Group	SLS-4-40-C	190622145002	5,088	39	3,500 CCT & Wattage Selectable	
	\$50		SLS-8-64-C	190622144784	8,558	65	3,500 CCT & Wattage Selectable	
	\$50	EarthTronics Inc.	LVT4550D1	840791113233	5,895	45	5,000	
	\$50	EATON	4SNLED-LD5-44HL-LW-UNV-L850-CD1-U	080083804795	4,909	38	5,000	
	\$50		4VT2-LD5-8-DR-W-UNV-L835-CD1-WL-U		7,618	59	3,500	
	\$50		8TSNLED-LD5-96SL-UNV-L840-CD1-U	080083803392	9,886	62	4,000	
	\$50		VHB-9-W-UNV-L840-CD-U		9,195	65	4,000	
	\$50	Industrial Lighting Products	VT4LED-LD5-9-DRF-UNV-L835-CD1-WL-U		8,599	64	3,500	
	\$50		SS4-6L-U-35-FRL		5,843	44	3,500	
	\$50		SS4-6L-U-40-FRL		5,818	43	4,000	
	\$50		SS4-6L-U-50-FRL		5,874	43	5,000	
	\$50		SS8-6L-U-35-FRL		6,186	45	3,500	
	\$50		SS8-6L-U-40-FRL		6,237	45	4,000	
	\$50		SS8-6L-U-50-FRL		6,290	45	5,000	
	\$50		SS8-8L-U-35-FRL		8,444	62	3,500	
	\$50		SS8-8L-U-40-FRL		8,505	62	4,000	
	\$50		SS8-8L-U-50-FRL		8,578	62	5,000	
	\$50		VS4-6L-U-35-FRL		5,660	44	3,500	
	\$50		VS4-6L-U-40-FRL		5,736	44	4,000	
	\$50		VS4-6L-U-50-FRL		5,755	44	5,000	
\$50	VS8-6L-U-35-FRL			6,152	45	3,500		
\$50	VS8-6L-U-40-FRL			6,228	45	4,000		
\$50	VS8-6L-U-50-FRL			6,279	45	5,000		
\$50	VS8-8L-U-35-FRL		8,209	61	3,500			
\$50	VS8-8L-U-40-FRL		8,310	61	4,000			
\$50	VS8-8L-U-50-FRL		8,379	61	5,000			
\$50	WTZ4-6L-U-35-RAFL		6,245	47	3,500			
\$50	WTZ4-6L-U-40-RAFL		6,505	47	4,000			
\$50	WTZ4-6L-U-50-RAFL		6,505	47	5,000			
\$50	WTZ8-6L-U-50-RAFL		6,789	46	5,000			

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
86UAP	\$50	Keystone Technologies	KT-VTLED44-4A-840-VDIM-P	843654122175	5,630	44	4,000	
	\$50		KT-VTLED44-4A-850-VDIM-P	843654122182	5,720	44	5,000	
	\$50		KT-VTLED63-4A-840-VDIM-P	843654122199	8,065	63	4,000	
	\$50		KT-VTLED63-4A-850-VDIM-P	843654122205	8,190	63	5,000	
	\$50		KT-VTLED54-8A-840-VDIM-P	843654122212	6,910	54	4,000	
	\$50		KT-VTLED54-8A-850-VDIM-P	843654122229	7,020	54	5,000	
	\$50	LEDVANCE, LLC	LNHIBA3A/065UNVD840/12W/WH (61980)	046135619809	8,450	65	4,000	
	\$50		LNHIBA3A/065UNVD850/12W/WH (61981)	046135619816	8,515	65	5,000	
	\$50		STRIP2A/044UNVD835/48U/WH (65215)	046135652158	5,724	44	3,500	
	\$50		STRIP2A/044UNVD835/48U/WH/E (65158)	046135651588	5,724	44	3,500	
	\$50		STRIP2A/044UNVD835/96U/WH (65218)	046135652189	6,169	44	3,500	
	\$50		STRIP2A/044UNVD835/96U/WH/E (65161)	046135651618	6,169	44	3,500	
	\$50		STRIP2A/044UNVD840/48U/WH (65216)	046135652165	5,764	44	4,000	
	\$50		STRIP2A/044UNVD840/48U/WH/E (65159)	046135651595	5,764	44	4,000	
	\$50		STRIP2A/044UNVD840/96U/WH (65219)	046135652196	6,204	44	4,000	
	\$50		STRIP2A/044UNVD840/96U/WH/E (65162)	046135651625	6,204	44	4,000	
	\$50		STRIP2A/044UNVD850/48U/WH (65217)	046135652172	5,808	44	5,000	
	\$50		STRIP2A/044UNVD850/48U/WH/E (65160)	046135651601	5,808	44	5,000	
	\$50		STRIP2A/044UNVD850/96U/WH (65220)	046135652202	6,292	44	5,000	
	\$50		STRIP2A/044UNVD850/96U/WH/E (65163)	046135651632	6,292	44	5,000	
	\$50		STRIP2A/068UNHD835/96U/WH (65224)	046135652240	9,160	68	3,500	
	\$50		STRIP2A/068UNHD840/96U/WH (65225)	046135652257	9,180	68	4,000	
	\$50		STRIP2A/068UNHD850/96U/WH (65226)	046135651502	9,316	68	5,000	
	\$50		STRIP2A/068UNVD835/96U/WH/E (65167)	046135651670	9,160	68	3,500	
	\$50		STRIP2A/068UNVD840/96U/WH/E (65168)	046135651687	9,180	68	4,000	
	\$50		STRIP2A/068UNVD850/96U/WH/E (65169)	046135651694	9,316	68	5,000	
	\$50		VAPOR1B/040UNVD840/48EC/GR	046135743764	5,400	40	4,000	
	\$50		VAPOR1B/040UNVD850/48EC/GR	046135743771	5,400	40	5,000	
	\$50		VAPOR2B/040UNVD840/48EC/GR	046135600470	5,200	40	4,000	
	\$50		VAPOR2B/040UNVD850/48EC/GR	046135600487	5,200	40	5,000	
	\$50		WRAP2A/068UNVD8SC7/48U/WH (62179)	046135621796	8,731	68	3,500 CCT & Lumen Selectable	
	\$50		WRAP2A/068UNVD8SC7/48U/WH/E (65609)	046135656095	8,731	68	3,500 CCT & Lumen Selectable	
	\$50		WRAP2A/S044UNVD8SC7/48U/WH (62178)	046135621789	6,063	44	3,500 CCT & Lumen Selectable	
	\$50		WRAP2A/S044UNVD8SC7/48U/WH/E (65608)	046135656088	6,063	44	3,500 CCT & Lumen Selectable	
	\$50	MaxLite Inc.	BLHE3-065UF-40	767627005855	8,450	65	4,000	
\$50	BLHE3-065UF-50		767627005862	8,515	65	5,000		
\$50	LSU4U35WCSCR			6,426	48	3,500		
\$50	LM-4860UF-40			7,923	59	3,981		
\$50	SATCO	62/1071	045923410710	9,907	75	4,000		
\$50	Signify	V3W451L840-UNV-DIM	784197426538	5,023	36	4,000		
\$50		V3W470L840-UNV-DIM	784197426514	7,003	53	4,000		
\$50	Topaz Lighting Corp.	F-L8/64W/40K/D-87	751338024366	8,126	64	4,000		
\$50	Universal Lighting Technologies	VTL4-33L835-U	076838658519	4,908	39	3,500		
\$50		VTL4-33L840-U	076838658520	4,908	39	4,000		
\$50		VTL4-33L850-U	076838658765	5,190	39	5,000		

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
86UAP	\$50	WESTGATE MFG	LLVT2-4FT-46W-MCT-D-F	845060046014	6,291	46	3,500	CCT Selectable
	\$50		LLVT2-4FT-65W-MCT-D-F	845060046021	8,560	67	3,500	CCT Selectable
	\$50		LOHB-2FT-50W-30K		6,653	49	3,000	
	\$50		LOHB-2FT-50W-40K		6,722	49	4,000	
	\$50		LOHB-2FT-50W-50K		6,791	49	5,000	
86UAPC	\$80	Acuity Brands Lighting	CLX L48 5000LM SEF RDL MVOLT EZ1 40K 80CRI MSD7 WH	193048224900	4,839	35	4,000	
	\$80		CLX L48 5000LM SEF RDL MVOLT GZ10 40K 80CRI MSD7 WH	191723525854	4,839	35	4,000	
	\$80		CLX L96 10000LM SEF FDL MVOLT GZ10 40K 80CRI MSD7 WH	193048249910	9,880	64	4,000	LSXR must be configured with either P, ADC, or ANL occ. & photocell control.
	\$80	Barron Lighting Group	SLS-4-40-C-SC		5,088	39	3,500	CCT & Wattage Selectable
	\$80		SLS-8-64-C-SC	190622144814	8,558	65	3,500	CCT & Wattage Selectable
	\$80	LEDVANCE, LLC	LNHIBA3A/065UNVD840/12W/WH/D (61994)	046135619946	8,450	65	4,000	
	\$80		LNHIBA3A/065UNVD850/12W/WH/D (61995)	046135619953	8,515	65	5,000	
	\$80		STRIP2A/044UNVD835/48U/WH/D (65134)	046135651342	5,724	44	3,500	
	\$80		STRIP2A/044UNVD835/48U/WH/DE (65191)	046135651915	5,724	44	3,500	
	\$80		STRIP2A/044UNVD835/96U/WH/D (65137)	046135651373	6,169	44	3,500	
	\$80		STRIP2A/044UNVD835/96U/WH/DE (65194)	046135651946	6,169	44	3,500	
	\$80		STRIP2A/044UNVD840/48U/WH/D (65135)	046135651359	5,764	44	4,000	
	\$80		STRIP2A/044UNVD840/48U/WH/DE (65192)	046135651922	5,764	44	4,000	
	\$80		STRIP2A/044UNVD840/96U/WH/D (65138)	046135651380	6,204	44	4,000	
	\$80		STRIP2A/044UNVD840/96U/WH/DE (65195)	046135651953	6,204	44	4,000	
	\$80		STRIP2A/044UNVD850/48U/WH/D (65136)	046135651366	5,808	44	5,000	
	\$80		STRIP2A/044UNVD850/48U/WH/DE (65193)	046135651939	5,808	44	5,000	
	\$80		STRIP2A/044UNVD850/96U/WH/D (65139)	046135651397	6,292	44	5,000	
	\$80		STRIP2A/044UNVD850/96U/WH/DE (65196)	046135651960	6,292	44	5,000	
	\$80		STRIP2A/068UNHD835/96U/WH/D (65143)	046135651434	9,160	68	3,500	
	\$80		STRIP2A/068UNHD840/96U/WH/D (65144)	046135651441	9,180	68	4,000	
	\$80		STRIP2A/068UNHD850/96U/WH/D (65145)	046135651458	9,316	68	5,000	
	\$80		STRIP2A/068UNVD835/96U/WH/DE (65200)	046135652004	9,160	68	3,500	
	\$80		STRIP2A/068UNVD840/96U/WH/DE (65201)	046135652011	9,180	68	4,000	
	\$80		STRIP2A/068UNVD850/96U/WH/DE (65202)	046135652028	9,316	68	5,000	
	\$80		VAPOR1B/040UNVD840/48EC/GR/D	046135743788	5,400	40	4,000	
	\$80		VAPOR1B/040UNVD850/48EC/GR/D	046135743795	5,400	40	5,000	
	\$80		VAPOR1B/065UNVD840/96EC/GR/D (60357)	046135603570	8,775	65	4,000	
	\$80		VAPOR1B/065UNVD850/96EC/GR/D (60358)	046135603587	8,775	65	5,000	
	\$80		WRAP2A/068UNVD8SC7/48U/WH/D (65606)	046135656064	8,731	68	3,500	CCT & Lumen Selectable
	\$80		WRAP2A/068UNVD8SC7/48U/WH/DE (65612)		8,731	68	3,500	CCT & Lumen Selectable
	\$80		WRAP2A/S044UNVD8SC7/48U/WH/D (65605)	046135656057	6,063	44	3,500	CCT & Lumen Selectable
	\$80	WRAP2A/S044UNVD8SC7/48U/WH/DE (65611)	046135656118	6,063	44	3,500	CCT & Lumen Selectable	
\$80	MaxLite Inc.	BLHE3-065UF-40MS	767627006296	8,450	65	4,000		
\$80		BLHE3-065UF-50MS	767627006302	8,515	65	5,000		
\$80		LM-4860UF-40MS		7,923	59	3,981		
Outdoor Full-Cutoff Wall-Mounted Area Luminaires								
87UAC	\$60	GE Current	EWLS01140AF740N1FMDKBZH		4,000	38	4,000	
	\$60		EWLS01140AF750N1FMDKBZH		4,000	38	5,000	
	\$60		EWLS01440AF740N1FMDKBZH		4,000	38	4,000	
	\$60		EWLS01440AF750N1FMDKBZH		4,000	38	5,000	

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
87UAP	\$60	Acuity Brands Lighting	WPX1 LED P1 30K MVOLT PE DDBXD	194994730217	1,537	12	3,000	
	\$60		WPX1 LED P1 40K MVOLT PE DDBXD	194994407430	1,568	12	4,000	
	\$60		WPX1 LED P1 50K MVOLT PE DDBXD	194994618652	1,602	11	5,000	
	\$60		WPX1 LED P2 30K MVOLT PE DDBXD	194994724797	2,748	23	3,000	
	\$60		WPX1 LED P2 40K MVOLT PE DDBXD	194994408000	2,912	24	4,000	
	\$60		WPX1 LED P2 50K MVOLT PE DDBXD	194994618744	2,954	24	5,000	
	\$60		WST LED P2 50K VW 120 PE DDBXD	190887277357	3,512	25	5,000	
	\$60	ASD Lighting Corp	ASD-LBL1-35D40-PC-BZ	810050734042	4,340	35	4,000	
	\$60		ASD-LBL1-35D50-PC-BZ	810050734059	4,410	35	5,000	
	\$60	Barron Lighting Group	WTA-27-VS-3K-BR	190622142520	3,500	27	3,000	
	\$60		WTA-27-VS-4K-BR	190622142530	3,600	27	4,000	
	\$60		WTA-27-VS-5K-BR	190622142540	3,600	27	5,000	
	\$60	EATON	AXCS1A-PC		1,806	14	4,000	
	\$60		AXCS2A-PC		2,561	21	4,000	
	\$60		AXCS3A-PC		3,537	27	4,000	
	\$60	P.Q.L. Inc.	83359	811768028959	2,620	20	5,000	
	\$60		STLWP-30-347-D-50K (83900)	811768029352	4,110	30	5,000	Must be installed with a timeclock to receive incentive or with photocell option
	\$60		SPSTLWP-50HV-PC-TK (83910)	811768021233	6,343	50	3,000	Wattage & CCT selectable, Measure/incentive based on min. lumen level
	\$60		SPSTLWP-50LV-PC-TK (83913)	811768025873	6,343	50	3,000	Wattage & CCT selectable, Measure/incentive based on min. lumen level
	\$60	RAB Lighting	SLIM12/D10/PC	019813040691	1,824	14	4,853	
	\$60		SLIM12Y/D10/PC	019813040776	1,815	14	2,986	
	\$60		SLIM17FA15ADJ		1,761	14	3,000	CCT Selectable
	\$60		SLIM17FA30ADJ		3,540	29	3,000	CCT Selectable
	\$60		SLIM18/D10/PC	019813040813	2,516	21	4,853	
	\$60			019813040837	2,516	21	4,853	
	\$60		SLIM26/D10/PC	019813040936	3,536	30	4,853	
	\$60	Topaz Lighting Corp.	F-WP-40/50K/BZ/FC	751338032033	4,743	40	5,000	Must be installed with a time clock or photocell option to receive incentive
	\$60	WESTGATE MFG	LRX-20-50W-MCTP	845060073003	5,989	50	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$60		LW360-25W-50K-G2-SA1-aP	845060072280	3,283	25	5,000	
	\$60		LW360-25W-MCT-G2-DA1-aP	845060072198	3,140	24	3,000	CCT Selectable
	\$60		LWAX-MD-20-50W-MCTP	845060072860	6,072	50	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$60		LWPX-30-80W-MCTP	845060072877	9,891	83	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
\$60	LW360-25W-40K-G2-SA1			3,283	25	4,000		
\$60	LW360-25W-50K-G2-SA1			3,283	25	5,000		
\$60	LW360-25W-MCT-G2-DA1			3,140	24	3,000	CCT Selectable	
\$60	LWAX-MD-30W-30K			3,631	30	3,000		
\$60	LWAX-MD-30W-40K			3,616	30	4,000		
\$60	LWAX-MD-30W-50K			3,600	30	5,000		
\$60	LWAX-SM-12W-30K			1,452	11	3,000	Must be installed with PC option or with a time clock to receive incentive.	
\$60	LWAX-SM-12W-40K			1,482	12	4,000	Must be installed with PC option or with a time clock to receive incentive.	
\$60	LWAX-SM-12W-50K			1,513	12	5,000	Must be installed with PC option or with a time clock to receive incentive.	
87UBP	\$100	Acuity Brands Lighting	WPX2 LED 40K MVOLT PE DDBXD	194994409762	5,896	48	4,000	
	\$100		WPX2 LED 50K MVOLT PE DDBXD	194994618799	6,201	47	5,000	
	\$100		WPX3 LED 40K MVOLT PE DDBXD	194994409656	9,269	72	4,000	
	\$100		WPX3 LED 50K MVOLT PE DDBXD	194994618638	9,393	71	5,000	

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2	
87UBP	\$100	ASD Lighting Corp	ASD-LBL1-70D40-PC-BZ	810050734066	8,680	70	4,000		
	\$100		ASD-LBL1-70D50-PC-BZ	810050734073	8,820	70	5,000		
	\$100		ASD-LBL2-70D40-PC-BZ	810050734080	8,680	70	4,000		
	\$100		ASD-LBL2-70D50-PC-BZ	810050734097	8,820	70	5,000		
	\$100	Barron Lighting Group	WTA-40-VS-3K-BR-PC		5,100	40	3,000		
	\$100		WTA-40-VS-4K-BR-PC		5,300	40	4,000		
	\$100		WTA-40-VS-5K-BR-PC		5,300	40	5,000		
	\$100		WTA-67-VS-3K-BR-PC		9,300	67	3,000		
	\$100		WTA-67-VS-4K-BR-PC		9,600	67	4,000		
	\$100		WTA-67-VS-5K-BR-PC		9,600	67	5,000		
	\$100	EATON	AXCL8A-480-PC2		9,696	72	4,000		
	\$100		AXCL8A-PC1	080083811663	9,696	72	4,000		
	\$100		AXCS4A-PC		5,520	44	4,000		
	\$100		AXCS5A-PC		6,300	52	4,000		
	\$100		CTKRV1B	080083865390	4,515	29	4,000		
	\$100	GE Current	EWAS011C3AW740N3FMDKBZ		7,600	56	4,000		
	\$100		EWAS011C3AW750N3FMDKBZ		7,600	56	5,000		
	\$100		EWAS011C4AF740N3FMDKBZ		7,500	56	4,000		
	\$100		EWAS011C4AF750N3FMDKBZ		7,500	56	5,000		
	\$100		EWAS011D4AF740N3FMDKBZ		10,000	77	4,000		
	\$100		EWAS014C3AW740N3FMDKBZ		7,600	56	4,000		
	\$100		EWAS014C3AW750N3FMDKBZ		7,600	56	5,000		
	\$100		EWAS014C4AF740N3FMDKBZ		7,500	56	4,000		
	\$100		EWAS014C4AF750N3FMDKBZ		7,500	56	5,000		
	\$100		EWAS014D4AF740N3FMDKBZ		10,000	77	4,000		
	\$100		EWAS015C4AF740N3FMDKBZ		7,500	56	4,000		
	\$100		EWAS01DC4AF740N3FMDKBZ		7,500	56	4,000		
	\$100		Keystone Technologies	KT-WPLED40-M2-840-VDIM	843654129051	5,000	40	4,000	Must include a photocell
	\$100			KT-WPLED40-M2-850-VDIM	843654129068	5,200	40	5,000	Must include a photocell
	\$100	KT-WPLED60-M2-840-VDIM		843654129075	7,500	60	4,000		
	\$100	KT-WPLED60-M2-850-VDIM		843654129082	7,800	60	5,000		
	\$100	LEDVANCE, LLC	WALPAKCSB/040UNVD8SC2/C1/BZ/P (61833)	046135618338	4,595	38	3,000		
	\$100		WALPAKCSB/060UNVD8SC2/C1/BZ/P (61834)	046135618345	7,035	58	3,000		
	\$100	P.Q.L. Inc.	STLWP-50-347-D-50K (83903)	811768029314	6,850	50	5,000	Must be installed with a timeclock to receive incentive or with photocell option	
	\$100		SPSTLWP-120HV-PC-TK (83911)	811768029383	14,500	121	3,000	Wattage & CCT selectable, Measure/incentive based on min. lumen level	
	\$100		SPSTLWP-120LV-PC-TK (83915)	811768020908	14,500	121	3,000	Wattage & CCT selectable, Measure/incentive based on min. lumen level	
	\$100		SSTWP-80H-CS-CC (83917)	811768028119	10,399	80	3,000	Wattage & CCT selectable, Measure/incentive based on min. lumen level	
	\$100	RAB Lighting	SLIM17FAFC40		4,595	38	3,000	CCT Selectable	
	\$100		SLIM17FAFC60		7,035	58	3,000	CCT Selectable	
	\$100	TCP	FCWUZDB1T330KBRPC	762148283416	5,000	40	3,000		
	\$100		FCWUZDB1T340KBRPC	762148280996	5,200	40	4,000		
	\$100		FCWUZDB1T350KBRPC	762148283348	5,200	40	5,000		
	\$100	Topaz Lighting Corp.	F-WP-60/50K/BZ/FC	751338030688	7,482	62	5,000	Must be installed with a time clock or photocell option to receive incentive	
	\$100	WESTGATE MFG	LRX-20-50W-MCTP[Photocell, Blank]		5,989	50	3,000		
	\$100		LWAX-LG-50-120W-MCTP	845060072808	15,740	125	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating	
\$100	LRX-50-120W-MCTP			16,440	123	3,000	Wattage and CCT Selectable - measure code based on lowest wattage/lumen rating		
\$100	LW360-40W-40K-G2-SA1			5,664	39	4,000			
\$100	LW360-40W-50K-G2-SA1			5,773	40	5,000			

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
87UBP	\$100	WESTGATE MFG	LW360-60W-40K-G2-SA2		8,137	58	4,000	
	\$100		LW360-60W-50K-G2-SA2		8,393	60	5,000	
	\$100		LW360-60W-MCT-G2-DA2		7,270	58	3,000	CCT Selectable
	\$100		LWPX-50W-30K		6,509	47	3,000	Must be installed with PC option or with a time clock to receive incentive.
	\$100		LWPX-50W-40K		6,579	47	4,000	Must be installed with PC option or with a time clock to receive incentive.
	\$100		LWPX-50W-50K		6,649	47	5,000	Must be installed with PC option or with a time clock to receive incentive.
87UCP	\$185	Barron Lighting Group	WTA-80-VS-3K-BR-PC		10,700	80	3,000	
	\$185		WTA-80-VS-4K-BR-PC		11,200	80	4,000	
	\$185		WTA-80-VS-5K-BR-PC		11,200	80	5,000	
	\$185	EATON	AXCL10A-480-PC2		13,283	100	4,000	
	\$185		AXCL10A-PC1	080083811601	13,283	100	4,000	
	\$185		AXCL12A-480-PC2		16,823	120	4,000	
	\$185	GE Current	AXCL12A-PC1	080083811625	16,823	120	4,000	
	\$185		EWAS011F4AF740N3FMDKBZ		14,400	109	4,000	
	\$185	Keystone Technologies	EWAS014F4AF740N3FMDKBZ		14,400	109	4,000	
	\$185		KT-WPLED100-M2-840-VDIM	843654129099	12,500	100	4,000	Must include a photocell
	\$185	LEDVANCE, LLC	KT-WPLED100-M2-850-VDIM	843654129105	13,000	100	5,000	Must include a photocell
	\$185		WALPAKCSB/080UNVD8SC2/C1/BZ/P (61835)	046135618352	9,733	80	3,000	
	\$185	MaxLite Inc.	WALPAKCS5C/120UNVD8SC2/C1/BZ/P (61841)	046135618413	14,880	123	3,000	
	\$185		M200U3M-CSBKCR		27,791	199	3,000	CCT selectable. Must include CN-RDPCB (105569) sensor to rcv incentive if not in
	\$185	P.Q.L. Inc.	STLWP-80-347-D-50K (83906)	811768028478	10,960	80	5,000	Must be installed with a timeclock to receive incentive or with photocell option
	\$185		STLWP-120-347-D-50K (83909)	811768022421	16,440	120	5,000	Must be installed with a timeclock to receive incentive or with photocell option
	\$185	RAB Lighting	SLIM17FAFC100		12,833	102	3,000	CCT Selectable
	\$185		SLIM17FAFC120		14,880	123	3,000	CCT Selectable
	\$185		SLIM17FAFC150		18,630	155	3,000	CCT Selectable
	\$185	TCP	FCWUZDB2T330KBRPC	762148283423	10,000	80	3,000	
	\$185		FCWUZDB2T340KBRPC	762148283355	10,500	80	4,000	
	\$185		FCWUZDB2T350KBRPC	762148283324	10,500	80	5,000	
	\$185	Topaz Lighting Corp.	F-AWP/80/50K/BZ-80	751338035485	10,500	80	5,000	
	\$185	WESTGATE MFG	LW360-120W-40K-G2-SA2		16,194	118	4,000	
\$185	LW360-120W-50K-G2-SA2			16,527	119	5,000		
\$185	LW360-80W-40K-G2-SA2			10,964	78	4,000		
\$185	LW360-80W-50K-G2-SA2			11,149	78	5,000		
Outdoor Non-Cutoff and Semi-Cutoff Wall-Mounted Area Luminaires								
87UAP	\$60	EATON	AXCS1ARL-PC		1,915	14	4,000	
	\$60		AXCS2ARL-PC		2,716	21	4,000	
	\$60		AXCS3ARL-PC		3,704	27	4,000	
	\$60	Hubbell Lighting	WGH2-LSCS	840141417950	10,628	73	4,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$60		PRS-20-4K-PC	840141419848	2,866	23	4,000	
	\$60		PRS-20-5K-PC	840141419855	2,918	23	5,000	
	\$60		WGH1-LS-4K		7,047	51	4,000	If not installed with time clock, a separate photo sensor is needed. Lumen select
	\$60	Keystone Technologies	WGH1-LS-4K-PC	840141404349	7,047	51	4,000	Lumen selectable, Measure/incentive based on min. lumen level
	\$60		KT-WPLED20-S1-840-VDIM	843654129143	2,500	20	4,000	
	\$60		KT-WPLED20-S1-850-VDIM	843654129150	2,500	20	5,000	
	\$60		KT-WPLED20-S1-8CSB-VDIM	843654129112	2,500	20	5,000	
	\$60		KT-WPLED35-M1-8CSB-VDIM	843654129013	4,690	35	5,000	Lumen & CCT selectable - measure code based on lowest lumen rating
	\$60							

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
87UAP	\$60	LEDVANCE, LLC	MWLP1AKN1A/015UNVDSC2/BZ/P (62173)	046135621734	2,129	16	3,000	CCT Selectable
	\$60		MWLP1AKN1A/020UNVDSC2/BZ/P (62174)		2,600	19	3,000	CCT Selectable
	\$60		MWLP1AKN1A/030UNVDSC2/BZ/P (62175)	046135621758	3,947	29	3,000	CCT Selectable
	\$60		WALPAKN5A/029UNVD8SC2/BZ/P (61838)	046135618383	4,010	29	3,000	CCT Selectable
	\$60	MaxLite Inc.	WP-OP28U-40BPC	767627968440	3,557	28	4,000	
	\$60		WP-OP28U-50BPC	767627968136	3,644	28	5,000	
	\$60	P.Q.L. Inc.	MWP-12-D-40K (83685)	811768021073	1,631	12	4,000	Must be installed with a timeclock to receive incentive
	\$60		MWP-12-P-40K (83687)	811768022841	1,631	12	4,000	
	\$60		MWP-25-D-40K (83689)	811768020281	3,174	23	4,000	Must be installed with a timeclock to receive incentive
	\$60		MWP-25-P-40K (83691)	811768022971	3,174	23	4,000	
	\$60	RAB Lighting	83337	811768025125	8,100	60	5,000	Lumen selectable, Measure/incentive based on min. lumen level
	\$60		55606-8WEM	854432004477	5,850	45	3,500	Wattage & CCT selectable, Measure/incentive based on min. lumen level
	\$60		BRISK17FA20	192552004367	2,600	19	3,000	CCT Selectable
	\$60		WP1FA29	192552004558	4,010	29	3,000	CCT Selectable
	\$60		WP1LED39L-740U/PCU		3,941	27	3,933	
	\$60		WP2LED34L-740U/PCU		3,472	21	3,949	
	\$60		WP2LED34L-750U/PCU	019813489445	3,494	21	4,914	
	\$60		WP2LED49L-740U/PCU	019813489490	5,084	33	3,949	
	\$60		WP2LED49L-750U/PCU	019813489476	5,093	31	4,935	
	\$60		WP2XFU60	192552004640	7,780	58	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$60	Topaz Lighting Corp.	WP1XFU29		4,010	29	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$60		F-WPC/15W/CTS/BZ-96	751338036833	2,129	16	3,000	CCT Selectable
	\$60		F-WPC/15W/CTS/WH-96	751338036840	2,129	16	3,000	CCT Selectable
	\$60		F-WPC/20W/CTS/BZ-96	751338036857	2,600	19	3,000	CCT Selectable
	\$60		F-WPC/20W/CTS/WH-96	751338036864	2,600	19	3,000	CCT Selectable
	\$60		F-WPC/30W/CTS/X-96	751338036871	3,947	29	3,000	CCT Selectable
	\$60			751338036888	3,947	29	3,000	CCT Selectable
	\$60		WP/40W/PCTS/BZ/PC	751338039360	5,142	38	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$60	WESTGATE MFG	WMX-MD-20-50W-30K		6,650	50	3,000	Wattage selectable - measure code based on lowest wattage/lumen rating.
	\$60		WMX-MD-20-50W-40K		6,700	50	4,000	Wattage selectable - measure code based on lowest wattage/lumen rating.
\$60	WMX-MD-20-50W-50K			6,750	50	5,000	Wattage selectable - measure code based on lowest wattage/lumen rating.	
\$60	WMX-MD-20-80W-30K			11,200	80	3,000	Wattage selectable - measure code based on lowest wattage/lumen rating.	
\$60	WMX-MD-20-80W-40K			11,200	80	4,000	Wattage selectable - measure code based on lowest wattage/lumen rating.	
\$60	WMX-MD-20-80W-50K			11,360	80	5,000	Wattage selectable - measure code based on lowest wattage/lumen rating.	
\$60	WMX-SM-15-30W-30K			4,080	30	3,000	Wattage selectable - measure code based on lowest wattage/lumen rating.	
\$60	WMX-SM-15-30W-40K			4,110	30	4,000	Wattage selectable - measure code based on lowest wattage/lumen rating.	
\$60	WMX-SM-15-30W-50K			4,145	30	5,000	Wattage selectable - measure code based on lowest wattage/lumen rating.	
87UAPC	\$80		MaxLite Inc.	WP-OP28U-50BMS	767627968112	3,644	28	5,000
87UBP	\$100	ASD Lighting Corp	ASD-WLP01-50D40-PC-PRM	810050733380	7,550	50	4,000	
	\$100		ASD-WLP01-50D50-PC-PRM	810050733397	7,600	50	5,000	
	\$100		ASD-WLP01-80D50-PC-PRM	810050733410	11,280	80	5,000	
	\$100		ASD-WLP01-50DAC	810050735810	7,250	50	3,000	CCT Selectable. Must be installed with a timeclock or with the PC option to receive incentive
	\$100	EarthTronics Inc.	WPT40CCTBK1	840791113417	5,368	41	4,000	CCT Selectable
	\$100		WPT60CCTBK1	840791113424	7,871	62	4,000	CCT Selectable
	\$100	EATON	AXCL6ARL-480-PC2		7,809	56	4,000	
	\$100		AXCL6ARL-PC1	080083811649	7,809	56	4,000	
	\$100		AXCS4ARL-PC		5,858	42	4,000	
	\$100		AXCS5ARL-PC		6,699	51	4,000	

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
87UBP	\$100	Keystone Technologies	KT-WPLED55-M1-8CSB-VDIM	843654129020	7,370	55	5,000	Lumen & CCT selectable - measure code based on lowest lumen rating
	\$100	LEDVANCE, LLC	WALPAKN4B/060UNVD850/NC/BZ/P (65532)	046135655326	8,641	61	5,000	
	\$100		WALPAKN5B/040UNVD8SC2/BZ/P (61828)	046135618284	5,238	39	3,000	
	\$100		WALPAKN5B/060UNVD8SC2/BZ/P (61829)	046135618291	7,780	58	3,000	
	\$100	MaxLite Inc.	WP-OP40U-40BPC	767627968143	5,383	40	4,000	
	\$100		WP-OP40U-50BPC	767627968457	5,542	40	5,000	
	\$100		WP-OP50U-40BPC	767627975684	6,883	51	4,000	
	\$100		WP-OP50U-50BPC	767627968471	7,069	51	5,000	
	\$100	RAB Lighting	WP2FA40	192552004572	5,238	39	3,000	CCT Selectable
	\$100		WP2FA60	192552004596	7,780	58	3,000	CCT Selectable
	\$100		WP3LED75L-740U/PCU	01925520003	7,351	49	3,933	
	\$100		WP3LED75L-750U		7,543	51	4,856	To be installed with a photocell or timeclock
	\$100		WP3LED83L-740U/PCU		8,084	53	3,933	
	\$100		WP3LED93L-740U/PCU		9,107	63	3,933	
	\$100		WP3LED93L-750U/PCU	019813506807	9,346	65	4,856	
	\$100	RET Consulting Group	RWP14-45-40		6,297	42	4,000	To be installed with a photocell (PS option) or timeclock
	\$100		RWP14-45-50		6,349	42	5,000	To be installed with a photocell (PS option) or timeclock
	\$100		RWP14-60-40		8,283	58	4,000	To be installed with a photocell (PS option) or timeclock
	\$100		RWP14-60-50		8,464	58	5,000	To be installed with a photocell (PS option) or timeclock
	\$100	SLG	WFM 100 G3 HVU 4K PC-2		9,900	70	4,000	
	\$100		WFM 100 G3 HVU 5K PC-2		9,900	70	5,000	
	\$100		WFM 65 G3 HVU 4K PC-2		6,600	45	4,000	
	\$100		WFM 65 G3 HVU 5K PC-2		6,600	45	5,000	
	\$100	Topaz Lighting Corp.	WP/80W/PCTS/BZ/PC	751338039377	10,619	79	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$100	WESTGATE MFG	WMX-LG-50-120W-30K		15,600	120	3,000	Wattage selectable - measure code based on lowest wattage/lumen rating.
\$100	WMX-LG-50-120W-40K			15,720	120	4,000	Wattage selectable - measure code based on lowest wattage/lumen rating.	
\$100	WMX-LG-50-120W-50K			15,840	120	5,000	Wattage selectable - measure code based on lowest wattage/lumen rating.	
87UBCP	\$120	MaxLite Inc.	WP-OP40U-40BMS	767627989438	5,383	40	4,000	
	\$120		WP-OP40U-50BMS	767627968150	5,542	40	5,000	
	\$120		WP-OP50U-40BMS	767627968167	6,883	51	4,000	
	\$120	RET Consulting Group	RWP14-45-40-MS		6,297	42	4,000	Must be installed with motion sensor option to receive incentive
	\$120		RWP14-45-50-MS		6,349	42	5,000	Must be installed with motion sensor option to receive incentive
	\$120		RWP14-60-40-MS		8,283	58	4,000	Must be installed with motion sensor option to receive incentive
	\$120		RWP14-60-50-MS		8,464	58	5,000	Must be installed with motion sensor option to receive incentive
87UCP	\$185	Acuity Brands Lighting	TWR2 LED ALO 40K MVOLT PE DDBTXD	193047218405	11,408	86	4,000	DLC V5, Standard
	\$185		TWR2 LED ALO 50K MVOLT PE DDBTXD	193047218443	11,750	86	5,000	DLC V5, Standard
	\$185	ASD Lighting Corp	ASD-WLP01-80D40-PC-PRM	810050733403	11,280	80	4,000	
	\$185		ASD-WLP01-80DAC	810050735827	11,680	80	3,000	CCT Selectable. Must be installed with a timeclock or with the PC option to receive
	\$185		ASD-WLP01-120DAC	810050735834	17,050	120	3,000	CCT Selectable. Must be installed with a timeclock or with the PC option to receive
	\$185	EarthTronics Inc.	WPT100CCTBK1	840791113448	13,239	102	4,000	CCT Selectable
	\$185		WPT80CCTBK1	840791113431	10,813	82	4,000	CCT Selectable
	\$185	EATON	AXCL10ARL-480-PC2		13,641	100	4,000	
	\$185		AXCL10ARL-PC1	080083811687	13,641	100	4,000	
	\$185		AXCL12ARL-480-PC2		17,346	120	4,000	
	\$185		AXCL12ARL-PC1	080083811700	17,346	120	4,000	
	\$185		AXCL8ARL-480-PC2		9,970	72	4,000	
	\$185		AXCL8ARL-PC1	080083811663	9,970	72	4,000	
	\$185	Hubbell Lighting	WGH3-LSCS	840141417967	17,795	121	4,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
87UCP	\$185	Keystone Technologies	KT-WPLED120-L1-8CSB-VDIM	843654129044	15,600	120	5,000	Lumen & CCT selectable - measure code based on lowest lumen rating
	\$185		KT-WPLED80-M1-8CSB-VDIM	843654129037	10,800	80	5,000	Lumen & CCT selectable - measure code based on lowest lumen rating
	\$185	LEDVANCE, LLC	WALPAKN4B/080UNVD840/NC/BZ/P (65533)	046135655333	11,198	77	4,000	
	\$185		WALPAKN4B/080UNVD850/NC/BZ/P (65534)	046135655340	11,144	77	5,000	
	\$185		WALPAKN4C/120UNVD840/NC/BZ/P (61830)	046135655371	16,560	120	4,000	
	\$185		WALPAKN4C/120UNVD850/NC/BZ/P (65538)	046135655388	16,680	120	5,000	
	\$185		WALPAKN5B/080UNVD8SC2/BZ/P (61830)	046135618307	12,032	81	3,000	
	\$185		WALPAKN5C/120UNVD8SC2/BZ/P (61840)	046135618406	17,923	125	3,000	
	\$185	MaxLite Inc.	WP-OP120U-40BPC	767627129469	16,318	119	4,000	
	\$185		WP-OP120U-50BPC	767627968433	16,948	121	5,000	
	\$185		WP-OP80U-40BPC	767627968488	10,918	80	4,000	
	\$185		WP-OP80U-50BPC	767627968211	11,375	81	5,000	
	\$185	P.Q.L. Inc.	84176	811768023855	15,800	120	5,000	
	\$185	RAB Lighting	WP2FA80	192552004602	12,032	81	3,000	CCT Selectable
	\$185		WP3FA150	192552004619	21,514	157	3,000	CCT Selectable
	\$185		WP3LED150L-740U/PCU		15,150	99	3,974	
	\$185		WP3LED150L-750U/PCU		15,353	100	5,004	
	\$185		WP3XFU120		17,923	125	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$185		WP3XFU150		21,514	157	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$185	RET Consulting Group	RWP14-120-40		15,903	111	4,000	To be installed with a photocell (PS option) or timeclock
	\$185		RWP14-120-50		16,288	111	5,000	To be installed with a photocell (PS option) or timeclock
	\$185		RWP14-75-40		9,987	67	4,000	To be installed with a photocell (PS option) or timeclock
	\$185		RWP14-75-50		9,994	67	5,000	To be installed with a photocell (PS option) or timeclock
	\$185		RWP14-90-40		12,127	83	4,000	To be installed with a photocell (PS option) or timeclock
	\$185		RWP14-90-50		12,478	83	5,000	To be installed with a photocell (PS option) or timeclock
	\$185	Topaz Lighting Corp.	F-WP-100W/50K/BZ/EM	751338029439	14,409	102	4,788	Must include a photocell
	\$185		F-WP-100W/50K/BZ/HE	751338029125	14,409	102	4,788	Must include a photocell
	\$185		F-WP-120W/50K/BZ/EM	751338029453	16,948	121	4,839	Must include a photocell
	\$185		F-WP-120W/50K/BZ/HE	751338029132	16,948	121	4,839	Must include a photocell
	\$185		WP/120W/PCTS/BZ/PC	751338039384	15,897	117	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$185	WESTGATE MFG	WML2-120W-30K-HL-LG		14,734	114	3,000	
	\$185		WML2-120W-40K-HL-LG		14,867	114	4,000	
\$185	WML2-120W-50K-HL-LG		845060010695	15,000	113	5,000		
\$185	WML-HL-80W-40K			11,198	77	4,000		
\$185	WML-HL-80W-50K		845060050158	11,144	77	5,000		
87UCPC	\$205	MaxLite Inc.	WP-OP120U-40BMS	767627953156	16,318	119	4,000	
	\$205		WP-OP120U-50BMS	767627968105	16,948	121	5,000	
	\$205		WP-OP80U-50BMS	767627968174	11,375	81	5,000	
	\$205	RET Consulting Group	RWP14-120-40-MS		15,903	111	4,000	Must be installed with motion sensor option to receive incentive
	\$205		RWP14-120-50-MS		16,288	111	5,000	Must be installed with motion sensor option to receive incentive
	\$205		RWP14-75-40-MS		9,987	67	4,000	Must be installed with motion sensor option to receive incentive
	\$205		RWP14-75-50-MS		9,994	67	5,000	Must be installed with motion sensor option to receive incentive
	\$205		RWP14-90-40-MS		12,127	83	4,000	Must be installed with motion sensor option to receive incentive
	\$205		RWP14-90-50-MS		12,478	83	5,000	Must be installed with motion sensor option to receive incentive

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
Outdoor Pole/Arm-Mounted Area and Roadway Luminaires								
86UCPC	\$135	PAKLIGHTS, LLC	FFHL-500-UV-50-D40-Z-[SF;AM;3M;FM][WG;blank][SP10;SP20;blank]C		68,826	498	5,000	
87UAP	\$60	Acuity Brands Lighting	DSX0 LED P1 40K T3M MVOLT SPUMBA PIR DDBXD	19184832108	4,576	38	4,000	
	\$60		DSX0 LED P1 40K T4M MVOLT SPA PIRH DDBXD	193047223911	4,611	38	4,000	
	\$60	EATON	LAS455-T3	080083155804	20,089	153	4,000	10-position lumen select - measure code based on lowest lumen rating (Watts &
	\$60		LAS455-T3-HV	080083155866	20,089	153	4,000	10-position lumen select - measure code based on lowest lumen rating (Watts &
	\$60		LAS455-T4	080083155835	19,720	153	4,000	10-position lumen select - measure code based on lowest lumen rating (Watts &
	\$60		LAS455-T4-HV	080083155880	19,720	153	4,000	10-position lumen select - measure code based on lowest lumen rating (Watts &
	\$60		LAS455-T5	080083155842	19,956	153	4,000	10-position lumen select - measure code based on lowest lumen rating (Watts &
	\$60		LAS455-T5-HV	080083155903	19,956	153	4,000	10-position lumen select - measure code based on lowest lumen rating (Watts &
	\$60	Leotek Electronics USA, LLC	AR13-48N-MV-WW-3-DB-030		7,411	52	3,000	Must be installed with PCR option or with a time clock to receive incentive. Watt
	\$60		AR13-48N-MV-WW-4-DB-030		7,527	52	3,000	Must be installed with PCR option or with a time clock to receive incentive. Watt
	\$60		AR13-48N-MV-WW-5-DB-030		7,435	52	3,000	Must be installed with PCR option or with a time clock to receive incentive. Watt
	\$60		AR13-48N-MV-WW-3-DB-040		7,411	52	3,000	Must be installed with PCR option or with a time clock to receive incentive. Watt
	\$60		AR13-48N-MV-WW-4-DB-040		7,527	52	3,000	Must be installed with PCR option or with a time clock to receive incentive. Watt
	\$60		AR13-48N-MV-WW-5-DB-040		7,435	52	3,000	Must be installed with PCR option or with a time clock to receive incentive. Watt
	\$60		AR13-48N-MV-NW-3-DB-030		7,864	52	4,000	Must be installed with PCR option or with a time clock to receive incentive. Watt
	\$60		AR13-48N-MV-NW-4-DB-030		7,972	52	4,000	Must be installed with PCR option or with a time clock to receive incentive. Watt
	\$60		AR13-48N-MV-NW-5-DB-030		7,865	52	4,000	Must be installed with PCR option or with a time clock to receive incentive. Watt
	\$60		AR13-48N-MV-NW-3-DB-040		7,864	52	4,000	Must be installed with PCR option or with a time clock to receive incentive. Watt
	\$60		AR13-48N-MV-NW-4-DB-040		7,972	52	4,000	Must be installed with PCR option or with a time clock to receive incentive. Watt
	\$60		AR13-48N-MV-NW-5-DB-040		7,865	52	4,000	Must be installed with PCR option or with a time clock to receive incentive. Watt
	\$60	P.Q.L. Inc.	SSDTD-35/50/65W-30/40/50K-MV (83722)	811768025651	8,125	65	3,000	Wattage & CCT selectable, Measure/incentive based on min. lumen level
	\$60	Signify	RFS-35W16LED4K-G2-5-UNV-DMG-PH8-RCD7-BZ		4,711	38	4,000	
	\$60		RFS-40W12LED4K-G2-5-UNV-DMG-PH8-RCD7-BZ		4,731	40	4,000	
	\$60	WESTGATE MFG	STL3-30W-30K-PC		4,103	29	3,000	
	\$60		STL3-30W-40K-PC		4,148	29	4,000	
	\$60		STL3-30W-50K-PC		4,192	29	5,000	
87UAPC	\$80	EATON	LAS45-T3-HV-MS/DIM-L40W		20,089	153	4,000	Lumen selectable, Measure/incentive based on min. lumen level
	\$80		LAS45-T3-MS/DIM-L40W		20,089	153	4,000	Lumen selectable, Measure/incentive based on min. lumen level
	\$80		LAS45-T4-HV-MS/DIM-L40W		19,720	153	4,000	Lumen selectable, Measure/incentive based on min. lumen level
	\$80		LAS45-T4-MS/DIM-L40W		19,720	153	4,000	Lumen selectable, Measure/incentive based on min. lumen level
	\$80		LAS45-T5-HV-MS/DIM-L40W		19,956	153	4,000	Lumen selectable, Measure/incentive based on min. lumen level
	\$80		LAS45-T5-MS/DIM-L40W		19,956	153	4,000	Lumen selectable, Measure/incentive based on min. lumen level
87UBC	\$100	Green Ignite	GI-ALM-C250-UL3 B M [SQ,SP,WM] T3		9,000	70	5,000	if not installed with time clock, a separate photo sensor is needed. Must select r
	\$100		GI-ALM-D250-UL3 B M [SQ,SP,WM] T3		9,000	70	4,000	if not installed with time clock, a separate photo sensor is needed. Must select r
	\$100	RAB Lighting	ALED5T52/BL/PCT		6,567	53	5,000	
87UBP	\$100	Acuity Brands Lighting	RSX1 LED P1 40K R4 MVOLT IS PE DDBXD	193047452113	7,205	51	4,000	
	\$100		RSX1 LED P1 40K R5 MVOLT IS PE DDBXD		7,264	51	4,000	
	\$100		RSX1 LED P1 50K R4 MVOLT IS PE DDBXD	193047741989	7,205	51	5,000	
	\$100		RSX1 LED P1 50K R5 MVOLT IS PE DDBXD		7,264	51	5,000	
	\$100		RSX1 LED P2 40K R3 MVOLT SPA PE DDBXD	193048258424	9,857	73	4,000	
	\$100		RSX1 LED P2 40K R4 MVOLT IS PE DDBXD	194994244578	9,995	73	4,000	
	\$100		RSX1 LED P2 50K R4 MVOLT IS PE DDBXD		9,995	73	5,000	
	\$100	ASD Lighting Corp	ASD-LSB2-60D50B-PRM	819201026920	8,401	61	5,000	Must be installed with a timeclock or with the PC option to receive incentive
	\$100		ASD-LSB2-60D50W-PRM	810050732710	8,401	61	5,000	Must be installed with a timeclock or with the PC option to receive incentive
	\$100	Barron Lighting Group	RxA-70-3-VS-4K-BR-A	190622124330	9,500	70	4,000	Must include a photocell
	\$100		RxA-70-3-VS-5K-BR-A	190622124340	9,600	70	5,000	Must include a photocell

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
87UBP	\$100	EarthTronics Inc.	AL15050T3MBK1	840791110676	19,500	150	5,000	mount and photocell sold separately
	\$100	EATON	CTKRV2B	080083865406	7,110	50	4,000	
	\$100		CTKRV3B	080083865413	9,741	71	4,000	
	\$100		LAS100S-T3	080083155927	33,965	251	4,000	10-position lumen select - measure code based on lowest lumen rating (Watts &
	\$100		LAS100S-T4	080083155880	33,342	251	4,000	10-position lumen select - measure code based on lowest lumen rating (Watts &
	\$100		LAS100S-T5	080083155903	33,740	251	4,000	10-position lumen select - measure code based on lowest lumen rating (Watts &
	\$100		PRV-C15-D-UNV-T3-SA-BZ-PER		7,111	52	4,000	
	\$100	GE Current	EACLO10D4AF740NDD1DKBZ		10,000	73	4,000	
	\$100	Green Ignite	GI-CHF-C250-UL4 W T3	670875446229	9,400	70	5,000	
	\$100		GI-CHF-D250-UL4 W T3	663546824013	9,300	70	4,000	
	\$100	Keystone Technologies	KT-ALED70-S1-3-NM-850-VDIM	843654131337	9,660	70	5,000	The PS option would be needed if not being installed with time clock
	\$100		KT-ALED70-S1-2-NM-840-VDIM		9,520	70	4,000	The PS option would be needed if not being installed with time clock
	\$100		KT-ALED70-S1-2-NM-850-VDIM		9,660	70	5,000	The PS option would be needed if not being installed with time clock
	\$100		KT-ALED70-S1-3-NM-840-VDIM	843654131320	9,520	70	4,000	The PS option would be needed if not being installed with time clock
	\$100		KT-ALED70-S1-4-NM-840-VDIM		9,590	70	4,000	The PS option would be needed if not being installed with time clock
	\$100		KT-ALED70-S1-4-NM-850-VDIM		9,730	70	5,000	The PS option would be needed if not being installed with time clock
	\$100		KT-ALED70-S1-5-NM-840-VDIM	843654131344	9,590	70	4,000	The PS option would be needed if not being installed with time clock
	\$100		KT-ALED70-S1-5-NM-850-VDIM	843654131351	9,730	70	5,000	The PS option would be needed if not being installed with time clock
	\$100	LEDVANCE, LLC	AREAFD1A/070HUV840/T3/BZ	046135603860	8,177	66	4,044	
	\$100		AREAFD1A/070HUV840/T4/BZ	046135603877	8,225	66	4,044	
	\$100		AREAFD1A/070HUV840/T5/BZ	046135603884	8,515	66	4,044	
	\$100		AREAFD1A/070HUV850/T3/BZ	046135603891	8,677	66	4,954	
	\$100		AREAFD1A/070HUV850/T4/BZ	046135603907	8,759	66	4,954	
	\$100		AREAFD1A/070HUV850/T5/BZ	046135603914	9,098	66	4,954	
	\$100		AREAFD1A/070UNVD840/T3/BZ	046135709562	8,177	70	4,044	Must include a photocell
	\$100		AREAFD1A/070UNVD840/T3/WH	046135709562	8,177	70	4,044	Must include a photocell
	\$100		AREAFD1A/070UNVD840/T4/BZ	046135710780	8,225	70	4,044	Must include a photocell
	\$100		AREAFD1A/070UNVD840/T4/WH	046135710780	8,225	70	4,044	Must include a photocell
	\$100		AREAFD1A/070UNVD840/T5/BZ	046135710797	8,515	70	4,044	Must include a photocell
	\$100		AREAFD1A/070UNVD840/T5/WH	046135710797	8,515	70	4,044	Must include a photocell
	\$100		AREAFD1A/070UNVD850/T3/BZ	046135711534	8,677	70	4,954	Must include a photocell
	\$100		AREAFD1A/070UNVD850/T3/WH	046135711534	8,677	70	4,954	Must include a photocell
	\$100		AREAFD1A/070UNVD850/T4/BZ	046135711701	8,759	70	4,954	Must include a photocell
	\$100		AREAFD1A/070UNVD850/T4/WH	046135711701	8,759	70	4,954	Must include a photocell
	\$100		AREAFD1A/070UNVD850/T5/BZ	046135711718	9,098	70	4,954	Must include a photocell
	\$100		AREAFD1A/070UNVD850/T5/WH	046135711718	9,098	70	4,954	Must include a photocell
	\$100	Leotek Electronics USA, LLC	AR13-48N-MV-WW-3-DB-055		7,411	52	3,000	Must be installed with PCR option or with a time clock to receive incentive. Watt
	\$100		AR13-48N-MV-WW-4-DB-055		7,527	52	3,000	Must be installed with PCR option or with a time clock to receive incentive. Watt
	\$100		AR13-48N-MV-WW-5-DB-055		7,435	52	3,000	Must be installed with PCR option or with a time clock to receive incentive. Watt
	\$100		AR13-48N-MV-WW-3-DB-080		7,411	52	3,000	Must be installed with PCR option or with a time clock to receive incentive. Watt
	\$100		AR13-48N-MV-WW-4-DB-080		7,527	52	3,000	Must be installed with PCR option or with a time clock to receive incentive. Watt
	\$100		AR13-48N-MV-WW-5-DB-080		7,435	52	3,000	Must be installed with PCR option or with a time clock to receive incentive. Watt
	\$100		AR13-48N-MV-NW-3-DB-060		7,864	52	4,000	Must be installed with PCR option or with a time clock to receive incentive. Watt
	\$100		AR13-48N-MV-NW-4-DB-060		7,972	52	4,000	Must be installed with PCR option or with a time clock to receive incentive. Watt
	\$100		AR13-48N-MV-NW-5-DB-060		7,865	52	4,000	Must be installed with PCR option or with a time clock to receive incentive. Watt
\$100		AR13-48N-MV-NW-3-DB-080		7,864	52	4,000	Must be installed with PCR option or with a time clock to receive incentive. Watt	
\$100		AR13-48N-MV-NW-4-DB-080		7,972	52	4,000	Must be installed with PCR option or with a time clock to receive incentive. Watt	
\$100		AR13-48N-MV-NW-5-DB-080		7,865	52	4,000	Must be installed with PCR option or with a time clock to receive incentive. Watt	

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2	
87UBP	\$100	Leotek Electronics USA, LLC	AR13-48N-MV-WW-3-DB-100		19,260	150	3,000	Must be installed with PCR option or with a time clock to receive incentive. Wattage	
	\$100		AR13-48N-MV-WW-4-DB-100		19,190	148	3,000	Must be installed with PCR option or with a time clock to receive incentive. Wattage	
	\$100		AR13-48N-MV-WW-5-DB-100		19,230	148	3,000	Must be installed with PCR option or with a time clock to receive incentive. Wattage	
	\$100	MaxLite Inc.	PSM53UT5-40B		6,888	53	4,000	if not installed with time clock, a separate photo sensor is needed.	
	\$100	P.Q.L. Inc.	STL3P-60W-5000K-C-MB-HC-P (84036)	811768026535	8,860	60	5,000	Must be installed with a timeclock to receive incentive or with photocell option	
	\$100		STL3P-60W-4000K-C-MB-HC-P (84058)	811768026528	8,696	61	4,000	Must be installed with a timeclock to receive incentive or with photocell option	
	\$100	RAB Lighting	A17XFU150	192552003872	20,261	151	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating	
	\$100		ALED3T50/PCT	019813946887	6,855	55	4,896		
	\$100		ALED3T78/D10/PCT	019813226774	9,263	77	4,896		
	\$100		ALED3T78SF/D10/PCS	019813079042	9,263	77	4,896		
	\$100		ALED4T50/480/D10/PCT4	019813210483	7,532	56	4,896		
	\$100		ALED4T50/480/PCT4		7,532	56	4,896		
	\$100		ALED4T50/PCS	019813948447	7,517	55	4,896		
	\$100		ALED4T50/PCT		7,517	55	4,896		
	\$100		ALED4T50/Y/480/D10/PCT4		7,142	56	3,135		
	\$100		Signify	ECF-S-32L-530-NW-G2-5-UNV		7,922	54	4,000	
	\$100			ECF-S-32L-700-NW-G2-5-UNV		9,648	70	4,000	
	\$100		SLG	ALCS 60 T3 G1 4K SPAR PC-1		5,400	40	4,000	
	\$100	ALCS 60 T3 G1 5K SPAR PC-1			5,500	40	5,000		
	\$100	ALCS 60 T4 G1 4K SPAR PC-1			5,360	40	4,000		
	\$100	ALCS 60 T4 G1 5K SPAR PC-1			5,480	40	5,000		
	\$100	ALCS 60 T5 G1 4K SPAR PC-1			5,600	40	4,000		
	\$100	ALCS 60 T5 G1 5K SPAR PC-1			5,720	40	5,000		
	\$100	ALCS 96 T3 G1 4K SPAR PC-1			9,500	70	4,000		
	\$100	ALCS 96 T3 G1 5K SPAR PC-1			9,600	70	5,000		
	\$100	ALCS 96 T4 G1 4K SPAR PC-1			9,310	70	4,000		
	\$100	ALCS 96 T4 G1 5K SPAR PC-1			9,450	70	5,000		
	\$100	ALCS 96 T5 G1 4K SPAR PC-1			9,730	70	4,000		
	\$100	ALCS 96 T5 G1 5K SPAR PC-1			9,800	70	5,000		
	\$100	AR 60 T3 G1 30K		728943427844	6,100	45	3,000		
	\$100	AR 60 T3 G1 35K		728943427844	6,200	45	3,500		
	\$100	AR 60 T3 G1 40K		728943427844	6,300	45	4,000		
	\$100	AR 60 T3 G1 50K		728943427844	6,350	45	5,000		
	\$100	AR 60 T3 G1 HVU 30K			6,100	45	3,000		
	\$100	AR 60 T3 G1 HVU 35K			6,200	45	3,500		
	\$100	AR 60 T3 G1 HVU 40K		6,300	45	4,000			
	\$100	AR 60 T3 G1 HVU 50K		6,350	45	5,000			
	\$100	AR 95 T3 G1 30K	728943427851	9,200	70	3,000			
	\$100	AR 95 T3 G1 35K	728943427851	9,200	70	3,500			
	\$100	AR 95 T3 G1 40K	728943427851	9,300	70	4,000			
	\$100	AR 95 T3 G1 50K	728943427851	9,400	70	5,000			
	\$100	AR 95 T3 G1 HVU 30K		9,200	70	3,000			
	\$100	AR 95 T3 G1 HVU 35K		9,200	70	3,500			
	\$100	AR 95 T3 G1 HVU 40K		9,300	70	4,000			
	\$100	AR 95 T3 G1 HVU 50K		9,400	70	5,000			
\$100	WESTGATE MFG	LF4PRO-50-150W-MCTP	845060073034	18,967	152	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating		
\$100		LFX-LG-50-150W-30K-SF-T3bTN		21,043	150	3,000	Wattage selectable - measure code based on lowest wattage/lumen rating.		
\$100		LFX-LG-50-150W-30K-TR-T3bTN		21,043	150	3,000	Wattage selectable - measure code based on lowest wattage/lumen rating.		

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
87UBP	\$100	WESTGATE MFG	LFX-LG-50-150W-30K-YK-T3bTN		21,043	150	3,000	Wattage selectable - measure code based on lowest wattage/lumen rating.
	\$100		LFX-LG-50-150W-40K-SF-T3bTN		21,153	150	4,000	Wattage selectable - measure code based on lowest wattage/lumen rating.
	\$100		LFX-LG-50-150W-40K-TR-T3bTN		21,153	150	4,000	Wattage selectable - measure code based on lowest wattage/lumen rating.
	\$100		LFX-LG-50-150W-40K-YK-T3bTN		21,153	150	4,000	Wattage selectable - measure code based on lowest wattage/lumen rating.
	\$100		LFX-LG-50-150W-50K-480V-SF-T3bF		21,259	151	5,000	Wattage selectable - measure code based on lowest wattage/lumen rating.
	\$100		LFX-LG-50-150W-50K-480V-TR-T3bF		21,259	151	5,000	Wattage selectable - measure code based on lowest wattage/lumen rating.
	\$100		LFX-LG-50-150W-50K-480V-YK-T3bF		21,259	151	5,000	Wattage selectable - measure code based on lowest wattage/lumen rating.
	\$100		LFX-LG-50-150W-50K-SF-T3bTN		21,263	150	5,000	Wattage selectable - measure code based on lowest wattage/lumen rating.
	\$100		LFX-LG-50-150W-50K-TR-T3bTN		21,263	150	5,000	Wattage selectable - measure code based on lowest wattage/lumen rating.
	\$100		LFX-LG-50-150W-50K-YK-T3bTN		21,263	150	5,000	Wattage selectable - measure code based on lowest wattage/lumen rating.
	\$100		LFXPRO-LG-50-150W-MCTP-SF-90120		19,017	152	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$100		LFXPRO-LG-50-150W-MCTP-SF-WH-90120		19,017	152	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$100		LFXPRO-LG-50-150W-MCTP-TR-90120		19,017	152	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$100		LFXPRO-LG-50-150W-MCTP-TR-WH-90120		19,017	152	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$100		LFXPRO-LG-50-150W-MCTP-YK-90120		19,017	152	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$100		LFXPRO-LG-50-150W-MCTP-YK-WH-90120		19,017	152	3,000	Wattage & CCT selectable - measure code based on lowest wattage/lumen rating
	\$100		STL3-50W-30K-PC		6,330	47	3,000	
	\$100		STL3-50W-40K-PC		6,439	47	4,000	
	\$100		STL3-50W-50K-PC		6,548	47	5,000	
	\$100		STL3-80W-30K-PC		10,451	81	3,000	
\$100	STL3-80W-40K-PC		10,591	81	4,000			
\$100	STL3-80W-50K-PC		10,731	81	5,000			
87UBPC	\$120	Barron Lighting Group	RxA-70-3-VS-4K-BR-A-SC	190622144020	9,500	70	4,000	
	\$120		RxA-70-3-VS-5K-BR-A-SC	190622144610	9,600	70	5,000	
	\$120	EATON	LAS100-T3-MS/DIM-L40W		33,965	251	4,000	Lumen selectable, Measure/incentive based on min. lumen level
	\$120		LAS100-T4-MS/DIM-L40W		33,342	251	4,000	Lumen selectable, Measure/incentive based on min. lumen level
	\$120		LAS100-T5-MS/DIM-L40W		33,740	251	4,000	Lumen selectable, Measure/incentive based on min. lumen level
	\$120		PRV-PA1A-740-U-5WQ-BZ-MS/DIM-L40		7,831	54	4,000	
	\$120		PRV-PA1A-740-U-T3-BZ-MS/DIM-L40		7,575	54	4,000	
	\$120	PRV-PA1A-740-U-T4W-BZ-MS/DIM-L40		7,484	54	4,000		
	\$120	Keystone Technologies	KT-ALED70-S1-2-NM-840-VDIM-MW3		9,520	70	4,000	The PS option would be needed if not being installed with time clock
	\$120		KT-ALED70-S1-2-NM-850-VDIM-MW3		9,660	70	5,000	The PS option would be needed if not being installed with time clock
	\$120		KT-ALED70-S1-3-NM-840-VDIM-MW3		9,520	70	4,000	The PS option would be needed if not being installed with time clock
	\$120		KT-ALED70-S1-3-NM-850-VDIM-MW3		9,660	70	5,000	The PS option would be needed if not being installed with time clock
	\$120		KT-ALED70-S1-3-NM-857-VDIM-MW3		9,660	70	5,700	The PS option would be needed if not being installed with time clock
	\$120		KT-ALED70-S1-4-NM-840-VDIM-MW3		9,590	70	4,000	The PS option would be needed if not being installed with time clock
	\$120		KT-ALED70-S1-4-NM-850-VDIM-MW3		9,730	70	5,000	The PS option would be needed if not being installed with time clock
	\$120		KT-ALED70-S1-5-NM-840-VDIM-MW3		9,590	70	4,000	The PS option would be needed if not being installed with time clock
	\$120	KT-ALED70-S1-5-NM-850-VDIM-MW3		9,730	70	5,000	The PS option would be needed if not being installed with time clock	
	\$120	LEDVANCE, LLC	AREAF1D1A/070UNVD840/T3/BZ/D	046135600838	8,177	70	4,044	
	\$120		AREAF1D1A/070UNVD840/T4/BZ/D	046135710780	8,225	70	4,044	
	\$120		AREAF1D1A/070UNVD840/T5/BZ/D	046135710797	8,515	70	4,044	
\$120	AREAF1D1A/070UNVD850/T3/BZ/D		046135711534	8,677	70	4,954		
\$120	AREAF1D1A/070UNVD850/T4/BZ/D		046135711701	8,759	70	4,954		
\$120	AREAF1D1A/070UNVD850/T5/BZ/D		046135711718	9,098	70	4,954		

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
87UBPC	\$120	MaxLite Inc.	AR60UT3-40BAMS	767627160585	7,900	60	4,000	
	\$120		AR60UT3-50BAMS	767627360206	7,900	60	5,000	
	\$120		AR60UT5-40BAMS	767627160592	7,787	60	4,000	
	\$120		AR60UT5-50BKMS	767627512148	7,860	60	5,000	
	\$120		AR60UT5-50BTMS	767627302428	7,860	60	5,000	
	\$120	Signify	ECF-S-32L-530-NW-G2-5-UNV-CE50		7,922	54	4,000	Must include DynaDimmer option CE-50 to receive Tier 2 Incentive
	\$120		ECF-S-32L-700-NW-G2-5-UNV-CE50		9,648	70	4,000	Must include DynaDimmer option CE-50 to receive Tier 2 Incentive
	\$120	SLG	ALCS 60 T3 G1 4K SPAR FSP-212		5,400	40	4,000	
	\$120		ALCS 60 T3 G1 5K SPAR FSP-212		5,500	40	5,000	
	\$120		ALCS 60 T4 G1 4K SPAR FSP-212		5,360	40	4,000	
	\$120		ALCS 60 T4 G1 5K SPAR FSP-212		5,480	40	5,000	
	\$120		ALCS 60 T5 G1 4K SPAR FSP-212		5,600	40	4,000	
	\$120		ALCS 60 T5 G1 5K SPAR FSP-212		5,720	40	5,000	
	\$120		ALCS 96 T3 G1 4K SPAR FSP-212		9,500	70	4,000	
	\$120		ALCS 96 T3 G1 5K SPAR FSP-212		9,600	70	5,000	
	\$120		ALCS 96 T4 G1 4K SPAR FSP-212		9,310	70	4,000	
	\$120		ALCS 96 T4 G1 5K SPAR FSP-212		9,450	70	5,000	
	\$120		ALCS 96 T5 G1 4K SPAR FSP-212		9,730	70	4,000	
	\$120		ALCS 96 T5 G1 5K SPAR FSP-212		9,800	70	5,000	
	87UCC		\$185	GE Current	EACLO11F3AW740N1D1DKBZH		15,300	122
\$185		EACLO11F4AF740N1D1DKBZH			15,000	122	4,000	
\$185		EACLO11F4AF750N1D1DKBZH			15,000	122	5,000	
\$185		EACLO14F3AW740N1D1DKBZH			15,300	122	4,000	
\$185		EACLO14F4AF740N1D1DKBZH			15,000	122	4,000	
\$185		EACLO14F4AF750N1D1DKBZH			15,000	122	5,000	
\$185		Green Ignite	GI-ALM-C400-UL3 B M SQ T3		13,400	105	5,000	if not installed with time clock, a separate photo sensor is needed.
\$185			GI-ALM-D400-UL3 B M SQ T3		13,400	105	4,000	if not installed with time clock, a separate photo sensor is needed.
\$185		GI-ALM-WD400-UL3 B M SQ T3		13,000	105	3,500	if not installed with time clock, a separate photo sensor is needed.	
87UCP	\$185	Acuity Brands Lighting	DSX0 LED P6 40K T4M MVOLT SPA PER7 DDBXD	193048740134	15,628	134	4,000	
	\$185		DSX1 LED P3 50K T2M MVOLT RPA DNAXD	193047234221	12,707	102	5,000	
	\$185		DSX1 LED P3 50K T4M MVOLT RPA DNAXD	194995673490	12,464	102	5,000	
	\$185		DSX1 LED P3 50K TFTM MVOLT RPA DNAXD	194995901562	12,733	102	5,000	
	\$185		DSX1 LED P4 40K T5M MVOLT SPA DDBXD	191848120576	15,042	125	4,000	
	\$185		RSX1 LED P2 40K R5 MVOLT (SPA or RPA) PE DDBXD	193048904765	10,076	73	4,000	
	\$185		RSX1 LED P3 40K R4 MVOLT (SPA or RPA) PE DDBXD		14,238	109	4,000	
	\$185		RSX1 LED P3 40K R5 MVOLT (SPA or RPA) PE DDBXD		14,354	109	4,000	
	\$185		RSX1 LED P4 40K R2 MVOLT SPA PE DDBXD		16,418	133	4,000	
	\$185		RSX1 LED P4 40K R2 MVOLT WBA PE DBLXD		16,418	133	4,000	
	\$185		RSX1 LED P4 40K R4 MVOLT (SPA or RPA) PE DDBXD	193048459777	16,611	133	4,000	
	\$185		RSX1 LED P4 40K R5 MVOLT (SPA or RPA) PE DDBXD	194994208082	16,746	133	4,000	
	\$185		RSX2 LED P1 40K R4 MVOLT (SPA or RPA) PE DDBXD		11,161	72	4,000	
	\$185		RSX2 LED P1 40K R5 MVOLT (SPA or RPA) PE DDBXD		11,252	72	4,000	
	\$185		RSX2 LED P2 40K R4 MVOLT (SPA or RPA) PE DDBXD	193047535069	17,467	114	4,000	
	\$185		RSX2 LED P2 40K R5 MVOLT (SPA or RPA) PE DDBXD		17,609	114	4,000	
	\$185		RSX2 LED P3 40K R4 MVOLT (SPA or RPA) PE DDBXD		22,071	150	4,000	
	\$185		RSX2 LED P3 40K R5 MVOLT (SPA or RPA) PE DDBXD		22,251	150	4,000	
	\$185		RSX2 LED P4 40K R4 MVOLT (SPA or RPA) PE DDBXD		25,386	190	4,000	
	\$185		RSX2 LED P4 40K R5 MVOLT (SPA or RPA) PE DDBXD		25,593	190	4,000	

Measure Code	Incentive	Manufacturer	Model Number	UPC	Reported Light Output	Reported Input Wattage	Reported CCT	Notes2
87UCP	\$185	Acuity Brands Lighting	RSX2 LED P5 40K R4 MVOLT (SPA or RPA) PE DDBXD		29,059	213	4,000	
	\$185		RSX2 LED P5 40K R5 MVOLT (SPA or RPA) PE DDBXD		29,296	213	4,000	
	\$185		RSX2 LED P6 40K R4 MVOLT (SPA or RPA) PE DDBXD		30,732	247	4,000	
	\$185		RSX2 LED P6 40K R5 MVOLT (SPA or RPA) PE DDBXD		30,983	247	4,000	
	\$185		RSX3 LED P1 40K R4 MVOLT (SPA or RPA) PE DDBXD		27,702	195	4,000	
	\$185		RSX3 LED P1 40K R5 MVOLT (SPA or RPA) PE DDBXD	193047833868	27,928	195	4,000	
	\$185		RSX3 LED P2 40K R4 MVOLT (SPA or RPA) PE DDBXD	193047833837	30,648	223	4,000	
	\$185		RSX3 LED P2 40K R5 MVOLT (SPA or RPA) PE DDBXD	193047833868	30,898	223	4,000	
	\$185		RSX3 LED P3 40K R4 MVOLT (SPA or RPA) PE DDBXD		35,889	267	4,000	
	\$185		RSX3 LED P3 40K R5 MVOLT (SPA or RPA) PE DDBXD		36,182	267	4,000	
	\$185		RSX3 LED P4 40K R4 MVOLT (SPA or RPA) PE DDBXD	193048215717	41,070	312	4,000	
	\$185		RSX3 LED P4 40K R5 MVOLT (SPA or RPA) PE DDBXD		41,405	312	4,000	
	\$185		RSX4 LED P1 40K R4 MVOLT (SPA or RPA) PE DDBXD		40,274	275	4,000	
	\$185		RSX4 LED P1 40K R5 MVOLT (SPA or RPA) PE DDBXD		40,602	275	4,000	
	\$185		RSX4 LED P2 40K R4 MVOLT (SPA or RPA) PE DDBXD		45,814	320	4,000	
	\$185		RSX4 LED P2 40K R5 MVOLT (SPA or RPA) PE DDBXD		46,188	320	4,000	
	\$185		RSX4 LED P3 40K R4 MVOLT (SPA or RPA) PE DDBXD		51,097	369	4,000	